

QK
321
.A31
E1962
BOT

FLORA OF THE USSR

Alphabetical Indexes to Volumes I-XXX

FLORA OF THE USSR

Initiated under the supervision and chief editorship
of Academician V.L. Komarov

ALPHABETICAL INDEXES TO VOLUMES I-XXX

Editors

E.G. BOBROV and N.N. TZVELEV

General Scientific Editor

STANWYN G. SHETLER

Translated from Russian



Smithsonian Institution Libraries
Washington, D.C.

2004

Compiled by:
L.I. Ivanova, T.G. Leonova, A.E. Matsenko

Library of Congress Cataloging-in-Publication Data

Flora SSSR. Indices alphabetici I-XXX. English.

Flora of the USSR. Alphabetical indexes to volumes I-XXX/
editors, E.G. Bobrov and N.N. Tzvelev; general scientific editor,
Stanwyn G. Shetler; translated from the Russian.

p.cm.

"Initiated under the supervision and chief editorship of
Academician V.L. Komarov."

1. Flora SSSR--Indexes. 2. Botany--Russia--Indexes. 3. Plans--
Identification--Indexes.

I. Bobrov, E.G. (Evgenii Grigor'evich), 1902-1983. II. TSvelev,
N.N. (Nikolai Nikolaevich) III. Shetler, Stanwyn G. IV. Komarov,
V.L. (Vladimir: Leont'evich), 1869-1945. V. Title.

QK321.F69613 1997 Index

581.947--dc22

2004052146

© 2004, Copyright Reserved

Translation of:

Flora SSSR, Alfavitnye Ukazateli k tt. I-XXX
Nauka Publishers, Moscow, Leningrad, 1964

Support for this volume was provided by The Robert
Bateman Arctic Fund of the Smithsonian Institution

Translator & General Editor: Dr. V.S. Kothekar

Printed at Baba Barkhanath Printers, New Delhi

INSTITUTUM BOTANICUM nomine V. KOMAROVII ACADEMIAE SCIENTIARUM URSS


F L O R A

U R S S

(*FLORA UNIONIS RERUM PUBLICARUM
SOCIALISTICARUM SOVIETICARUM*)

INDICES ALPHABETICI I—XXX

„NAUKA“
MOSQUA • 1964 • LENINGRAD



SCIENTIFIC EDITOR'S PREFACE

The Alphabetical Indexes are cumulative indexes to all 30 volumes of the "Flora of the USSR" and together constitute the thirty-first and final volume of this monumental work. This volume consists mainly of separate indexes to the scientific (Latin) names of (1) the families and (2) the genera and species in the Flora, but it also includes a list or index of the authors of the Latin names, alphabetized by the standard abbreviations used for them in the text, and summaries of other commonly used abbreviations. The Latin-name indexes have been reproduced page for page from the original Russian edition. The original Russian volume also included cumulative indexes to the Russian vernacular names, but these indexes have been omitted from the English translation, because the Russian vernacular names were never included in the English translations of volumes I-XXX.

Grateful thanks are extended once again to all those who have had a hand in the translation, review, and publication of this work during the many years that it has been in progress.

30 June 2003

STANWYN G. SHETLER
Curator of Botany Emeritus
National Museum of Natural History
Smithsonian Institution, Washington DC 20013

PREFACE

Given that detailed indexes were published for the first four volumes of the *Flora of the USSR* and for each of the subsequent twenty-six volumes, it is sufficient to give here brief indexes for the entire series to facilitate its use as a whole.

This volume comprises the following parts: 1 – Index of Russian Names of Families [omitted in translation]; 2 – Index of Russian Names of Genera [also omitted in translation]; 3 – Index of Latin Names of Genera and Species of Plants, with the most important generic synonyms.

The general trend of development in the nomenclature of plants toward greater stability is reflected to a certain extent in the present index. This is expressed by the use of a different name for many of the families in conformity with what was adopted at the Ninth International Botanical Congress, by the use of some more recent orthographic variants of specific epithets, and by the more current spelling of the authors' names. The abbreviation of authors' names follows the list compiled by M.E. Kirpicznikov, which is included here as an appendix.

In these indexes the first number following the names of families and genera indicates the volume and the second number – the page; the third number, if present, indicates the page number of the diagnosis in Latin (Addenda). A further number indicates a plate [tab.] on which the plant or its parts have been illustrated.

The present index volume has, first of all, an entirely practical purpose—to facilitate the use of the whole series. At the same time, it also has some value in itself—the main index is an alphabetical list of the principal names of families, genera, and species of higher plants of the Soviet Union described in the *Flora of the USSR*.

The indexes were compiled by: A.E. Matsenko (Vols. I-X), L.I. Ivanova (Vols. XI-XX), T.G. Leonova (Vols. XXI-XXX).

Editorial Board

CONTENTS

| | | |
|---|-----|-----|
| SCIENTIFIC EDITOR'S PREFACE | ... | VII |
| PREFACE | ... | ix |
| INDEX OF RUSSIAN NAMES OF FAMILIES* | ... | |
| INDEX OF RUSSIAN NAMES OF GENERA* | ... | |
| INDEX OF LATIN NAMES OF FAMILIES | ... | 1 |
| INDEX OF LATIN NAMES OF GENERA AND SPECIES | ... | 3 |
| ALPHABETICAL LIST OF AUTHORS OF THE TAXA | ... | 205 |
| ABBREVIATIONS | | |
| Abbreviations of Floristic Regions of USSR | ... | 237 |
| Abbreviations of Regions Used to Indicate General | | |
| Distribution of Species in " <i>Flora of the USSR</i> " | ... | 238 |
| Other Geographical Abbreviations | ... | 239 |
| General Abbreviations | ... | 240 |

*Omitted in translation—General Editor.

INDEX OF LATIN NAMES OF FAMILIES*

INDEX NOMINUM FAMILIARUM

*The Latin indexes are photo-reproduced page for page from the Russian edition, and the page number on the line with the running head is the number in the Russian edition.

Aceraceae Juss. 14, 580.
Actinidiaceae Hutch. 15, 185.
Adoxaceae J. Agardh 23, 584.
Aizoaceae Rudolphi 6, 374.
Alismataceae Vent. 1, 278.
Amaranthaceae Juss. 6, 354.
Amaryllidaceae Jaume 4, 475.
Anacardiaceae Lindl. 14, 518.
Annonaceae Juss. 7, 567.
Apocynaceae Juss. 18, 645.
Aquifoliaceae Bartl. 14, 539.
Araceae Juss. 3, 478.
Araliaceae Juss. 16, 1.
Aristolochiaceae Juss. 5, 431.
Asclepiadaceae R. Br. 18, 663.

Balsaminaceae A. Rich. 14, 624.
Berberidaceae Juss. 7, 539.
Betulaceae S. Gray 5, 252.
Bignoniaceae Juss. 23, 1.
Boraginaceae Juss. 19, 97.
Butomaceae Rich. 1, 291.
Buxaceae Dum. 14, 503.

Callitrichaceae Link 14, 495.
Campanulaceae Juss. 24, 126.
Capparaceae Juss. 8, 1.
Caprifoliaceae Juss. 23, 419.
Caryophyllaceae Juss. 6, 386.
Celastraceae R. Br. 14, 546.
Ceratophyllaceae S. Gray 7, 14.
Chenopodiaceae Vent. 6, 2.
Chloranthaceae R. Br. ex Lindl. 5, 20.
Cistaceae Juss. 15, 327.
Combretaceae E. Br. 15, 554.
Commelinaceae R. Br. 3, 498.
Compositae Giseke 25, 1.
Convolvulaceae Juss. 19, 1.

Cornaceae Dum. 17, 315.
Crassulaceae DC. 9, 8.
Cruciferae Juss. 8, 14.
Cucurbitaceae Juss. 24, 91.
Cupressaceae Neger 1, 173.
Cuscutaceae Dum. 19, 37.
Cycadaceae Lindl. 1, 129.
Cynomoriaceae Lindl. 15, 670.
Cyperaceae Juss. 3, 1.

Datisceae Lindl. 15, 479.
Diapensiaceae Lindl. 18, 105.
Dioscoreaceae R. Br. 4, 494.
Dipsacaceae Juss. 24, 10.
Droseraceae Salisb. 9, 1.

Ebenaceae Guerke 18, 475.
Elaeagnaceae Juss. 15, 515.
Elatinaceae Dum. 15, 259.
Empetraceae S. Gray 14, 511.
Equisetaceae Rich. 1, 101.
Ephedraceae Wettst. 1, 195.
Ericaceae Juss. 18, 22.
Eriocaulaceae Desv. 3, 494.
Eucommiaceae Engl. 9, 273.
Euphorbiaceae Juss. 14, 266.

Fagaceae Dum. 5, 319.
Frankeniaceae S. Gray 15, 271.

Gentianaceae Juss. 18, 525.
Geraniaceae Juss. 14, 1.
Ginkgoaceae Engl. et Prantl 1, 130.
Globulariaceae DC. 23, 128.
Gramineae Juss. 2, 1.
Guttiferae Juss. 15, 201.

Haloragaceae R. Br. 15, 662.
Hamamelidaceae R. Br. 9, 271.

- Hippocastanaceae DC. 14, 623.
 Hippuridaceae Link 15, 668.
 Hydrocaryaceae Raimann 15, 637.
 Hydrocharitaceae Juss. 1, 293.
 Hydrophyllaceae R. Br. ex Edwards 19, 95.
 Hymenophyllaceae Gaudich. 1, 14.

 Iridaceae Juss. 4, 498.
 Isoetaceae Rich. 1, 127.

 Juglandaceae A. Rich. ex Kunth 5, 247.
 Juncaceae Juss. 3, 504.
 Juncaginaceae Rich. 1, 275.

 Labiatae Juss. 20, 1.
 Lauraceae Juss. 7, 571.
 Leguminosae Juss. 11, 1.
 Lemnaceae S. Gray 3, 491.
 Lentibulariaceae Rich. 23, 117.
 Liliaceae Juss. 4, 1.
 Linaceae S. Gray 14, 84.
 Lobeliaceae R. Br. 24, 450.
 Loranthaceae Juss. 5, 406.
 Lycopodiaceae Rich. 1, 112.
 Lythraceae Jaume 15, 525.

 Magnoliaceae Juss. 7, 564.
 Malvaceae Juss. 15, 23.
 Marsileaceae R. Br. 1, 90.
 Martyniaceae Stapf 23, 18.
 Meliaceae Juss. 14, 244.
 Menispermaceae Juss. 7, 560.
 Menyanthaceae Dum. 18, 640.
 Monotropaceae Nutt. 18, 19.
 Moraceae Link 5, 376.
 Morinaceae (Dum.) Van-Tiegh. 24, 1.
 Myricaceae Blume 5, 242.
 Myrtaceae Juss. 15, 554.

 Najadaceae Juss. 1, 269.
 Nyctaginaceae Juss. 6, 370.
 Nymphaeaceae Salisb. 7, 2.

 Oleaceae Hoffm. et Link 18, 483.
 Onagraceae Juss. 15, 565.
 Ophioglossaceae C. Presl 1, 92.
 Orchidaceae Juss. 4, 589.
 Orobanchaceae Vent. 23, 19.
 Osmundaceae R. Br. 1, 87.
 Oxalidaceae R. Br. 14, 76.

 Palmae Juss. 3, 464.
 Papaveraceae Juss. 7, 573.
 Pedaliaceae R. Br. 23, 11.
 Phrymaceae Schauer 23, 131.
 Phytolaccaceae R. Br. 6, 372.
 Pinaceae Lindl. 1, 133.

 Pittosporaceae R. Br. 9, 270.
 Plantaginaceae Juss. 23, 133.
 Platanaceae Dum. 9, 274.
 Plumbaginaceae Juss. 18, 292.
 Polemoniaceae Juss. 19, 77.
 Polygalaceae R. Br. 14, 246.
 Polygonaceae Juss. 5, 442.
 Polypodiaceae R. Br. 1, 18.
 Pontederiaceae Kunth 3, 502.
 Portulacaceae Juss. 6, 376.
 Potamogetonaceae Dum. 1, 229.
 Primulaceae Vent. 18, 108.
 Punicaceae Horan. 15, 553.
 Pyrolaceae Dum. 18, 7.

 Rafflesiaceae Dum. 5, 441.
 Ranunculaceae Juss. 7, 20.
 Resedaceae S. Gray 8, 606.
 Rhamnaceae Juss. 14, 634.
 Rosaceae Juss. 9, 279.
 Rubiaceae Juss. 23, 164.
 Rutaceae Juss. 14, 198.

 Salicaceae Mirbel 5, 21.
 Salviniaceae Dum. 1, 89.
 Santalaceae R. Br. 5, 412.
 Saururaceae E. Mey. 5, 20.
 Saxifragaceae Juss. 9, 134.
 Scrophulariaceae Juss. 22, 117.
 Selaginellaceae Mett. 1, 122.
 Simaroubaceae DC. 14, 241.
 Solanaceae Juss. 22, 1.
 Sparganiaceae Rudolphi 1, 216.
 Staphyleaceae Lindl. 14, 577.

 Tamaricaceae Link 15, 276.
 Taxaceae Lindl. 1, 131.
 Theaceae D. Don 15, 197.
 Theligonaceae Dum. 6, 371.
 Thymelaeaceae Juss. 15, 481.
 Tiliaceae Juss. 15, 1.
 Tropaeolaceae DC. 14, 83.
 Typhaceae Juss. 1, 209.

 Ulmaceae Mirbel 5, 360.
 Umbelliferae Juss. 16, 36.
 Urticaceae Juss. 5, 384.

 Vacciniaceae S. Gray 18, 93.
 Valerianaceae Batsch 23, 585.
 Verbenaceae Jaume 19, 692.
 Violaceae Batsch 15, 350.
 Vitaceae Juss. 14, 674.

 Zosteraceae Dum. 1, 265.
 Zygophyllaceae R. Br. 14, 146.

INDEX OF LATIN NAMES OF GENERA AND SPECIES

INDEX GENERUM SPECIERUMQUE GENERALIS

- Abelia** R. Br. 23, 460.
— *coreana* Nakai 463.
— *corymbosa* Rgl. et Schmalh. 461.
Abies Mill. 1, 134.
— *alba* Mill. 136.
— *balsamea* Mill. 138.
— *Fraseri* (Pursch) Poir. 138.
— *gracilis* Kom. 142.
— *holophylla* Maxim. 137.
— *nephrolepis* Maxim. 140.
— *Nordmanniana* (Stev.) Spach 136.
— *sachalinensis* Mast. 141.
— *Semenovii* B. Fedtsch. 140.
— *sibirica* Ledeb. 139; tab. 7.
Abutilon Adans. 15, 146.
— *Theophrasti* Medic. 146.
Acacia Willd. 11, 11.
— *dealbata* Link 12.
— *melanoxylon* R. Br. 13.
— *retinoides* Schlecht. 12.
Acalypha L. 14, 298.
— *australis* L. 299; tab. 17.
— *indica* L. 299.
Acanos Adans. 28, 228.
Acanthocephalus Kar. et Kir. 29, 593.
— *amplexifolius* Kar. et Kir. 594.
— *Benthamianus* Rgl. 593.
Acantholepis Less. 27, 54.
— *orientalis* Less. 54; tab. 4.
Acantholimon Boiss. 18, 301.
— *alaicum* Czerniak. 316, 732.
— *alatavicum* Bge. 356.
— *Alberti* Rgl. 361; tab. 17.
— *Alexandri* Fed. 320.
— *araxanum* Bge. 345.
— *armenum* Boiss. et Huet 347.
— *auleatense* Czerniak. 332; tab. 17.
— *avenaceum* Bge. 327.
— *balchanicum* Korov. 369.
— *blandum* Czerniak. 352.
— *Borodinii* Krassn. 317.
— *bracteatum* (Girard) Boiss. 312; tab. 16.
— *caryophyllaceum* Boiss. 346.
— *compactum* Korov. 322.
— *diapensioides* Boiss. 318; tab. 17.
— *Ekatherinae* (B. Fedtsch.) Czerniak. 326.
— *erinaceum* (Jaub. et Spach) Lincz. 370; tab. 18.
— *erythreum* Bge. 339.
— *Fetissoyii* Rgl. 321.
— *Fominii* Kusn. 344.
— *gaudanense* Czerniak. 339.
— *glumaceum* (Jaub. et Spach) Boiss. 350; tab. 18.
— *Gontscharovii* Czerniak. 335.
— *Hedinii* Ostenf. 317.
— *hissaricum* Lincz. 335, 736.
— *Hohenackeri* (Jaub. et Spach) Boiss. 348.
— *karatavicum* Pavl. 361.
— *Karelinii* (Stschegl.) Bge. 366.
— *khorassanicum* Czerniak. 328.
— *kokandense* Bge. 359.
— *Komarovii* Czerniak. 365, 741.
— *Korolkovii* (Rgl.) Korov. 363.
— *Korovinii* Czerniak. 324.
— *Knorringianum* Lincz. 364, 740.
— *langaricum* O. et B. Fedtsch. 340.
— *laxum* Czerniak. 342.
— *lepturoides* (Jaub. et Spach) Boiss. 343; tab. 18.
— *lycopodioides* (Girard) Boiss. 314.
— *Majevianum* Rgl. 338.
— *Margaritae* Korov. 333, 735.
— *Mikeschinii* Lincz. 327, 733.

- minshelkense Pavl. 333.
- mirandum Lincz. 371, 742; tab. 19.
- mirum Lincz. 372, 743.
- Nikitini Lincz. 368, 742; tab. 18.
- nuratavicum Zak. 334, 736.
- pamiricum Czerniak. 358.
- parviflorum Rgl. 364.
- procumbens Czerniak. 331.
- pskemense Lincz. 325, 734.
- pterostegium Bge. 311; tab. 16.
- pulchellum Korov. 351.
- purpureum Korov. 332.
- quinquelobum Bge. 367; tab. 18.
- Raddeanum Czerniak. 355.
- Ruprechtii Bge. 321.
- Sackenii Bge. 357.
- sahendicum Boiss. et Buhse 350.
- saravschanicum Rgl. 336.
- schemachense Grossh. 349.
- squarrosus Pavl. 314.
- strictum Czerniak. 323, 734.
- tarbagataicum Gamajun. 357.
- tataricum Boiss. 313; tab. 17.
- tenuiflorum Boiss. 342.
- tianschanicum Czerniak. 319.
- Titovii Lincz. 362, 740.
- Varivtzevae Czerniak. 341, 738.
- velutinum Czerniak. 360, 739.
- virens Czerniak. 337, 737.
- Zaprjagaevii Lincz. 315, 732; tab. 17.
- Acanthopanax** Seem. 16, 19.
- sessiliflorum (Rupr. et Maxim.) Seem. 19; tab. 2.
- Acanthophyllum** C. A. Mey. 6, 780.
- acerosum Sosn. 791.
- aculeatum Schischk. 791, 895.
- adenophorum Freyn 789; tab. 49.
- albidum Schischk. 787, 893.
- Borszowii Litv. 792; tab. 49.
- brevibracteatum Lipsky 790.
- Bungei (Boiss.) Trautv. 800; tab. 50.
- coloratum (Preobr.) Schischk. 799.
- elatius Bge. ex Boiss. 792; tab. 49.
- elongatum Preobr. 796, 895; tab. 49.
- glandulosum Bge. ex Boiss. 794; tab. 49.
- gypsophiloides Rgl. 801; tab. 50.
- Knorringianum Schischk. 794.
- Korolkowii Rgl. et Fr. Schmidt 795; tab. 50.
- Korshinskyi Schischk. 789; tab. 49.
- Krascheninnikovii Schischk. 790, 894.
- lilacinum Schischk. 787, 892.
- microcephalum Boiss. 793; tab. 49.
- mucronatum C. A. Mey. 793; tab. 49.
- paniculatum Rgl. 800; tab. 50.
- pulchrum Schischk. 791.
- pungens (Bge.) Boiss. 784; tab. 49.
- schugnanicum (Preobr.) Schischk. 795, 895.
- serawschanicum Golenk. 796; tab. 49.
- sordidum Bge. ex Boiss. 793; tab. 49.
- squarrosus Boiss. 793.
- stenostegium Freyn 768; tab. 49.
- subglabrum Schischk. 787, 893.
- tadshikistanicum Schischk. 801; tab. 50.
- tenuifolium Schischk. 788, 894.
- transhyrcanum Preobr. 800; tab. 50.
- turcomanicum Schischk. 789, 894.
- versicolor Fisch. et Mey. 799; tab. 50.
- Acanthopleura* C. Koch 17, 278.
- Accorombona* Endl. 11, 303.
- Acelidanthus** Trautv. et Mey. 4, 9.
- anticloides Trautv. et Mey. 10; tab. 1.
- Acer** L. 14, 580.
- campestre L. 596.
- barbinerve Maxim. 618; tab. 32.
- divergens C. Koch et Pax 593.
- ginnala Maxim. 601.
- hyrcanum Fisch. et Mey. 613.
- ibericum M. B. 615; tab. 32.
- Komarovii Pojark. 611, 746; tab. 32.
- laetum C. A. Mey. 591.
- mandschuricum Maxim. 617.
- mono Maxim. 590.
- negundo L. 621.
- pennsylvanicum L. 610.
- pictum Thunb. 589.
- platanoides L. 592.
- pseudoplatanus L. 598.
- pseudosieboldianum (Pax) Kom. 608.
- pubescens Franch. 594; tab. 31.
- Regelii Pax 595; tab. 31.
- rubrum L. 619.
- saccharinum L. 620.
- saccharum Marsh. 612.
- Semenovii Rgl. et Herd. 602.
- Stevenii Pojark. 614.
- tataricum L. 603.
- tegmentosum Maxim. 609.
- Trautvetteri Medw. 600.
- turcomanicum Pojark. 616.
- turkestanicum Pax 590.
- ukurunduense Trautv. et Mey. 607.
- velutinum Boiss. 597.
- Achillea** L. 26, 70.
- acuminata (Ledeb.) Sch. Bip. 108.
- alpina L. 119.
- asiatica Serg. 85.

- Achillea Biebersteinii* Afan. 97.
 — *biserrata* M. B. 106.
 — *borealis* Bong. 81.
 — *bucharica* C. Winkl. 86.
 — *camtschatica* Rupr. ex Heimerl 122.
 — *cartilaginea* Ledeb. 114.
 — *coarctata* Poir. 91.
 — *cuneatiloba* Boiss. et Buhse 99.
 — *distans* Waldst. et Kit. ex Willd. 87.
 — *filipendulina* Lam. 90.
 — *glaberrima* Klok. 95.
 — *griseo-virens* Albov 107.
 — *impatiens* L. 116.
 — *japonica* Heimerl 120.
 — *kermanica* Gand. 101.
 — *latiloba* Ledeb. ex Nordm. 89.
 — *Ledebouri* Heimerl 117.
 — *leptophylla* M. B. 94.
 — *lingulata* Waldst. et Kit. 105.
 — *macrocephala* Rupr. 111.
 — *micrantha* Willd. 96.
 — *micranthoides* Klok. 100.
 — *millefolium* L. 78.
 — *Neilreichii* A. Kerner 77.
 — *nobilis* L. 76.
 — *ochroleuca* Ehrh. 93.
 — *pannonica* Scheele 82.
 — *ptarmica* L. 108.
 — *ptarmicifolia* (Willd.) Rupr. ex Heimerl 109.
 — *ptarmicoides* Maxim. 121.
 — *Sachokiana* Sosn. 110.
 — *salicifolia* Bess. 112.
 — *Schischkinii* Sosn. 103.
 — *Schurii* Sch. Bip. 123.
 — *Sedelmeyeriana* Sosn. 113.
 — *septentrionalis* (Serg.) Botsch. 115.
 — *setacea* Waldst. et Kit. 83.
 — *stricta* Schleich. 88.
 — *sudetica* Opiz 80.
 — *tenuifolia* Lam. 103.
 — *vermicularis* Trin. 102.
 — *Wilhelmsii* C. Koch 100.
Achnodon Nees 2, 128.
Achnodonton Beauv. 2, 128.
Achroanthos Raf. 4, 600.
Achudemia Blume 5, 397.
 — *japonica* Maxim. 397.
Achyranthes L. 6, 367.
 — *bidentata* Blume 367; tab. 18.
Achyrophorus Scop. 29, 201.
 — *ciliatus* (Thunb.) Sch. Bip. 202.
 — *maculatus* (L.) Scop. 202; tab. 12.
 — *uniflorus* (Vill.) Bluff et Fingerh. 203.
Achyroseris Sch. Bip. 29, 54, 61.
Acinos Moench 21, 441.
 — *alpinus* (L.) Moench 447.
 — *Fominii* Schost. 445.
 — *graveolens* (M. B.) Link 446; tab. 23.
 — *thymoides* (L.) Moench 442; tab. 23.
Acomastylis Greene 10, 249.
 — *Rossii* (R. Br.) Greene 249; tab. 18.
Aconitum L. 7, 183.
 — *ajanense* Steinb. 197, 727.
 — *albo-violaceum* Kom. 192.
 — *altaicum* Steinb. 222, 731.
 — *ambiguum* Reichb. 220.
 — *angusticassidatum* Steinb. 231, 734.
 — *anthora* L. 190; tab. 12.
 — *apetalum* (Huth) B. Fedtsch. 200; tab. 13.
 — *arcuatum* Maxim. 215.
 — *baicalense* Turcz. 223, 732.
 — *barbatum* Pers. 204; tab. 13.
 — *biflorum* Fisch. 226.
 — *crassifolium* Steinb. 199, 728.
 — *cymbulatum* (Schmalh.) Lipsky 212.
 — *Czekanovskii* Steinb. 224, 733.
 — *delphinifolium* DC. 225.
 — *Desoulavyi* Kom. 193.
 — *excelsum* Reichb. 201; tab. 13.
 — *Fischeri* Reichb. 214.
 — *flagellare* (Fr. Schmidt) Steinb. 224.
 — *Flerovii* Steinb. 221, 730.
 — *jaluense* Kom. 219.
 — *karakolicum* Rapaics 233.
 — *kirinense* Nakai 205.
 — *Komarovii* Steinb. 191; tab. 12.
 — *Krylovii* Steinb. 206, 729.
 — *Kusnezovii* Reichb. 217.
 — *lasiosomum* Reichb. 205.
 — *macrorhynchum* Turcz. 218.
 — *maximum* Pall. ex DC. 216.
 — *monticola* Steinb. 209, 730.
 — *nasutum* Fisch. ex Reichb. 212.
 — *nemorum* M. Pop. 236.
 — *orientale* Mill. 203.
 — *pubiceps* (Rupr.) Trautv. 211.
 — *Raddeanum* Rgl. 215.
 — *ranunculoides* Turcz. 194; tab. 13.
 — *rotundifolium* Kar. et Kir. 229.
 — *sachalinense* Fr. Schmidt 217.
 — *Saposhnikovii* B. Fedtsch. 234, 734.
 — *seravschanicum* Steinb. 230, 733; tab. 14.
 — *sichotense* Kom. 219.
 — *Smirnovii* (Sukacz.) Steinb. 222, 731; tab. 14.
 — *soongoricum* Stapf 232.

- *Stoerkianum* Reichb. 210.
- *Sukaczewii* Steinb. 198, 728; tab. 13.
- *talassicum* M. Pop. 231.
- *Tranzschelii* Steinb. 235, 735.
- *umbrosum* (Korsh.) Kom. 199; tab. 13.
- *variegatum* L. 210.
- *villosum* Reichb. 213.
- *volubile* Pall. ex Koelle 213.
- Aconogon* Tourn. 5, 661.
- Aconopogon* Mori 5, 661.
- Acontogonum* Aschers. et Graebn. 5, 661.
- Acorellus** Palla 3, 22.
- *distachyus* (All.) Palla 23; tab. 1.
- *laevigatus* (L.) Palla 23.
- *pannonicus* (Jacq.) Palla 22.
- Acorus** L. 3, 479.
- *calamus* L. 479.
- Acrocentron* Cass. 28, 370, 493.
- Acrolophus* Cass. 28, 370, 512.
- Acroptilon** Cass. 28, 343.
- *australe* Iljin 344.
- *repens* (L.) DC. 345.
- Actaea** L. 7, 79.
- *acuminata* Wall. 80.
- *erythrocarpa* Fisch. 81.
- *spicata* L. 80.
- Actinanthus* Ehrenb. 16, 526.
- Actinidia** Lindl. 15, 186.
- *arguta* (Sieb. et Zucc.) Planch. 190.
- *Giraldii* Diels 192.
- *kolomikta* Maxim. 188.
- *polygama* (Sieb. et Zucc.) Maxim. 194.
- *rubricaulis* Dunn 196.
- *Sugawarana* Koidz. 195.
- Actinolema** Fenzl 16, 71.
- *eryngioides* Fenzl 72; tab. 3.
- *macrolema* Boiss. 72; tab. 3.
- Actinostemma** Griff. 24, 93.
- *lobatum* Maxim. 94.
- Adamsia* Willd. 4, 394.
- Adelocaryum* Brand 19, 627.
- Adenarium* Raf. 6, 506.
- Adenocaulon** Hook. 25, 506.
- *adhaerescens* Maxim. 507.
- Adenolinum* Reichb. 14, 103.
- Adenonema* Bge. 6, 419.
- Adenophora** Fisch. 24, 343.
- *coronopifolia* Fisch. 368.
- *crispata* (Korsh.) Kitag. 366.
- *Gmelinii* (Spreng.) Fisch. 367.
- *Golubinzevaeana* Reverd. 353.
- *himalayana* Feer 370.
- *jacutica* Fed. 356, 470.
- *Lamarckii* Fisch. 354.
- *liliifolia* (L.) Bess. 348.
- *pereskiifolia* (Fisch. ex Roem. et Schult.) G. Don. 362; tab. 21.
- *rupestris* Reverd. 369.
- *stenanthina* (Ledeb.) Kitag. 364.
- *sublata* Kom. 355.
- *taurica* (Sukacz.) Juz. 351, 469; tab. 21.
- *tetraphylla* (Thunb.) Fisch. 361.
- *trachelioides* Maxim. 359.
- *tricuspidata* (Fisch. ex Roem. et Schult.) A. DC. 352.
- Adenostyles** Cass. 25, 22.
- *alliariae* (Gouan) A. Kerner 22.
- Adiantum** L. 1, 79.
- *capillus-veneris* L. 80.
- *pedatum* L. 79.
- Adlunia** Raf. 7, 647.
- *asiatica* Ohwi 647; tab. 45.
- Adonis** L. 7, 528.
- *aestivalis* L. 537.
- *amurensis* Rgl. 532.
- *autumnalis* L. 538.
- *chrysocyathus* Hook. f. et Thoms. 535-
tab. 36.
- *flammeus* Jacq. 538.
- *sibiricus* Patr. ex Ledeb. 530.
- *tianschanicus* (Adolf) Lipsch. 531.
- *turkestanicus* (Korsh.) Adolf 532; tab. 36.
- *vernalis* L. 535; tab. 36.
- *villosus* Ledeb. 530.
- *wolgensis* Stev. 536; tab. 36.
- Adoxa** L. 23, 584.
- *moschatellina* L. 584.
- Aegilops** L. 2, 669.
- *biuncialis* Vis. 673; tab. 48.
- *crassa* Boiss. 671; tab. 48.
- *cylindrica* Host 671; tab. 48.
- *juvenalis* (Thell.) Eig. 672.
- *Kotschyi* Boiss. 673.
- *ovata* L. 674; tab. 48.
- *squarrosa* L. 671; tab. 48.
- *triaristata* Willd. 674; tab. 48.
- *triuncialis* L. 672; tab. 48.
- Aegirus* Aschers. 5, 228.
- Aegopodium** L. 16, 452.
- *alpestre* Ledeb. 457.
- *brachycarpum* (Kom.) Schischk. 457.
- *latifolium* Turcz. 456.
- *podagraria* L. 452.
- *tadzhikorum* Schischk. 456, 600.
- Aegoseris* (Reichb.) Steud. 29, 595, 697.
- Aellenia** Ulbr. 6, 270.
- *auricula* (Moq.) Ulbr. 270; tab. 12.

- Aeluropus** Trin. 2, 357.
 — *litoralis* (Gouan) Parl. 357; tab. 27.
 — *repens* (Desf.) Parl. 358; tab. 27.
Aesculus L. 14, 622.
 — *hippocastanum* L. 622.
Aetheopappus Cass. 28, 353.
 — *caucasicus* Sosn. 355.
 — *pulcherrimus* (Willd.) Cass. 355.
 — *Vvedenskii* (Sosn.) Sosn. 354.
Aethionema R. Br. 8, 552.
 — *arabicum* (L.) Andr. ex DC. 563; tab. 31.
 — *armenum* Boiss. 559.
 — *caespitosum* Boiss. 568; tab. 30.
 — *cardiophyllum* Boiss. et Heldr. 564; tab. 30.
 — *carneum* (Soland.) B. Fedtsch. 563; tab. 31.
 — *diastrophis* Bge. 559; tab. 31.
 — *edentulum* N. Busch 560; tab. 14.
 — *elongatum* Boiss. 556; tab. 30.
 — *heterophyllum* Boiss. 567.
 — *grandiflorum* Boiss. et Hohen. 558.
 — *Levandovskii* N. Busch 558.
 — *Lipskyi* N. Busch 555.
 — *membranaceum* DC. 560; tab. 31.
 — *pulchellum* Boiss. et Huet 558; tab. 31.
 — *sagittatum* Boiss. 567.
 — *salmasium* Boiss. 564; tab. 31.
 — *schistosum* Boiss. et Kotschy 559.
 — *spinosum* (Boiss.) N. Busch 557; tab. 30.
 — *Szovitsii* Boiss. 555, tab. 30.
 — *transhyrcanum* (Czerniak.) N. Busch 557; tab. 31.
 — *trinervium* (DC.) Boiss. 567; tab. 30.
 — *Voronovii* Schischk. 556.
Aethiopsis Benth. 21, 298.
Aethusa L. 16, 538.
 — *cynapium* L. 539.
Agastache Clayt. ex Gronov. 20, 273.
 — *rugosa* (Fisch. et Mey.) Kuntze 274; tab. 14.
Agasyllis Spreng. 17, 33.
 — *latifolia* (M. B.) Boiss. 34; tab. 3.
Agathysus D. Don 29, 279, 351.
Agatophyton Moq. 6, 51.
Ageratum L. 25, 17.
 — *Houstonianum* Mill. 17.
Agostana S. F. Gray 16, 333.
Agrimonia L. 10, 411.
 — *asiatica* Juz. 412; tab. 25.
 — *eupatoria* L. 413; tab. 25.
 — *granulosa* Juz. 415, 635.
 — *japonica* (Miq.) Koidz. 419.
 — *odorata* Mill. 411; tab. 25.
 — *pilosa* Ledeb. 416; tab. 25.
 — *velutina* Juz. 420, 636; tab. 25.
Agriophyllum M. B. 6, 158.
 — *arenarium* M. B. 159; tab. 7.
 — *lateriflorum* (Lam.) Moq. 160; tab. 7.
 — *latifolium* Fisch. et Mey. 161; tab. 7.
 — *minus* Fisch. et Mey. 161; tab. 7.
 — *Paletzkianum* Litw. 161; tab. 7.
Agropyrum Gaertn. 2, 627.
 — *alaicum* Drob. 633.
 — *alatavicum* Drob. 633.
 — *amgunense* Nevski 636.
 — *angulare* Nevski 639.
 — *armenum* Nevski 640.
 — *attenuatiglume* Nevski 636.
 — *badamense* Drob. 658.
 — *Batalinii* (Krassn.) Roshev. 632.
 — *caespitosum* C. Koch 646.
 — *ciliolatum* Nevski 650.
 — *cimmericum* Nevski 655; tab. 47a.
 — *cristatum* (L.) Gaertn. 661; tab. 47a.
 — *dasyanthum* Ledeb. 655; tab. 47a.
 — *desertorum* (Fisch.) Schult. 657; tab. 47a.
 — *dshungaricum* Nevski 641.
 — *elongatiforme* Drob. 651.
 — *elongatum* (Host) Beauv. 647.
 — *ferganense* Drob. 641.
 — *firmiculmis* Nevski 646.
 — *fragile* (Roth) Nevski 656.
 — *geniculatum* (Trin.) Korsh. 646; tab. 47.
 — *Gmelinii* Schrad. 635.
 — *gracillimum* Nevski 638.
 — *imbricatum* (M. B.) Roem. et Schult. 660.
 — *intermedium* (Host) Beauv. 648.
 — *jacuticum* Nevski 636.
 — *junceum* (L.) Beauv. 647; tab. 47.
 — *Krylovianum* Schischk. 650.
 — *lolioides* (Kar. et Kir.) Roshev. 651; tab. 47.
 — *Michnoi* Roshev. 656.
 — *nodosum* (Stev.) Nevski 646.
 — *pectiniforme* Roem. et Schult. 659.
 — *pertenuae* (C. A. Mey.) Nevski 640.
 — *pinifolium* Nevski 659.
 — *ponticum* Nevski 658.
 — *pulcherrimum* Grossh. 649.
 — *pumilum* (Steud.) Nevski 650.
 — *propinquum* Nevski 634.
 — *pruiniferum* Nevski 640.
 — *reflexiaristatum* Nevski 634.
 — *repens* (L.) Beauv. 652; tab. 47.
 — *Roshevitzii* Nevski 635.
 — *scythicum* Nevski 638.

- setuliferum Nevski 642.
- sibiricum (Willd.) Beauv. 657; tab. 47a.
- sinuatum Nevski 639; tab. 47.
- Sosnovskiy Hack. 645.
- stipaeifolium Czern. 637.
- strigosum (M. B.) Boiss. 633.
- tanaiticum Nevski 655.
- trichophorum (Link.) Richt. 648; tab. 47
- Agrostemma** L. 6, 574.
- githago L. 575.
- linicola Terech. 575.
- Agrostis** L. 2, 170.
- alba L. 183.
- albida Trin. 180.
- anadyrensis Socz. 176, 746; tab. 13.
- Biebersteiniana Claus 173; tab. 13.
- borealis Hartm. 174; tab. 13.
- canina L. 174.
- capillaris L. 185; tab. 13.
- clavata Trin. 178; tab. 13.
- exarata Trin. 186; tab. 13.
- hiemalis (Walt.) Britt. 186; tab. 13.
- hissarica Roshev. 178; tab. 13.
- jacutica Schischk. 179, 747.
- karsensis Litv. 187.
- lazica Bal. 177.
- macrantha Schischk. 177, 746.
- macrothyrsa Hack. 187.
- maritima Lam. 185.
- mongholica Roshev. 184.
- Paulsenii Hack. ex Pauls. 178; tab. 13.
- pisidica Boiss. 173.
- planifolia C. Koch 175; tab. 13.
- salsa Korsh. 184; tab. 13.
- sibirica V. Petrov 180.
- stolonizans Bess. 184.
- teberdensis Litv. 179.
- tenuifolia M. B. 176; tab. 13.
- transcaspica Litv. 187; tab. 13.
- Trinii Turcz. 175; tab. 13.
- verticillata Vill. 188; tab. 13.
- Ailanthus** Desf. 14, 241.
- altissima (Mill.) Swingle 242.
- Aipyanthus** Stev. 19, 167, 171.
- Aira** L. 2, 239.
- capillaris Host 240; tab. 18.
- caryophyllea L. 240; tab. 18.
- praecox L. 239; tab. 18.
- Aizoon** L. 6, 376.
- hispanicum L. 376; tab. 19.
- Ajania** Poljak. 26, 398.
- fastigiata (C. Winkl.) Poljak. 405.
- fruticulosa (Ledeb.) Poljak. 406.
- gracilis (Hook. f. et Thoms.) Poljak. 407.
- kokanica (Krasch.) Tzvel. 408; tab. 17.
- manshurica Poljak. 401.
- Pallasiana (Fisch. ex Bess.) Poljak. 402; tab. 31.
- Scharnhorstii (Rgl. et Schmalh.) Tzvel. 409; tab. 18.
- tibetica (Hook. f. et Thoms.) Tzvel. 410
- trilobata Poljak. 409, 880.
- Ajuga** L. 20, 17.
- chamaecistus Ging. ex Benth. 27; tab. 2.
- chamaepitys (L.) Schreb. 25; tab. 1.
- chia Schreb. 20; tab. 1.
- genevensis L. 32.
- Laxmannii (L.) Benth. 29; tab. 2.
- multiflora Bge. 36.
- oblongata M. B. 26; tab. 2.
- orientalis L. 38.
- pseudochia Schost. 21; tab. 1.
- pyramidalis L. 37.
- reptans L. 30.
- salicifolia (L.) Schreb. 26; tab. 2.
- shikotanensis Miyabe et Tatewaki 32.
- turkestanica (Rgl.) Briq. 28; tab. 2.
- Alcospermum** Neck. 16, 380.
- Albertia** Rgl. et Schmalh. 16, 151.
- paleacea Rgl. et Schmalh. 152; tab. 15.
- Albizzia** Durazz. 11, 10.
- Julibrissin Durazz. 10; tab. 1.
- Albovia** Schischk. 16, 450.
- tripartia (Kalenicz.) Schischk. 450; tab. 17.
- Alboviodoxa** Woronow ex Grossh. 27, 75.
- Alcanna** Orph. 19, 231.
- Alcea** L. 15, 84.
- abchazica Iljin 94.
- angulata Freyn et Sint. 116; tab. 6.
- Antoninae Iljin 117, 678.
- baldshuanica (Bornm.) Iljin 124; tab. 6.
- excubita Iljin 108.
- flavovirens Boiss. et Buhse 100.
- Freyniana Iljin 125, 678.
- Froloviana (Fisch.) Iljin 111.
- Grossheimii Iljin 99.
- Heldreichii Boiss. 121.
- hyrcana Grossh. 123.
- karakalense Freyn 114.
- karsiana Litv. 107.
- kopetdaghensis Iljin 113, 677.
- kusariensis Iljin 92.
- lenkoranica Iljin 96.
- Litwinowii Iljin 111.
- Novopokrovskii Iljin 93, 676.
- nudiflora (Lindl.) Boiss. 108.
- pallida (Waldst. et Kit.) Bess. 118.

Alcea rhyticarpa (Trautv.) Iljin 115.

— *rosea* L. 126.

— *rugosa* Alef. 90; tab. 6.

— *sachsachanica* Iljin 99, 676.

— *Sophiae* Iljin 106.

— *Sosnovskii* Iljin 102.

— *sycophylla* Iljin et Nikit. 95, 676;

— *tabrisiana* Boiss. et Buhse 98.

— *talassica* Iljin 115, 677.

— *taurica* Iljin 92, 675.

— *transcaucasica* Iljin 105.

— *turcomanica* Iljin 96, 677.

— *Turkeviczii* Iljin 120.

— *Woronowii* Iljin 122.

***Alchimilla* L. 10, 289.**

— *abchasica* Bus. 405.

— *acutangula* Bus. 353.

— *aemula* Juz. 329.

— *Alexandri* Juz. 372.

— *alpestris* Fr. Schmidt 391.

— *alpina* L. 308; tab. 22.

— *altaica* Juz. 371.

— *anisopoda* Juz. 373.

— *appressipila* Juz. 380.

— *arcuatiloba* Juz. 347, 621.

— *argutiserrata* Lindb. f. 332.

— *barbatiflora* Juz. 405.

— *barbulata* Juz. 333.

— *biquadrata* Juz. 368, 627.

— *brevidens* Juz. 355.

— *breviloba* Lindb. f. 341.

— *Bungei* Juz. 327.

— *Buschii* Juz. 379.

— *campelopoda* Juz. 378.

— *capillacea* Juz. 633.

— *cartalinica* Juz. 389.

— *caucasica* Bus. 318.

— *chlorosericea* Bus. 310.

— *circassica* Juz. 398, 634.

— *compactilis* Juz. 343.

— *conglobata* Lindb. f. 338.

— *crebridens* Juz. 379.

— *cymatophylla* Juz. 345.

— *cyrtopleura* Juz. 342, 620.

— *daghestanica* Juz. 384.

— *debilis* Juz. 407.

— *decalvans* Juz. 360.

— *denticulata* Juz. 349, 622.

— *depexa* Juz. 383.

— *diglossa* Juz. 368, 626.

— *divaricans* Bus. 403.

— *diversipes* Juz. 372.

— *dura* Bus. 408.

— *egens* Juz. 325.

— *elata* Bus. 409.

— *Elisabethae* Juz. 314.

— *epipsila* Juz. 398.

— *erythropoda* Juz. 318.

— *exsanguis* Juz. 320.

— *exuens* Juz. 358.

— *filicaulis* Bus. 361.

— *flavescens* Bus. 386.

— *fontinalis* Juz. 369, 628.

— *frondosa* Juz. 384, 631.

— *georgica* Juz. 387.

— *gibberulosa* Lindb. f. 329.

— *glabricaulis* Lindb. f. 376.

— *glomerulans* Bus. 381.

— *grandidens* Juz. 402, 634.

— *Grossheimii* Juz. 328.

— *Haraldi* Juz. 404.

— *hebesens* Juz. 330.

— *heptagona* Juz. 359; tab. 23.

— *heterosciista* Juz. 311, 617.

— *hians* Juz. 348, 621.

— *hirsuticaulis* Lindb. f. 323; tab. 22.

— *hirsutissima* Juz. 333.

— *hirtipedicellata* Juz. 394.

— *holotricha* Juz. 394, 632; tab. 24.

— *humilicaulis* Juz. 362, 624.

— *hypochlora* Juz. 310, 617.

— *hyrcana* Bus. 361.

— *imberbis* Juz. 347.

— *insignis* Juz. 370.

— *jailae* Juz. 324; tab. 22.

— *Juzepczukii* Alech. 339.

— *Kozlowski* Juz. 354.

— *Krylovii* Juz. 375.

— *laeta* Juz. 397, 634.

— *laeticolor* Juz. 358, 623.

— *languescens* Juz. 337.

— *languida* Bus. 319.

— *leiophylla* Juz. 354.

— *Lindbergiana* Juz. 350.

— *Lipschitzii* Juz. 367, 625.

— *lithophila* Juz. 324.

— *Litwinowii* Juz. 344.

— *Lydiae* Zam. 408.

— *micans* Bus. 348.

— *microdonta* Juz. 351.

— *minor* Huds. 316; tab. 22.

— *minusculiflora* Bus. 387.

— *Murbeckiana* Bus. 388.

— *nebulosa* Sam. 388.

— *nemoralis* Alech. 352.

— *neo-Stevenii* Juz. 335.

— *obtegens* Juz. 378.

— *obtusa* Bus. 390.

- obtusiformis Alech. 381.
- oligotricha Juz. 376, 629.
- omalophylla Juz. 336.
- orbicans Juz. 363.
- oxysepala Juz. 395; tab. 24.
- pachyphylla Juz. 344, 620.
- pastoralis Bus. 334.
- pilosiplica Juz. 386, 631.
- plicata Bus. 319.
- pogonophora Juz. 377, 630.
- porrectidens Juz. 396, 633.
- propinqua Lindb. f. ex Juz. 336; tab. 23.
- pseudo-cartalinica Juz. 391.
- pseudomollis Juz. 397, 633.
- psilocaula Juz. 385, 631.
- psiloneura Juz. 390.
- purpurascens Juz. 367, 626.
- pycnantha Juz. 328.
- pycnotricha Juz. 331.
- Raddeana Bus. 311.
- retinervis Bus. 407; tab. 24.
- retropilosa Juz. 342.
- rigescens Juz. 352.
- rigida Bus. 314.
- rubens Juz. 326, 618.
- sanguinolenta Juz. 362, 624.
- sarmatica Juz. 340.
- Sauri Juz. 374, 629.
- Schischkinii Juz. 364.
- schistophylla Juz. 335.
- Sedelmeyeriana Juz. 351.
- semilunaris Alech. 346.
- sericata Reichb. 312.
- sericea Willd. 309; tab. 22.
- sevangensis Juz. 401.
- sibirica Zam. 338.
- Smirnovii Juz. 394, 633.
- speciosa Bus. 393.
- stellaris Juz. 359.
- stellulata Juz. 401.
- Stevenii Bus. 339; tab. 23.
- subcrenata Bus. 355.
- subcrenatiformis Juz. 356.
- suberectipila Juz. 382.
- subsplendens Bus. 403.
- substrigosa Juz. 341.
- supina Juz. 316.
- Tamarae Juz. 380.
- taurica Juz. 317.
- tephroserica Bus. 313; tab. 22.
- tianschanica Juz. 357, 622.
- transiliensis Juz. 369, 627.
- tredecimloba Bus. 506; tab. 24.
- turuchanica Juz. 374.
- tythantha Juz. 347; tab. 23.
- undecimloba Juz. 406, 635.
- urceolata Juz. 383, 630; tab. 23.
- valdehirsuta Bus. 331.
- venosa Juz. 404.
- vulgaris L. 356.
- Woronowii Juz. 315, 618.
- Aldrovanda** Monti 9, 1.
- vesiculosa L. 1; tab. 1.
- Alectorolophus** H. M. Hall 22, 659.
- Aleuries** Forst. 14, 303.
- Fordii Hemsl. 303.
- Alexandra** Bge. 6, 198.
- Lehmanni Bge. 198, tab. 10.
- Alfredia** Cass. 28, 39.
- acantholepis Kar. et Kir. 41.
- cernua (L.) Cass. 40.
- nivea Kar. et Kir. 42.
- Alhagi** Adans. 13, 367.
- canescens (Rgl.) Shap. ex Keller et Shap. 369; tab. 19.
- kirghisorum Schrenk 369; tab. 19.
- persarum Boiss. et Buhse 370; tab. 19.
- pseudalhagi (M. B.) Desv. 363; tab. 19.
- sparsifolia Shap. 370; tab. 19.
- Alisma** L. 1, 279.
- lanceolatum With. 281; tab. 14.
- Loeselii Gorski 282; tab. 14.
- orientale (Sain.) Juz. 281.
- plantago-aquatica L. 280; tab. 14.
- Wahlenbergii Holmb. 283.
- Alkanna** Tausch 19, 231.
- cordifolia C. Koch 233.
- orientalis (L.) Boiss. 232.
- Allardia** Decne. 26, 263, 267.
- Alliaria** Scop. 8, 31.
- brachycarpa M. B. 32.
- officinalis Andr. ex M. B. 31.
- Allinum** Neck. 16, 549, 560.
- Allionia** Loefl. 6, 370.
- Allium** L. 4, 112.
- affine Ledeb. 239.
- aflatanense B. Fedtsch. 268.
- akaka Gmel. ex Roem. et Schult. 260.
- alaicum Vved. 267; tab. 15.
- albanum Grossh. 213.
- albidum Fisch. ex Bess. 164.
- Albovianum Vved. 187.
- Alexandrae Vved. 186.
- Alexejanum Rgl. 259.
- altaicum Pall. 196.
- altissimum Rgl. 269.
- ampeloprasum L. 253.
- amphibolum Ledeb. 152.

- Allium angulosum* L. 164.
 — *anisopodium* Ledeb. 174.
 — *anisotepalum* Vved. 215; tab. 13.
 — *aroides* M. Pop. et Vved. 258.
 — *atroviolaceum* Boiss. 252.
 — *Aucheri* Boiss. 238; tab. 14.
 — *Barszczewskii* Lipsky 158.
 — *bellulum* Prokh. 173.
 — *bidentatum* Fisch. ex Prokh. 172.
 — *Bodeanum* Rgl. 261.
 — *bogdoicolum* Rgl. 151.
 — *Borszczowii* Rgl. 233.
 — *brachyodon* Boiss. 153.
 — *brachyscapum* Vved. 261.
 — *brevidens* Vved. 233; tab. 14.
 — *caesium* Schrenk 222.
 — *caespitosum* Sievers ex Bong. et Mey. 174.
 — *callidictyon* C. A. Mey. ex Kunth 201.
 — *Candolleianum* Albov 255; tab. 15.
 — *cardiostemon* Fisch. et Mey. 263.
 — *caricoides* Rgl. 181.
 — *carinatum* L. 204.
 — *caspium* (Pall.) M. B. 275.
 — *cepa* L. 199.
 — *Christophii* Trautv. 261.
 — *clathratum* Ledeb. 145.
 — *coeruleum* Pall. 221.
 — *condensatum* Turcz. 182.
 — *confragosum* Vved. 227.
 — *convallarioides* Grossh. 208.
 — *crystallinum* Vved. 234.
 — *cupuliferum* Rgl. 277.
 — *daghestanicum* Grossh. 188.
 — *darvasicum* Rgl. 276.
 — *dasyphyllum* Vved. 264.
 — *decipiens* Fisch. ex Roem. 265.
 — *delicatulum* Siev. ex Roem. et Schult. 219.
 — *Derderianum* Rgl. 259.
 — *dictyoprasum* C. A. Mey. ex Kunth 236; tab. 14.
 — *dictyoscordum* Vved. 236.
 — *Dioscoridis* Sibth. et Smith 280.
 — *dolichomischum* Vved. 160; tab. 11.
 — *dolichostylum* Vved. 160.
 — *drepanophyllum* Vved. 157.
 — *Drobovii* Vved. 144.
 — *elatum* Rgl. 274.
 — *elegans* Drob. 223, tab. 13.
 — *eremoprasum* Vved. 226.
 — *erubescens* C. Koch 246.
 — *Eugenii* Vved. 257.
 — *ferganicum* Vved. 229.
 — *Fetissoyii* Rgl. 263.
 — *fibrosum* Rgl. 209.
 — *filidens* Rgl. 235.
 — *filifolium* Rgl. 180.
 — *firmotunicatum* Fomin 240.
 — *Fischeri* Rgl. 145.
 — *fistulosum* L. 196.
 — *flavescens* Bess. 165; tab. 10.
 — *flavidum* Ledeb. 146.
 — *Fominianum* Misch. ex Grossh. et Schischk. 244.
 — *fuscoviolaceum* Fomin 240.
 — *galanthum* Kar. et Kir. 197.
 — *giganteum* Rgl. 274.
 — *glaciale* Vved. 177.
 — *globosum* M. B. ex Redoute 185.
 — *glomeratum* Prokh. 220.
 — *gracilescens* Somm. et Lev. 245.
 — *grande* Lipsky 267.
 — *Griffithianum* Boiss. 217.
 — *gultschense* B. Fedtsch. 268.
 — *gunibicum* Misch. ex Grossh. 188.
 — *guttatum* Stev. 238.
 — *guzaricum* Rgl. 156.
 — *gypsaceum* M. Pop. et Vved. 156 tab. 16.
 — *helicophyllum* Vved. 256.
 — *hymenorrhizum* Ledeb. 176.
 — *iliense* Rgl. 278.
 — *inaequale* Janka 200.
 — *inconspicuum* Vved. 156.
 — *inderiense* Fisch. ex Bge. 161.
 — *inops* Vved. 218.
 — *insufficiens* Vved. 264.
 — *Jacquemontii* Kunth 215.
 — *jajlae* Vved. 247.
 — *jucundum* Vved. 179.
 — *karataviense* Rgl. 262.
 — *karsianum* Fomin 207.
 — *kaschianum* Rgl. 177.
 — *kirindicum* Bornm. 209.
 — *kokanicum* Rgl. 180.
 — *Komarovianum* Vved. 143.
 — *Komarovii* Lipsky 270.
 — *kopetdagense* Vved. 223.
 — *Korolkovii* Rgl. 187.
 — *kossoricum* Fomin 202.
 — *kujukense* Vved. 225; tab. 13.
 — *Kunthianum* Vved. 207; tab. 12.
 — *lacerum* Freyn 201.
 — *lasiophyllum* Vved. 219.
 — *Ledebourianum* Roem. et Schult. 194.
 — *Lehmannianum* Merckl. 230.
 — *lencoranicum* Misch. ex Grossh. 206.
 — *leucanthum* C. Koch 252.
 — *leucocephalum* Turcz. 146.

- lineare L. 150.
- longicuspis Rgl. 243.
- longiradiatum Vved. 159.
- lutescens Vved. 159.
- Maackii Prokh. ex Kom. 149; tab. 10.
- macrostemum Bge. 221.
- Margaritae B. Fedtsch. 199.
- Mariae Bordz. 262.
- Marshallianum Vved. 184.
- materculae Bordz. 260.
- Maximowiczii Rgl. 194, tab. 11.
- microbulbum Prokh. 195.
- minutum Vved. 216.
- monadelphum Less. ex Kunth 189.
- monanthum Maxim. 254.
- monophyllum Vved. 259; tab. 15.
- moschatum L. 200.
- nerinifolium Baker 279.
- nutans L. 171.
- obliquum L. 175.
- odorum L. 163.
- oleraceum L. 205.
- oliganthum Kar. et Kir. 195.
- ophiophyllum Vved. 218.
- oreodictyum Vved. 154.
- oreophiloides Rgl. 224.
- oreophilum C. A. Mey. 255.
- oreoprasoides Vved. 154.
- oreoprasum Schrenk 162.
- oreoscordum Vved. 144.
- Oschanini O. Fedtsch. 198.
- Pallasii Murr. 220.
- paniculatum L. 205.
- paradoxum (M. B.) G. Don 254.
- parvulum Vved. 216.
- petraeum Kar. et Kir. 183.
- platyspathum Schrenk 175.
- polyphyllum Kar. et Kir. 176.
- polyrrhizum Turcz. ex Rgl. 172; tab. 10.
- ponticum Misch. ex Grossh. 244.
- Popovii Vved. 226.
- porrum L. 254.
- prostratum Trev. 166.
- pseudoampeloprasum Misch. ex Grossh. 251.
- pseudoflavum Vved. 203; tab. 12.
- pseudoseravschanicum M. Pop. et Vved. 273.
- pskemense B. Fedtsch. 197.
- pulchellum G. Don 204.
- pumilum Vved. 171.
- Regelianum A. Beck. ex Iljin 241.
- Regelii Trautv. 278.
- robustum Kar. et Kir. 265.
- Rosenbachianum Rgl. 270.
- rotundum L. 246.
- rubellum M. B. 213.
- rubens Schrad. ex Willd. 166.
- rupestre Stev. 208.
- sabulosum Stev. ex Bge. 228.
- sacculiferum Maxim. 143.
- sativum L. 243.
- saxatile M. B. 184.
- scabrellum Boiss. et Buhse 214; tab. 13.
- scabriscapum Boiss. et Kotschy, 155.
- schoenoprasoides Rgl. 224.
- schoenoprasum L. 190.
- Schubertii Zucc. 275; tab. 16.
- scorodoprasum L. 242.
- scrobiculatum Vved. 227.
- Semenovii Rgl. 189.
- senescens L. 169.
- seravschanicum Rgl. 273.
- Sergii Vved. 257.
- setifolium Schrenk 178.
- Severtzovii Rgl. 265.
- sphaerocephalum L. 241.
- splendens Willd. ex Roem. et Schult. 150.
- staminum Boiss. 202.
- Stellerianum Willd. 165.
- stephanophorum Vved. 161.
- stipitatum Rgl. 267.
- strictum Schrad. 151.
- subtilissimum Ledeb. 178.
- Suvorovii Rgl. 266.
- syntamanthum C. Koch 210.
- Szovitsii Rgl. 153.
- taeniopetalum M. Pop. et Vved. 269.
- talassicum Rgl. 183; tab. 11.
- talyschense Misch. ex Grossh. 251.
- tenuicaule Rgl. 162.
- tenuissimum L. 173.
- teretifolium Rgl. 186.
- tianschanicum Rupr. 182.
- trachyscordum Vved. 155.
- transvestiens Vved. 228; tab. 12.
- Trautvetterianum Rgl. 274.
- tripedale Trautv. 279.
- turcomanicum Rgl. 234.
- turkestanicum Rgl. 229.
- tythanthum Vved. 179.
- tythocephalum Roem. et Schult. 169; tab. 10.
- ursinum L. 142.
- Vavilovii M. Pop. et Vved. 198.
- verticillatum Rgl. 258; tab. 15.
- Veschnjakovii Rgl. 188.
- victoralis L. 141.

- Allium vineale* L. 237.
 — *viride* Grossh. 236.
 — *Waldsteinii* G. Don 248.
 — *Winklerianum* Rgl. 276; tab. 16.
 — *xiphopetalum* Aitch. et Baker 157.
Allocarya Greene 19, 526.
 — *orientalis* (L.) Brand 526.
Allochrusa Bge. 6, 799.
Alnaster Spach 5, 308.
Alnus Gaertn. 5, 306.
 — *barbata* C. A. Mey. 315.
 — *fruticosa* Rupr. 308; tab. 16.
 — *glutinosa* (L.) Gaertn. 312.
 — *hirsuta* Turcz. 318; tab. 16.
 — *incana* (L.) Moench 316.
 — *japonica* Sieb. et Zucc. 311; tab. 16.
 — *kamtschatica* (Call.) Kom. 310.
 — *manshurica* (Call.) Hand.-Mazz. 309.
 — *Maximowiczii* Call. 310.
 — *sibirica* Fisch. 317.
 — *subcordata* C. A. Mey. 311; tab. 16.
 — *tinctoria* Sarg. 319.
Alopecias Stev. 12, 383.
Alopecurus L. 2, 135.
 — *aequalis* Sobol. 158; tab. 10.
 — *alpinus* Smith 155; tab. 10.
 — *amurensis* Kom. 158; tab. 10.
 — *apiatus* Ovcz. 146, 744; tab. 10.
 — *Aucherii* Boiss. 144.
 — *borealis* Trin. 155; tab. 10.
 — *brachystachyus* M. B. 144; tab. 10.
 — *dasyanthus* Trautv. 143; tab. 11.
 — *geniculatus* L. 157; tab. 10.
 — *Gerardii* Vill. 150.
 — *glacialis* C. Koch 145; tab. 11.
 — *glaucus* Less. 153; tab. 10.
 — *himalaicus* Hook. f. 144.
 — *laxiflorus* Ovcz. 151, 744; tab. 11.
 — *longiaristatus* Maxim. 157; tab. 10.
 — *mucronatus* Hack. ex Pauls. 146; tab. 10.
 — *mysuroides* Huds. 156; tab. 10.
 — *pratensis* L. 150; tab. 11.
 — *pseudobrachystachyus* Ovcz. 153, 745; tab. 10.
 — *Roshevitzianus* Ovcz. 154, 746; tab. 10.
 — *seravchanicus* Ovcz. 151, 745; tab. 11.
 — *sericeus* Albov 149; tab. 11.
 — *soongoricus* (Roshev.) V. Petrov 152; tab. 10.
 — *Stejnegeri* Vasey 156; tab. 10.
 — *tenuis* Kom. 154.
 — *textilis* Boiss. 143; tab. 11.
 — *tiflisiensis* (Westb.) Grossh. 140; tab. 11.
 — *vaginat* Pall. 140; tab. 11.
 — *ventricosus* Pers. 149.
Alschingera Vis. 16, 223.
Alsibene Griseb. 22, 412.
Alsinanthus Reichb. 6, 507.
Alsine Gaertn. 6, 482.
Alsine L. 6, 562.
 — *segetalis* L. 562; tab. 32.
Alsinopsis Small 6, 482.
Alternanthera Forsk. 6, 368.
 — *sessilis* (L.) R. Br. 368; tab. 18.
Althaea L. 15, 127.
 — *armeniaca* Ten. 134; tab. 7.
 — *broussonetiifolia* Iljin 139, 678; tab. 7.
 — *cannabina* L. 141; tab. 7.
 — *hirsuta* L. 129.
 — *Ludwigii* L. 130; tab. 1.
 — *narbonensis* Pourr. 142; tab. 7.
 — *officinalis* L. 131.
 — *taurinesis* DC. 137; tab. 7.
Alyssopsis Boiss. 8, 56.
 — *Kotshyi* Boiss. 57.
Alyssum L. 8, 340.
 — *andinum* Rupr. 350.
 — *armenum* Boiss. 352.
 — *artvinense* N. Busch 345.
 — *biovulatum* N. Busch 346.
 — *bracteatum* Boiss. et Buhse 344.
 — *Buschianum* Grossh. 358.
 — *calycinum* L. 358.
 — *calycocarpum* Rupr. 350.
 — *campestre* L. 357.
 — *daghestanicum* Rupr. 352.
 — *dasycarpum* Steph. 358.
 — *desertorum* Stapf 354.
 — *Fedtschenkoanum* N. Busch 347.
 — *Gmelinii* Jord. et Fourr. 348.
 — *hirsutum* M. B. 356.
 — *lense* Adam 351.
 — *macrostylum* Boiss. 353.
 — *marginatum* Steud. 355.
 — *minutum* Schlecht. 353.
 — *Muelleri* Boiss. 352.
 — *murale* Waldst. et Kit. 346.
 — *obtusifolium* Stev. 345.
 — *parviflorum* M. B. 357.
 — *peltarioides* Boiss. 347.
 — *persicum* Boiss. 353.
 — *rostratum* Stev. 349.
 — *saxatile* L. 348.
 — *schemachense* N. Busch 350.
 — *strictum* Willd. 356.
 — *Szovitsianum* Fisch. et Mey. 355.
 — *tortuosum* Waldst. et Kit. 344.

- trichostachyum Rupr. 349.
- umbellatum Desv. 355.
- Amaracus** Gled. 21, 447.
- rotundifolius (Boiss.) Briq. 448; tab. 21.
- Amaranthus** L. 6, 356.
- albus L. 364; tab. 18.
- blitoides S. Wats. 363; tab. 18.
- blitum L. 364; tab. 18.
- caudatus L. 360; tab. 18.
- deflexus L. 366; tab. 18.
- graecizans L. 365; tab. 18.
- leucospermus S. Wats. 360.
- lividus L. 366; tab. 18.
- paniculatus L. 361; tab. 18.
- retroflexus L. 362; tab. 18.
- Thellungianus Nevski 365; tab. 18.
- tricolor L. 363; tab. 18.
- Amareus** C. Presl 11, 218.
- Amaryllis** Pall. 4, 489.
- Amatula** Medic. 22, 42.
- Amberboa** (Pers.) Less. 28, 323.
- amberboi (L.) Tzvel. 331.
- bucharica Iljin 332; tab. 18, 20.
- glauca (Willd.) Sosn. 326; tab. 18.
- moschata (L.) DC. — 325.
- nana (Boiss.) Iljin 328.
- Sosnovskyi Iljin 327.
- turanica Iljin 330.
- Amblirion** Raf. 4, 302.
- Amblynotus** Johnst. 19, 527.
- obovatus (Ledeb.) Johnst. 528.
- Amblyocarpum** Fisch. et Mey. 25, 497.
- inuloides Fisch. et Mey. 497.
- Amblyopogon** (DC.) Jaub. et Spach 28, 370, 472.
- Ambrosia** L. 25, 517.
- aptera DC. 520.
- artemisifolia L. 519.
- psilostachya DC. 519.
- trifida L. 520.
- Amelanchier** Medic. 9, 408.
- canadensis (L.) Medic. 410.
- integrifolia Boiss. et Hohen. 409.
- rotundifolia (Lam.) Dum.-Cours. 408; tab. 27.
- spicata (Lam.) C. Koch 413.
- turkestanica Litw. 410.
- Amethystea** L. 20, 69.
- coerulea L. 70.
- Ammannia** L. 15, 527.
- aegyptiaca Willd. 531.
- arenaria H. B. K. 529.
- multiflora Roxb. 529.
- pubiflora (Koehne) Sosn. 530.
- verticillata (Ard.) Lam. 530.
- viridis Hernem. 532.
- Ammi** L. 16, 381.
- visnaga (L.) Lam. 381.
- Ammios** Moench 16, 378.
- Ammochloa** Boiss. 2, 298.
- palaestina Boiss. 298; tab. 23.
- Ammodendron** Fisch. 11, 30.
- argenteum (Pall.) Kuntze 32.
- Conollyi Bge. ex Boiss. 31; tab. 2.
- Eichwaldii Ledeb. 30.
- Karelinii Fisch. et Mey. 31.
- Lehmannii Bge. 32.
- longiracemosum Raik. 31; tab. 2.
- Ammodenia** Patr. 6, 516.
- peploides (L.) Rupr. 517; tab. 26.
- Ammodytes** Stev. 12, 528.
- Ammolirion** Kar. et Kir. 4, 42.
- Ammophila** Host 2, 231.
- arenaria (L.) Link 231, tab. 17.
- Ammothamnus** Bge. 11, 28.
- Lehmannii Bge. 29.
- songoricus (Schrenk) Lipsky 29.
- Amoria** C. Presl 11, 206.
- Amorpha** L. 1, 302.
- fruticosa L. 302.
- Ampelopsis** Michx. 14, 704.
- brevipedunculata (Maxim.) Trautv. 705.
- heterophylla (Thunb.) Sieb. et Zucc. 706.
- japonica (Thunb.) Makino 706; tab. 39.
- vitifolia (Boiss.) Planch. 705.
- Amphicarpaea** Ell. 13, 526.
- Amphoricarpus** Vis. 27, 74.
- elegans Albov 75; tab. 6.
- Amphorocarpus** Post et Kuntze 27, 74.
- Amygdalopsis** Carr. 10, 545.
- Amygdalus** L. 10, 522.
- bucharica Korsh. 529.
- communis L. 524; tab. 33.
- Fenzliana (Fritsch) Lipsky 531; tab. 33.
- georgica Desf. 538.
- Ledebouriana Schlecht. 537.
- nairica Fed. et Takht. 542; tab. 34.
- nana L. 535; tab. 33.
- pedunculata Pall. 546.
- Petunnikowii Litv. 539; tab. 33.
- pseudopersica Tamamsch. 532.
- scoparia Spach 544; tab. 34.
- spinosissima Bge. 540; tab. 34.
- turcomanica Lincz. 542, 639.
- ulmifolia (Franch.) M. Pop. 545.
- Vavilovii M. Pop. 543; tab. 34.
- zangezura Fed. et Takht. 532; tab. 33.
- Anabasis** L. 6, 281.

- Anabasis Abolinii* Iljin 287, 878.
 — *affinis* Fisch. et Mey. 286.
 — *aphylla* L. 297.
 — *balchaschensis* Iljin 299.
 — *brachiata* Fisch. et Mey. ex Kar. et Kir. 292; tab. 15.
 — *brevifolia* C. A. Mey. 287; tab. 15.
 — *cretacea* Pall. 295.
 — *elator* (C. A. Mey.) Schischk. 300.
 — *eriopoda* (Schrenk) Benth. 290; tab. 15.
 — *ferganica* Drob. 291.
 — *gypsicola* Iljin 299; tab. 15.
 — *hispidula* (Bge.) Benth. 301; tab. 15.
 — *jaxartica* (Bge.) Benth. 301.
 — *Korovinii* Iljin 300; tab. 15.
 — *macroptera* Moq. 196.
 — *micradena* Iljin 284, 878.
 — *pauciflora* M. Pop. 299, 879.
 — *Pelliotii* Danguy ex Lecomte 285; tab. 15.
 — *ramosissima* Minkw. 289.
 — *salsa* (C. A. Mey.) Benth. 288.
 — *truncata* (Schrenk) Bge. 296; tab. 15.
 — *turgaica* Iljin et Krasch. 286.
 — *turkestanica* Korov. 292, 878; tab. 15.
Anacamptis Rich. 4, 718.
 — *pyramidalis* (L.) Rich. 718; tab. 43.
Anacyclus L. 26, 68.
 — *ciliatus* Trautv. 68.
 — *officinarum* Hayne 69.
Anagallidium Griseb. 18, 622.
 — *dichotomum* (L.) Griseb. 622.
Anagallis L. 18, 275.
 — *arvensis* L. 276.
 — *coerulea* Schreb. 277.
Anandria Less. 28, 592.
Anaphalis DC. 25, 361.
 — *darvasica* Boriss. 375, 591.
 — *depauperata* Boriss. 371, 590.
 — *garanica* Boriss. 373, 591.
 — *margaritacea* (R. Br.) Benth. et Hook. f. 365.
 — *possietica* Kom. 366.
 — *racemifera* Franch. 372; tab. 23.
 — *roseo-alba* Krasch. 374.
 — *scopulosa* Boriss. 376, 592.
 — *serawschanica* (C. Winkl.) B. Fedtsch. 364; tab. 23.
 — *tenuicaulis* Boriss. 367, 589.
 — *velutina* Krasch. 368.
 — *virgata* Thoms. 374.
Anaspis Rech. f. 20, 207.
Anatropa Ehrenb. 14, 151.
Ancathia DC. 28, 222.
 — *igniaria* (Spreng.) DC. 222; tab. 10.
Anchonium DC. 8, 320.
 — *brachycarpum* (Trautv.) Vass. 321, 635; tab. 21.
 — *elichrysofolium* (DC.) Boiss. 321.
 — *sterigmoides* Lipsky 322, 636.
Anchusa L. 19, 298.
 — *Barrelieri* (All.) Vitm. 310.
 — *Gmelinii* Ledeb. 302.
 — *incana* Ledeb. 301.
 — *italica* Retz. 306.
 — *leptophylla* Roem. et Schult. 300.
 — *ochroleuca* M. B. 303.
 — *officinalis* L. 304.
 — *procera* Bess. 305.
 — *pseudoochroleuca* Schost. 304.
 — *pusilla* Gusul. 309.
 — *stylosa* M. B. 309.
 — *thessala* Boiss. et Sprun. 307.
Andrachne L. 14, 269.
 — *Buschiana* Pojark. 277.
 — *Fedtschenkoi* C. Koss. 281; tab. 16.
 — *filiformis* Pojark. 280.
 — *pusilla* Pojark. 278, 733; tab. 16.
 — *pygmaea* C. Koss. 279.
 — *rotundifolia* C. A. Mey. 272.
 — *stenophylla* C. Koss. 279; tab. 16.
 — *telephioides* L. 272; tab. 15.
 — *virga-tenuis* Nevski 274.
Androceras Nutt. 22, 40.
Andromeda L. 18, 74.
 — *polifolia* L. 74.
Andropogon L. 2, 14.
 — *caucasicus* Trin. 15.
 — *ischaemum* L. 14; tab. 1.
Androsace L. 18, 217.
 — *acrolasia* Ovcz. 228.
 — *akbaitalensis* Derg. 230.
 — *albana* Stev. 236; tab. 13.
 — *angrenica* Ovcz. 228, 731.
 — *arctica* Cham. et Schlecht. 234.
 — *armeniaca* Duby 237.
 — *barbulata* Ovcz. 225, 729.
 — *bidendata* C. Koch 237.
 — *bryomorpha* Lipsky 234; tab. 13.
 — *Bungeana* Schischk. et Bobr. 231; tab. 13.
 — *caduca* Ovcz. 222.
 — *capitata* Willd. ex Roem. et Schult. 229.
 — *dasyphylla* Bge. 227.
 — *elongata* L. 239.
 — *Fedtschenkoi* Ovcz. 240.
 — *filiformis* Retz. 241.
 — *Gmelinii* (Gaertn.) Roem. et Schult. 235.
 — *incana* Lam. 225; tab. 13.
 — *intermedia* Ledeb. 238.

- Koso-Poljanskii Ovcz. 227, 730.
- lactiflora Pall. 239.
- Lehmanniana Spreng. 232.
- macrantha Boiss. et Huet 238.
- ochotensis Willd. ex Roem. et Schult. 233; tab. 13.
- Olgae Ovcz. 230.
- Ovczinnikovii Schischk. et Bobr. 221, 729.
- Raddeana Somm. et Lévier 238.
- septentrionalis L. 240.
- sericea Ovcz. 221, 729.
- taurica Ovcz. 226, 730.
- trifoliata Adam 232.
- Turczaninovii Freyn 242.
- umbellata (Lour.) Merr. 235.
- Androsaemum* Adans. 15, 203, 214.
- Necker 15, 214.
- Andrzeiowskia** Reichb. 8, 500.
- cardaminifolia (DC.) Prantl 500.
- Anilema** R. Br. 3, 501.
- Keisak Hassk. 502; tab. 26.
- Anemone** L. 7, 236.
- almaatensis Juz. 263, 736.
- altaica Fisch. ex C. A. Mey. 248; tab. 15.
- amurensis (Korsh.) Kom. 247.
- baicalensis Turcz. 253; tab. 15.
- biarmiensis Juz. 272, 738; tab. 17.
- blanda Schott et Kotschy 251.
- brevipedunculata Juz. 280, 740.
- bucharica Rgl. ex Fin. et Gagnep. 258; tab. 16.
- calva Juz. 279.
- caucasica Willd. ex Rupr. 251; tab. 15.
- coerulea DC. 243.
- crinita Juz. 274, 739.
- debilis Fisch. 244.
- dichotoma L. 268.
- eranthioides Rgl. 264.
- fasciculata L. 270; tab. 17.
- flaccida Fr. Schmidt 252.
- glabrata (Maxim.) Juz. 254; tab. 15.
- Gortschakovii Kar. et Kir. 260; tab. 16.
- impexa Juz. 271, 737.
- jennisseensis (Korsh.) Kryl. 242.
- Kuznetzowii Woronow ex Grossh. 257.
- laxa (Ulbr.) Juz. 269; tab. 17.
- litoralis (Litw.) Juz. 254.
- nemorosa L. 247; tab. 15.
- obtusiloba D. Don 256; tab. 16.
- ochotensis Fisch. 267.
- oligotoma Juz. 263, 737.
- parviflora Michx. 267.
- petiolulosa Juz. 259, 736; tab. 16.
- protracta (Ulbr.) Juz. 273; tab. 17.
- Raddeana Rgl. 249; tab. 15.
- ranunculoides L. 242; tab. 15.
- reflexa Steph. 250; tab. 15.
- Richardsonii Hook. 255; tab. 16.
- sachalinensis (Miyabe et Miyake) Juz. 280, 740.
- Schrenkiana Juz. 273, 738.
- serawschanica Kom. 265.
- sibirica L. 276; tab. 17.
- silvestris L. 266; tab. 16.
- speciosa Adam 281.
- Tschernjaewii Rgl. 264; tab. 16.
- udensis Trautv. 250; tab. 15.
- umbrosa C. A. Mey. 248.
- uralensis Fisch. ex DC. 243.
- villosissima (DC.) Juz. 275.
- Anethum** L. 17, 209.
- graveolens L. 209.
- involucreatum Korov. 210.
- Aneurolepidium** Nevski 2, 697.
- aemulans Nevski 711.
- alaicum (Korsh.) Nevski 704.
- akmolinense (Drob.) Nevski 708.
- angustum (Trin.) Nevski 700; tab. 49.
- badshuanicum (Roshev.) Nevski 703; tab. 49.
- dasystachys (Trin.) Nevski 706.
- divaricatum (Drob.) Nevski 709.
- fasciculatum (Roshev.) Nevski 709.
- flexile Nevski 705.
- karataviense (Roshev.) Nevski 705.
- kopetdaghense (Roshev.) Nevski 703; tab. 49.
- multicaule (Kar. et Kir.) Nevski 708; tab. 50.
- ovatum (Trin.) Nevski 707.
- Paboanum (Claus) Nevski 707.
- petraeum Nevski 705.
- pseudoagropyrum (Trin.) Nevski 710.
- ramosum (Trin.) Nevski 710.
- Regelii (Roshev.) Nevski 709.
- tianschanicum (Drob.) Nevski 703.
- ugamicum (Drob.) Nevski 704.
- Angelica** L. 17, 11.
- amurensis Schischk. 19, 352; tab. 8.
- anomala Avé-Lall. 19.
- brevicaulis (Rupr.) B. Fedtsch. 25; tab. 2, 8.
- Czernaevia (Fisch. et Mey.) Kitag. 26.
- dahurica (Fisch.) Benth. et Hook. ex Franch. et Sav. 23.
- decursiva (Miq.) Franch. et Sav. 27; tab. 8.

- Angelica jaluana* Nakai 20.
 — *koreana* Maxim. 22.
 — *Maximowiczii* (Fr. Schmidt.) Benth. ex Maxim. 22.
 — *pachyptera* Avé-Lall. 14.
 — *refracta* Fr. Schmidt 17.
 — *sachalinensis* Maxim. 18; tab. 8.
 — *silvestris* L. 13.
 — *ternata* Rgl. et Schmalh. 25; tab. 2.
 — *ursina* (Rupr.) Rgl. et Schmalh. 24.
 — *viridiflora* (Turcz.) Benth. ex Maxim. 21.
Angelocarpa Rupr. 17, 11, 25.
Angelophyllum Rupr. 17, 11, 24.
Anidrum Neck. 16, 198.
Anisactis Dulac 16, 373, 385.
Anisanthera Raf. 19, 685.
Anisoderis Cass. 29, 595, 687.
Anisodus Link et Otto 22, 99.
Anisophyllum Haw. 14, 482.
Anisoramphus DC. 29, 595.
Anisum Gaertn. 16, 444.
 — *vulgare* Gaertn. 445.
Anithista Raf. 3, 403.
Ankylotus Stev. 12, 302.
Anogramma Link 1, 73.
 — *leptophylla* (L.) Link 73; tab. 4.
Anoplocaryum Ledeb. 19, 524.
 — *compressum* (Turcz.) Ledeb. 525.
Anosmia Bernh. 16, 218.
Anserina Dum. 6, 51.
Antennaria Gaertn. 25, 326.
 — *alpina* (L.) Gaertn. 336.
 — *carpatica* (Wahl.) R. Br. 338.
 — *caucasica* Boriss. 330.
 — *dioica* (L.) Gaertn. 329.
 — *dioiciformis* Kom. 334; tab. 21.
 — *Friesiana* (Trautv.) Ekman 337.
 — *Komarovii* Juz. 335.
 — *monocephala* DC. 334.
 — *villifera* Boriss. 340; tab. 21.
Anthemis L. 26, 9.
 — *abagensis* Fed. 56, 869.
 — *altissima* L. 58.
 — *Anahytae* Woronow ex Sosn. 19, 865.
 — *anatolica* Boiss. 24.
 — *arvensis* L. 35.
 — *austriaca* Jacq. 59.
 — *calcarea* Sosn. 30.
 — *candidissima* Willd. ex Spreng. 37; tab. 4.
 — *carpatica* Waldst. et Kit. ex Willd. 20.
 — *coelopoda* Boiss. 59.
 — *cotula* L. 63; tab. 4.
 — *cretacea* Zefir. 43.
 — *debilis* Fed. 44, 867.
 — *deserticola* Krasch. et M. Pop. 65.
 — *dubia* Stev. 51.
 — *dumetorum* Sosn. 47; tab. 3.
 — *Emiliae* Sosn. 25.
 — *euxina* Boiss. 53.
 — *fruticulosa* M. B. 28; tab. 2.
 — *Grossheimii* Sosn. 38.
 — *hirtella* C. Winkl. 38.
 — *iberica* M. B. 18; tab. 1.
 — *jailensis* Zefir. 47.
 — *Linczevskyi* Fed. 48, 868.
 — *lithuanica* (DC.) Trautv. 64.
 — *macroglossa* Somm. et Levier 54.
 — *maris-nigri* Fed. 42, 866.
 — *markhotensis* Fed. 42, 866.
 — *Marschalliana* Willd. 30; tab. 2.
 — *melanoloma* Trautv. 57.
 — *microcephala* (Schrenk) B. Fedtsch. 65.
 — *monantha* Willd. 43.
 — *odontostephana* Boiss. 64.
 — *ptarmiciformis* C. Koch 23.
 — *rigescens* Willd. 46.
 — *ruthenica* M. B. 36.
 — *saguramica* Sosn. 42.
 — *Saportana* Albov 17; tab. 1.
 — *Schischkiniana* Fed. 55, 870.
 — *Sosnovskyana* Fed. 31.
 — *sterilis* Stev. 25.
 — *subtinctoria* Dobrocz. 40.
 — *talyschensis* Fed. 53, 869.
 — *Tempskyana* Freyn et Sint. 27.
 — *tinctoria* L. 39.
 — *Tranzscheliana* Fed. 27, 866.
 — *Trotzkiana* Claus ex Bge. 29.
 — *Wiedemanniana* Fisch. et Mey. 60.
 — *Woronowii* Sosn. 52.
 — *Zephyrovii* Dobrocz. 45.
 — *zyghia* Woronow 56; tab. 3.
Anthericum L. 4, 53.
 — *ramosum* L. 53; tab. 3.
Anthochlamys Fenzl 6, 162.
 — *polygaloides* (Fisch. et Mey.) Fenzl. 165; tab. 7.
 — *turcomanica* Iljin 165, 875; tab. 7.
Anthochytrum Reichb. f. 29, 595, 687.
Anthopetitia A. Richt. 13, 245.
Anthosachne Steud. 2, 597.
 — *Jacquemontii* (Hook. f.) Nevski 598; tab. 44.
 — *longiaristata* (Boiss.) Nevski 598; tab. 44.
Anthoxanthum L. 2, 55.
 — *aristatum* Boiss. 59; tab. 4.
 — *odoratum* L. 56; tab. 4.

- Anthriscus* Bernh. 16, 153.
Anthriscus (Pers.) Hoffm. 16, 127.
 — *aemula* (Woronow) Schischk. 129.
 — *cerefolium* (L.) Hoffm. 136.
 — *glacialis* Lipsky 131.
 — *longirostris* Bertol. 137; tab. 9.
 — *memorosa* (M. B.) Spreng. 127.
 — *nitida* (Wahl.) Garcke 131.
 — *Ruprechtii* Boiss. 132; tab. 9.
 — *scandicina* (Web.) Mansf. 138; tab. 9.
 — *Schmalhauseni* (Albov) K.-Pol. 135; tab. 9.
 — *silvestris* (L.) Hoffm. 128.
 — *Sosnovskiyi* Schischk. 135; tab. 9.
 — *velutina* Somm. et Lev. 130.
Anthyllis L. 11, 262.
 — *affinis* Britt. 280.
 — *alpestris* Reichb. 279.
 — *arenaria* (Rupr.) Juz. 270; tab. 17.
 — *Biebersteiniana* (Taliev) Popl. 267; tab. 17.
 — *caucasica* (Grossh.) Juz. 277.
 — *coccinea* (L.) Beck 266.
 — *colorata* Juz. 277, 393.
Anthrophylla Haw. 9, 197.
Antirrhinum L. 22, 225.
 — *majus* L. 226.
 — *orontium* L. 226.
Antitoxicum Pobed. 18, 674.
 — *acuminatum* (Decne.) Pobed. 706.
 — *Albovianum* (Kusn.) Pobed. 694.
 — *amplexicaule* (Sieb. et Zucc.) Pobed. 705.
 — *atratum* (Bge.) Pobed. 704; tab. 38.
 — *cretaceum* Pobed. 702, 753; tab. 38.
 — *darvasicum* (B. Fedtsch.) Pobed. 693; tab. 37.
 — *funebre* (Boiss. et Kotschy) Pobed. 691.
 — *inamoenum* (Maxim.) Pobed. 707.
 — *intermedium* (Taliev) Pobed. 689.
 — *jailicola* (Juz.) Pobed. 696.
 — *Juzepeckukii* Pobed. 683, 752.
 — *laxum* (Bartl.) Pobed. 701.
 — *maeoticum* (Kleop.) Pobed. 687.
 — *minus* (C. Koch) Pobed. 687.
 — *mugodsharicum* Pobed. 690.
 — *officinale* (Moench) Pobed. 697; tab. 38.
 — *pumilum* (Decne.) Pobed. 692.
 — *Raddeanum* (Albov) Pobed. 695.
 — *Rehmannii* (Boiss.) Pobed. 682; tab. 37.
 — *rossicum* (Kleop.) Pobed. 690.
 — *scandens* (Somm. et Lév.) Pobed. 680.
 — *Schmalhauseni* (Kusn.) Pobed. 684; tab. 37.
 — *sibiricum* (L.) Pobed. 707; tab. 38.
 — *stauropolitanum* Pobed. 695.
 — *stepposum* Pobed. 702, 752; tab. 37.
 — *tauricum* Pobed. 696.
 — *volubile* (Maxim.) Pobed. 703.
Anura (Juz.) Tschern. 27, 107.
 — *pallidivirens* (Kult.) Tschern. 107; tab. 29.
Apargia Scop. 29, 207.
Apeltanthus Nevski ex Pavl. 20, 217.
Apenula Neck. 24, 427.
Apera Adans. 2, 232.
 — *intermedia* Hack. 233; tab. 17.
 — *interrupta* (L.) Beauv. 233; tab. 17.
 — *spica-venti* (L.) Beauv. 233; tab. 17.
Aphananthemum Spach 15, 336.
Aphanes L. 10, 410.
 — *arvensis* L. 410.
Aphanopleura Boiss. 16, 365.
 — *capillifolia* (Rgl. et Schmalh.) Lipsky 367.
 — *leptoclada* (Aitch. et Hemsl.) Lipsky 366; tab. 12.
 — *trachysperma* Boiss. 366.
Aphragamus Andr. 8, 57.
 — *involucratus* (Bge.) O. E. Schulz 58.
Apinella Caruel 16, 350.
Apinella Neck. 16, 349.
Apium Caruel 16, 385.
Apium L. 16, 370.
 — *graveolens* L. 371, 373.
Aplotaxis DC. 27, 361.
Apluda L. 2, 12.
 — *inermis* Rgl. 12; tab. 1.
Apocynum L. 18, 652.
Aposeris Neck. 29, 404.
 — *foetida* (L.) Less. 404; tab. 1.
Aquilegia L. 7, 86.
 — *amurensis* Kom. 97; tab. 7.
 — *Borodini* Schischk. 91; tab. 7.
 — *colchica* Kom.-Nath. 98.
 — *flabellata* Sieb. et Zucc. 97; tab. 7.
 — *formosa* Fisch. 98.
 — *glandulosa* Fisch. ex Link 95; tab. 7.
 — *hybrida* Sims 98.
 — *Karelinii* (Baker) O. et B. Fedtsch. 93; tab. 7.
 — *lactiflora* Kar. et Kir. 92; tab. 7.
 — *leptoceras* Fisch. et Mey. 88; tab. 7.
 — *olympica* Boiss. 94; tab. 7.
 — *oxysepala* Trautv. 93; tab. 7.
 — *parviflora* Ledeb. 88; tab. 7.
 — *sibirica* Lam. 96; tab. 7.
 — *viridiflora* Pall. 91; tab. 7.
 — *vulgaris* L. 94; tab. 7.

Arabidopsis Heynh. 8, 76.

- mollissima (C. A. Mey.) N. Busch 79.
- parvula (Schrenk) O. E. Schulz 78.
- pumila (Steph.) N. Busch 78.
- Thaliana (L.) Heynh. 77.
- toxophylla (M. B.) N. Busch 79.
- verna (C. Koch) N. Busch 80.

Arabis L. 8, 172.

- alpina L. 194.
- amurensis N. Busch 192.
- arenosa (L.) Scop. 191.
- auriculata Lam. 185; tab. 10.
- Billardieri DC. 197.
- borealis Andr. 184.
- brachycarpa Rupr. 177; tab. 9.
- bucharica (Lipsky) N. Busch 188, 640; tab. 10.
- caucasica Willd. 194.
- Christianii N. Busch 176.
- dolichothrix N. Busch 195, 641.
- erysimoides Kar. et Kir. 186.
- farinacea Rupr. 196.
- flaviflora Bge. 196.
- fruticulosa C. A. Mey. 185.
- Gerardii Bess. 183.
- hirsuta Scop. 183.
- ionocalyx Boiss. 195.
- kamtschatica Fisch. 192.
- karategina Lipsky 187; tab. 10.
- kokanica Rgl. et Schmalh. 187; tab. 10.
- laxa Sibth. et Smith 181; tab. 9.
- Maximoviczii N. Busch 191.
- media N. Busch 193.
- Montbretiana Boiss. 184.
- nepetaefolia Boiss. 177.
- Nordmanniana Rupr. 176; tab. 9.
- pachyrhiza Kar. et Kir. 186; tab. 10.
- pendula L. 181.
- secunda N. Busch 178.
- septentrionalis N. Busch 193.
- sinuata Turcz. 188.
- Stelleri DC. 182.
- trichopoda Turcz. 187.
- Turczaninovii Ledeb. 182.
- turrita L. 182; tab. 9.

Arachis L. 13, 373.

- hypogaea L. 373.

Arachne Neck. 14, 269.

- colchica (Fisch. et Mey.) Pojark. 269; tab. 15.

Aracium Neck. 29, 594, 606.**Aralia** L. 16, 24.

- continentalis Kitag. 32.
- cordata Thunb. 31.

- elata (Miq.) Seem. 25.

- mandshurica Rupr. et Maxim. 27.
- Schmidtii Pojark. 33, 588; tab. 1.

Araujia Brot. 18, 667.

- sericifera Brot. 667.

Arbutus L. 18, 79.

- andrachne L. 80.
- unedo L. 80.

Arceutobium M. B. 5, 407.**Archangelica** Hoffm. 17, 28.

- decurrens Ledeb. 30; tab. 8.
- Komarovii Schischk. 31, 353.
- litoralis (Fries) Agardh 30.
- officinalis (Moench) Hoffm. 28.
- tschimganica (Korov.) Schischk. 32.

Archieracium Fries 30, 10.**Arctagrostis** Griseb. 2, 166.

- arundinacea (Trin.) Beal 168; tab. 12.
- festucacea V. Petrov 167.
- latifolia (R. Br.) Griseb. 167; tab. 12.
- ursorum Kom. 168.

Arcterica Cov. 18, 71.

- nana (Maxim.) Makino 72.

Arctium L. 27, 93.

- lappa L. 97; tab. 7.
- leiospermum Juz. et E. Serg. 98.
- minus Bernh. 100; tab. 7.
- nemorosus Lej. 99; tab. 7.
- Palladinii (Marc.) Grossh. 103; tab. 7.
- platylepis (Boiss. et Bal.) Sosn. ex Grossh. 95; tab. 7.
- radula Juz. et E. Serg. 105.
- tomentosum Mill. 104; tab. 7.

Arctocrania Nakai 17, 324.**Arctogeron** DC. 25, 135.

- gramineum (L.) DC. 136; tab. 8.

Arctophila Rupr. 2, 433.

- fulva (Trin.) Anders. 433; tab. 33.

Arctostaphylos Adans. 18, 83.

- uva-ursi (L.) Spreng. 83.

Arctous (A. Gray) Nied. 18, 84.

- alpina (L.) Nied. 85.
- erythrocarpa Small 87; tab. 2.
- japonica Nakai 86.

Arenaria L. 6, 517.

- asiatica Schischk. 527.
- capillaris Poir. 530; tab. 30.
- cephalotes M. B. 521; tab. 29.
- cucubaloides Smith 528.
- dianthoides Smith 520.
- ferganica Schischk. 532.
- formosa Fisch. ex DC. 529.
- graminea C. A. Mey. 526.
- graminifolia Schrad. 525.

- *Criffithii* Boiss. 536; tab. 30.
- *gypsophiloides* L. 528; tab. 29.
- *holostea* M. B. 522; tab. 29.
- *humifusa* (Sr.) Wahl. 537.
- *insignis* Litw. 535; tab. 30.
- *junceae* M. B. 529; tab. 29.
- *Koriniana* Fisch. ex Fenzl 525.
- *Ledebouriana* Fenzl 535.
- *leptoclados* Guss. 539.
- *longifolia* M. B. 527; tab. 29.
- *lychnidea* M. B. 530; tab. 29.
- *macrantha* Schischk. 522, 886.
- *Meyeri* Fenzl. 531.
- *mongolica* Schischk. 531.
- *Paulsenii* H. Winkl. 535.
- *polaris* Schischk. 526, 887.
- *Potaninii* Schischk. 536; tab. 30.
- *pseudofrigida* (Ostenf. et Dahl) Juz. 537; tab. 30.
- *Redowskii* Cham. et Schlecht. 538.
- *rigida* M. B. 521.
- *rotundifolia* M. B. 538; tab. 30.
- *serpyllifolia* L. 539; tab. 30.
- *Steveniana* Boiss. 527.
- *Szowitsii* Boiss. 522.
- *tschuktschorum* Rgl. 532.
- *turkestanica* Schischk. 538.
- Aretia* L. 18, 233.
- Argentina* Lam. 10, 220.
- Arguzia* Stev. 19, 116.
- Argyranthemum** Webb ex Sch. Bip. 26, 129.
 - *frutescens* (L.) Sch. Bip. 130.
- Argyrolobium** Eckl. et Zeyh. 11, 51.
 - *calycinum* (M. B.) Jaub. et Spach 51.
 - *lotoides* Bge. 53.
 - *trigonelloides* Jaub. et Spach 52.
- Arisaema** Mart. 3, 490.
 - *amurense* Maxim. 490; tab. 25.
 - *japonicum* Blume 490.
- Aristida** L. 2, 65.
 - *adscensionis* L. 66; tab. 5.
 - *arachnoidea* Litv. 71; tab. 5.
 - *Karelinii* (Trin. et Rupr.) Roshev. 67. 740; tab. 5.
 - *pennata* Trin. 67; tab. 5.
 - *plumosa* L. 68; tab. 5.
- Aristolochia** L. 5, 435.
 - *Bottae* Jaub. et Spach 438.
 - *clematidis* L. 438; tab. 25.
 - *contorta* Bge. 438; tab. 25.
 - *iberica* Fisch. et Mey. 437.
 - *macrophylla* Lam. 441.
 - *manshuriensis* Kom. 436; tab. 25.
 - *pontica* Lam. 436.
- *Steupii* Woronow 437; tab. 25.
- Armeniaca** Mill. 10, 584.
 - *dasycarpa* (Ehrh.) Pers. 598.
 - *Davidiana* Carr. tab. 38.
 - *manshurica* (Koehne) Skvortz. 596; tab. 38.
 - *sibirica* (L.) Lam. 590; tab. 38.
 - *vulgaris* Lam. 586; tab. 38.
- Armeria** Willd. 18, 408.
 - *arctica* (Cham.) Wallr. 411; tab. 21.
 - *elongata* (Hoffm.) C. Koch 410; tab. 21.
 - *sibirica* Turcz. ex Boiss. 409.
- Armeriastrum* Kuntze 18, 301.
- Armoracia** Gaertn., Mey. et Scherb. 8, 141.
 - *rusticana* (Lam.) Gaertn., Mey. et Scherb. 142.
 - *sisymbrioides* (DC.) Cajand. 141.
- Arnebia** Forsk. 19, 173.
 - *baldschuanica* (Lipsky) Schischk. 179, 705.
 - *coerulea* Schipez. 178.
 - *decumbens* (Vent.) Coss. et Kral. 180.
 - *grandiflora* (Trautv.) M. Pop. 179, 705.
 - *guttata* Bge. 176.
 - *linearifolia* DC. 182.
 - *obovata* Bge. 175.
 - *Thomsonii* Clarke 177.
 - *tibetana* Kurz 177.
 - *transcaspica* M. Pop. 180, 705.
- Arnica** L. 26, 655.
 - *alpina* (L.) Olin et Ladan 657.
 - *frigida* C. A. Mey. et Iljin 660.
 - *Iljinii* (Maquire) Iljin 658.
 - *intermedia* Turcz. 659.
 - *Lessingii* Green 665, tab. 32.
 - *montana* L. 663.
 - *sachalinensis* (Rgl.) A. Gray 668.
 - *unalaschcensis* Less. 666; tab. 32.
- Arnoseris** Gaertn. 29, 20.
 - *minima* (L.) Schweigg. et Korte 20; tab. 1.
- Aronicum* Neck. 26, 669.
- Aspitium* Neck. 16, 579.
- Arrhenatherum** Beauv. 2, 281.
 - *elatus* (L.) Mert. et Koch 281.
 - *Kotschy* Boiss. 282.
- Artemisia** L. 26, 425.
 - *abrotanum* L. 456; tab. 23.
 - *absinthium* L. 515.
 - *Adamsii* Bess. 463; tab. 24.
 - *albicerata* Krasch. 542.
 - *altaiensis* Krasch. 514.
 - *amoena* Poljak. 600.
 - *anethifolia* Web. 522; tab. 27.

- Artemisia annua* L. 489.
 — *aralensis* Krasch. 594.
 — *arctica* Less. 479.
 — *arenaria* DC. 540.
 — *Argyi* Lévl. et Vaniot 451.
 — *armeniaca* Lam. 471.
 — *Aschurbajevii* C. Winkl. 503.
 — *aurata* Kom. 492.
 — *austriaca* Jacq. 498.
 — *badhysi* Krasch. et Lincz. ex Poljak. 619.
 — *balchanorum* Krasch. 617.
 — *baldschuanica* Krasch. et Zapr. 624.
 — *bargusinensis* Spreng. 555.
 — *borealis* Pall. 557; tab. 29.
 — *caespitosa* Ledeb. 499.
 — *camelorum* Krasch. 595.
 — *campestris* L. 553.
 — *capillaris* Thunb. 550; tab. 30.
 — *caucasica* Willd. 492.
 — *chamaemelifolia* Vill. 458.
 — *cina* Berg. ex Poljak. 601.
 — *ciniformis* Krasch. et M. Pop. ex Poljak. 603.
 — *commutata* Bess. 551; tab. 28.
 — *compacta* Fisch. ex DC. 585.
 — *cuspidata* Krasch. 500.
 — *daghestanica* Krasch. et Poretzky 535.
 — *demissa* Krasch. 562; tab. 29.
 — *deserti* Krasch. 626.
 — *desertorum* Spreng. 549; tab. 30.
 — *Dimoana* M. Pop. 536.
 — *dracunculiformis* Krasch. 534.
 — *dracunculus* L. 529.
 — *Dubjanskyana* Krasch. ex Poljak. 587.
 — *Fedtschenkoana* Krasch. 600.
 — *ferganensis* Krasch. ex Poljak. 607.
 — *fragrans* Willd. 576.
 — *Freyniana* (Pampan.) Krasch. 467.
 — *frigida* Willd. 494.
 — *furcata* M. B. 483.
 — *glanduligera* Krasch. ex Poljak. 604.
 — *glauca* Pall. 535; tab. 28.
 — *globularia* Bess. 481.
 — *glomerata* Ledeb. 482.
 — *Gmelinii* Web. ex Stechm. 464; tab. 23.
 — *gracilescens* Krasch. et Iljin 591.
 — *gypsacea* Krasch., M. Pop. et Lincz. ex Poljak. 610.
 — *halodendron* Turcz. ex Bess. 539; tab. 28.
 — *halophila* Krasch. 581.
 — *Henriettae* Krasch. 558.
 — *hololeuca* M. B. ex Bess. 507.
 — *incana* (L.) Druce 524.
 — *insulana* Krasch. 484.
 — *integrifolia* L. 449.
 — *jacutica* Drob. 522.
 — *japonica* Thunb. 545.
 — *junceae* Kar. et Kir. 629.
 — *kaschgarica* Krasch. 599.
 — *Keiskeana* Miq. 487.
 — *Kelleri* Krasch. 537.
 — *kemrudica* Krasch. 614.
 — *Knorringiana* Krasch. 588.
 — *kochiiformis* Krasch. et Lincz. ex Poljak. 615.
 — *Koidzumii* Nakai 447.
 — *Komarovii* Poljak. 449.
 — *kopetdagensis* Krasch. ex Poljak. 617.
 — *Korovinii* Poljak. 589.
 — *kulbadica* Boiss. et Buhse 519.
 — *Kuschakewiczii* C. Winkl. 544.
 — *laciniata* Willd. 473.
 — *laciniatiformis* Kom. 477.
 — *lagocephala* (Bess.) DC. 504; tab. 26.
 — *lagopus* Fisch. ex Bess. 486.
 — *latifolia* Ledeb. 472.
 — *lavandulifolia* DC. 453.
 — *Ledebouriana* Bess. 555; tab. 29.
 — *Lehmanniana* Bge. 622.
 — *leontopodioides* Fisch. ex Bess. 485.
 — *Lercheana* Web. ex Stechm. 579.
 — *Lessingiana* Bess. 594.
 — *leucodes* Schrenk 630.
 — *leucophylla* Turcz. ex Clarke 443.
 — *limosa* Koidz. 559.
 — *Lipskyi* Poljak. 544.
 — *littoricola* Kitam. 546.
 — *lobulifolia* Boiss. 625.
 — *macilenta* (Maxim.) Krasch. 550.
 — *macrantha* Ledeb. 462.
 — *macrocephala* Jacq. 518.
 — *macrorhiza* Turcz. 478.
 — *maritima* L. 573.
 — *Martjanovii* Krasch. ex Poljak. 513.
 — *Maximovicziana* Krasch. ex Poljak. 409; tab. 25.
 — *medioxima* Krasch. ex Poljak. 468; tab. 25.
 — *mongolica* Fisch. ex Nakai 444.
 — *monogyna* Waldst. et Kit. 574.
 — *montana* Pampan. 452.
 — *namanganica* Poljak. 611.
 — *nitrosa* Web. ex Stechm. 580.
 — *norvegica* Fries 480.
 — *obtusiloba* Ledeb. 509.
 — *opulenta* Pampan. 439.
 — *palustris* L. 491.
 — *pamirica* C. Winkl. 534.

- *pannosa* Krasch. 556; tab. 28.
- *pauciflora* Web. 589.
- *persica* Boiss. 506; tab. 21.
- *phaeolepis* Krasch. 474.
- *pontica* L. 461.
- *porrecta* Krasch. ex Poljak. 607.
- *prasina* Krasch. ex Poljak. 620.
- *prolixa* Krasch. ex Poljak. 587.
- *punctigera* Krasch. ex Poljak. 480.
- *pyncnorhiza* Ledeb. 559.
- *quinqueloba* Trautv. 540.
- *remotiloba* Krasch. ex Poljak. 470.
- *rhodantha* Rupr. 586.
- *rubripes* Nakai 450.
- *rupestris* L. 508.
- *rutifolia* Steph. ex Spreng. 505; tab. 22.
- *Saitoana* Kitam. 448.
- *salsoloides* Willd. 538.
- *samoiedorum* Pamp. 520.
- *santolina* Schrenk 625.
- *santolinifolia* Turcz. ex Bess. 465.
- *Saposhnikovii* Krasch. ex Poljak. 542; tab. 30.
- *Schmidtiana* Maxim. 501.
- *Schrenkiana* Ledeb. 582.
- *scopaeformis* Ledeb. 581.
- *scoparia* Waldst. et Kit. 560.
- *scotina* Nevski 614.
- *selengensis* Turcz. ex Bess. 454.
- *Senjaviensis* Bess. 485.
- *sericea* Web. ex Stechm. 501.
- *serotina* Bge. 608.
- *Sieberi* Bess. 621.
- *Sieversiana* Willd. 517.
- *silvatica* Maxim. 445; tab. 21.
- *sogdiana* Bge. 616.
- *songarica* Schrenk 543.
- *specigera* C. Koch 620.
- *splendens* Willd. 493.
- *Sielleriana* Bess. 455; tab. 20.
- *stenocephala* Krasch. ex Poljak. 616.
- *stolonifera* (Maxim.) Kom. 446; tab. 22.
- *sublessingiana* (B. Keller) Krasch. ex Poljak. 596.
- *subulata* Nakai 450.
- *subviscosa* Turcz. 510.
- *succulenta* Ledeb. 521.
- *Szowitziana* (Bess.) Grossh. 575.
- *tanacetifolia* L. 468.
- *taurica* Willd. 578.
- *tenuisecta* Nevski 598.
- *terrae-alba* Krasch. 592.
- *Tilesii* Ledeb. 443.
- *tomentella* Trautv. 554.
- *Tournefortiana* Reichb. 488.
- *transiliensis* Poljak. 597.
- *Trautvetteriana* Bess. 537.
- *Triniana* Bess. 487.
- *turanica* Krasch. 612.
- *turcomanica* Gand. 618.
- *umbrosa* Turcz. ex DC. 453.
- *unalaskensis* Rydb. 440.
- *ussuriensis* Poljak. 446.
- *vachanica* Krasch. ex Poljak. 623.
- *valida* Krasch. ex Poljak. 610.
- *vulgaris* L. 438.
- Arthraxon** Beauv. 2, 13.
- *Langsdorfii* (Trin.) Hochst. 13; tab. 1.
- Arthropytum** Schrenk 6, 302.
- *betpakdalense* Korov. 307.
- *iliense* Iljin 303; tab. 10.
- *Lehmannianum* Bge. 304.
- *leptocladum* M. Pop. ex Iljin 308, 879.
- *Litwinowii* Korov. 306.
- *subulifolium* Schrenk 306; tab. 10.
- *wakhanicum* (Pauls.) Korov. 308.
- Arum** L. 3, 485.
- *albispathum* Stev. 487.
- *elongatum* Stev. 486.
- *Korolkowii* Rgl. 486.
- *maculatum* L. 487.
- *orientale* M. B. 485; tab. 26.
- Aruncus** Adans. 9, 309.
- *asiaticus* Pojark. 311, 491.
- *kamtschaticus* Rydb. 311; tab. 18.
- *parvulus* Kom. 312.
- *vulgaris* Raf. 310; tab. 18.
- Arundinaria** Michx. 2, 732.
- *Simonii* A. et C. Rivière 732.
- Arundinella** Raddi 2, 24.
- *anomala* Steud. 24; tab. 1.
- Arundo** L. 2, 302.
- *donax* L. 303; tab. 23.
- Asaphes* Spreng. 24, 2.
- Asarum** L. 5, 432.
- *europaeum* L. 433.
- *ibericum* Stev. ex Ledeb. 434; tab. 25.
- *Sieboldii* Miq. 432; tab. 25.
- Ascalea* Hill 28, 52.
- Asclepias** L. 18, 669.
- *syriaca* L. 670; tab. 36.
- Asimina** Adans. 7, 568.
- *triloba* (L.) Dun. 568; tab. 39.
- Asparagus** L. 4, 424.
- *angulofractus* Iljin 432, 746; tab. 25.
- *brachyphyllus* Turcz. 437; tab. 25.
- *Breslerianus* Schult. 431; tab. 25.
- *bucharicus* Iljin 430, 746; tab. 25.

- Asparagus caspius* Hohen. 440.
 — *dahuricus* Fisch. 433.
 — *kasakstanicus* Iljin 434, 747.
 — *Leviniae* Klok. 439.
 — *litoralis* Stev. 442.
 — *Misczenkoi* Iljin 431, 746.
 — *neglectus* Kar. et Kir. 430; tab. 25.
 — *officinalis* L. 439.
 — *oligochlonos* Maxim. 441.
 — *persicus* Baker 438.
 — *polyphyllus* Stev. 441; tab. 25.
 — *Popovii* Iljin 430, 745; tab. 25.
 — *pseudoscaber* Grec. 439; tab. 25.
 — *schoberioides* Kunth 428; tab. 25.
 — *setiformis* Kryl. 440.
 — *soongoricus* Iljin 432, 747; tab. 25.
 — *tenuifolius* Lam. 429; tab. 25.
 — *tuberculatus* Bge. 433, 747.
 — *turkestanicus* M. Pop. 429.
 — *verticillatus* L. 428.
Asperella Humb. 2, 692.
 — *coreana* (Honda) Nevski 693; tab. 49.
 — *Komarovii* Roshev. 694; tab. 49.
 — *sibirica* Trautv. 693; tab. 49.
Asperugo L. 19, 530.
 — *procumbens* L. 530.
Asperula L. 23, 193.
 — *abchasica* V. Krecz. 255.
 — *accrescens* Klok. 249, 704.
 — *aemulans* V. Krecz. 241, 700.
 — *affinis* Boiss. et Huet 257.
 — *Albovii* Manden. 207.
 — *alpina* M. B. 253.
 — *aparine* M. B. 275.
 — *arvensis* L. 281.
 — *attenuata* Klok. 235, 698.
 — *azurea* Jaub. et Spach 283.
 — *balchanica* Bobr. 213, 691; tab. 11.
 — *bidentata* Klok. 233, 697.
 — *Biebersteinii* V. Krecz. 247.
 — *caespitans* Juz. 230.
 — *campanulata* (Vill.) Klok. 166.
 — *caucasica* Pobed. 215, 692; tab. 11.
 — *cimmerica* V. Krecz. 246, 702.
 — *creticola* Klok. 225, 694.
 — *cristata* (Somm. et Levier) V. Krecz. 250.
 — *cynanchica* L. 224; tab. 12.
 — *Danilewskiana* Basin. 264.
 — *dasyantha* Klok. 249, 704.
 — *diminuta* Klok. 263, 707.
 — *dolichophylla* Klok. 258, 706.
 — *exasperata* V. Krecz. 227, 695.
 — *ferganica* Pobed. 212, 690; tab. 11.
 — *galiioides* M. B. 267.
 — *glomerata* (M. B.) Griseb. 208.
 — *gracilis* C. A. Mey. 285.
 — *graniticola* Klok. 239, 699.
 — *graveolens* M. B. 262.
 — *hirsutiscula* Pobed. 211, 690.
 — *humifusa* (M. B.) Bess. 276.
 — *hypanica* Klok. 235, 698.
 — *infracta* Klok. 244, 701.
 — *insuavis* Pobed. 278, 708.
 — *intersita* Klok. 254, 705.
 — *karataviensis* Pavl. 275; tab. 14.
 — *Kemulariae* Manden. 259.
 — *Kryloviana* Serg. 271.
 — *laevis* Schischk. 280, 709; tab. 15.
 — *laevisima* Klok. 264, 708; tab. 13.
 — *leiograpeolens* M. Pop. et Chrshan. 262.
 — *Lipskyana* V. Krecz. 241.
 — *markothensis* Klok. 240, 700.
 — *Maximoviczii* Kom. 273.
 — *molluginoides* (M. B.) Reichb. 205.
 — *octonaria* Klok. 265; tab. 14.
 — *odorata* L. 217.
 — *oppositifolia* Rgl. et Schmalh. 278; tab. 15.
 — *pamirica* Pobed. 212, 691.
 — *paniculata* Bge. 271; tab. 14.
 — *pedicellata* Klok. 247, 703.
 — *petraea* V. Krecz. 228, 696.
 — *platygaliun* Maxim. 273.
 — *pontica* Boiss. 256.
 — *Popovii* Schischk. 280.
 — *praepilosa* V. Krecz. 245, 702.
 — *praevestita* Klok. 242, 701.
 — *propinqua* Pobed. 216, 693.
 — *prostrata* (Adam) C. Koch 206.
 — *rivalis* Sibth. et Smith 274.
 — *rumelica* Boiss. 236.
 — *savranica* Klok. 261, 707; tab. 13.
 — *semiamicta* Klok. 223, 694.
 — *setosa* Jaub. et Spach 282.
 — *setulosa* Boiss. 260.
 — *Stevenii* V. Krecz. 232; tab. 12.
 — *supina* M. B. 229; tab. 13.
 — *taurica* Pacz. 284; tab. 11.
 — *tephrocarpa* Czern. 226; tab. 12.
 — *tinctoria* L. 272.
 — *Tranzshelii* Klok. 231, 697.
 — *turcomanica* Pobed. 214, 692.
 — *tyraica* Bess. 267.
 — *vestita* V. Krecz. 243.
 — *Woronowii* V. Krecz. 259.
 — *xerotica* Klok. 268.
Asphodeline Reichb. 4, 31.

- dendroides (Hoffm.) Woronow ex Grossh. 32; tab. 5.
- lutea (L.) Reichenb. 33; tab. 3.
- taurica (Pall.) Kunth. 33; tab. 3.
- tenuiflora (C. Koch) Mischk. 34.
- tenuior (Fisch.) Ledeb. 34.
- Asplenium** L. 1, 61.
 - adiantum-nigrum L. 70.
 - anagrammoides Christ. 68; tab. 4.
 - daghestanicum Christ. 69.
 - germanicum Weis 64.
 - Hermannii-Christi Fomin 67.
 - Heufleri Reichardt 65.
 - incisum Thunb. 66; tab. 4.
 - pseudofontanum C. Koss. 68; tab. 4.
 - pseudolanceolatum Fomin 69.
 - ruta-muraria L. 66.
 - samarcandense C. Koss. 67; tab. 4.
 - Sarelii Hook. 67; tab. 4.
 - septentrionale (L.) Hoffm. 64.
 - trichomanes L. 65.
 - viride Huds. 65.
 - Woronowii Christ. 69.
- Astenolobium** Nevski 12, 233.
- Aster** L. 25, 77.
 - ageratoides Turcz. 100.
 - alpinus L. 105.
 - amelloides Bess. 87.
 - amellus L. 86.
 - fallax Tamamsch. 109, 580; tab. 8.
 - Fauriei Lévl. et Vaniot 93.
 - Glehnii Fr. Schmidt 91.
 - ibericus Stev. 87; tab. 6.
 - Korshinskiy Tamamsch. 109, 578; tab. 8.
 - laevis L. 84.
 - luxurifolius Tamamsch. 100, 579; tab. 7.
 - Maaekii Rgl. 93.
 - Novae-Angliae L. 86.
 - Novi-Belgii L. 83.
 - parviceps (Burg.) Mackenz. et Bush 84.
 - pensauensis Tamamsch. 102, 580.
 - Richardsonii Spreng. 96.
 - salignus Willd. 84.
 - see-burejensis Tamamsch. 101.
 - serpentimontanus Tamamsch. 108.
 - sibiricus L. 94.
 - subintegerrimus (Trautv.) Ostenf. et Reichenb. 95.
 - suputinicus Tamamsch. 99, 591.
 - sutschanensis Kom. 103; tab. 7.
 - tataricus L. f. 92.
 - Tolmatschevii Tamamsch. 107.
- Asteriscus** Sch. Bip. 25, 508.
- Asterocycticus** Schur ex Fuss 11, 54.
- Asterolinon** Hoffm. et Link 18, 272.
 - linum-stellatum (L.) Hoffm. et Link 272.
- Asterothamnus** Novopokr. 25, 124.
 - fruticosus (C. Winkl.) Novopokr. 126; tab. 9.
 - heteropappoides Novopokr. 125.
 - poliiifolius Novopokr. 126; tab. 9.
 - Schischkinii Tamamsch. 129; tab. 9.
- Astilbe** Hamilt. 9, 135.
 - chinense (Maxim.) Franch. et Savat. 135.
- Astomatopsis** Korov. 16, 203.
 - galiocarpa Korov. 203.
- Astragalus** L. 12, 1.
 - abbreviatus Kar. et Kir. 218.
 - Abolinii M. Pop. 790.
 - Abramovii Gontsch. 85, 869.
 - acanthocarpus Boriss. 665.
 - ahtalensis Conr. et Freyn 476.
 - ackerbergensis Freyn 632.
 - acormosus Basil. 138; tab. 12.
 - adpressipilosus Gontsch. 230.
 - adsurgens Pall. 509.
 - aduncus Willd. 495.
 - adzharcicus M. Pop. 501.
 - aegobromus Boiss. et Hohen. 166.
 - aemulans (Nevski) Gontsch. 815.
 - aflatunensis B. Fedtsch. 86.
 - agameticus Lipsky 399; tab. 26.
 - aiwadzhi B. Fedtsch. 779.
 - aksaicus Schischk. 47.
 - aksuensis Bge. 30.
 - aktauensis Gontsch. 220.
 - alabugensis B. Fedtsch. 845.
 - alaicus Freyn 227.
 - alatavicus Kar. et Kir. 224.
 - albanicus Grossh. 273, 886.
 - Albertii Bge. 581.
 - Albertoregelia C. Winkl. et B. Fedtsch. 135; tab. 16.
 - albescens Boriss. 486.
 - albicans Bong. 550.
 - albicaulis DC. 784.
 - Alexandri Char. 610.
 - Alexeenkoanus B. Fedtsch. et Ivanov 360.
 - Alexeenkoi Gontsch. 195.
 - Alexeji Gontsch. 214.
 - alitschuri O. Fedtsch. 543.
 - alopecias Pall. 387; tab. 26.
 - alopecurus Pall. 388.
 - alpinus L. 43; tab. 3.
 - altaicus Bge. 177.
 - alyssoides Lam. 519.

- Astragalus amabilis* M. Pop. 687.
 — *amarus* Pall. 549; tab. 37.
 — *ambigens* M. Pop. 816.
 — *ammodendron* Bge. 765; tab. 45.
 — *ammodytes* Pall. 528; tab. 35.
 — *ammophilus* Kar. et Kir. 313; tab. 21.
 — *ammotrophus* Bge. 551.
 — *amygdalinus* Bge. 122.
 — *andaulgensis* B. Fedtsch. 193.
 — *Androssovianus* Gontsch. 763.
 — *angarensis* Turcz. ex Bge. 689.
 — *Angreni* Lipsky 120.
 — *angustidens* Freyn et Sint. 221.
 — *angustiflorus* C. Koch 166.
 — *angustissimus* Bge. 464.
 — *anisomerus* Bge. 118.
 — *ankylotus* Fisch. et Mey. 303.
 — *Antoninae* Grig. 238.
 — *Aphanassjievii* Gontsch. 187.
 — *apiculatus* Gontsch. 194.
 — *applicatus* Boriss. 475.
 — *arbuscula* Pall. 667.
 — *arcuatus* Kar. et Kir. 533.
 — *arenarius* L. 456; tab. 31.
 — *arganaticus* Bge. ex Rgl. et Herd. 541.
 — *arguricus* Bge. 502; tab. 33.
 — *argutensis* Bge. 457.
 — *argyroides* G. Beck ex Stapf 682.
 — *arianus* Gontsch. 112.
 — *arkalycensis* Bge. 852.
 — *arnacantha* M. B. 351.
 — *arnacanthoides* Boriss. 352.
 — *arpilobus* Kar. et Kir. 292; tab. 21.
 — *artvinensis* M. Pop. 696.
 — *arvatisensis* Gontsch. 765.
 — *asephes* Bge. 358.
 — *aschuturi* B. Fedtsch. 811.
 — *asper* Jacq. 443; tab. 30.
 — *Atlasovii* Kom. 52.
 — *atripurpureus* Boiss. 629.
 — *atrovinosus* M. Pop. 204.
 — *aulieatensis* M. Pop. 673.
 — *auratus* Gontsch. 800.
 — *aureus* Willd. 379; tab. 25.
 — *australis* (L.) Lam. 66; tab. 5.
 — *austriacus* L. 449.
 — *austrosibiricus* Schischk. 510.
 — *aznabjurticus* Grossh. 267.
 — *babatagi* M. Pop. 131.
 — *bacaliensis* Bge. 297; tab. 21.
 — *bachmarensis* Grossh. 253.
 — *bactrianus* Fisch. 359; tab. 24.
 — *badachschanicus* Boriss. 26.
 — *badamensis* M. Pop. 715.
 — *badghysi* M. Pop. 764.
 — *baissunensis* Lipsky 95.
 — *bakuensis* Bge. 178.
 — *balchanensis* Boriss. 185.
 — *balchaschensis* Sumn. 217.
 — *baldschuanicus* M. Pop. 724.
 — *Barinovii* M. Pop. 716.
 — *Barrowianus* Aitch. et Baker 221.
 — *Basineri* Trautv. 96.
 — *Beckerianus* Trautv. 243.
 — *Beketovii* (Krassn.) B. Fedtsch. 72.
 tab. 5.
 — *bicolor* Lam. 517.
 — *Biebersteinii* Bge. 563.
 — *bischkendicus* Gontsch. 139.
 — *Bobrovii* B. Fedtsch. 233, 883; tab. 18.
 — *Borissianus* Gontsch. 567.
 — *Bornmüllerianus* B. Fedtsch. 237.
 — *Borodinii* Krassn. 581; tab. 35.
 — *bossuensis* M. Pop. 730.
 — *brachybotrys* Bge. 457.
 — *brachycarpus* M. B. 634.
 — *brachylobus* DC. 705.
 — *brachymorphus* Nikif. 304.
 — *brachypetalus* Trautv. 259; tab. 29.
 — *brachypus* Schrenk 774.
 — *brachyrachis* M. Pop. 633.
 — *brachytropis* (Stev.) C. A. Mey. 50.
 — *brevidens* Freyn et Sint. 500.
 — *brevifolius* Ledeb. 585.
 — *breviscapus* B. Fedtsch. 822.
 — *bucharicus* Rgl. 793; tab. 47.
 — *buchtarmensis* Pall. 198.
 — *Bungeanus* Boiss. 488.
 — *Bungei* C. Winkl. et B. Fedtsch. 305;
 tab. 20.
 — *Butkovii* M. Pop. 799.
 — *caespitosulus* Gontsch. 576.
 — *calycinus* M. B. 857.
 — *campylorrhynchus* Fisch. et Mey. 290;
 tab. 22.
 — *campylosema* Boiss. 631.
 — *campylotrichus* Bge. 288; tab. 21.
 — *cancellatus* Bge. 496.
 — *candidissimus* Ledeb. 554.
 — *Candolleanus* Boiss. 601; tab. 39.
 — *captiosus* Boriss. 491.
 — *caraganae* Fisch. et Mey. 95.
 — *cartilagineus* Gontsch. 171.
 — *caspicus* M. B. 355.
 — *causicus* Pall. 354; tab. 24.
 — *cerasocrenus* Bge. 373; tab. 25.
 — *ceratoides* M. B. 693.
 — *cernuiflorus* Gontsch. 552.

- chaetodon Bge. 821; tab. 48.
- chaetolobus Bge. 692.
- chaeturus M. Pop. 810.
- charguschanus Freyn 219.
- chinensis L. f. 24.
- chionanthus M. Pop. 20.
- chionocalyx (Nevski) Boriss. 347; tab. 23
- chivensis Bge. 411; tab. 27.
- chlorodontus Bge. 200.
- chodshenticus B. Fedtsch. 775.
- Chomutovii B. Fedtsch. 593; tab. 35.
- chordorrhizus Fisch. ex Bge. 253.
- chorgossicus Lipsky, 718.
- chorinensis Bge. 72.
- chrysomallus Bge. 792.
- cicer L. 249.
- cinerascens M. Pop. 317.
- cinereus Willd. 637.
- circassicus Grossh. 487; tab. 33.
- cisdarvasicus Gontsch. 660.
- Clerceanus Iljin et Krasch. 450.
- coarctatus Trautv. 243.
- coelestis Boiss. 639.
- cognatus C. A. Mey. 770.
- coluteocarpus Boiss. 23; tab. 36.
- commixtus Bge. 302; tab. 20.
- compactus Willd. 374.
- compositus Pavl. 299.
- compressus Ledeb. 692.
- condensatus Ledeb. 375.
- confiniorum Boriss. 623.
- Conrathii Freyn 472.
- consanguineus Bong. et Mey. 452.
- consentaneus Boriss. 344.
- conspicuus Boriss. 492; tab. 33.
- contortuplicatus L. 281; tab. 20.
- corniculatus M. B. 698.
- cornubovis Lipsky 309.
- cornutus Pall. 704.
- corrugatus Bert. 294; tab. 21.
- Cottonianus Aitch. et Bak. 619.
- Cristophii Trautv. 395.
- cruciatus Link 310; tab. 21.
- curvipes Trautv. 222.
- cuscutae Bge. 628.
- cyri Fomin 612.
- cyrtobasis Bge. ex Boiss. 819.
- cysticalyx Ledeb. 834.
- cysticarpus Boriss. 15; tab. 1.
- cytisoides Bge. 740.
- czorochensis Char. 614.
- daghestanicus Grossh. 423.
- dahuricus (Pall.) DC. 285.
- danicus Retz. 256; tab. 34.
- darwasicus Basil. 16.
- dasyanthus Pall. 114.
- dasyglottis Fisch. 257.
- dealbatus Pall. 711.
- declinatus Willd. 183.
- Demetri Char. 610.
- dendroides Kar. et Kir. 838; tab. 49.
- densiflorus Kar. et Kir. 59.
- densissimus Boriss. 343.
- densus M. Pop. 131.
- denudatus Stev. 334.
- depauperatus Ledeb. 546.
- deserti M. Pop. 762.
- devius Boriss. 349.
- dianthoides Boriss. 731.
- dianthus Bge. 731.
- dictamnoides Gontsch. 31.
- dignus Boriss. 228.
- dilutus Bge. 850.
- dipelta Bge. 317; tab. 20.
- discessiflorus Gontsch. 441.
- djilgensis Franch. 508.
- dolichocarpus M. Pop. 745; tab. 44.
- dolichophyllus Pall. 589.
- dolichopodus Freyn 523.
- Drobovii M. Pop. et Vved. 291; tab. 21.
- dschangartensis Sumn. 466.
- dshimensis Gontsch. 23.
- dsharfi B. Fedtsch. 241.
- dsharkenticus M. Pop. 686.
- duanensis Saposhn. et Sumn. 670.
- dzhebrailicus Grossh. 518.
- elbrusensis Boiss. 520.
- elegans Bge. 270.
- ellypsoideus Ledeb. 850.
- elongatus Willd. 640.
- ephemeretorum Gontsch. 129.
- eremobius M. Pop. 737.
- eremospartoides Rgl. 468; tab. 32.
- erinaceus Fisch. et Mey. ex Fisch. 335.
- erioceras Fisch. et Mey. 536; tab. 44.
- erioceratiformis M. Pop. 540.
- erivanensis Bornm. et Woronow 591.
- Eugenii Grossh. 269, 884.
- euoplus Trautv. 244; tab. 18.
- exasperatus Basil. 232.
- excapus L. 213.
- excedens M. Pop. et Kult. 758.
- excelsior M. Pop. 806; tab. 48.
- exilis A. Korol. 679.
- eximius Bge. 389.
- fabaceus M. B. 167.
- falcatus Lam. 442.
- falcigerus M. Pop. 672.

- Astragalus farctissimus* Lipsky 215.
 — *farctus* Bge. 217.
 — *Fedorovii* Takht. 603.
 — *Fedtschenkoanus* Lipsky 663; tab. 43.
 — *ferganensis* (M. Pop.) B. Fedtsch. ex A. Korol. 536.
 — *ferox* Boriss. 376.
 — *Fetissoyii* B. Fedtsch. 59.
 — *filicaulis* Fisch. et Mey. 307.
 — *finitimus* Bge. 396.
 — *fissuralis* Alexeenko 716.
 — *flaccidus* M. B. 251.
 — *flavidus* M. Pop. 817.
 — *flexilispinus* Boriss. 371.
 — *flexus* Fisch. 180; tab. 14.
 — *floccosifolius* Sumn. 129.
 — *fodinarum* Boiss. et Noë ex Bge. 631.
 — *follicularis* Pall. 857.
 — *fragrans* Willd. 524, tab. 39.
 — *fraxinifolius* DC. 92.
 — *Freynii* Albov 250.
 — *Frickii* Bge. 645.
 — *frigidus* (L.) Bge. 33.
 — *fruticosus* Pall. 706.
 — *Fuhsii* Freyn et Sint. 426.
 — *fuliginosus* G. Beck ex Stapf 624.
 — *fumosus* Boriss. 494.
 — *galactites* Pall. 585.
 — *galegiformis* L. 25; tab. 36.
 — *gaudanensis* B. Fedtsch. 186.
 — *Gebleri* Fisch. ex Bong. 769.
 — *Georgii* Gontsch. 747.
 — *gezeldarensis* Grossh. 425.
 — *glabrescens* Gontsch. 172; tab. 15.
 — *glaucophylloides* Bornm. et Woronow 611.
 — *globeiceps* Bge. 399; tab. 26.
 — *glochideus* Boriss. 471.
 — *glomeratus* Ledeb. 584.
 — *glycyphylloides* DC. 92.
 — *glycyphyllus* L. 91; tab. 9.
 — *goktschaicus* Grossh. 490.
 — *Gontsharovii* Vass. 671, 887.
 — *grammocalyx* Boiss. et Hohen. 424.
 — *grandiflorus* Bge. 125; tab. 11.
 — *Grigorjevii* B. Fedtsch. 34.
 — *haesitabundus* Lipsky 697.
 — *hajastanus* Grossh. 493.
 — *halicacabus* Lam. 416.
 — *hamosus* L. 781.
 — *harpocarpus* W. Meff. 93; tab. 7.
 — *Helmii* Fisch. 548.
 — *hemiphaca* Kar. et Kir. 84; tab. 6.
 — *Henningii* (Stev.) Boriss. 199.
 — *heptapotamicus* Sumn. 547.
 — *heterodontus* Boriss. 61.
 — *heteromorphus* Boriss. 603.
 — *heterotrichus* Gontsch. 797.
 — *Hilariae* Boriss. 360.
 — *hissaricus* Lipsky 640; tab. 40.
 — *Hohenackeri* Boiss. 429; tab. 29.
 — *Holdichianus* Aitch. et Bak. 621.
 — *holopterus* Turcz. ex Bge. 452.
 — *holosericeus* M. Pop. 121.
 — *humilis* M. B. 590.
 — *hyalolepis* Bge. 516.
 — *hypogaeus* Ledeb. 580.
 — *hyrcanus* Pall. 766.
 — *igniarius* M. Pop. 760.
 — *iliensis* Bge. 778.
 — *imbricatus* Boriss. 365.
 — *imetensis* Boriss. 60.
 — *inaequalifolius* Basil. 861; tab. 50.
 — *incertus* Ledeb. 514.
 — *indurescens* Gontsch. 190; tab. 15.
 — *inflatus* DC. 832.
 — *infractus* Sumn. 539.
 — *innominatus* Boriss. 544.
 — *inopinatus* Boriss. 511.
 — *insidiosus* Boriss. 351.
 — *insignis* Gontsch. 103.
 — *intarrensensis* Franch. 462.
 — *intermedius* Kar. et Kir. 835.
 — *intermixtus* Litv. ex Boriss. 340.
 — *interpositus* Boriss. 492; tab. 34.
 — *involutivus* Sumn. 576.
 — *Ionae* Palib. 713, 887.
 — *Irinae* B. Fedtsch. 459.
 — *irisuensis* Boriss. 566.
 — *ischnocarpus* Gontsch. 664.
 — *ishigensis* Maxim. ex Kom. 36.
 — *iskanderi* Lipsky 707; tab. 42.
 — *ispahanicus* Boiss. 13; tab. 36.
 — *isphairamicus* B. Fedtsch. 567.
 — *ispirensis* Boiss. 473.
 — *jagnobicus* Lipsky 58; tab. 4.
 — *Jarmolenkoi* Gontsch. 213; tab. 15.
 — *jodostachys* Boiss. et Buhse 472.
 — *jolderensis* B. Fedtsch. 622; tab. 39.
 — *juniperetorum* Gontsch. 125.
 — *kabadianus* Lipsky 661; tab. 42.
 — *kabristanicus* Grossh. 270, 884.
 — *kadshorensis* Bge. 499.
 — *kaghysmani* Gontsch. 417.
 — *kamtschaticus* (Kom.) Gontsch. 437.
 — *karabagensis* Bge. 378.
 — *karabilicus* M. Pop. 727.
 — *karakalensis* Freyn et Sint. 340, tab. 23.
 — *karakugensis* Bge. 770.

- karakuschensis Gontsch. 418.
- karataviensis Pavl. 723.
- karategini Gontsch. 135.
- Karelinianus M. Pop. 695.
- Karjagini Boriss. 377.
- karkarensis M. Pop. 691.
- kaschkadarjensis Gontsch. 230.
- kazbeki Char. 616.
- kazymbeticus Saposhn. ex Sumn. 854.
- kelifi Lipsky 408.
- Kelleri M. Pop. 751; tab. 44.
- kenderlyki M. Pop. 719.
- kenkolensis B. Fedtsch. 85.
- Kessleri Trautv. 725.
- Kikodzeanus Sosn. 564.
- kirghisorum Gontsch. 172.
- kisylkumi Boriss. 860.
- Klopotovskiy Sosn. 256.
- Knorringianus Boriss. 732.
- kokandensis Bge. 86.
- Komarovii Lipsky 709.
- kopalensis Lipsky 839; tab. 49.
- kopetdaghi Boriss. 185.
- Korolkovii Bge. 130; tab. 11.
- Kozlovskiy Grossh. 506.
- Krasnovii M. Pop. 849.
- Krassnovianus Gontsch. 742.
- Krauseanus Rgl. 802.
- Kronenburgii B. Fedtsch. 464.
- kubensis Grossh. 253, 871.
- Kudrjaschovii A. Korol. 659.
- kuhitangi (Nevski) Boriss. 347.
- kulabensis Lipsky 391; tab. 27.
- kurdaicus Saposhn. ex Sumn. 560.
- kurtschumensis Bge. 852.
- Kuschakevitschii B. Fedtsch. ex O. Fedtsch. 46; tab. 4.
- kuschensis Boriss. 219.
- Kusnetzovii M. Pop. 206.
- kustanaicus M. Pop. 734.
- laceratus Lipsky 85.
- Lagowskyi Trautv. 380.
- laguroides Pall. 855.
- lagurus Willd. 434.
- lancifolius Gontsch. 678.
- lanuginosus Kar. et Kir. 127.
- lasiocalyx Gontsch. 798.
- lasioglottis Stev. 499; tab. 34.
- lasiopetalus Bge. 113; tab. 10.
- lasiophyllus Ledeb. 563; tab. 37.
- lasiosemius Boiss. 240.
- lasiostylus Fisch. 367.
- latifolius Lam. 602.
- Lehmannianus Bge. 407, tab. 27.
- leiophysa Bge. 410.
- leiosemius (Lipsky) M. Pop. 239.
- lepsensis Bge. 32.
- leptocaulis Ledeb. 446.
- leptopoides M. Pop. 703.
- leucocalyx M. Pop. 658.
- leucocladus Bge. 832.
- Levieri Freyn ex Somm. et Levier 527.
- Linczevskii Gontsch. 203.
- Lipschitzii Pavl. 729.
- Lipskyi M. Pop. 209.
- lithophilus Kar. et Kir. 19; tab. 12.
- Litvinovianus Gontsch. 121; tab. 10.
- Litvinovii Lipsky 404.
- longicuspis Bge. 630.
- longiflorus Pall. 178.
- longipetiolatus M. Pop. 772.
- longiramosus Boriss. 343.
- longistipitatus Boriss. 16.
- Lorinserianus Freyn 674.
- lunatus Pall. 505.
- lupulinus Pall. 856.
- luxurians Bge. 51.
- Mackeviczii Gontsch. 463.
- macranthoides Boriss. 368.
- macrobotrys Bge. 777.
- macroceras C. A. Mey. 688.
- macrocladus Bge. 777.
- macronyx Bge. 208; tab. 14.
- macropetalus C. A. Mey. 748.
- macrophysus Somm. et Levier 416.
- macropodium Lipsky 12; tab. 36.
- macropterus DC. 82.
- macropus Bge. 734.
- macrostachys DC. 265.
- macrotropis Bge. 686.
- macrourus Fisch. et Mey 268; tab. 19.
- maculatus Bge. 620.
- mailiensis B. Fedtsch. 447.
- Majevschianus Kryl. 835.
- managildensis B. Fedtsch. 447; tab. 31.
- marguzaricus Lipsky 724.
- marinus Boriss. 512.
- Marschallianus Fisch. 336.
- Massagetovii B. Fedtsch. 22; tab. 17.
- Maximowiczii Trautv. 403; tab. 27.
- maveranagri M. Pop. 677.
- maximus Willd. 389; tab. 26.
- meanus Boriss. 358.
- medius Schrenk 783.
- megalanthus DC. 577.
- megalomerus Bge. 795; tab. 46.
- megalotropis C. A. Mey. ex Bge. 397.
- megricus Grossh. 271, 885.

- Astragalus melanocladus* Lipsky 831.
 — *melanocomus* M. Pop. 813.
 — *melanostachys* Benth. ex Bge. 54.
 — *melilotoides* Pall. 89; tab. 6.
 — *membranaceus* (Fisch.) Bge. 38.
 — *mendax* Freyn 200.
 — *meracus* Boriss. 339.
 — *meschedensis* Bge. 338.
 — *mesites* Boiss. et Buhse 415; tab. 28.
 — *meskheticus* Manden. 505.
 — *Meyeri* Boiss. 366.
 — *Michaelis* Boriss. 703.
 — *micracme* Boiss. 427.
 — *microcephalus* Willd. 335.
 — *miniatus* Bge. 458.
 — *mirabilis* Lipsky 141.
 — *mogoltavicus* M. Pop. 392.
 — *Mokeevae* M. Pop. 732.
 — *mollis* M. B. 271.
 — *mongolicus* Bge. 37.
 — *mongutensis* Lipsky 45.
 — *monspeulanus* L. 606.
 — *montis-aquilis* Grossh. 612.
 — *mucidus* Bge. 128.
 — *mugodsharicus* Bge. 710.
 — *multicaulis* Ledeb. 81.
 — *multifoliolatus* Boriss. 337.
 — *munitus* Boriss. 350.
 — *myriophyllus* Bge. 224.
 — *namanganicus* M. Pop. 641; tab. 41.
 — *Nathaliae* W. Meff. 825.
 — *Neireichianus* Freyn et Sint. 684.
 — *nematodes* Bge. ex Boiss. 467; tab. 32.
 — *neo-Lipskyanus* M. Pop. 657.
 — *nephtonensis* Freyn 209.
 — *neurophyllus* Franch. 796.
 — *Nevskii* Gontsch. 228.
 — *Nicolai* Boriss. 119.
 — *nigrescens* M. Pop. 763.
 — *nigriceps* M. Pop. 666.
 — *nigrimontanus* M. Pop. 809.
 — *nigrocalyx* Slob. 238; tab. 17.
 — *Nikitinae* B. Fedtsch. 746, 888.
 — *Ninae* Gontsch. 303.
 — *nivalis* Kar. et Kir. 824.
 — *nobilis* Bge. ex B. Fedtsch. 867; tab. 50.
 — *nuciferus* Bge. 101.
 — *nucleosus* M. Pop. 750.
 — *nuratavicus* Boriss. 368.
 — *nuratensis* M. Pop. 138.
 — *ochranthus* Gontsch. 130.
 — *odoratus* Lam. 441.
 — *oerolanicus* M. Pop. 126.
 — *olchonensis* Gontsch. 78.
 — *Oldenburgii* B. Fedtsch. 757; tab. 45.
 — *oleifolius* DC. 381.
 — *Olgae* Bge. 21.
 — *oltensis* Grossh. 355.
 — *onobrychioides* M. B. 498.
 — *onobrychis* L. 484.
 — *ophiocarpus* Benth. ex Boiss. 285; tab. 21.
 — *orbiculatus* Ledeb. 113.
 — *ordubadensis* Grossh. 623.
 — *oreades* C. A. Mey. 250.
 — *ornithopodioides* Lam. 476.
 — *ornithorrhynchus* M. Pop. 749.
 — *oroboides* Hornem. 48; tab. 3.
 — *orthanthoides* Boriss. 825.
 — *ortholobiformis* Sumn. 689.
 — *ortholobus* Bge. 690.
 — *Ovczinnikovii* Boriss. 14.
 — *Overinii* Bge. 516.
 — *oxyglottis* Stev. 308; tab. 21.
 — *oxypterus* Boriss. 12.
 — *pachyrrhizus* M. Pop. 562.
 — *paliurus* Boriss. 353.
 — *pallescens* M. B. 735.
 — *paradoxus* Bge. 231.
 — *paraglycyphyllus* Boissieu 92, 870.
 — *patentivillosus* Gontsch. 229.
 — *paucijudus* C. A. Mey. 771; tab. 45.
 — *pauper* Bge. 141.
 — *pauperiformis* B. Fedtsch. 142.
 — *peduncularis* Royle 438; tab. 300.
 — *pedunculosus* M. Pop. 814.
 — *pendulinus* M. Pop. et B. Fedtsch. 725.
 — *perembelicus* Grossh. 489.
 — *perrarus* Boriss. 489.
 — *persicus* Fisch. et Mey. 433; tab. 29.
 — *Petkoffii* B. Fedtsch. 448.
 — *petraeus* Kar. et Kir. 532.
 — *petropylensis* Bge. 851.
 — *Petunnikovii* Litw. 736.
 — *physocarpus* Ledeb. 558.
 — *physodes* L. 559.
 — *piletocladus* Freyn et Sint. 330. tab. 32.
 — *pischtovensis* Gontsch. 702.
 — *platyphyllus* Kar. et Kir. 638; tab. 41.
 — *plumatus* Boriss. 369.
 — *plumbeus* (Nevski) Gontsch. 868.
 — *podocarpus* C. A. Mey. 266.
 — *podolobus* Boiss. et Hohen. 759.
 — *Polakovii* M. Pop. 547.
 — *poliotes* Bge. 579.
 — *Politovii* Kryl. 50.
 — *polyceras* Kar. et Kir. 670.
 — *polygala* Pall. 609; tab. 41.
 — *polyphyllus* Bge. 184.

- polytimeticus M. Pop. 693.
- polyzygus M. Pop. 818.
- ponticus Pall. 387.
- Popovii Pavl. 565.
- Prilipkoanus Grossh. 613.
- projecturus Sumn. 579.
- prominens Boriss. 357; tab. 24.
- promontiorum Gontsch. 741.
- propinquus Schischk. 38; tab. 2.
- protractus Boriss. 270; 871.
- proximus Boriss. 348.
- pseudoamygdalinus M. Pop. 122.
- pseudanthylloides Gontsch. 418.
- pseudoaustralis Fisch. et Mey. 70.
- pseudobrachytropis Gontsch. 49.
- pseudocancellatus Grossh. 497.
- pseudocytisoides M. Pop. 740.
- pseudoeremophysa M. Pop. 174; tab. 13.
- pseudomegalomerus M. Pop. 791.
- pseudonobilis M. Pop. 867.
- pseudorhacodes Gontsch. 790.
- pseudoscoparius Gontsch. 462; tab. 32.
- pseudotataricus Boriss. 701.
- pseudotriger Grossh. 197.
- psilophus Schrenk 727.
- pskemensis M. Pop. 714.
- psoraloides Lam. 518.
- pterocephalus Bge. 370.
- puberulus Ledeb. 78; tab. 6.
- pubiflorus DC. 117.
- pulcher Korov. 861.
- pulposus M. Pop. 179.
- pulvinatus Bge. 341.
- punctatus Bge. 630.
- pycnanthus Boriss. 371.
- pycnolobus Bge. 713.
- quisqualis Bge. 102; tab. 9.
- Raddei Basil. 419; tab. 28.
- rariflorus Ledeb. 737.
- rarissimus M. Pop. 542.
- Rawlinsianus Aitch. et Baker 267.
- reduncus Pall. 535.
- refractus C. A. Mey. 627; tab. 40.
- Regelii Trautv. 398.
- retamocarpus Boiss. et Hohen. ex Boiss. 97; tab. 7.
- reticulatus M. B. 293.
- Reverdattoanus Sumn. 698.
- rhacodes Bge. 789; tab. 47.
- robustus Bge. 635; tab. 40.
- Rollovii Grossh. 604.
- roschanicus B. Fedtsch. 240.
- roseus Ledeb. 568.
- rostratus C. A. Mey. 605; tab. 39.
- rotundus Gontsch. 207.
- rubellus Gontsch. 180.
- rubens B. Fedtsch. et Ivanova 358.
- rubrigalli M. Pop. 540.
- rubrivenosus Gontsch. 797.
- rubromarginatus Czernjak. 126.
- rumpens W. Meff. 810.
- rupifragiformis M. Pop. 572; tab. 38.
- rupifragus Pall. 575.
- Ruprechtii Bge. 515.
- rytidocarpus Ledeb. 83.
- ryttilobus Bge. 308.
- Rzaevii Gross. 272, 885.
- sabuletorum Ledeb. 859.
- saccocalyx Schrenk ex Fisch. et Mey. 820.
- sachalinensis Bge. 76.
- Sachokianus Sosn. 683.
- saganlugensis Trautv. 254.
- sahendi Buhse 242.
- salareticus Boriss. 590.
- salatavicus Bge. 617.
- salicetorum Kom. 43.
- salsugineus Kar. et Kir. 582.
- sangesuricus Boriss. 245; tab. 18.
- sanguinolentus M. B. 615, tab. 41.
- saralensis Gontsch. 34.
- saratagius Bge. 553.
- sarbasnensis B. Fedtsch. 507.
- sarchanensis Gontsch. 70.
- sarytavicus M. Pop. 194.
- satteotoichus Gontsch. 717.
- scaberrimus Bge. 586.
- scabrisetus Bong. 592; tab. 38.
- schachdarinus Lipsky 466.
- schachimardanus Basil. 866.
- schahrudensis Bge. 395.
- schanginianus Pall. 169.
- Schelichovii Turcz. 436.
- Schelkovnikovii Grossh. 470; tab. 31.
- schemachensis Karjag. 168.
- Scheremetevianus B. Fedtsch. 15; tab. 1.
- Schischkinianus Gontsch. 272.
- Schischkinii Grossh. 521.
- schizopterus Boiss. 614.
- Schmalhausenii Bge. 298; tab. 20.
- Schrenkianus Fisch. et Mey. 862.
- schugnanicus B. Fedtsch. 57; tab. 4.
- schuschaensis Grossh. 517.
- schutensis Gontsch. 186.
- scleropodius Ledeb. 836.
- scleroxylon Bge. 673; tab. 43.
- scoparius Schrenk 461.
- secundus DC. 32.
- Semenovii Bge. 465.

- Astragalus semideserti* Gontsch. 833.
 — *sericeocanus* Gontsch. 39.
 — *sericeopuberulus* Boriss. 195.
 — *sericopetalus* Trautv. 413.
 — *sesamoides* Boiss. 306.
 — *setosulus* Gontsch. 260.
 — *sevangensis* Grossh. 487.
 — *Severzovii* Bge. 170.
 — *Sieversianus* Pall. 101; tab. 8.
 — *sinaicus* Boiss. 311.
 — *sisyrodites* Bge. 120.
 — *Skorniakovii* B. Fedtsch. 561; tab. 37.
 — *sogdianus* Bge. 719.
 — *sogotensis* Lipsky 701.
 — *Sommieri* Freyn 361.
 — *spartioides* Kar. et Kir. 779.
 — *speciosissimus* Pavl. 728.
 — *sphaerocalyx* Ledeb. 425.
 — *sphaerocephalus* Stev. 397.
 — *sphaerocystis* Bge. 854.
 — *sphaerophysa* Kar. et Kir. 410.
 — *spinescens* Bge. 233; tab. 16.
 — *spongocarpus* W. Meff. 98.
 — *Sprygini* M. Pop. 665.
 — *Steinbergianus* Sumn. 557.
 — *stenanthus* Bge. 522.
 — *stenocarpus* Gontsch. 745; tab. 44.
 — *stenoceras* C. A. Mey. 694.
 — *stenoceroideus* Boriss. 685.
 — *stenocystis* Bge. 805.
 — *Stevenianus* DC. 474; tab. 31.
 — *stipulosus* Boriss. 372; tab. 25.
 — *striatellus* Pall. ex M. B. 287; tab. 22.
 — *strictifolius* Boiss. 374.
 — *subalabugensis* M. Pop. 846.
 — *subarcuatus* M. Pop. 534.
 — *subauriculatus* Gontsch. 583.
 — *subbijugus* Ledeb. 541.
 — *subexcedens* Gontsch. 680.
 — *subinduratus* Gontsch. 188.
 — *subkahiricus* Gontsch. 402.
 — *submaculatus* Boriss. 618.
 — *subpolaris* Boriss. et Schischk. 44.
 — *subrobustus* Boriss. 636.
 — *subrosularis* Gontsch. 187.
 — *subscaposus* M. Pop. ex Boriss. 57.
 — *subschachimardanus* M. Pop. 866.
 — *subspinescens* M. Pop. 216.
 — *substenoceras* Boriss. 695.
 — *substipitatus* Gontsch. 205.
 — *subternatus* Pavl. 726.
 — *subtrijugus* M. Pop. 815.
 — *subulatus* M. B. 699.
 — *subverticillatus* Gontsch. 223.
 — *suidunensis* Bge. 821.
 — *sulcatus* L. 451.
 — *suluklensis* Freyn et Sint. 269.
 — *sumbari* M. Pop. 683.
 — *supinus* Bge. 255.
 — *suprapilosus* Gontsch. 559.
 — *surchanensis* M. Pop. 776.
 — *surchobi* Gontsch. 662.
 — *Syreitschikovii* Pavl. 204.
 — *Szovitsii* Fisch. et Mey. 428.
 — *Takhtadzhjanii* Grossh. 273, 886.
 — *talassicus* M. Pop. 189.
 — *talyschensis* Bge. 184.
 — *tanaiticus* C. Koch. 117.
 — *tanchassii* Gontsch. 812.
 — *taschkendicus* C. Bge. 637; tab. 41.
 — *Tatjanae* Lincz. 402.
 — *tauczilikensis* Golosk. 85, 869, 882.
 — *tauricus* Pall. 455; tab. 31.
 — *tecti-mundi* Freyn 31; tab. 2.
 — *teheranicus* Boiss. 496.
 — *Tekutjevii* Gontsch. 120.
 — *temirensis* M. Pop. 668.
 — *tenuis* Turcz. 90.
 — *tephrolobus* Bge. 691.
 — *terekliensis* Gontsch. 206.
 — *terrae-rubrae* Butk. 382.
 — *testiculatus* Pall. 578; tab. 38.
 — *tetrastichus* Bge. 564.
 — *Theodori* Grossh. 591.
 — *thlaspi* Lipsky 301; tab. 20.
 — *tibetanus* Benth. ex Bge. 258.
 — *Titovii* Gontsch. 201.
 — *torrentum* Bge. 167.
 — *trachycarpus* Gontsch. 222; tab. 13.
 — *transcaspicus* Freyn 760.
 — *transcausicus* Boriss. 362.
 — *transhyrcanus* M. Pop. 680.
 — *transiliensis* Gontsch. 853.
 — *transoxanus* Fisch. 356.
 — *Tranzschelii* Boriss. 508.
 — *Trautvetteri* Bge. 169.
 — *tribuloides* Delile 312; tab. 21.
 — *trichocalyx* Trautv. 391; tab. 26.
 — *trigonelloides* Boiss. 473.
 — *trigonocarpus* (Turcz.) Bge. 66.
 — *Troizkii* Grossh. 486.
 — *tscharynensis* M. Pop. 669.
 — *tschimganicus* M. Pop. 137.
 — *tschuensis* Bge. 71.
 — *Tulinovii* B. Fedtsch. 60.
 — *tumescens* M. Pop. 729.
 — *tupalangi* Gontsch. 170.
 — *turbinatus* Bge. 398.

- turcomanicus Bge. 761.
- Turczaninovii Kar. et Kir. 545.
- turkestanus Bge. ex Boiss. 96.
- turkmenorum Boriss. 342.
- tyttocarpus Gontsch. 837.
- ucrainicus M. Pop. et Klok. 700.
- ugamicus M. Pop. 708.
- ujalensis Gontsch. 289.
- uliginosus L. 435.
- umbellatus Bge. 35; tab. 1.
- unguiculatus Boriss. 333.
- unifoliolatus Bge. 773.
- unijugus Bge. 780.
- unilateralis Kar. et Kir. 506; tab. 33.
- uninodus M. Pop. et Vved. 297.
- uraniolimneus Boiss. 430.
- urgutinus Lipsky 659.
- ustiurtensis Bge. 494.
- utriger Pall. 196.
- vachanicus Boriss. et A. Korol. 314.
- vaginatus Pall. 65; tab. 5.
- vallicola Gontsch. 82.
- variegatus Franch. 656; tab. 43.
- varzobicus Gontsch. 202.
- vedicus Takht. 378.
- vegetior Gontsch. 139.
- velatus Trautv. 618.
- Veresczaginii Kryl. et Sumn. 828.
- versicolor Pall. 77.
- vesicarius L. 785.
- vicarius Lipsky 300; tab. 20.
- viciifolius DC. 252.
- villosissimus Bge. 775.
- violaceus Basil. 865.
- virens Pavl. 173.
- virgatus Pall. 733.
- virgeus Boriss. 474.
- viridiflorus Boriss. 140.
- viridis Bge. 709.
- volgensis Bge. 198.
- Voronovianus Boriss. 365.
- vulpinus Willd. 390.
- Vvedenskyi M. Pop. 757.
- wachschi B. Fedtsch. 756.
- Willisii M. Pop. 420.
- **Winckleri** Trautv. 409.
- Woldemari Juz. 837, 888.
- xanthomeloides Korov. et M. Pop. 801; tab. 46.
- xanthotrichus Ledeb. 827; tab. 49.
- xanthoxiphidium Freyn et Sint. 681.
- xerophilus Ledeb. 521.
- xiphidioides Freyn et Sint. 681.
- xiphidium Bge. 662.
- xipholobus M. Pop. 750.
- zaissanensis Sumn. 858.
- zangelanus Grossh. 605.
- Zaprjagaevii Gontsch. 193.
- zerabulaki M. Pop. 818.
- Zingeri Korsh. 712.
- zuvanticus Grossh. 519.
- Astrantia** L. 16, 66.
- colchica Albov 70.
- major L. 69.
- maxima Pall. 67.
- pontica Albov 68.
- trifida Hoffm. 69; tab. 3.
- Astrocodon** Fed. 24, 374, 471.
- expansus (J. Rudolph) Fed. 378.
- Kruhseanus (Fisch. ex Rgl. et Til.) Fed. 377; tab. 22.
- Astrodaucus** Drude 16, 169.
- littoralis (M. B.) Drude 171.
- orientalis (L.) Drude 170.
- persicus (Boiss.) Drude 170.
- Astrolobium** Desv. 13, 247.
- Asyneuma** Griseb. et Schenk 24, 396.
- amplexicaule (Willd.) Hand.-Mazz. 406.
- argutum (Rgl.) Bornm. 400.
- attenuatum (Franch.) Bornm. 412.
- baldshuanicum (O. Fedtsch.) Fed. 400.
- campanuloides (M. B.) Bornm. 405; tab. 24.
- canescens (Waldst. et Kit.) Griseb. et Schenk 411.
- cichoriforme (Boiss.) Bornm. 414.
- debile Fed. 402, 472.
- japonicum (Miq.) Briq. 406.
- lanceolatum (Willd.) Hand.-Mazz. 409.
- leianthum (Trautv.) Bornm. 416.
- lobelioides (Willd.) Hand.-Mazz. 417.
- otites (Boiss.) Bornm. 419.
- pulchellum (Fisch. et Mey.) Bornm. 415; tab. 24.
- ramosum Pavl. 401.
- rigidum (Willd.) Grossh. 410.
- salignum (Waldst. et Kit. ex Bess.) Fed. 408.
- talyschense Fed. 407, 473.
- Trautvetteri (B. Fedtsch.) Bornm. 413.
- urceolatum (Fomin) Fed. 416.
- Woronowii (Fomin) Bornm. 418.
- Atalanthus** D. Don 29, 241.
- acanthodes (Boiss.) Kirp. 241; tab. 15.
- Atelanthera** Hook. f. et Thoms. 8, 272.
- perpusilla Hook. f. et Thoms. 272.
- Athamus** Neck. 27, 77.
- Athyrium** Roth 1, 51.

Athyrium acrostichoides (Sw.) Diels 53;
tab. 2.
— *alpestre* (Hoppe) Ryl. 57; tab. 2.
— *austro-ussuriense* (Kom.) Fomin 58.
— *crenatum* (Sommerf.) Rupr. 59.
— *filix-femina* (L.) Roth 53; tab. 2.
— *Görlingianum* (Kuntze) S. Moore 59.
— *monomachii* Kom. 54.
— *pterorachis* Christ 57, tab. 2.
— *rubripes* Kom. 54.
— *spinulosum* (Maxim.) Milde 60; tab. 2.
— *Wardii* (Hook.) Makino 59.
— *yokoscense* (Franch. et Savat.) Christ 58;
tab. 2.
Atractylodes DC. 27, 88.
— *ovata* (Thunb.) DC. 89.
Atragene L. 7, 307.
— *macropetala* Ledeb. 308, tab. 20.
— *ochotensis* Pall. 309.
— *sibirica* L. 308.
Atraphaxis L. 5, 501.
— *angustifolia* Jaub. et Spach 525.
— *badghysi* Kult. 524.
— *canescens* Bge. 508.
— *caucasica* (Hoffm.) Pavl. 516.
— *compacta* Ledeb. 509.
— *decipiens* Jaub. et Spach 523.
— *frutescens* (L.) Ewerns. 520.
— *karataviensis* Lipsch. et Pavl. 510.
— *laetevirens* (Ledeb.) Jaub. et Spach 514.
— *Muschketovii* Krassn. 513; tab. 29a.
— *pungens* (M. B.) Jaub. et Spach 517;
tab. 29a.
— *pyrifolia* Bge. 518.
— *replicata* Lam. 506.
— *seravschanica* Pavl. 519.
— *spinosa* L. 505.
— *teretifolia* (M. Pop.) Kom. 526; tab. 29a.
— *Tournefortii* Jaub. et Spach 515.
— *virgata* (Rgl.) Krassn. 522.
Atrema DC. 16, 198.
Atriplex L. 6, 77.
— *amblyostegia* Turcz. 85.
— *calotheca* (Raf.) Fries 92; tab. 4.
— *cana* C. A. Mey. 98.
— *centralasiatica* Iljin 102; tab. 4.
— *crassifolia* C. A. Mey. 88.
— *dimorphostegia* Kar. et Kir. 93; tab. 4.
— *fera* (L.) Bge. 107; tab. 4.
— *flabellum* Bge. 105; tab. 4.
— *Gmelinii* C. A. Mey. 90; tab. 4.
— *hastata* L. 91.
— *heterosperma* Bge. 93; tab. 4.
— *hortensis* L. 85.

— *laevis* C. A. Mey. 87.
— *litoralis* L. 86.
— *megalotheca* M. Pop. 101, 873; tab. 4.
— *moneta* Bge. 106; tab. 4.
— *nitens* Schk. 84; tab. 4.
— *nudicaulis* Bogusl. 90; tab. 4.
— *oblongifolia* Waldst. et Kit. 89.
— *ornata* Iljin 97; tab. 4.
— *pamirica* Iljin 98; tab. 4.
— *patens* (Litv.) Iljin 87.
— *patula* L. 88.
— *pedunculata* L. 106; tab. 4.
— *pungens* Trautv. 96.
— *rosea* L. 94; tab. 4.
— *schugnanica* Iljin 97.
— *sibirica* L. 102; tab. 4.
— *sphaeromorpha* Iljin 94; tab. 1, 4.
— *tatarica* L. 95.
— *thunbergiaefolia* Boiss. 105; tab. 4.
— *turcomanica* Fisch. et Mey. 103.
— *verrucifera* M. B. 104.
Atropa L. 22, 71.
— *belladonna* L. 72.
— *caucasica* Kreyer 73.
— *Komarovii* Blin. et Schal. 74.
Atropis Rupr. 2, 460.
— *alaskana* (Scribn. et Merr.) V. Krecz. 480.
— *angustata* R. Br. 472; tab. 35.
— *anisoclada* V. Krecz. 487, 764; tab. 38.
— *bulbosa* Grossh. 490; tab. 37.
— *chilochloa* V. Krecz. 487, 764.
— *choresmica* V. Krecz. 479, 761; tab. 36.
— *convoluta* (Kunth) Griseb. 488; tab. 38.
— *diffusa* V. Krecz. 490, 766; tab. 38.
— *distans* (L.) Griseb. 484; tab. 36.
— *dolicholepis* V. Krecz. 488, 764; tab. 38.
— *geniculata* (Turcz.) V. Krecz. 471, 759.
— *gigantea* Grossh. 486; tab. 37.
— *glauca* (Rgl.) V. Krecz. 484, 762;
tab. 36.
— *Grossheimiana* V. Krecz. 477, 761;
tab. 35.
— *Hackeliana* V. Krecz. 484, 762; tab. 36.
— *Hauptiana* (Trin.) V. Krecz. 485, 763;
tab. 36.
— *humilis* (Litv.) V. Krecz. 473, 759;
tab. 35.
— *iliensis* V. Krecz. 485, 763; tab. 36.
— *jenisseiensis* Roshev. 471; tab. 38.
— *kamtschatica* (Holmb.) V. Krecz. 479;
tab. 36, tab. 37.
— *kurilensis* Takeda 473.
— *laeviuscula* V. Krecz. 483, 762; tab. 37.
— *macranthera* V. Krecz. 471, 759; tab. 35.

- *macropus* V. Krecz. 489, 765; tab. 38.
- *maritima* (Huds.) Richt. 470; tab. 35.
- *pamirica* (Roshev.) V. Krecz. 474, 760; tab. 35.
- *pauciramea* (Hack.) V. Krecz. 477, 760; tab. 36.
- *paupercula* (Holmb.) V. Krecz. 480; tab. 37.
- *phryganodes* (Trin.) V. Krecz. 470.
- *poecilantha* (C. Koch) V. Krecz. 472.
- *pulvinata* (Fries) V. Krecz. 478, 761; tab. 36.
- *Roshevitsiana* Schischk. 493.
- *sclerodes* V. Krecz. 488, 765.
- *sevangensis* (Grossh.) V. Krecz. 486, 763; tab. 37.
- *sibirica* (Holmb.) V. Krecz. 479; tab. 36.
- *subspicata* V. Krecz. 474, 750; tab. 35.
- *suecica* Holmb. 478; tab. 36.
- *tanella* Lange 483; tab. 37.
- *tenuiflora* (Turcz.) Griseb. 493; tab. 38.
- *tenuissima* (Litv.) V. Krecz. 489, 765; tab. 38.
- Aucklanda* Falc 27, 361.
- Aucuba** Thunb. 17, 347.
- *japonica* Thunb. 347.
- Audibertia* Benth. 21, 623.
- Aulacospermum** Ledeb. 16, 238.
- *anomalum* Ledeb. 241; tab. 15.
- *darvasicum* (Lipsky) Schischk. 243; tab. 15.
- *isetense* (Spreng.) Schischk. 242.
- *simplex* Rupr. 243; tab. 15.
- *tianschanicum* (Korov.) C. Norm. 245.
- *turkestanicum* (Franch.) Schischk. 244.
- Aulonix* Raf. 11, 83.
- Aurelia* Cass. 25, 30.
- Aurinia* Desv. 8, 348.
- Avena** L. 2, 259.
- *barbata* Pott ex Link 262; tab. 19.
- *Bruhnsiana* Grun. 261; tab. 19.
- *clauda* Durand 260; tab. 19.
- *cultiformis* Malz. 268; tab. 20.
- *fatua* L. 267; tab. 20.
- *Ludoviciana* Durand 269; tab. 20.
- *macrantha* (Hack.) Malz. 266; tab. 20.
- *meridionalis* Malz. 266; tab. 19.
- *nodipilosa* Malz. 265; tab. 19.
- *nuda* L. 262; tab. 19.
- *pilosa* M. B. 261; tab. 19.
- *praegravis* (Krause) Roshev. 268; tab. 20.
- *sativa* L. 267; tab. 20.
- *septentrionalis* Malz. 265; tab. 19.
- *sterilis* L. 269; tab. 20.
- *strigosa* Schreb. 261; tab. 19.
- *trichophylla* C. Koch. 269; tab. 20.
- *Wiestii* Steud. 265; tab. 19.
- Avenastrum** Jessen 2, 270.
- *adzharicum* (Albov) Roshev. 274.
- *armeniacum* (Schischk.) Roshev. 274; tab. 21.
- *asiaticum* Roshev. 275; tab. 21.
- *compactum* (Boiss. et Heldr.) Roshev. 281; tab. 21.
- *dahuricum* (Kom.) Roshev. 275; tab. 21.
- *desertorum* (Less.) Podp. 276; tab. 21.
- *Fedtschenkoi* (Hack.) Roshev. 280; tab. 21.
- *hissaricum* Roshev. 279; tab. 21.
- *Krylovii* Pavl. 279.
- *mongolicum* Roshev. 281; tab. 21.
- *pratense* (L.) Jessen 273; tab. 21.
- *pubescens* (Huds.) Jessen 275; tab. 21.
- *Schellianum* (Hack.) Roshev. 274; tab. 21.
- *tianschuanicum* Roshev. 280; tab. 21.
- Avenella* Bluff et Fingerh. 2, 244.
- Axyris** L. 6, 112.
- *amaranthoides* L. 113; tab. 1, 2.
- *caucasica* (Somm. et Levier) Lipsky 115.
- *hybrida* L. 113.
- *prostrata* L. 114.
- *sphaerosperma* Fisch. et Mey. 114; tab. 2.
- Azalea* L. 18, 57.
- Baccharis** L. 25, 289.
- *halimifolia* L. 289.
- Balansaea* Boiss. et Reut. 16, 94.
- Baldingera* Gaertn. 2, 54.
- Ballota** L. 21, 187.
- *borealis* Schweigg. 190.
- *grisea* Pojark. 191, 651.
- *nigra* L. 188.
- Balsamita* Mill. 26, 184, 196.
- Baphorhiza* Link 19, 231, 232.
- Barbarea** Beckm. 8, 130.
- *arcuata* Reichb. 133.
- *grandiflora* N. Busch 134.
- *minor* C. Koch 134.
- *orthoceras* Ledeb. 132.
- *plantaginea* DC. 134.
- *stricta* Andr. 131.
- *vulgaris* R. Br. 132.
- Barbeya* Albov 27, 75.
- Bardana* Hill 27, 93.
- Barkhausenia* Hoppe 29, 595, 687.
- Barkhausia* Moench 29, 594, 687.
- Barnardia* Lindl. 4, 372.
- Bartsia** L. 22, 657.
- *alpina* L. 657.

Bassia All. 6, 124.

Batrachium S. F. Gray 7, 335.

— *carinatum* Schur 344.

— *dichotomum* Schmalh. 349; tab. 22.

— *divaricatum* (Schränk) Schur 340; tab. 21, 22.

— *eradicatum* (Laest.) Fries 339; tab. 21, 22.

— *foeniculaceum* (Gilib.) V. Krecz. 338, tab. 21, 22.

— *Gilibertii* V. Krecz. 345; tab. 22.

— *Kauffmannii* (Clerc) V. Krecz. 343; tab. 21, 22.

— *Langei* F. Schultz ex Nym. 350.

— *marinum* (Arrhen et Fries) Fries 349.

— *mongolicum* (Kryl.) V. Krecz. 350; tab. 22.

— *pachycaulon* Nevski 346.

— *Rionii* (Lag.) Nym. 346; tab. 21.

— *trichophyllum* (Chaix) van den Bossche 344; tab. 21, 22.

— *triphyllum* (Wallr.) Dum. 343.

Beccabunga Fourr. 22, 329, 468.

Beckeria Bernh. 2, 342.

Beckmannia Host. 2, 287.

— *eruciformis* (L.) Host. 288; tab. 22.

— *syzigachne* (Steud.) Fern. 288; tab. 22.

Behen Moench 6, 595.

Belamcanda Adans. 4, 576.

— *chinensis* (L.) Leman 577; tab. 31.

Belenia Decne. 22, 103.

Belladonna Adans. 22, 71.

Bellardia All. 22, 658.

— *trixago* (L.) All. 659.

Bellardiachloa Chiov. 2, 426.

— *polychroa* (Trautv.) Roshev. 426; tab. 32.

Bellevia Lapeyr. 4, 395.

— *acutifolia* (Boiss.) Deloney 405; tab. 24.

— *albana* Woronow 397; tab. 23.

— *araxina* Woronow 401; tab. 23.

— *atroviolacea* Rgl. 397; tab. 23.

— *Aucheri* (Baker) Losinsk. 401.

— *Fominii* Woronow 402; tab. 23.

— *Lipskyi* (Misch.) Wulf 402; tab. 23.

— *longistyla* (Misch.) Grossh. 401.

— *lutea* Bordz. 402.

— *montana* (C. Koch) Boiss. 403.

— *pycnantha* (C. Koch) Losinsk. 404.

— *sarmatica* (Pall.) Woronow 397; tab. 23.

— *Saviczii* Woronow 403; tab. 23.

— *speciosa* Woronow 404; tab. 23.

— *turkestanica* Franch. 396; tab. 23.

— *Wilhelmsii* (Stev.) Woronow 403; tab. 23.

— *zygomorpha* Woronow 398; tab. 23.

Bellia Bub. 16, 94.

Bellis L. 25, 53.

— *hyrcanica* Woronow 53.

— *perennis* L. 54; tab. 2.

Belowia Moq. 6, 182.

Bennetia S. F. Gray 27, 361.

Benthamia Lindl. 17, 323.

Benthamidia Spach 17, 320.

Berberis L. 7, 553.

— *amurensis* Rupr. 557.

— *crataegina* DC. 558.

— *densiflora* Boiss. et Buhse 559.

— *emarginata* Willd. 560.

— *heteropoda* Schrenk 555.

— *integerrima* Bge. 558; tab. 37.

— *kaschgarica* Rupr. 555.

— *nummularia* Bge. 559.

— *oblonga* (Rgl.) Schneid. 556.

— *orientalis* Schneid. 557.

— *Poiretii* Schneid. 557.

— *sibirica* Pall. 554; tab. 37.

— *tragacanthoides* DC. 560.

— *turcomanica* Kar. 559.

— *vulgaris* L. 556.

Bergenia Moench 9, 136.

— *crassifolia* (L.) Fritsch 137.

— *pacifica* Kom. 137.

Bergia L. 15, 259.

— *aquatica* Roxb. 260.

— *ammannioides* Roxb. 260.

Berinia Brignol. 29, 594.

Berteroa DC. 8, 338.

— *ascendens* C. Koch 339.

— *incana* (L.) DC. 339.

— *spatulata* (Steph.) C. A. Mey. 339.

Berula Hoffm. ex Bess. 16, 458, 463, 466.

— *erecta* (Huds.) Cov. 466.

— *orientalis* Woronow 467.

Beta L. 6, 33.

— *lomatogona* Fisch. et Mey. 39; tab. 2.

— *macrorrhiza* Stev. 39; tab. 2.

— *perennis* (L.) Freyn 34.

— *trigyna* Waldst. et Kit. 40; tab. 2.

— *vulgaris* L. 35; tab. 2.

Betonica L. 21, 237.

— *abchasica* (Bornm.) Chinth. 240.

— *foliosa* Rupr. 241.

— *grandiflora* Willd. 239.

— *nivea* Stev. 238.

— *officinalis* L. 240.

— *orientalis* L. 242.

— *ossetica* (Bornm.) Chinth. 239.

Betula L. 5, 269.

- *ajanensis* Kom. 294.
- *alajica* Litv. 304.
- *baicalensis* Sukacz. 300.
- *Cajanderi* Sukacz. 294.
- *costata* Trautv. 275.
- *dahurica* Pall. 290; tab. 14.
- *Ermanii* Cham. 276; tab. 13.
- *exilis* Sukacz. 282.
- *fruticosa* Pall. 286; tab. 14.
- *Gmelinii* Bge. 289.
- *grandifolia* Litv. 294; tab. 14.
- *humilis* Schrank 285.
- *irkutensis* Sukacz. 300.
- *japonica* Sieb. 293.
- *Kelleriana* Sukacz. 302.
- *kirghisorum* Sav.-Ryczg. 301.
- *Korshinskyi* Litv. 305.
- *Kusmisscheffii* (Rgl.) Sukacz. 299.
- *mandshurica* (Rgl.) Nakai 293.
- *Medwedewii* Rgl. 274; tab. 13.
- *megrelica* Sosn. 275.
- *microphylla* Bge. 301; tab. 15.
- *Middendorffii* Trautv. et Mey. 284.
- *nana* L. 281; tab. 13.
- *ovalifolia* Rupr. 289; tab. 14.
- *pamirica* Litv. 305.
- *platyphylla* Sukacz. 292; tab. 14.
- *Prochorowii* Kuzen. et Litv. 279.
- *procurva* Litv. 304; tab. 15.
- *pubescens* Ehrh. 295; tab. 15.
- *Raddeana* Trautv. 280.
- *Reznitzenkoana* (Litv.) Schischk. 302.
- *rotundifolia* Spach 283; tab. 13.
- *Saposhnikovii* Sukacz. 303.
- *Schmidtii* Rgl. 280; tab. 13.
- *schugnanica* (B. Fedtsch.) Litv. 304; tab. 15.
- *tianschanica* Rupr. 301.
- *tortuosa* Ledeb. 299; tab. 15.
- *turkestanica* Litv. 303.
- *verrucosa* Ehrh. 291; tab. 14.
- Betulaster* Spach 5, 269.
- Biasoletia* Bertol. 16, 93.
- Bicuccula* Adans. 7, 648.
- Bidens** L. 25, 551.
 - *bipinnata* L. 561.
 - *cernua* L. 555; tab. 33.
 - *frondosa* L. 559.
 - *kamtschatica* Vass. 556, 593.
 - *Maximovicziana* Oett. 559.
 - *parviflora* Willd. 560; tab. 33.
 - *radiata* Thuill. 558.
 - *tripartita* L. 557.
- Biebersteinia** Steph. 14, 74.
 - *multifida* DC. 75.
 - *odora* Steph. 74.
- Bielzia* Schur 28, 370, 377.
- Bienertia** Bge. 6, 199.
 - *cycloptera* Bge. 200; tab. 10.
- Bifolium* Gaertn. 4, 453.
- Bifora** Hoffm. 16, 188.
 - *radians* M. B. 202; tab. 17.
 - *testiculata* (L.) DC. 201; tab. 17.
- Biformis* Spreng. 16, 198.
- Bilderdykia* Dum. 5, 693.
- Bilegnum** Brand 19, 586.
 - *Bungei* (Boiss.) Brand 587; tab. 19.
- Billotia* Sch. Bip. 29, 595, 687.
- Biota** D. Don 1, 192.
 - *orientalis* Endl. 192; tab. 7.
- Biotia* Maxim. 25, 121.
- Bistorta* Tourn. 5, 672.
- Bitteria* Boern. 3, 358.
- Blackstonia** Huds. 18, 535.
 - *perfoliata* (L.) Huds. 536; tab. 27.
- Blechnum** L. 1, 71.
 - *spicant* With. 71.
- Blitum* L. 6, 48.
- Blysmus** Panz. 3, 58.
 - *compressus* (L.) Link 58; tab. 5.
 - *rufus* (Huds.) Link 58; tab. 5.
- Boehmeria** Jacq. 5, 396.
 - *nivea* (L.) Gaud. 396.
- Boissiera** Hochst. ex Steud. 2, 583.
 - *pumilio* (Trin.) Hack. 584; tab. 42.
- Boltonia** L'Her. 25, 57.
 - *Lautureana* Deb. 57; tab. 3.
- Bombycilaena** (DC.) Smoljan. 25, 301.
 - *erecta* (L.) Smoljan. 302; tab. 18.
- Bongardia** C. A. Mey. 7, 551.
 - *chrysogonum* (L.) Boiss. 552; tab. 37.
- Bootia* Neck. 6, 861.
- Boraginoides* Moench 19, 690.
- Borago** L. 19, 293.
 - *officinalis* L. 293.
- Borodinia** N. Busch 8, 199.
 - *baicalensis* N. Busch 200.
- Borszczowia** Bge. 6, 199.
 - *aralocaspica* Bge. 199; tab. 10.
- Boschniakia** C. A. Mey. 23, 113.
 - *rossica* (Cham. et Schlecht.) B. Fedtsch. 114; tab. 6.
- Bothriospermum** Bge. 19, 236.
 - *tenellum* (Hornem.) Fisch. et Mey. 236.
- Botrocaryum** (Koehne) Pojark. 17, 330.
 - *controversum* (Hemsl.) Pojark. 330; tab. 25.
- Botryadenia* Fisch. et Mey. 25, 52.

- Botryanthus* Kunth 4, 416.
Botrychium Sw. 1, 94.
 — boreale (Franch.) Milde 97.
 — lanceolatum Angstr. 98; tab. 4.
 — lunaria (L.) Sw. 98.
 — multifidum (J. G. Gmel.) Rupr. 99; tab. 4.
 — ramosum Aschers. 98; tab. 4.
 — robustum (Rupr.) Und. 99; tab. 3.
 — simplex Hitchc. 98; tab. 4.
 — virginianum (L.) Sw. 100.
Botrydium Spach 6, 46.
Botryostege Stapf 18, 26.
 — bracteata (Maxim.) Stapf 26; tab. 3.
Botrys Fourr. 20, 39.
Brachanthemum DC. 26, 390.
 — Baranovii (Krasch. et Poljak.) Krasch. 394.
 — fruticosum (Ledeb.) DC. 396.
 — kasakhorum Krasch. 397.
 — kirghisorum Krasch. 396.
 — Titovii Krasch. 395.
Brachiaria (Trin.) Griseb. 2, 30.
 — eruciformis (Sibth.) Griseb. 30; tab. 2.
Brachyactis Ledeb. 25, 188.
 — ciliata Ledeb. 189; tab. 17.
Brachybotrys Maxim. 19, 259.
 — paridiformis Maxim. ex Oliv. 259.
Brachycodon Fed. 24, 341, 468.
 — fastigiatus (Duf.) Fed. 342; tab. 21.
Brachyderea Cass. 29, 595, 630.
Brachylepis C. A. Mey. 6, 287.
Brachypodium Beauv. 2, 593.
 — pinnatum (L.) Beauv. 594; tab. 44.
 — rupestre (Host) Roem. et Schult. 595; tab. 44.
 — silvaticum (Huds.) Beauv. 594; tab. 44.
 — villosum Drob. 596.
Bradshawia F. Muell. 22, 529.
Brasenia Schreb. 7, 4.
 — Schreberi J. F. Gmel. 5; tab. 1.
Brassica L. 8, 459.
 — campestris L. 462.
 — cretica Lam. 461.
 — elongata Ehrh. 464.
 — juncea (L.) Czern. 465.
 — napus L. 461.
 — nigra Koch 466.
 — oleracea L. 460.
 — rapa L. 463.
 — Tournefortii Gouan 466.
Braya Sternb. et Hoppe 8, 69.
 — aenea Bge. 73.
 — angustifolia (N. Busch) Vass. 73, 636.
 — brachycarpa Vass. 72, 636.
 — oxycarpa Hook. f. et Thoms. 74.
 — pamirica (Korsh.) O. Fedtsch. 71.
 — purpurascens (R. Br.) Bge. 74.
 — rosea (Turcz.) Bge. 72; tab. 19.
 — Scharnhorstii Rgl. et Schmalh. 72.
 — siliquosa Bge. 71.
Breca Less. 28, 52, 209.
Bresia Moq. 6, 191.
Breviglandium Dulac 18, 252.
Bromus L. 2, 554.
 — adjaricus Somm. et Levier 564.
 — anatolicus Boiss. et Heldr. 578.
 — angrenicus Drob. 565.
 — arvensis L. 576.
 — Benekenii (Lange) Trimen 558.
 — Biebersteinii Roem. et Schult. 562.
 — briziformis Fisch. et Mey. 577; tab. 42.
 — cappadocicus Boiss. et Bal. 568.
 — commutatus Schrad. 579.
 — Danthoniae Trin. 582; tab. 42.
 — gracillimus Bge. 574; tab. 42.
 — gracilis M. Pop. 581.
 — inermis Leyss. 558.
 — irkutensis Kom. 559; tab. 43.
 — japonicus Thunb. 578; tab. 42.
 — kopetdagensis Drob. 567; tab. 43.
 — Korotkyi Drob. 560.
 — macrostachys Desf. 582.
 — madritensis L. 571.
 — mollis L. 579.
 — ornans Kom. 560; tab. 43.
 — oxyodon Schrenk 581; tab. 42.
 — pamiricus Drob. 566.
 — Paulsenii Hack. ex Pauls. 565.
 — Popovii Drob. 580.
 — racemosus L. 579.
 — Richardsonii Link 562; tab. 43.
 — rigens L. 572; tab. 42.
 — riparius Rehm. 566.
 — rubens L. 572.
 — scoparius L. 581.
 — secalinus L. 576; tab. 42.
 — sericeus Drob. 573; tab. 42.
 — Severtzovii Rgl. 580.
 — sibiricus Drob. 561; tab. 43.
 — squarrosus L. 577; tab. 42.
 — sterilis L. 571; tab. 42.
 — tectorum L. 573.
 — tomentellus Boiss. 567; tab. 43.
 — tomentosus Trin. 563.
 — turkestanicus Drob. 565.
 — tythholepis Nevski 563; tab. 43.
 — variegatus M. B. 564.

- vogulicus Socz. 561.
Broussonetia L'Hér. 5, 379.
 — papyrifera L'Hér. 379.
Bruckenthalia Reichb. 18, 92.
 — spiculifolia (Salisb.) Reichb. 92.
Brunella Moench 20, 494.
Brunnera Stev. 19, 294.
 — macrophylla (M. B.) Johnst. 296.
 — sibirica Stev. 295; tab. 15.
Bryanthus Stell. 18, 65.
 — Gmelinii D. Don 66.
Brylkinia Fr. Schmidt 2, 354.
 — caudata (Thunb.) Fr. Schmidt 354; tab. 27.
Bryomorpha Kar. et Kir. 6, 545.
Bryonia L. 24, 101.
 — alba L. 102.
 — dioica Jacq. 104.
 — lappifolia Vass. 109, 458; tab. 8.
 — monoica Aitch. et Hemsl. 104.
 — transoxana Vass. 106, 458; tab. 8.
Bryza L. 2, 354.
 — elatior Sibth. et Smith 356; tab. 27.
 — Marcowiczii Woronow 356; tab. 27.
 — maxima L. 355, tab. 27.
 — media L. 357; tab. 27.
 — minor L. 356; tab. 27.
 — spicata Sibth. et Smith 355; tab. 27.
Buchingera Boiss. et Hohen. 8, 368.
 — axillaris Boiss. 368.
Buda Adans. 6, 556.
Buffonia L. 6, 475.
 — macrocarpa Ser. 476; tab. 26.
 — Oliveriana Ser. 479; tab. 26.
 — parviflora Griseb. 476; tab. 26.
Buglossum Gaertn. 19, 306.
Bugula Benth. 20, 30.
Bulbocapnos Bernh. 7, 651.
Bulbocastanum Adans. 16, 401.
Bulbocodium L. 4, 20.
 — versicolor (Ker.-Gawl.) Spreng. 20; tab. 2.
Bulboschoenus Palla 3, 55.
 — affinis (Roth) Drob. 57; tab. 3.
 — compactus (Hoffm.) Drob. 57; tab. 3.
 — maritimus (L.) Palla 56; tab. 3.
Bulbostylis Kunth 3, 96.
 — capillaris (L.) Nees 97; tab. 8.
 — tenerrima (Fisch. et Mey.) Palla 97.
 — Woronowii Palla 97; tab. 8.
Bumalda Thunb. 14, 578.
Bungea C. A. Mey. 22, 797.
 — trifida (Vahl) C. A. Mey. 798.
 — vesiculifera (Herd.) Schischk. 799.
Bunias 8, 235.
 — cochlearioides Murr. 236; tab. 20.
 — orientalis L. 235; tab. 20.
Bunium L. 16, 396.
 — angreni Korov. 404.
 — badghysi Korov. 410.
 — Bourgaei (Boiss.) Freyn et Sint. 409.
 — Capusii (Franch.) Korov. 401.
 — chaerophylloides (Rgl. et Schmalh.) Drude 400.
 — cylindricum (Boiss. et Hohen.) Drude 411.
 — elegans (Fenzl.) Freyn 402.
 — ferulaceum Sibth. et Smith 407.
 — gypsaceum Korov. 398.
 — hissaricum Korov. 406.
 — intermedium Korov. 405.
 — kuhitangi Nevski 409.
 — longipes Freyn 408.
 — paucifolium DC. 403.
 — persicum (Boiss.) B. Fedtsch. 404.
 — scabrellum Korov. 407, 597.
 — seravschanicus Korov. 405.
 — vaginatum Korov. 399.
Buphtalmum L. 25, 510.
Bupleurum L. 16, 275.
 — abchasicum Manden. 294.
 — aenigma K.-Pol. 348; tab. 23.
 — affine Sadl. 338; tab. 22.
 — asperuloides Heldr. 343; tab. 23.
 — aureum Fisch. 295.
 — badachschanicum Lincz. 318, 596.
 — bicaule Helm. 322.
 — Boissieri Post 339; tab. 22.
 — brachiatum C. Koch 340; tab. 22.
 — commutatum Boiss. et Bal. 337; tab. 22.
 — czimganicum Lincz. 316; 595.
 — densiflorum Rupr. 303; tab. 20.
 — exaltatum M. B. 324; tab. 21.
 — falcatum L. 310.
 — fruticosum L. 333.
 — Gerardii All. 334; tab. 22.
 — glaucum Rob. et Cast. 346; tab. 23.
 — gulczense O. et B. Fedtsch.
 — Komarovianum Lincz. 319.
 — Koso-Poljanskyi Grossh. 331.
 — Krylovianum Schischk. ex Kryl. 315.
 — lancifolium Hornem. 286; tab. 20.
 — longiinvolutratum Kryl. 299.
 — longiradiatum Turcz. 287; tab. 21.
 — Marschallianum C. A. Mey. 345; tab. 23.
 — Martjanovii Kryl. 329.
 — multinerve DC. 297; tab. 20.
 — Nordmannianum Ledeb. 303.

- Bupleurum pauciradiatum* Fenzl ex Boiss. 341; tab. 22.
 — *polymorphum* Albov 313.
 — *polyphyllum* Ledeb. 312.
 — *pusillum* Kryl. 323.
 — *Rischavii* Albov 290.
 — *rotundifolium* L. 283; tab. 20.
 — *sachalinense* Fr. Schmidt 289.
 — *scorzonerifolium* Willd. 320; tab. 21.
 — *sibiricum* Vest 308.
 — *Sosnovskyi* Manden. 314.
 — *tenuissimum* L. 344; tab. 23.
 — *tianschanicum* Freyn 330; tab. 31.
 — *triradiatum* Adam ex Hoffm. 301; tab. 20.
 — *Wittmannii* Stev. 285; tab. 20.
 — *Woronowii* Manden. 327.
Burgsdorffia Moench 20, 253.
Butia Becc. 3, 469.
 — *capitata* (Mart.) Becc. 470.
Butomus L. 1, 292.
 — *junceus* Turcz. 293; tab. 10.
 — *umbellatus* L. 292.
Buxus L. 14, 504.
 — *colchica* Pojark. 505; tab. 27.
 — *hyrcana* Pojark. 509; tab. 27.
 — *sempervirens* L. 509.
Cacalia L. 26, 683.
 — *auriculata* DC. 694.
 — *hastata* L. 687.
 — *kamtschatica* (Maxim.) Kudo 695.
 — *Komaroviana* (Pojark.) Pojark. 691.
 — *praetermissa* (Pojark.) Pojark. 692.
 — *robusta* Tolm. 689.
Caccinia Savi 19, 685.
 — *crassifolia* (Vent.) C. Koch 686.
 — *dubia* Bge. 688; tab. 40.
Cachrys L. 16, 254.
 — *alpina* M. B. 157.
 — *Herderi* Rgl. 258.
 — *macrocarpa* Ledeb. 257; tab. 19.
 — *odontalgica* Pall. 259.
 — *pubescens* (Pall.) Schischk. 259.
Caenotus Raf. 25, 191.
Caesalpinia L. 11, 22.
 — *Gilliesii* Wall. 22.
Cajanus DC. 13, 533.
 — *indicus* Spreng. 533.
Cakile Mill. 8, 473.
 — *maritima* Scop. 473.
Calamagrostis Adans. 2, 189.
 — *agrostidiformis* Roshev. 201.
 — *alajica* Litv. 211; tab. 15.
 — *aleutica* Trin. 222; tab. 16.
 — *Alexeenkoana* Litv. 212, 749; tab. 15.
 — *alopecuroides* Roshev. 202; tab. 14.
 — *Andrejewii* Litv. 229; tab. 16.
 — *angustifolia* Kom. 214 tab. 15.
 — *anthoxanthoides* (Munro) Rgl. 209; tab. 14.
 — *arundinacea* (L.) Roth 222; tab. 16.
 — *Balansae* Boiss 197; tab. 14.
 — *brachytricha* Steud. 227; tab. 16.
 — *Bungeana* V. Petrov 218; tab. 15.
 — *caucasica* Trin. 230; tab. 16.
 — *chalybaea* (Laest.) Fries 221; tab. 16.
 — *czukczorum* Socz. 218, 749; tab. 15.
 — *deschampsoides* Trin. 219; tab. 15.
 — *dubia* Bge. 195; tab. 14.
 — *elata* Blytt 210; tab. 15.
 — *emodensis* Griseb. 202.
 — *epigeios* (L.) Roth 194; tab. 14.
 — *flexuosa* Rupr. 209; tab. 15.
 — *fusca* Kom. 215; tab. 15.
 — *gigantea* Roshev. 195; tab. 14.
 — *glauca* (M. B.) Trin. 196; tab. 14.
 — *grandiflora* Hack. 206; tab. 14.
 — *groenlandica* (Schrud.) Kunth 216; tab. 15.
 — *hissarica* Nevski 197, 747; tab. 14.
 — *Holmii* Lange 217; tab. 15.
 — *iberica* (Griseb.) Litv. 230; tab. 16.
 — *kolymaensis* Kom. 219; tab. 15.
 — *Korotkyi* Litv. 228; tab. 16.
 — *Korshinskyi* Litv. 211; tab. 15.
 — *laguroides* Rgl. 209.
 — *lanceolata* Roth 203; tab. 14.
 — *Langsdorffii* (Link) Trin. 213; tab. 15.
 — *lapponica* (Wahl.) Hartm. 219; tab. 16.
 — *macilenta* Griseb. 205; tab. 14.
 — *monticola* V. Petrov 228; tab. 16.
 — *neglecta* (Ehrh.) Beauv. 215; tab. 15.
 — *obtusata* Trin. 220; tab. 16.
 — *olympica* Boiss. 201; tab. 14.
 — *paradoxa* Lipsky 204; tab. 14.
 — *Pavlovii* Roshev. 221; tab. 16.
 — *persica* Boiss. 204; tab. 14.
 — *Poplawskiae* Roshev. 211; tab. 15.
 — *pseudophragmites* (Hall. f.) Koel. 196; tab. 14.
 — *purpurascens* R. Br. 228; tab. 16.
 — *Ruprechtii* Nevski 198; 748.
 — *sachalinensis* Fr. Schmidt 221; tab. 16.
 — *schugnanica* Litv. 212; tab. 15.
 — *Steinbergii* Roshev. 217; tab. 15.
 — *teberdensis* Litv. 214; tab. 15.
 — *tianschanica* Rupr. 205; tab. 14.
 — *trichantha* Schischk. 198, 748; tab. 14.

- Turczaninowii Litv. 227; tab. 16.
- turkestanica Hack. 202; tab. 14.
- uralensis Litv. 213; tab. 15.
- vilnensis Bess. 210; tab. 15.
- wiluica Litv. 229; tab. 16.
- Calamintha** Lam. 21, 429.
 - debilis (Bge.) Benth. 430.
 - grandiflora (L.) Moench 435.
 - nepeta (L.) Savi 435; tab. 23.
 - officinalis Moench 434.
- Calatea** Cass. 25, 138.
- Calciotrapa** Adans. 28, 370, 570, 573.
- Caldesia** Parl. 1, 283.
 - parnassifolia (Bassi) Parl. 283; tab. 14.
- Calendula** L. 26, 857.
 - arvensis L. 859.
 - gracilis DC. 859.
 - karakalensis Vass. 860, 895.
 - officinalis L. 860.
 - persica C. A. Mey. 858.
- Calepina** Adans. 8, 491.
 - irregularis (Asso) Thell. 491; tab. 20.
- Calestania** K.-Pol. 17, 168, 201.
- Calimeris** DC. 25, 110, 122.
- Calla** L. 3, 481.
 - palustris L. 482.
- Callianthemum** C. A. Mey. 7, 54.
 - alatavicum Freyn 56.
 - angustifolium Witas. 55; tab. 6.
 - isopyroides (DC.) Witas. 56; tab. 6.
 - sajanense (Rgl.) Witas. 55; tab. 6.
- Callicephalus** C. A. Mey. 28, 340.
 - nitens (M. B.) C. A. Mey. 342; tab. 21.
- Calligonum** Endl. 5, 583.
- Calligonum** L. 5, 527.
 - acanthopterum Borszcz. 554; tab. 32.
 - affine T. Pop. 546; tab. 31.
 - alatiforme Pavl. 544; tab. 31.
 - alatum Litv. 539; tab. 30.
 - Androssowii Litv. 560; tab. 33.
 - aphyllum (Pall.) Guerke 538; tab. 30.
 - aralense Borszcz. 544; tab. 31.
 - arborescens Litv. 592; tab. 37.
 - bakuense Litv. 568; tab. 34.
 - batiola Litv. 559; tab. 33.
 - Borszczowii Litv. 550; tab. 31.
 - Bubyri B. Fedtsch. ex Pavl. 557; tab. 33.
 - calcareum Pavl. 553; tab. 32.
 - caput-Medusae Schrenk 593; tab. 37.
 - cartilagineum Pavl. 562; tab. 34.
 - colubrinum Borszcz. 573; tab. 35.
 - cordatum Korov. ex Pavl. 579; tab. 35.
 - coriaceum Pavl. 561; tab. 34.
 - crispum Bge. 552; tab. 32.
 - cristatum Pavl. 557; tab. 33.
 - densum Borszcz. 572; tab. 34.
 - dissectum T. Pop. 546; tab. 31.
 - Dubjanskyi Litv. 557; tab. 33.
 - elatum Litv. 587; tab. 37.
 - erinaceum Borszcz. 573; tab. 36.
 - eriopodium Bge. 585; tab. 36.
 - Eugenii-Korovinii Pavl. 558; tab. 33.
 - ferganense Pavl. 592; tab. 37.
 - flavidum Bge. 549; tab. 31.
 - gracile Litv. 543; tab. 31.
 - griseum Korov. ex Pavl. 588; tab. 37.
 - humile Litv. 543; tab. 30.
 - involutum Pavl. 558; tab. 33.
 - junceum (Fisch. et Mey.) Litv. 594; tab. 37.
 - kzyi-kumi Pavl. 579; tab. 36.
 - lanciculatum Pavl. 559; tab. 33.
 - leucocladum (Schrenk) Bge. 545; tab. 31.
 - Lipskyi Litv. 561; tab. 33.
 - Litwinowii Drob. 588; tab. 37.
 - macrocarpum Borszcz. 572; tab. 34.
 - membranaceum• (Borszcz.) Litv. 553; tab. 32.
 - microcarpum Borszcz. 586; tab. 37.
 - molle Litv. 580; tab. 36.
 - Muravljanskyi Pavl. 574; tab. 34.
 - murex Bge. 591; tab. 37.
 - obtusum Litv. 560; tab. 33.
 - orthotrichum Pavl. 585; tab. 36.
 - Paletzianum Litv. 580; tab. 36.
 - patens Litv. 561; tab. 33.
 - pellucidum Pavl. 587; tab. 37.
 - Petunnikowii Litv. 568; tab. 34.
 - physopterum Pavl. 559; tab. 33.
 - platyacanthum Borszcz. 574; tab. 35.
 - plicatum Pavl. 550; tab. 32.
 - polygonoides L. 568; tab. 34.
 - pulcherrimum Korov. ex Pavl. 577; tab. 35.
 - quadraepterum Korov. 540; tab. 30.
 - rigidum Litv. 540; tab. 30.
 - rotula Borszcz. 577; tab. 34.
 - rubicundum Bge. 549; tab. 31.
 - Russanovii Pavl. 552; tab. 32.
 - santonianum Korov. 571; tab. 34.
 - setosum Litv. 578; tab. 35.
 - spinosissimum Pavl. 553; tab. 32.
 - squarrosus Pavl. 573; tab. 36.
 - tenue Pavl. 543; tab. 30.
 - tetrapterum Jaub. et Spach 551; tab. 32.
 - triste Litv. 591; tab. 37.
 - turbineum Pavl. 551; tab. 32.
 - turkestanicum (Korov.) Pavl. 586; tab. 37.

- Calligonum undulatum* Litv. 550; tab. 32.
Calliopea D. Don 29, 595, 615.
Callipeltis Stev. 23, 417.
 — *cucullaris* (Jusl.) Rothm. 418; tab. 15.
Calliphysa Fisch. et Mey. 5, 594.
Callisace Fisch. 17, 11, 23.
Callistemma Cass. 25, 73.
Callistephus Cass. 25, 73.
 — *chinensis* (L.) Nees 74.
Callitriche L. 14, 495.
 — *autumnalis* L. 502; tab. 26.
 — *elegans* V. Petrov 497; tab. 26.
 — *fallax* V. Petrov 498; tab. 26.
 — *pedunculata* DC. 502; tab. 26.
 — *polymorpha* Lönnr. 498; tab. 26.
 — *stagnalis* Scop. 501; tab. 26.
 — *subanceps* V. Petrov 501; tab. 26.
 — *verna* L. 496; tab. 26.
Calloscordum Herb. 4, 279.
Calluna Salisb. 18, 88.
 — *vulgaris* (L.) Hill 88.
Calocapnos Spach 7, 685.
Calomecon Spach 7, 616.
Calophaca Fisch. 11, 368.
 — *grandiflora* Rgl. 372.
 — *Howenii* Schrenk 371.
 — *sericea* B. Fedtsch. ex Boriss. 375.
 — *tianschanica* (B. Fedtsch.) Boriss. 370; tab. 25.
 — *wolgarica* (L. f.) Fisch. 369.
Caltha L. 7, 35.
 — *arctica* R. Br. 37.
 — *caespitosa* Schipcz. 37.
 — *fistulosa* Schipcz. 38; tab. 4.
 — *membranacea* (Turcz.) Schipcz. 41; tab. 4.
 — *natans* Pall. 36.
 — *palustris* L. 37.
 — *polypetala* Hochst. 42.
Calycomorphum C. Presl 11, 258.
Calydermos Ruiz et Pav. 22, 115.
Calypso Salisb. 4, 604.
 — *bulbosa* (L.) Reichb. f. 604; tab. 37.
Calyptrostigma Trautv. et Mey. ex C. A. Mey. 23, 582.
Calysphyrum Bge. 23, 575.
Calystegia R. Br. 19, 33.
 — *hederacea* Wall. 36.
 — *pellita* (Ledeb.) G. Don 36; tab. 2.
 — *sepium* (L.) R. Br. 34.
 — *silvestris* (Willd.) Roem. et Schult. 35; tab. 2.
 — *soldanella* (L.) R. Br. 34; tab. 2.
Calvella Moq. 6, 182.
Camelina Crantz 8, 596.
 — *albiflora* Kotschy 598.
 — *caucasica* (Sinsk.) Vass. 601, 652.
 — *glabrata* (DC.) Fritsch ex N. Zing. 600.
 — *laxa* C. A. Mey. 597.
 — *linicola* Schimp. et Spenn. 601.
 — *microcarpa* Andrzej. 599.
 — *pilosa* N. Zing. 600.
 — *silvestris* Wallr. 598.
Camirum Rumph. 14, 303.
Campanula L. 24, 133.
 — *abietina* Griseb. et Schenk 309; tab. 18.
 — *Achverdovii* Char. 242.
 — *Alberti* Trautv. 311; tab. 18.
 — *Albovii* Kolak. 224.
 — *aldanensis* Fed. et Karav. 280, 466.
 — *alliariiifolia* Willd. 215.
 — *alpigena* C. Koch 264.
 — *alpina* Jacq. 186; tab. 9.
 — *altaica* Ledeb. 312; tab. 18.
 — *andina* Rupr. 286; tab. 16.
 — *Annae* Kolak. 222.
 — *anomala* Fomin 274.
 — *ardonensis* Rupr. 275; tab. 14.
 — *argunensis* Rupr. 268.
 — *armazica* Char. 263.
 — *Aucheri* A. DC. 261.
 — *Autraniana* Albov 237; tab. 12.
 — *Bayerniana* Rupr. 244; tab. 12.
 — *Beauverdiana* Fomin 316.
 — *bellidifolia* Adam 272.
 — *besenginica* Fomin 277.
 — *betulifolia* C. Koch 241.
 — *Biebersteiniana* Roem. et Schult. 259; tab. 15.
 — *bononiensis* L. 197.
 — *brassicifolia* Somm. et Levier 181.
 — *Brotheri* Somm. et Levier 213.
 — *calcarata* Somm. et Levier 232.
 — *calcarea* (Alb.) Char. 228.
 — *Capusii* (Franch.) Fed. 289.
 — *carpatica* Jacq. 319; tab. 19.
 — *caucasica* M. B. 167.
 — *cephalotes* Nakai 199, 462; tab. 11.
 — *cervicaria* L. 210.
 — *Chamissonis* Fed. 279; tab. 15.
 — *Charadzae* Grossh. 173.
 — *Charkeviczii* Fed. 174, 459.
 — *Choziatowskyi* Fomin 244.
 — *ciliata* Stev. 256; tab. 14.
 — *circassica* Fomin 274.
 — *collina* M. B. 222; tab. 12.
 — *cordifolia* C. Koch 197.
 — *crispa* Lam. 162.

- daghestanica Fomin 169.
- darialica Char. 180.
- dasyantha M. B. 277; tab. 15.
- dolomitica E. Busch 214; tab. 12.
- Doluchanovii Char. 270.
- Dzaaku Albov 257; tab. 14.
- dzyschrica Kolak. 233.
- elatior (Fomin) Grossh. 175.
- elegantissima Grossh. 246.
- engurensis Char. 238.
- erinus L. 189.
- Eugeniae Fed. 290, 446.
- evolulacea Royle 254.
- farinosa (Rochel) Andr. ex Bess. 204.
- Fedorovii Char. 167.
- finitima Fomin 239.
- Fominii Grossh. 271; tab. 14.
- Fonderwisii Alb. 225.
- Giesekiana Vest ex Roem. et Schult. 295; tab. 17.
- glomerata L. 200.
- Grossheimii Char. 196.
- hemschinica C. Koch 310.
- hieracioides Kolak. 302.
- Hohenackeri Fisch. et Mey. 179; tab. 10.
- hypopolia Trautv. 291; tab. 17.
- imeretina Rupr. 184; tab. 10.
- incanescens Boiss. 250; tab. 13.
- Irinae Kuthath. 227.
- Jadvigae Kolak. 233.
- kachetica Z. Kantsch. 250; tab. 13.
- Kantschavelii Zagareli 247.
- karakuschensis Grossh. 287; tab. 16.
- Kemulariae Fomin 243.
- Ketzkhovelii Sosn. 255.
- Kirpicznikovii Fed. 217.
- Kladniana (Schur) Witas. 296.
- kluchorica Kolak. 224.
- Kolakovskii Char. 234.
- Kolenatiana C. A. Mey. ex Rupr. 242.
- Komarovii Maleev 168; tab. 10.
- kryophila Rupr. 276.
- lactiflora M. B. 302.
- Lambertiana A. DC. 306.
- Langsdorffiana Fisch. ex Trautv. 292.
- lasiocarpa Cham. 322; tab. 19.
- latifolia L. 191.
- Ledebouriana Trautv. 281.
- Lehmanniana Bge. 288; tab. 16.
- Leskovii Fed. 217.
- letschchumensis Kem.-Nath. 221.
- longistyla Fomin 170.
- lyrata Lam. 162.
- macrochlamys Boiss. et Hult 211.
- macrostachya Waldst. et Kit. ex Willd. 209.
- Makaschvilii E. Busch 218.
- Maleevii Fed. 207, 462.
- Massalskyi Fomin 255.
- medium L. 163.
- megrelica Mand. et Kuthath. 192.
- Meyeriana Rupr. 269.
- Minsteriana Grossh. 282.
- mirabilis Albov 165; tab. 9.
- napuligera Schur 298.
- oblongifolia (C. Koch) Char. 205.
- ochroleuca Kem.-Nath. 216.
- odontosepala Boiss. 193; tab. 17.
- ossetica M. B. 240.
- Panjutinii Kolak. 207.
- patula L. 308.
- persicifolia L. 307.
- petrophila Rupr. 285; tab. 16.
- polymorpha Witas. 297.
- pontica Alb. 303.
- propinqua Fisch. et Mey. 190; tab. 10.
- punctata Lam. 185; tab. 9.
- radchensis Char. 262.
- Raddeana Trautv. 240.
- radula Fisch. et Tchich. 248; tab. 13.
- rapunculoides L. 194.
- rapunculus L. 305.
- rotundifolia L. 294.
- Ruprechtii Boiss. 267.
- sarmatica Ker-Gawl. 228.
- saxifraga M. B. 267.
- Schelkownikovii Grossh. 182, 460.
- Schischkinii Kolak. et Sachok. 170.
- schistosa Kolak. 223.
- sclerotricha Boiss. 213.
- sibirica L. 177.
- Siegismundii Fed. 230, 464.
- Sommieri Char. 231.
- Sosnowskii Char. 273.
- sphaerocarpa Kolak. 225.
- Stevenii M. B. 316.
- stricta L. 212.
- suanetica Rupr. 237.
- subcapitata M. Pop. 205.
- symphytifolia (Albov) Kolak. 206.
- Takhtadzhianii Fed. 245.
- Talievii Juz. 176.
- taurica Juz. 178.
- trachelium L. 193.
- Trautvetteri Grossh. 208, 463; tab. 11.
- tridentata Schreb. 258.
- Turczaninovii Fed. 304; tab. 18.
- uniflora L. 320; tab. 19.

- Campanula Vaidae* Pénzes 311.
 — *wolgensis* Smirn. 317.
 — *Woronovii* Char. 230.
Campanulastra Nym. 24, 166.
Campanulastrum Small 24, 301.
Campelia Kunth 2, 245.
Campella Link 2, 245.
Camphorosma L. 6, 116.
 — *annuum* Pall. 118; tab. 5.
 — *Lessingii* Litv. 118; tab. 5.
 — *monspeliacum* L. 117; tab. 5.
 — *soongoricum* Bge. 119.
Campsis Lour. 23, 1.
 — *radicans* (L.) Seem. 2.
Camptaparine K. Schmidt 23, 304.
Camptocarpus C. Koch 19, 231.
Camptosorus Link 1, 61.
 — *sibiricus* Rupr. 61.
Canavalia Adans. 13, 532.
 — *gladiata* DC. 532.
Cancrinia Kar. et Kir. 26, 293.
 — *Botschantzevii* (S. Kovalevsk.) Tzvel. 309.
 — *chrysocephala* Kar. et Kir. 314; tab. 13.
 — *discoidea* (Ledeb.) Poljak. 313.
 — *ferganensis* (S. Kovalevsk.) Tzvel. 304.
 — *Goloskokovii* (Poljak.) Tzvel. 301.
 — *karatavica* Tzvel. 306.
 — *mucronata* (Rgl. et Schmalh.) Tzvel. 302.
 — *Nevskii* Tzvel. 309.
 — *pamiralaica* (S. Kovalevsk.) Tzvel. 307.
 — *paropamisica* (Krasch.) Tzvel. 310.
 — *Pjataeviae* (S. Kovalevsk.) Tzvel. 306.
 — *santoana* (Krasch., M. Pop. et Vved.) Poljak. 311.
 — *setacea* (Rgl. et Schmalh.) Tzvel. 304.
 — *submarginata* (S. Kovalevsk.) Tzvel. 305.
 — *subsimilis* (Rech. f.) Tzvel. 302.
 — *tadshikorum* (Kudr.) Tzvel. 299.
 — *tianschanica* (Krasch.) Tzvel. 315.
 — *urgutensis* (M. Pop.) Tzvel. 308.
Cancriniella Tzvel. 26, 292, 876.
 — *Krascheninnikovii* (N. Rubtz.) Tzvel. 293; tab. 13.
Cannabis L. 5, 383.
 — *ruderalis* Janisch. 384.
 — *sativa* L. 383.
Capnogorium Bernh. 7, 685.
Capnoiodes Adans. 7, 649.
Capparis L. 8, 1.
 — *Rosanoviana* B. Fedtsch. 3; tab. 1.
 — *spinosa* L. 2.
Caprifolium Adans. 23, 569.
Caprifolium Zinn 23, 467.
Capsella Medic. 8, 603.
 — *bursa-pastoris* (L.) Medic. 604.
 — *hyrcana* Grossh. 605.
 — *orientalis* Klok. 605.
Capsicum L. 22, 57.
 — *annuum* L. 57.
Caragana Lam. 11, 327.
 — *acanthophylla* Kom. 361; tab. 24.
 — *alaica* Pojark. 349, 999; tab. 23.
 — *altaica* (Kom.) Pojark. 345, 397.
 — *arborescens* Lam. 362.
 — *aurantiaca* Koehne 348; tab. 23.
 — *balchaschensis* (Kom.) Pojark. 342; tab. 23.
 — *Bongardiana* (Fisch. et Mey.) Pojark. 357, 400.
 — *Bungei* Ledeb. 366; tab. 24.
 — *Camilli-Schneideri* Kom. 335.
 — *dasyphylla* Pojark. 350, 400; tab. 24.
 — *frutescens* DC. 335.
 — *frutex* (L.) C. Koch 333.
 — *fruticosa* (Pall.) Bess. 363.
 — *grandiflora* (M. B.) DC. 338.
 — *hololeuca* Bge. ex Kom. 353.
 — *jubata* (Pall.) Poir. 359.
 — *kirghisorum* Pojark. 342, 396.
 — *laeta* Kom. 336.
 — *laetevirens* Pojark. 360, 402; tab. 24.
 — *leucophloea* Pojark. 347, 399; tab. 24.
 — *microphylla* (Pall.) Lam. 367.
 — *mollis* (DC.) Bess. 334.
 — *pleiophylla* (Rgl.) Pojark. 357, 401; tab. 24.
 — *Prainii* Schneid. 365.
 — *pruinosa* Kom. 352.
 — *pumila* Pojark. 346, 398.
 — *pygmaea* (L.) DC. 343.
 — *scythica* (Kom.) Pojark. 341, 396.
 — *spinosa* (L.) DC. 351.
 — *stenophylla* Pojark. 344, 397.
 — *tragacanthoides* (Pall.) Poir. 354.
 — *turfanensis* (Krassn.) Kom. 337.
 — *turkestanica* Kom. 364.
 — *ussuriensis* (Rgl.) Pojark. 331, 395; tab. 23.
Cardamine L. 8, 153.
 — *amara* L. 163.
 — *bellidifolia* L. 168.
 — *dentata* Schult. 166.
 — *flexuosa* With. 159.
 — *graeca* L. 169.
 — *hirsuta* L. 159.
 — *hyperborea* O. E. Schulz 167.
 — *impatiens* L. 158.

- lazica Boiss. et Bal. 161.
- leucantha (Tausch) O. E. Schulz 157.
- lyrata Bge. 162.
- macrophylla Willd. 156.
- minuta Willd. 168.
- parviflora L. 161.
- pectinata Pall. 158; tab. 8.
- pedata Rgl. et Til. 169.
- pratensis L. 166.
- prorepens Fisch. 163.
- purpurea Cham. et Schlecht. 169.
- Regeliana Miq. 160.
- Sachokiana N. Busch 165, 640.
- Seidlitziana Albov 164.
- tenera S. G. Gmel. ex C. A. Mey. 162.
- uliginosa M. B. 165.
- umbellata Greene 160.
- Victoris N. Busch 167; tab. 8.
- yezeensis Maxim. 157.
- Cardaria* Desv. 8, 504.
- Cardiaca* Lam. 21, 145.
- Carduus** L. 28, 4.
- acanthocephalus C. A. Mey. 13.
- acanthoides L. 24.
- adpressus C. A. Mey. 29.
- arabicus Jacq. 34.
- atropatanicus Sosn. ex Grossh. 20.
- Beckerianus Tamamsch. 33; tab. 3.
- cinereus M. B. 34; tab. 3.
- coloratus Tamamsch. 12.
- crispus L. 23.
- furiosus Tamamsch. 17, 599; tab. 1.
- glaucus Baumg. 28.
- hajastanicus Tamamsch. 16, 599; tab. 1.
- hamulosus Ehrh. 22.
- hystrix C. A. Mey. 14; tab. 2.
- Kernerii Simk. 31.
- multijugus C. Koch 30.
- Navaschinii Bordz. 25.
- nervosus C. Koch 38.
- Nikitinii Tamamsch. 37, 600; tab. 3.
- nutans L. 10.
- onopordioides Fisch. ex M. B. 18; tab. 1.
- personata (L.) Jacq. 27; tab. 2.
- poliochrus Trautv. 16.
- pseudocollinus (Schmalh.) Klok. 21.
- pycnocephalus L. 32.
- Schischkinii Tamamsch. 12.
- seminudus M. B. 31.
- songoricus Tamamsch. 11.
- stenocephalus Tamamsch. 27.
- transcaspicus Gaud. 21; tab. 2.
- uncinatus M. B. 26; tab. 2.
- Careum* Adans. 16, 385.
- Carex* L. 3, 111.
- aa Kom. 185.
- abbreviata Prescott ex Boott 464.
- accrescens Ohwi 136; tab. 10.
- acrifolia V. Krecz. 192, 591.
- acuta L. 207, tab. 15.
- acutiformis Ehrh. 400; tab. 22.
- adelostoma V. Krecz. 275, 603; tab. 16.
- aequivoca V. Krecz. 257, 600.
- alajica Litv. 355.
- alba Scop. 373; tab. 19.
- Alexeenkoana Litv. 338.
- algida Turcz. 345, 612; tab. 20.
- altaica Gorodk. 227.
- alticola Popl. ex Sukatsch. 382.
- amblyorhyncha V. Krecz. 184, 595; tab. 12.
- amgunensis Fr. Schmidt 319.
- amphilogos C. Koch 461.
- amurensis Kük. 457; tab. 24.
- aneurocarpa V. Krecz. 369, 614.
- angarae Steud. 270; tab. 16.
- angustior Mackenz. ex Rydb. 153; tab. 11.
- anisoneura V. Krecz. 410; tab. 22.
- anthoxanthea C. Presl 295; tab. 18.
- aomorenensis Franch. 299.
- aperta Boott 224.
- appendiculata (Trautv.) Kük. 214.
- appropinquata Schum. 158; tab. 10.
- approximata Bell. ex All. 313.
- aquatilis Wahl. 229.
- arakamensis Clarke 265.
- arctica Meinsh. 225.
- argunensis Turcz. ex Bess. 382.
- arenaria L. 133; tab. 10.
- arenicola Fr. Schmidt 156; tab. 11.
- argyroglochin Hornem. 162.
- Arnellii Christ ex Scheutz 424.
- arrhyncha Franch. 174.
- aspratilis V. Krecz. 398, 618; tab. 21.
- astracantha Willd. ex Kunth 464.
- atrata L. 252; tab. 17.
- atrofusca Schkuhr 282.
- Augustinowiczii Meinsh. ex Korsh. 272.
- behringensis Clarke 259.
- bicolor Bell. ex All. 264.
- blepharicarpa Franch. 333; tab. 19.
- bonanzensis Britt. ex Britt. et Rydb. 175; tab. 12.
- Bordzilowskii V. Krecz. 378, 615.
- bostrichostigma Maxim. 334.
- brevicollis DC. ex Lam. et DC. 350.
- brizoides Jusl. ex L. 136; tab. 10.

- Carex* *Brotherorum* Christ 460.
 — *brunnescens* (Pers.) Poir. 179; tab. 12.
 — *bucharica* Kük. 305.
 — *Buekii* Wimm. 213; tab. 15.
 — *burjatorum* Korot. 461.
 — *Buxbaumii* Wahl. 276; tab. 16.
 — *caespitosa* L. 217; tab. 15.
 — *callitrichos* V. Krecz. 364, 613.
 — *campylorhina* V. Krecz. 342, 612.
 — *canescens* L. 176; tab. 12.
 — *capillaris* L. 428.
 — *capitata* L. 186; tab. 14.
 — *capitellata* Boiss. et Bal. ex Boiss. 301.
 — *capituliformis* Meinsh. ex Maxim. 300.
 — *capricornis* Meinsh. ex Maxim. 459; tab. 24.
 — *caucasica* Stev. 252.
 — *chalcodeta* V. Krecz. 279, 604.
 — *Chamissonis* Meinsh. 430.
 — *chinganensis* Litv. 320.
 — *chlorostachys* Stev. 428.
 — *chordorrhiza* Ehrh. ex L. fil. 194; tab. 13.
 — *chosenica* Ohwi 298.
 — *cilicica* Boiss. 293.
 — *circinata* C. A. Mey. 295; tab. 18.
 — *coarcta* Boott 128; tab. 10.
 — *colchica* J. Gay 134; tab. 10.
 — *compacta* Lam. 151; tab. 11.
 — *congesta* C. A. Mey. 464.
 — *conspissata* V. Krecz. 326, 611.
 — *coriophora* Fisch. et Mey. ex Kunth 282; tab. 17.
 — *cryptocarpa* C. A. Mey. 238.
 — *cuprina* (Sander) Nendtv. 155; tab. 11.
 — *curaica* Kunth 137; tab. 10.
 — *cuspidata* Host 402.
 — *cyperoides* Murr. 163; tab. 13.
 — *czarwakensis* Litv. 395; tab. 21.
 — *dacica* Heuff. 207.
 — *dahurica* Kük. 301.
 — *Davalliana* Smith 165; tab. 14.
 — *decaulescens* V. Krecz. 255, 599.
 — *depauperata* Good. 352; tab. 20.
 — *descendens* Kük. 215; tab. 15.
 — *diandra* Schrank 157; tab. 10.
 — *diastena* V. Krecz. 172, 594; tab. 12.
 — *dichora* Freyn 447; tab. 23.
 — *dichroandra* V. Krecz. 210, 596.
 — *digitata* L. 360; tab. 19.
 — *diluta* M. B. 394; tab. 21.
 — *dioica* L. 164; tab. 14.
 — *diplasiocarpa* V. Krecz. 135, 590; tab. 10.
 — *discolor* Nyl. 236.
 — *dispalata* Boott ex A. Gray 399.
 — *disperma* Dew. 185; tab. 12.
 — *distans* L. 397; tab. 21.
 — *disticha* Huds. 129; tab. 10.
 — *diversicolor* Crantz 402.
 — *divisa* Huds. 128.
 — *divulsa* Stokes ex With. 156; tab. 11.
 — *dolichocarpa* C. A. Mey. ex Kom. 458, 623.
 — *drymophila* Turcz. 456; tab. 24.
 — *duriuscula* C. A. Mey. 140; tab. 10.
 — *duriusculiformis* V. Krecz. 142, 591.
 — *elata* Bell. ex All. 215.
 — *eleusinoides* Turcz. ex Bess. 231.
 — *elongata* L. 171; tab. 12.
 — *emasculata* V. Krecz. 277, 604; tab. 16.
 — *enervis* C. A. Mey. 192; tab. 13.
 — *ensifolia* Turcz. ex Bess. 227.
 — *erawinensis* Korot. 212.
 — *eremopyroides* V. Krecz. 384, 617.
 — *ericetorum* Poll. 312; tab. 19.
 — *eriophora* Fisch. ex Steud. 464.
 — *eriophylla* (Kük.) Kom. 455.
 — *euxina* Marc. 321.
 — *extensa* Good. 396.
 — *falcata* Turcz. 346; tab. 20.
 — *fedia* Nees ex Wight 417.
 — *Fedtschenkoana* Kük. 414; tab. 22.
 — *flava* L. 387; tab. 21.
 — *flavella* V. Krecz. 388, 617; tab. 21.
 — *foliosissima* Fr. Schmidt 356.
 — *forticula* Franch. et Sav. 421.
 — *Fujitae* Kudo 246.
 — *fuscocuprea* (Kük.) V. Krecz. 244, 599.
 — *fusco-vaginata* Kük. 211.
 — *glacialis* Mackenzie 374.
 — *glareosa* Wahl. 182; tab. 12.
 — *glaucaeformis* Meinsh. 404.
 — *Glehnii* Fr. Schmidt 350.
 — *globularis* L. 317.
 — *Gmelinii* Hook. et Arn. 277.
 — *Gorodkovii* V. Krecz. 287, 606.
 — *gracilis* Curt. 210; tab. 15.
 — *Grahamii* Boott 446; tab. 23.
 — *Griffithii* Boott 281; tab. 17.
 — *Grioleitii* Roem. ex Schkuhr 304.
 — *Grossheimii* V. Krecz. 130, 589.
 — *gynocrates* Wormsk. 165; tab. 14.
 — *haematostachys* Lévl. et Vaniot 415; tab. 22.
 — *hakkodensis* Franch. 295; tab. 18.
 — *Hallerana* Asso 353.
 — *Halleri* Gunn. 265; tab. 16.
 — *Hancockiana* Maxim. 271.

- heleonastes Ehrh. ex L. 184; tab. 12.
- Hepburnii Boott 187.
- hirta L. 455; tab. 24.
- holostoma Drej. 264.
- hordeistichos Vill. 383.
- Hostiana DC. 397.
- Huetiana Boiss. 328.
- humilis Leyss. 365.
- hylaea V. Krecz. 179, 594; tab. 12.
- hypaneura V. Krecz. 424, 621.
- hyperborea Drej. 226.
- hypochlora Freyn 330.
- Iljinii V. Krecz. 137, 590.
- inflata Huds. 442; tab. 23.
- infusata Nees ex Wight 270.
- inumbrata V. Krecz. 218; tab. 15.
- irrigua Wahl. 245.
- jacutica V. Krecz. 441, 621; tab. 23.
- jaluensis Kom. 420.
- Jonkowskii Gorodk. 300.
- juncella Fries 208.
- jungenda Steud. 462.
- Kabanovii V. Krecz. 166, 593.
- kamtschatica Gorodk. 226.
- Karelinii Meinsh. 395; tab. 21.
- Karoi Freyn 430.
- kattegatensis Fries 236.
- kenkolensis Litv. 337.
- kirganica Kom. 411; tab. 22.
- Kirilowii Turcz. 370.
- Knorringiae Kük. 212.
- kobomugi Ohwi 124; tab. 11.
- koraginensis Meinsh. 258.
- koreana Kom. 432.
- Korshinskyi Kom. 375.
- Koshewnikowii Litw. 337.
- Kotschyana Boiss. et Hohen. 229.
- Ktausipali Meinsh. 286; tab. 18.
- laeoviculmis Meinsh. 145; tab. 12.
- lanceolata Boott 362; tab. 19.
- lapponica O. F. Lang 179.
- lasiocarpa Ehrh. 416.
- latifrons V. Krecz. 425.
- latisquamea Kom. 450; tab. 20.
- laxa Wahl. 243.
- Ledebouriana C. A. Mey. ex Trev. 431.
- leiorhyncha C. A. Mey. 144; tab. 11.
- lenaensis Kük. 429.
- lepidocarpa Tausch 389; tab. 21.
- leporina L. 161; tab. 11.
- leucochlora Bge. 323.
- limosa L. 244.
- lineolata Cham. ex Meinsh. 223, 598.
- lithophilla Turcz. 130.
- Litwinowii Kük. 338.
- livida Wahl. 343.
- loliacea L. 173; tab. 12.
- longirostrata C. A. Mey. 354.
- Lumnitzeri Rouy ex Rouy et Fouc. 154.
- Maackii Maxim. 161; tab. 11.
- Mackenziei V. Krecz. 183; tab. 12.
- macrocephala Willd. ex Spreng. 124; tab. 11.
- macrochaeta C. A. Mey. 259; tab. 17.
- macrogyna Turcz. ex Bess. 293; tab. 18.
- macrostigmatica Kük. 271.
- macroura Meinsh. 367; tab. 19.
- mandshurica Meinsh. 418.
- marina Dew. 182.
- maritima Gunn. 189; tab. 14.
- Medwedewii Leskov 256.
- Meinshauseniana V. Krecz. 287, 606; tab. 18.
- melanantha C. A. Mey. 273; tab. 16.
- melananthaeformis Litv. 274; tab. 16.
- melanocarpa Cham. ex Trautv. 312.
- melanocephala Turcz. ex Bess. 266; tab. 16.
- melanostachya M. B. ex Willd. 412; tab. 22.
- melanostoma Fisch. 261, 602.
- membranacea Hook. 449; tab. 23.
- Meyeriana Kunth 262.
- Michelii Host 354.
- microglochin Wahl. 302.
- micropoda C. A. Mey. 297.
- micropodioides V. Krecz. 298, 608.
- microtricha Franch. 327.
- Middendorffii Fr. Schmidt 238.
- mimula V. Krecz. 266, 603; tab. 16.
- mingrellica Kük. 352; tab. 20.
- minuta Franch. 220.
- minutiscabra Kük. ex B. Fedtsch. 380, 616.
- misandra R. Br. 292; tab. 18.
- mollissima Christ ex Scheutz 433; tab. 23.
- montana L. 310; tab. 19.
- mucronata Bell. ex All. 336.
- muricata L. 152; tab. 11.
- musartiana Kük. ex B. Fedtsch. 261, 602.
- nanella Ohwi 364.
- nemurensis Franch. 172.
- nervata Franch. et Sav. 326; tab. 19.
- neurocarpa Maxim. 144; tab. 11.
- nigricans C. A. Mey. 298.
- nikolskensis Kom. 346; tab. 20.
- nitida Host 377.
- Novograblenovii Kom. 432.

- Carex obtusata* Liljebl. 381.
 — *occultans* (Franch.) V. Krecz. 417, 620.
 — *Oederi* Retz. 390; tab. 21.
 — *oligantha* Steud. 269; tab. 16.
 — *oligostachys* Meinsh. ex Maxim. 351; tab. 20.
 — *Oliveri* W. Beck. 280; tab. 17.
 — *omskiana* Meinsh. 216.
 — *ontakensis* Franch. et Savat. 299.
 — *orbicularis* Boott. 224.
 — *oreophila* C. A. Mey. 186; tab. 14.
 — *orthostachys* C. A. Mey. 452; tab. 24.
 — *oxyandra* (Franch. et Sav.) Kudo 319; tab. 19.
 — *oxyleuca* V. Krecz. 284, 605; tab. 17.
 — *pachystachya* Cham. ex Steud. 161; tab. 11.
 — *pachystylis* J. Gay 197; tab. 13.
 — *pallescens* L. 278.
 — *pamirensis* Clarke ex B. Fedtsch. 443; tab. 23.
 — *panicea* L. 344; tab. 20.
 — *paniculata* Jusl. ex L. 159; tab. 10.
 — *paralia* V. Krecz. 237.
 — *parallela* Laest. ex Sommerf. 167; tab. 14.
 — *parva* Nees 303.
 — *pauciflora* Lightf. 302.
 — *pauxilla* V. Krecz. 260, 601.
 — *pedata* L. 361.
 — *pediformis* C. A. Mey. 368; tab. 19.
 — *pedunculifera* Kom. 240.
 — *peiktusani* Kom. 272.
 — *pendula* Huds. 420.
 — *pentastachys* Fisch. ex Steud. 464.
 — *perfusca* V. Krecz. 256, 600; tab. 17.
 — *philocrena* V. Krecz. 393, 618.
 — *phyllostachys* C. A. Mey. 358.
 — *physodes* M. B. 194; tab. 13.
 — *pilosa* Scop. 342; tab. 20.
 — *pilulifera* L. 318; tab. 19.
 — *planiculmis* Kom. 434.
 — *platyrhyncha* Franch. et Savat. 412.
 — *plumbea* Wahl. 462.
 — *polyphylla* Kar. et Kir. 155; tab. 11.
 — *pontica* Albov 286.
 — *praecox* Schreb. 135; tab. 10.
 — *pribylovensis* Macoun ex Jord. 181.
 — *prionocarpa* Franch. 240.
 — *procerula* V. Krecz. 449, 622; tab. 23.
 — *prolixa* Fries 209.
 — *pseudo-curaica* Fr. Schmidt 138; tab. 10.
 — *pseudo-cyperus* L. 460; tab. 24.
 — *pseudo-foetida* Kük. 191; tab. 13.
 — *pseudo-lanceolata* V. Krecz. 363, 613.
 — *pseudo-loliacea* Fr. Schmidt 173; tab. 12.
 — *pulchella* Loennr. 393; tab. 21.
 — *pulicaris* L. 198; tab. 14.
 — *pumila* Thunb. 408; tab. 22.
 — *Putjatinii* Kom. 263.
 — *pycnostachya* Kar. et Kir. 138.
 — *quadriflora* (Kük.) Ohwi 361.
 — *Raddei* Kük. 457; tab. 24.
 — *Ramenskii* Kom. 235.
 — *rariflora* Wahl. 242.
 — *Redowskiana* C. A. Mey. 166; tab. 14.
 — *Regeliana* Kük. ex Litw. 292; tab. 18.
 — *relaxa* V. Krecz. 379, 616.
 — *remota* L. 145; tab. 12.
 — *remotiuscula* Wahl. 146; tab. 12.
 — *reptabunda* (Trautv.) V. Krecz. 190; tab. 13.
 — *retorta* (Fries) V. Krecz. 219, 598; tab. 15.
 — *reventa* V. Krecz. 367, 614.
 — *rhizina* Blytt ex Lindbl. 366.
 — *rhynchophysa* C. A. Mey. 438; tab. 23.
 — *Riabushinskii* Kom. 239.
 — *rigescens* (Franch.) V. Krecz. 142; 592.
 — *rigidioides* Gorodk. 228.
 — *riparia* Curt. 409; tab. 22.
 — *ripariaeformis* Litv. 413; tab. 22.
 — *rotundata* Wahl. 443; tab. 23.
 — *rubra* Levl. et Vaniot 218.
 — *rugulosa* Kük. 410; tab. 22.
 — *rupestris* Bell. ex All. 381.
 — *ruthenica* V. Krecz. 325, 610; tab. 19.
 — *sabulosa* Turcz. ex Bess. 275; tab. 16.
 — *sabynensis* Less. ex Kunth 329; tab. 19.
 — *sachalinensis* Fr. Schmidt 332; tab. 19.
 — *sadoensis* Franch. 422.
 — *sajanensis* V. Krecz. 190; tab. 13.
 — *sareptana* V. Krecz. 213, 597.
 — *saxatilis* L. 448; tab. 23.
 — *scabricuspis* V. Krecz. 324; 609.
 — *scabrifolia* Steud. 408, tab. 22.
 — *scabrinervia* Franch. 258.
 — *Schmidtii* Meinsh. 223.
 — *scirpoidea* Michx. 303.
 — *secalina* Willd. ex Wahl 384.
 — *Sedakowii* C. A. Mey. ex Meinsh. 427.
 — *seiskoensis* Freyn 463.
 — *semiplena* Kük. 214.
 — *setina* (Christ) V. Krecz. 192; tab. 14.
 — *siderosticta* Hance 357.
 — *Siebertiana* Uechtr. 451; tab. 24.
 — *sikokkiana* Franch. et Savat. 331.
 — *silvatica* Huds. 423.
 — *similegena* V. Krecz. 193, 596; tab. 13.

- Slobodovii V. Krecz. 191, 595.
- Smirnovii V. Krecz. 411, 619; tab. 22.
- Soczavaena Gorodk. 219.
- songorica Kar. et Kir. 414; tab. 22.
- sordida Cham. ex Van Heurck et Muell. 462.
- soyaensis Kük. 273.
- spaniocarpa Steud. 375.
- spicata Huds. 153; tab. 11.
- stans Drej. 230.
- stenocarpa Turcz. ex Bess, 291, 607; tab. 18.
- stenolepis Less. 443.
- stenophylloides V. Krecz. 141, 592; tab. 10.
- stilbophaea V. Krecz. 283, 605; tab. 17.
- stipata Muehl. ex Willd. 152; tab. 11.
- strigosa Huds. 419.
- stygia Fries 242.
- stylosa C. A. Mey. 262.
- subebracteata (Kük.) Ohwi 330.
- sublivida Norrl. 464.
- subspathacea Worsmk. ex Hornem. 235.
- subumbellata Meinsh. 322.
- suifunensis Kom. 239.
- Sukaczovii V. Krecz. 415, 620; tab. 22.
- supina Willd. ex Wahl. 376.
- sutschanensis Kom. 368.
- Szovitsii V. Krecz. 159, 593; tab. 10.
- taldycola Meinsh. 228.
- tasorum Kom. 333.
- tenuiflora Wahl. 174; tab. 12.
- tomentosa L. 318.
- traiziscana Fr. Schmidt 172; tab. 12.
- Trautvetteriana Kom. 331.
- tripartita All. 181; tab. 12.
- tristis M. B. 288; tab. 18.
- tuminensis Kom. 234.
- turkestanica Rgl. 377.
- uda Maxim. 300.
- ulobasis V. Krecz. 311, 608.
- umbrosa Host 328.
- ungurensis Litv. 379.
- uralensis C. B. Clarke 141; tab. 10.
- ursina Dew. 183; tab. 12.
- ussuriensis Kom. 373.
- utriculata Boott 444.
- Uzoni Kom. 230.
- vaginata Tausch 344; tab. 20.
- Vanheurckii Muell. 314.
- verna Chaix ex Vill. 323.
- vesicaria L. 445; tab. 23.
- vesicata Meinsh. 446; tab. 23.
- viridula Michx. 389.
- vitilis Fries 180; tab. 12.
- vulpina L. 150; tab. 11.
- wiluica Meinsh. 208.
- xyphium Kom. 349.
- Carlina** L. 27, 77.
- acaulis L. 86; tab. 6.
- Biebersteinii Bernh. ex Hornem. 82.
- cirsoides Klok. 87.
- lanata L. 83.
- onopordifolia Bess. ex Szafer, Kulcz. et B. Pawl. 84.
- vulgaris L. 79.
- Carlowitzia* Moench 27, 77.
- Carolinella* Hemsl. 18, 133.
- Caropodium** Stapf et Wettst. 16, 123.
- armenum (Bordz.) Schischk. 123; tab. 8.
- platycarpum (Boiss. et Hausskn.) Schischk. 124.
- Caroselinum* Griseb. 17, 168, 194.
- Carota* Rupr. 17, 288.
- Carpesium** L. 25, 498.
- abrotanoides L. 505; tab. 31.
- cernuum L. 501.
- eximium C. Winkl. 502.
- triste Maxim. 503.
- Carpinus** L. 5, 254.
- betulus L. 258.
- cordata Blume 256.
- grosseserrata H. Winkl. 261.
- hybrida H. Winkl. 261.
- orientalis Mill. 257.
- oxycarpa H. Winkl. 261; tab. 12.
- schuschaensis H. Winkl. 257; tab. 12.
- Carpoceras** Boiss. 8, 591.
- brevistylum N. Busch 592; tab. 32.
- ceratocarpum (Pall.) N. Busch 592.
- hastulatum (Stev.) Boiss. 591; tab. 32.
- stenocarpum Boiss. 592; tab. 32.
- Carthamus** L. 28, 581.
- glaucus M. B. 584.
- gypsicola Iljin 585.
- lanatus L. 583.
- oxyacanthus M. B. 584.
- tinctorius L. 586.
- Carthusianastrum* Will. 6, 812.
- Carthusianum* Will. 6, 813.
- Carum* Baill. 16, 422, 451.
- Carum** L. 16, 385.
- alpinum (M. B.) Benth. 388.
- atosanguineum Kar. et Kir. 395; tab. 26.
- buriaticum Turcz. 395; tab. 26.
- carvi L. 386.
- caucasicum (M. B.) Boiss. 393; tab. 26.
- Grossheimii Schischk. 394.

- Carum* Komarovii Karjag. 392.
 — meifolium (M. B.) Boiss. 394.
 — porphyrocoleon (Freyn et Sint.) Woronow 388.
 — saxicolum Albov 391.
Carvi Bernh. 16, 560.
Carvi Mill. 16, 385.
Carvifolia Vill. 16, 560.
Caryophyllastrum Willd. 6, 822.
Cassandra D. Don 18, 75.
Casselia Dum. 19, 238.
Cassia L. 11, 20.
 — marylandica L. 20.
Cassiope D. Don 18, 66.
 — ericoides (Pall.) D. Don 69.
 — lycopodioides (Pall.) D. Don 67.
 — Redowskii (Cham. et Schlecht.) G. Don 68.
 — tetragona (L.) D. Don 68.
Castanea Mill. 5, 320.
 — sativa Mill. 321; tab. 19.
Castilleja L. f. 22, 530.
 — arctica Kryl. et Serg. 532.
 — pallida (L.) Kunth 531.
Castillejoa Post et Kuntze 22, 530.
Catabrosa Beauv. 2, 445.
 — aquatica (L.) Beauv. 445.
 — Capusii Franch. 446; tab. 33.
Catalpa Scop. 23, 9.
 — bignonioides Walt. 10.
 — ovata G. Don 11.
 — speciosa Warder ex Engelm. 10.
Cataria Adans. 20, 286.
Catharanthus G. Don 18, 646.
Cathartolinum Reichb. 14, 127.
Catonia Moench 29, 594, 627.
Caucalis L. 16, 172.
 — Bischoffii K.-Pol. 173.
 — lappula (Web.) Grande 172; tab. 13.
Caulinia Willd. 1, 273.
Caulophyllum Rich. 7, 552.
 — robustum Maxim. 552; tab. 37.
Cavotuber Rupr. 7, 658.
Cedrus Link 1, 59.
 — deodara Laws. 159.
Celasia Cass. 29, 55.
Celastrus L. 14, 574.
 — flagellaris Rupr. 576.
 — orbiculata Thunb. 575.
 — strigillosus Nakai 576.
Celosia L. 6, 355.
 — argentea L. 355, tab. 18.
 — cristata L. 356; tab. 18.
Celsia L. 22, 170.
 — heterophylla Desf. 171.
 — nudicaulis (Wydł.) B. Fedtsch. 172.
 — orientalis L. 171.
 — Suworowiana C. Koch 173.
Celtis L. 5, 373.
 — caucasica Willd. 374; tab. 20.
 — glabrata Stev. 375; tab. 20.
Cenekia Opiz 24, 133, 301.
Cenolophium Koch 16, 582.
 — Fischeri (Spreng.) Koch 583.
Centaurea L. 28, 370.
 — abbreviata (C. Koch) Hand.-Mazz. 453.
 — abchasica (Albov) Sosn. 425.
 — abnormis Czer. 455.
 — acmophylla Boiss. 411.
 — Adamii Willd. 573.
 — adjarica Albov 492.
 — adpressa Ledeb. 507.
 — aemulans Klok. 533, 617.
 — aggregata Fisch. et Mey. 537.
 — alaica Iljin 382.
 — albida C. Koch 536.
 — Albovii Sosn. 424.
 — Alexandri Bordz. 559.
 — alutacea Dobroc. 454.
 — amblyolepis Ledeb. 479.
 — Androssovii Iljin 382.
 — Angelescui (Prod.) Czer. 406.
 — apiculata Ledeb. 506.
 — appendicata Klok. 545.
 — arenaria M. B. 522.
 — armena Boiss. 569.
 — arvensis (Czer.) Czer. 481; tab. 24.
 — avarica Tzvel. 484.
 — Barbeyi (Albov) Sosn. 426.
 — behen L. 561.
 — Belangeriana (DC.) Stapf 578; tab. 24.
 — bella Trautv. 489.
 — Bessieriana DC. 526.
 — bogadensis Woronow 490.
 — borystenica Grun. 523.
 — breviceps Iljin 548.
 — calcitrapa L. 575.
 — carbonata Klok. 465.
 — carduiformis DC. 509.
 — carpatica (Porc.) Porc. 451.
 — carthalinica (Sosn.) Sosn. 439.
 — caspica Grossh. 534.
 — cheiranthifolia Willd. 399.
 — circassica (Albov) Sosn. 425.
 — ciscaucasica Sosn. 428, 610.
 — colchica (Sosn.) Sosn. 438.
 — cyanus L. 416.
 — czerkessica Dobroc. et Kotov 405.

- daghestanica (Lipsky) Czer. 479.
- dealbata Willd. 434.
- declinata M. B. 430.
- depressa M. B. 415.
- diffusa Lam. 532.
- Dimitriewiae Sosn. 491.
- donetzica Klok. 547.
- Dubjanskii Iljin 550.
- Edmondi Sosn. 432.
- erivanensis (Lipsky) Bordz. 475.
- exurgens Sosn. 435.
- Fischeri Willd. 396.
- fuscimarginata (C. Koch) Juz. 408.
- georgica Klok. 557, 619.
- Gerberi Stev. 550.
- Glehnii Trautv. 509.
- Gontscharovii Iljin 382.
- Grossheimii Sosn. 568.
- Gulissashvili Dumb. 531.
- hajastana Tzvel. 383.
- holophylla Socz. et Lipat. 426, 610.
- Huetii Boiss. 410; tab. 23.
- hymenolepis Trautv. 433.
- hyrcanica Bornm. 460.
- iberica Trev. 574.
- Iljinii Czerniak. 419.
- integrifolia Tausch 504.
- jacea L. 444.
- karabaghensis (Sosn.) Sosn. 437.
- kasakorum Iljin 383; tab. 22.
- kobstanica Tzvel. 483.
- koktebelica Klok. 528, 617.
- Kolakovskiy Sosn. 429, 611.
- konkae Klok. 545.
- kopetdaghensis Iljin 420.
- Kotschyana Heuff. 502; tab. 25.
- kubanica Klok. 518, 615.
- Kultiassovii Iljin 384.
- lasiopoda M. Pop. et Kult. 385.
- latiloba Klok. 557, 620.
- Lavrenkoana Klok. 526.
- leucophylla M. B. 429.
- leuzeoides (Jaub. et Sp.) Walp. 487.
- Majorovii Dumb. 520.
- Maleevii (Sosn.) Sosn. 428.
- maramarosiensis (Jáv.) Czer. 392.
- margarita-alba Klok. 544.
- margaritacea Ten. 543.
- maris-nigri Sosn. 431.
- Marschalliana Spreng. 466.
- meskhetica Sosn. 439, 612.
- Meyeriana Tzvel. 473.
- micranthos I. F. Gmel. 519.
- Modesti Fed. 381.
- mollis Waldst. et Kit. 393.
- Nathadzeae Sosn. 490.
- nigriceps Dobroc. 452.
- nigrifimbria (C. Koch) Sosn. 394; tab. 23.
- novorossica Klok. 556, 619.
- odessana Prod. 523.
- oltensis Sosn. 570.
- orientalis L. 501.
- ossethica Sosn. 505, 614.
- ovina Pall. 530.
- Paczorskii Kotov ex Klok. 549.
- pambakensis (Sosn.) Sosn. 437.
- pannonica (Heuff.) Hayek 446.
- pauciloba Trautv. 427.
- Pecho Albov 493.
- phaeopappoides Bordz. 486.
- phrygia L. 449.
- phyllopoda Iljin 385.
- pineticola Iljin 548.
- polypodiifolia Boiss. 563; tab. 26.
- proto-Gerberi Klok. 546.
- proto-margaritacea Klok. 543.
- pseudoleucolepis Kleop. 542.
- pseudomaculosa Dobroc. 518.
- pseudophrygia C. A. Mey. 456.
- pseudoscabiosa Boiss. et Buhse 508.
- Razdorskii Karjag. 386, 607.
- reflexa Lam. 499.
- rhenana Boreau 517.
- rhizantha C. A. Mey. 567; tab. 27.
- rhizanthoides Tzvel. 568, 620.
- rubriflora Illar. 498.
- Ruprechtii (Boiss.) Czer. 480.
- ruthenica Lam. 380.
- salicifolia M. B. 458.
- salonitana Vis. 498.
- salviifolia (Boiss.) Sosn. 432.
- Sarandinakiae Illar. 555.
- savranica Klok. 524.
- scabiosa L. 503.
- Schelkovnikovii Sosn. 412.
- schistosa Sosn. 433, 611.
- semijusta Juz. 551.
- Sergii Klok. 471, 614.
- sevanensis Sosn. 436.
- sibirica L. 469.
- simplicicaulis Boiss. et Huet 491.
- Sintenisiana Gand. 510.
- solstitialis L. 571.
- somchetica (Sosn.) Sosn. 438.
- Sophiae Klok. 521, 615.
- Sosnovskiy Grossh. 500; tab. 25.
- squarrosa Willd. 535.

- Centaurea stenolepis* A. Kerner 458.
 — *stereophylla* Bess. 511.
 — *sterilis* Stev. 553.
 — *Steveniana* Klok. 527, 616.
 — *Stevenii* M. B. 564.
 — *stricta* Waldst. et Kit. 402.
 — *substituta* Czer. 448, 612.
 — *sumensis* Kalen. 467.
 — *Szovitsiana* Boiss. 562.
 — *Talievii* Kleop. 386.
 — *tanaitica* Klok. 404.
 — *taochia* (Sosn.) Sosn. 435.
 — *ternopoliensis* Dobroc. 401.
 — *transcaucasica* Sosn. ex Grossh. 558.
 — *trichocephala* M. B. 462.
 — *trinervia* Steph. 483; tab. 22.
 — *Troitzkyi* (Sosn.) Sosn. 427.
 — *tuapsensis* Sosn. 431.
 — *turgaica* Klok. 470, 613.
 — *turkestanica* Franch. 387.
 — *Vankovii* Klok. 552, 618.
 — *vicina* Lipsky 530.
 — *Willdenowii* Czer. 398, 608.
 — *Woronowii* Bornm. ex Sosn. 413.
 — *xanthocephala* (DC.) Sosn. 476.
 — *xanthocephaloides* Tzvel. 476.
 — *zangezuri* (Sosn.) Sosn. 436.
 — *zuvandica* (Sosn.) Sosn. 435.
Centaureium Cass. 28, 370, 377.
Centaureium Gilib. 18, 527.
 — *Meyeri* (Bge.) Druce 529.
 — *pulchellum* (Swartz) Druce 528.
 — *spicatum* (L.) Fritsch 535; tab. 27.
 — *tenuiflorum* (Hoffm. et Link) Fritsch 530.
 — *uliginosum* (Waldst. et Kit.) G. Beck 534.
 — *umbellatum* Gilib. 533.
 — *vulgare* Raf. 533; tab. 27.
Centella L. 16, 59.
 — *asiatica* (L.) Urb. 60.
Centipeda Lour. 26, 421.
 — *orbicularis* Lour. 422.
Centranthus DC. 23, 640.
Centunculus L. 18, 278.
 — *minimus* L. 278.
Cephalanthera Rich. 4, 630.
 — *caucasica* Kraenzl. 633.
 — *epipactoides* Fisch. 631; tab. 38.
 — *grandiflora* (L.) Bab. 632; tab. 38.
 — *longibracteata* Blume 631; tab. 38.
 — *longifolia* (Huds.) Fritsch 632; tab. 38.
 — *rubra* (L.) Rich. 634; tab. 38.
Cephalaria Schrad. 24, 25.
 — *armena* Grossh. 47.
 — *armeniaca* Bordz. 36.
 — *aristata* C. Koch 46; tab. 3.
 — *brevipalea* (Somm. et Levier) Litv. 33.
 — *calcareae* Alb. 34.
 — *coriacea* (Willd.) Steud. 39; tab. 3.
 — *dagestanica* Bobr. 38.
 — *Demetrii* Bobr. 39; tab. 3.
 — *gigantea* (Ledeb.) Bobr. 29.
 — *Grossheimii* Bobr. 33.
 — *Kotschyi* Boiss. et Hohen. 32.
 — *Litvinovii* Bobr. 31.
 — *media* Litv. 43.
 — *microdonta* Bobr. 45; tab. 3.
 — *nachiczewanica* Bobr. 35, 457.
 — *pilosa* Boiss. et Huet 37.
 — *procera* Fisch. et Avé-Lall. 32.
 — *sublanata* (Bornm.) Szabo 37.
 — *syriaca* (L.) Schrad. 47.
 — *Tchihatchewii* Boiss. 35.
 — *transsylvanica* (L.) Schrad. 45; tab. 3.
 — *uralensis* (Murr.) Schrad. 40.
 — *velutina* Bobr. 44.
Cephalonoplos Neck. 28, 52, 209.
Cephalorrhizum M. Pop. et Korov. 18, 405.
 — *oopodum* M. Pop. et Korov. 406; tab. 20.
 — *turcomanicum* M. Pop. 407, 746; tab. 20.
Cephalorrhynchus Boiss. 29, 338.
 — *Kirpicznikovii* Grossh. 343; tab. 20.
 — *Kossinskyi* (Krasch.) Kirp. 347; tab. 20.
 — *polycladus* (Boiss.) Kirp. 350; tab. 20.
 — *soongoricus* (Rgl.) S. Kovalevsk. 346; tab. 20.
 — *subplumosus* S. Kovalevsk. 348; tab. 20.
 — *Takhtadzhianii* (Sosn.) Kirp. 349; tab. 20.
 — *talyschensis* Kirp. 342; tab. 20.
 — *tuberosus* (Stev.) Schchian 340; tab. 20.
Cephaloxys Spreng. ex Desv. 3, 558.
Ceramanthe Dum. 22, 229.
Ceramioccephalum Sch. Bip. 29, 595.
Ceramarcarpus Wittst. 16, 184.
Cerastium L. 6, 430.
 — *Alexeenkoanum* Schischk. 451.
 — *alpinum* L. 458.
 — *anomalum* Waldst. et Kit. 436; tab. 22.
 — *argenteum* M. B. 464; tab. 24.
 — *armenicum* Gren. 443.
 — *arvense* L. 460.
 — *Beerlingianum* Cham. et Schlecht. 456; tab. 24.
 — *Bialynickii* Tolm. 459.
 — *Biebersteinii* DC. 463.
 — *caespitosum* Gilib. 455.

- cerastioides Britt. 435; tab. 22.
- chlorifolium Fisch. et Mey. 446.
- dagestanicum Schischk. 465, 883.
- dahuricum Fisch. 444.
- dentatum Moeschl 451.
- dichotomum L. 447; tab. 24.
- falcatum Bge. 439; tab. 22.
- Fischerianum Ser. 457.
- furcatum Cham. et Schlecht. 454.
- glomeratum Thuill. 450.
- glutinosum Fries 452.
- Gorodkovianum Schischk. 457; 883.
- hemschincum Schischk. 445.
- holostium Fisch. ex Hornem. 443; tab. 23.
- inflatum Link 447; tab. 23.
- Kasbek Parrot 441.
- lithospermifolium Fisch. 441.
- longifolium Willd. 448.
- maximum L. 440; tab. 22.
- Meyerianum Rupr. 453.
- microspermum C. A. Mey. 442; tab. 23.
- multiflorum C. A. Mey. 442.
- nemorale M. B. 444; tab. 23.
- oreades Schischk. 445.
- pauciflorum Stev. ex Ser. 439.
- perfoliatum L. 446; tab. 23.
- polymorphum Rupr. 459; tab. 24.
- ponticum Albov 465; tab. 24.
- purpurascens Adam 453.
- pusillum Ser. 458; tab. 24.
- Regelii Ostenf. 459.
- ruderales M. B. 449.
- Schmalhauseni Pacz. 452.
- semidecandrum L. 450.
- Sosnowskyi Schischk. 464.
- Stevenii Schischk. 466.
- Szowitsii Boiss. 465.
- tauricum Spreng. 449.
- tianschanicum Schischk. 456.
- undulatifolium Somm. et Levier 440; tab. 23.
- Cerasus** Juss. 10, 547.
- alba Pojark. 573.
- amygdaliflora Nevski 570.
- araxina Pojark. 567; tab. 36.
- austera (L.) Roem. 561.
- avium (L.) Moench 556.
- collina Lej. et Court. 561.
- erythrocarpa Nevski 569.
- fruticosa (Pall.) Woronow 558; tab. 36.
- glandulifolia (Rupr. et Maxim.) Kom. 555; tab. 35.
- glandulosa (Thunb.) Lois. 562; tab. 35.
- incana (Pall.) Spach 568.
- Jacquemontii (Hook. f.) Buser 572.
- mahaleb (L.) Mill. 551.
- Maximowiczii (Rupr.) Kom. 550; tab. 35.
- microcarpa (C. A. Mey.) Boiss. 563; tab. 36.
- pseudoprostrata Pojark. 568.
- sachalinensis (Fr. Schmidt) Kom. et Aliss. 552.
- tianschanica Pojark. 573.
- turcomanica Pojark. 574.
- verrucosa (Franch.) Nevski 571.
- vulgaris Mill. 559.
- Ceratocarpus** L. 6, 110.
- arenarius L. 110.
- turkestanicus Sav.-Rycz. 111, 874; tab. 2.
- Ceratocephalus** Moench 7, 324.
- falcatus Pers. 324.
- orthoceras DC. 324.
- Ceratochloa** Beauv. 2, 583.
- unioides (Willd.) Beauv. 583.
- Ceratonia** L. 11, 19.
- siliqua L. 19.
- Ceratophyllum** L. 7, 15.
- demersum L. 15; tab. 2.
- Komarovii Kuzen. 16, 721; tab. 2.
- Kossinskyi Kuzen. 19, 721; tab. 2.
- oryzetorum Kom. 16; tab. 2.
- submersum L. 19; tab. 2.
- tanaiticum Sapjag. 19; tab. 2.
- Cercis** L. 11, 15.
- Griffithii Boiss. 16; tab. 1.
- siliquastrum L. 16; tab. 1.
- Cerefolium** Haller 16, 125.
- Cerinthe** L. 19, 268.
- alpina Kit. 268.
- major L. 270.
- minor L. 269.
- Cervaria** Gaertn. 17, 168, 188.
- Ceterach** Willd. 1, 71.
- officinarum Willd. 71.
- Chaenorhynchus** Lange 22, 226.
- Klokovi Kotov 228.
- rytidospermum (Fisch. et Mey.) Kuprian. 228.
- spicatum Korov. 228.
- viscidum (Moench) Simk. 227.
- Chaerophyllum** Haller 16, 125.
- Chaerophyllum** L. 16, 94.
- angelicifolium M. B. 110; tab. 6.
- aromaticum L. 99.
- astrantiae Boiss. et Bal. 104.
- Bobrovii Schischk. 115, 591.
- Borodini Albov 107; tab. 6.

- Chaerophyllum bulbosum* L. 113.
 — *caucasicum* (Fisch.) Schischk. 114.
 — *cicutaria* Vill. 100.
 — *confusum* Woronow 111; tab. 6.
 — *crinitum* Boiss. 112.
 — *humile* Stev. 101; tab. 7.
 — *chorossanicum* Czerniak. 108, 590.
 — *kiapazi* Woronow 102, 590; tab. 7.
 — *macrospermum* (Willd.) Fisch. et Mey.
 ex Hohen. 109.
 — *maculatum* Willd. 99.
 — *Meyeri* Boiss. et Buhse 111.
 — *Prescottii* DC. 116.
 — *roseum* M. B. 102.
 — *rubellum* Albov 104; tab. 7.
 — *temuloides* Boiss. 112.
 — *temulum* L. 108.
Chaetolimon (Bge.) Lincz. 18, 372.
 — *limbatum* Lincz. 375.
 — *setiferum* (Bge.) Lincz. 374; tab. 19.
 — *sogdianum* Lincz. 373.
Chaiturus Willd. 21, 144.
 — *marrubiastrum* (L.) Spenn. 144.
Chalcanthus Boiss. 8; 499.
 — *tuberosus* Kom. 499.
Chamaeclema Moench 20, 437.
Chamaedaphne Mitchell 23, 169.
Chamaedaphne Moench 18, 75.
 — *calyculata* (L.) Moench 76.
Chamaedrys Koch 22, 430.
Chamaedrys S. F. Gray 20, 39.
Chamaegeron Schrenk 25, 118.
 — *Bungei* (Boiss.) Botsch. 119.
 — *oligocephalus* Schrenk 120; tab. 15.
Chamaemelum Mill. 26, 66.
 — *nobile* (L.) All. 67.
Chamaemelum Vis. 26, 157.
Chamaenerium Adans. 15, 621.
 — *angustifolium* (L.) Scop. 622; tab. 27.
 — *angustissimum* (Hausskn.) Sosn. 624.
 — *caucasicum* (Hausskn.) Sosn. 625; tab. 27.
 — *colchicum* (Albov) Steinb. 626.
 — *halimifolium* Salisb. 627.
 — *latifolium* (L.) Th. Fries et Lange 626; tab. 27.
 — *Stevenii* (Boiss.) Sosn. 624.
Chamaeorchis Rich. 4, 644.
 — *alpinus* (L.) Rich. 644.
Chamaepericlymenum Graebn. 17, 322.
 — *canadense* (L.) Graebn. 327; tab. 25.
 — *suecicum* (L.) Graebn. 325; tab. 25.
 — *unalaschkense* (Ledeb.) Rydb. 328; tab. 25.
Chamaepeuce DC. 28, 219.
Chamaepitys Link 20, 17.
Chamaerhodos Bge. 10, 233.
 — *altaica* (Laxm.) Bge. 235.
 — *erecta* (L.) Bge. 238; tab. 17.
 — *grandiflora* (Pall.) Ledeb. 234.
 — *sabulosa* Bge. 237.
 — *songarica* Juz. 239, 615.
 — *trifida* Ledeb. 236; tab. 17.
Chamaerops L. 3, 475.
 — *humilis* L. 475; tab. 25.
Chamaesaracha Franch. et Savat. 22, 60.
Chamaesciadium C. A. Mey. 16, 421.
 — *acaule* (M. B.) Boiss. 421; tab. 30.
Chamaespartium Adans. 11, 68.
Chamaesphacos Schrenk 21, 243.
 — *ilicifolius* Schrenk 244.
Chamaesyce S. F. Gray 14, 482.
Chamitea A. Kerner 5, 24.
Chamomilla DC. 26, 148.
Chardinia Desf. 27, 69.
 — *macrocarpa* C. Koch 71.
 — *orientalis* (L.) Kuntze 70; tab. 5.
Chartocalyx Rgl. 21, 182, 183.
Chartolepis Cass. 28, 335.
 — *Biebersteinii* Jaub. et Sp. 339.
 — *glastifolia* (L.) Cass. 336; tab. 19.
 — *intermedia* Boiss. 337.
 — *pterocaula* (Trautv.) Czer. 338.
Chartoloma Bge. 8, 223.
 — *platycarpum* Bge. 223; tab. 13.
Chasmone E. Mey. 11, 51.
Cheilanthes Sw. 1, 74.
 — *argentea* (S. G. Gmel.) Kuntze 75.
 — *Kuhnii* Milde 76; tab. 4.
 — *persica* (Bory) Mett. ex Kuhn 76.
 — *pteridioides* (Reichb.) C. Chr. 76.
Cheirolepis Boiss. 28, 356.
 — *persica* Boiss. 358; tab. 19.
Chelidonium L. 7, 582.
 — *majus* L. 582; tab. 40.
Chenopodina Moq. 6, 177, 182, 191.
Chenopodium L. 6, 41.
 — *acuminatum* Willd. 56; tab. 3.
 — *album* L. 61; tab. 3.
 — *ambrosioides* L. 45.
 — *aristatum* L. 47; tab. 3.
 — *Berlandieri* Moq. 70.
 — *Bonus-Henricus* L. 52.
 — *botrys* L. 46; tab. 3.
 — *bryoniaefolium* Bge. 66; tab. 3.
 — *capitatum* (L.) Aschers. 49.
 — *chenopodioides* (L.) Aell. 50.
 — *foetidum* Schrad. 47.

- foliosum (Moench) Aschers. 48; tab. 3.
- frutescens C. A. Mey. 60; tab. 3.
- giganteum D. Don 65.
- glaucum L. 52.
- hircinum Schrad. 72.
- hybridum L. 55; tab. 3.
- jennisense Aell. et Iljin 69, 873.
- Klinggraeffii (Abromeit) Aell. 70; tab. 3.
- Korshinskiy Litw. 49.
- murale L. 55; tab. 3.
- opulifolium Schrad. 63.
- pamiricum Iljin 70, 873.
- polyspermum L. 54; tab. 3.
- pratericola Rydb. 65.
- prostratum Bge. ex Herd. 69.
- quinoa Willd. 72.
- rubrum L. 53.
- serotinum L. 71; tab. 3.
- Sosnowskyi Kapell. 66.
- strictum Roth 64.
- urbicum L. 59; tab. 3.
- Vachelii Hook. et Arn. 59.
- viride L. 68; tab. 3.
- vulvaria L. 67.
- Chesneya** Lindl. 11, 376.
- crassipes Boriss. 380.
- elegans Fomin 382.
- ferganensis Korsh. 382; tab. 25.
- hissarica Boriss. 381.
- kopetdaghensis Boriss. 380, 402; tab. 25.
- Linczevskyi Boriss. 378.
- ternata (Korsh.) M. Pop. 378.
- tribuloides Nevski 383.
- turkestanica Franch. 379.
- Chilochloa** Beauv. 2, 129.
- Chimaphila** Pursch 18, 17.
- japonica Miq. 18.
- umbellata (L.) Nutt. 17.
- Chlora** L. 18, 535.
- Chloranthus** Sw. 5, 21.
- japonicus Sieb. 21.
- Chloris** Sw. 2, 286.
- villosa (Desf.) Pers. 286; tab. 22.
- virgata Sw. 286; tab. 22.
- Chlorocyperus** Rikli 3, 17.
- Chomutovia** B. Fedtsch. 18, 327.
- Chondrilla** L. 29, 560.
- acantholepis Boiss. 569.
- ambigua Fisch. ex Kar. et Kir. 580.
- aspera (Schrad. ex Willd.) Poir. 571.
- Bosseana Iljin 585.
- brevirostris Fisch. et Mey. 568.
- canescens Kar. et Kir. 572; tab. 27.
- gibborostris M. Pop. 573.
- graminea M. B. 566.
- hispida (Pall.) Poir. 586.
- juncea L. 565; tab. 27.
- Kusnezovii Iljin 580.
- laticoronata Leonova 576, 754; tab. 28.
- latifolia M. B. 570; tab. 27.
- lejosperma Kar. et Kir. 574; tab. 28.
- macra Iljin 584.
- macrocarpa Leonova 581, 754; tab. 29.
- maracandica Bge. 578.
- mujunkumensis Iljin et Igolk. 584, 755.
- ornata Iljin 579.
- pauciflora Ledeb. 582.
- phaeocephala Rupr. 577; tab. 28.
- piptocoma Fisch. et Mey. 574.
- Rouillieri Kar. et Kir. 576.
- Chondrosea** Haw. 9, 186.
- Chorisis** DC. 29, 393.
- repens (L.) DC. 394; tab. 24.
- Chorisma** D. Don 29, 393.
- Chorispora** DC. 8, 310.
- Bungeana Fisch. et Mey. 315.
- elegans Cambess. 315.
- Greigii Rgl. 312.
- iberica (M. B.) DC. 316.
- macropoda Trautv. 312; tab. 21.
- sibirica (L.) DC. 317.
- songorica Schrank 311.
- tenella (Pall.) DC. 316.
- Chosenia** Nakai 5, 23.
- macrolepis (Turcz.) Kom. 23.
- Christolea** Cambess. 8, 328.
- crassifolia Cambess. 329; tab. 15.
- flabellata (Rgl.) N. Busch 330; tab. 15.
- linearis N. Busch 331, 636; tab. 15.
- maidantolica (M. Pop. et P. Baran.) N. Busch 330.
- pamirica Korsh. 329.
- parryoides (Cham.) N. Busch 331; tab. 15.
- Christophoriana** Moench 7, 79.
- Chromatolepis** Dulac 27, 77.
- Chromogalia** Boiss. 23, 354.
- Chrozophora** Neck. 14, 288.
- gracilis Fisch. et Mey. 290.
- hierosolymitana Spreng. 291; tab. 17.
- obliqua (Vahl) Juss. ex Spreng. 292; tab. 17.
- sabulosa Kar. et Kir. 289; tab. 17.
- tinctoria (L.) Juss. 290; tab. 17.
- Chrysanthemum** L. 26, 131.
- carinatum Schousb. 133.
- coronarium L. 134.
- Roxburghii Cass. 135.

- Chrysanthemum segetum* L. 136.
Chryseis Cass. 28, 323.
Chrysochamelia (Fenzl) Boiss. 8, 85.
 — *draboides* Woronow 85.
Chrysocyathus Falc. 7, 528.
Chrysopogon Trin. 2, 15.
 — *gryllus* (L.) Trin. 15; tab. 1.
Chrysosplenium L. 9, 200.
 — *alternifolium* L. 203.
 — *baicalense* Maxim. 215.
 — *beringianum* Rose 204.
 — *dubium* J. Gay 214.
 — *filipes* Kom. 206.
 — *flagelliferum* Fr. Schmidt. 205; tab. 12.
 — *kamtschaticum* Fisch. 210.
 — *Komarovii* Losinsk. 206, 488.
 — *nudicaule* Bge. 202; tab. 12.
 — *ovalifolium* M. B. ex Bge. 207.
 — *peltatum* Turcz. 202.
 — *pilosum* Maxim. 209.
 — *ramosum* Maxim. 208; tab. 12.
 — *rimosum* Kom. 214.
 — *Sedakowii* Turcz. 207; tab. 12.
 — *sinicum* Maxim. 210.
 — *tetrandrum* (Lund) Th. Fries 204.
 — *thianschanicum* Krassn. 208; tab. 12.
 — *trachyspermum* Maxim. 213.
 — *Wrightii* Franch. et Savat. 204.
Chusua Nevski 4, 670, 753.
 — *secunda* Nevski 670; tab. 42.
Chymysdia Albov 17, 37.
 — *agasylloides* Albov 37; tab. 4.
Cicer L. 13, 386.
 — *anatolicum* Alef. 391.
 — *arietinum* L. 388; tab. 21.
 — *baldshuanicum* (M. Pop.) Lincz. 395; tab. 21.
 — *ervoides* (Sieb.) Fenzl 390.
 — *Fedtschenkoi* Lincz. 399; tab. 21.
 — *flexuosum* Lipsky 392; tab. 21.
 — *Jacquemontii* Jaub. et Spach 400; tab. 22.
 — *kopetdagense* Lincz. 405; tab. 22.
 — *Korshinskyi* Lincz. 396.
 — *macracanthum* M. Pop. 404; tab. 22.
 — *minutum* Boiss. et Hohen. 391.
 — *mogoltavicum* (M. Pop.) A. Korol. 397.
 — *pungens* Boiss. 403; tab. 22.
 — *songoricum* Steph. ex DC. 397; tab. 21.
Cicerbita Wallr. 29, 351.
 — *alpina* (L.) Wallr. 355; tab. 21.
 — *azurea* (Ledeb.) Beauverd 358; tab. 21.
 — *Bourgaei* (Boiss.) Beauverd 366; tab. 21.
 — *deltoidea* (M. B.) Beauverd 368; tab. 22.
 — *Kovalevskiana* Kirp. 372; tab. 22.
 — *macrophylla* (Willd.) Wallr. 361; tab. 21.
 — *prenanthoides* (M. B.) Beauverd 365; tab. 21.
 — *racemosa* (Willd.) Beauverd 363; tab. 21.
 — *rosea* (M. Pop. et Vved.) S. Kovalevsk. 370; tab. 22.
 — *sevanensis* Kirp. 362; tab. 21.
 — *tianschanica* (Rgl. et Schmalh.) Beauverd 355; tab. 21.
 — *uralensis* (Rouy) Beauverd 360; tab. 21.
 — *zeravschanica* M. Pop. ex S. Kovalevsk. 369; tab. 22.
Cicerbita Wallr. emend. Beauverd 29, 351.
Cichorium L. 29, 14.
 — *endivia* L. 19.
 — *glandulosum* Boiss. et Huet 18.
 — *intybus* L. 16.
 — *pumilum* Jacq. 18.
Cicuta L. 16, 375.
 — *virosa* L. 376.
Cicutaria Lam. 16, 376.
Cicutaria Moench 16, 349.
Ciliaria Haw. 9, 180.
Cimicifuga L. 7, 82.
 — *dahurica* (Turcz.) Maxim. 83.
 — *europaea* Schipcz. 85, 721.
 — *foetida* L. 84.
 — *heracleifolia* Kom. 83.
 — *simplex* Wormsk. 84.
Cinna L. 2, 169.
 — *latifolia* (Trev.) Griseb. 169; tab. 12.
Circaea L. 15, 633.
 — *alpina* L. 633; tab. 31.
 — *cordata* Royle 637; tab. 31.
 — *intermedia* Ehrh. 634; tab. 31.
 — *lutetiana* L. 635.
 — *mollis* Sieb. et Zucc. 636.
 — *quadrisulcata* (Maxim.) Franch. et Savat. 636.
Cirsium Mill. 28, 51.
 — *abkhasicum* (Petrak) Grossh. 86.
 — *acaulis* (L.) Scop. 205.
 — *adjaricum* Somm. et Lev. 79.
 — *aduncum* Fisch. et Mey. ex DC. 97; tab. 5.
 — *aggregatum* Ledeb. 69.
 — *alatum* (S. G. Gmel.) Bobr. 192.
 — *Alberti* Rgl. et Schmalh. 145.
 — *Albowianum* Somm. et Levier 189.
 — *anatolicum* (Petrak) Grossh. 102.
 — *apiculatum* DC. 190.
 — *arachnoideum* (M. B.) M. B. 110.
 — *argillosum* V. Petrov ex Char. 123; tab. 6.

- armenum DC. 200.
- arvense (L.) Scop. 213.
- badakhschanicum Char. 144, 604.
- balkharicum Char. 117.
- Biebersteinii Char. 170.
- Bornmülleri Sint. ex Bornm. 99.
- bracteosum DC. 93.
- brevipapposum Tschern. 204.
- Buschianum Char. 84, 602.
- canum (L.) All. 169.
- caput-medusae Somm. et Levier 88.
- caucasicum (Adam) Petrak 78; tab. 4.
- cephalotes Boiss. 114.
- chlorocomos Somm. et Lev. 76.
- ciliatum (Murr.) Moench 130.
- congestum Fisch. et Mey. ex DC. 90.
- coryletorum Kom. 174; tab. 7.
- cosmeli (Adam) Fisch. ex Hohen. 107.
- czerkessicum Char. 72, 602.
- daghestanicum Char. 119.
- dealbatum M. B. 168.
- depilatum Boiss. et Bal. 185.
- echinus (M. B.) Hand.-Mazz. 147.
- elbrusense Somm. et Lev. 188.
- elodes M. B. 191.
- erisithales (Jacq.) Scop. 163.
- erythrolepis C. Koch 81.
- esculentum (Sievers) C. A. Mey. 201.
- euxinum Char. 110.
- Fominii Petrak 87.
- Frickii Fisch. et Mey. 204.
- Gagnidzei Char. 71, 600.
- glabrifolium (C. Winkl.) O. et B. Fedtsch. 143; tab. 8.
- helenioides (L.) Hill 166.
- heterophyllum (L.) Hill 165.
- hydrophiloides Char. 186.
- hygrophilum Boiss. 187.
- hypoleucum DC. 154.
- imereticum Boiss. 74.
- incanum (S. G. Gmel.) Fisch. ex M. B. 211.
- kamtschaticum Ledeb. ex DC. 179.
- Kemulariae Char. 75.
- Ketzkhoveli Char. 120.
- Komarovii Schischk. 178.
- Kusnetzowianum Somm. et Levier 150.
- lamyroides Tamamsch. 138.
- laniflorum (M. B.) M. B. 111.
- lappaceum (M. B.) M. B. 101; tab. 5.
- longiflorum Char. 71, 601.
- Maackii Maxim. 157.
- macrobotrys (C. Koch) Boiss. 106.
- macrocephalum C. A. Mey. 122.
- megricum Char. 104, 603.
- oblongifolium C. Koch 153.
- obvallatum (M. B.) M. B. 198.
- ochrolepideum Juz. 212.
- oleraceum (L.) Scop. 161.
- osseticum (Adam) Petrak 83.
- palustre (L.) Scop. 183.
- pannonicum (L. f.) Link 171.
- pectinellum A. Gray 182.
- pendulum Fisch. 208.
- polonicum (Petrak) Iljin 127.
- pseudolappaceum Char. 125.
- pugnax Somm. et Levier 116.
- rhabdotolepis Petrak 197.
- rhizocephalum C. A. Mey. 203.
- rigidum DC. 96.
- rivulare (Jacq.) All. 162.
- sairamense (C. Winkl.) O. et B. Fedtsch. 142.
- schantarense Trautv. et Mey. 158.
- Schelkownikowii Petrak 105.
- Schischkinii Serg. 177.
- Semenovii Rgl. et Schmalh. 140.
- serratuloides (L.) Hill 176.
- serrulatum (M. B.) M. B. 128.
- setosum (Willd.) M. B. 210.
- Sieversii (Fisch. et Mey.) Petrak 146; tab. 8.
- simplex C. A. Mey. 199.
- sinuatum (Trautv.) Boiss. 137; tab. 7.
- sorocephalum Fisch. et Mey. 91.
- Sosnowskyi Char. 85; tab. 6.
- strigosum (M. B.) M. B. 94.
- subinerme Fisch. et Mey. 195.
- sublaniflorum Soják 112.
- svaneticum Somm. et Lev. 193.
- sychnosanthum Petrak 152.
- Szowitsii (C. Koch) Boiss. 132.
- tauricum Soják 114.
- tindaicum Char. 121.
- tomentosum C. A. Mey. 118; tab. 4.
- tricholoma Fisch. et Mey. 82.
- turkestanicum (Rgl.) Petrak 124.
- ucranicum Bess. 129.
- uliginosum (M. B.) M. B. 194.
- Vlassovianum Fisch. 173.
- vulgare (Savi) Ten. 135.
- Waldsteinii Rouy 153.
- Weyrichii Maxim. 181; tab. 9.
- Cistanche** Hoffm. et Link 23, 21.
- ambigua (Bge.) G. Beck 25; tab. 3.
- fissa (C. A. Mey.) G. Beck 26; tab. 3.
- flava (C. A. M.) Korsh. 23.

- Cistanche mongolica* G. Beck 24.
 — *Ridgewayana* Aitch. et Hemsl. 27; tab. 3.
 — *salsa* (C. A. Mey.) G. Beck. 24.
 — *tubulosa* (Schenk) Wight 23; tab. 3.
Cistus L. 15, 328.
 — *salvifolius* L. 329.
 — *tauricus* (J. et C.) Presl 328; tab. 17.
Citharexylum Bge. 8, 333.
 — *Lehmannii* Bge. 333; tab. 21.
 — *vernum* Bge. 334.
Citrullus Forsk. 24, 111.
 — *colocynthus* (L.) Schrad. 113.
 — *vulgaris* Schrad. 111.
Citrus L. 14, 234.
 — *limon* Burm. 237.
 — *unshiu* Marc. 237; tab. 14.
Cladium Schrad. 3, 101.
 — *mariscus* (L.) R. Br. 102; tab. 5.
Cladochaeta DC. 25, 430.
 — *candidissima* (M. B.) DC. 431; tab. 26.
 — *caspica* Sosn. ex Grossh. 431.
Clausia Korn.-Tr. 8, 251.
 — *aprica* (Steph.) Korn.-Tr. 252.
 — *hispidula* (Rgl.) Lipsky 254.
 — *kasakorum* Pavl. 253.
 — *mollissima* Lipsky 254.
 — *Olgae* (Rgl. et Schmalh.) Lipsky 255.
 — *papillosa* Vass. 255, 641; tab. 17.
 — *serawschanica* (Rgl. et Schmalh.) Lipsky 255.
 — *turkestanica* Lipsky 253.
Claytonia Gronov. 6, 377.
 — *acutifolia* Pall. ex Willd. 378.
 — *arctica* Adam 381.
 — *Eschscholtzii* Cham. 382; tab. 19.
 — *Joanneana* Roem. et Schult. 381.
 — *sarmentosa* C. A. Mey. 382.
 — *sibirica* L. 383.
 — *tuberosa* Pall. ex Willd. 378; tab. 19.
 — *Vassilievii* Kuzen. 383, 880.
Clematis L. 7, 310.
 — *aethusifolia* Turcz. 315; tab. 20.
 — *asplenifolia* Schrenk 317; tab. 20.
 — *brevicaudata* DC. 320; tab. 20.
 — *flammula* L. 319.
 — *fusca* Turcz. 312; tab. 20.
 — *glauca* Willd. 321.
 — *hexapetala* Pall. 318.
 — *integrifolia* L. 312; tab. 20.
 — *ispanica* Boiss. 317.
 — *manschurica* Rupr. 319; tab. 20.
 — *orientalis* L. 322; tab. 20.
 — *pseudoflammula* Schmalh. ex Lipsky 319; tab. 20.
 — *recta* L. 318.
 — *serratifolia* Rehd. 321.
 — *songarica* Bge. 316; tab. 20.
 — *tangutica* (Maxim.) Korsh. 322.
 — *vitalba* L. 310; tab. 20.
 — *viticella* L. 316.
Clematis Rose 9, 29.
Cleome L. 8, 3.
 — *chorossanica* Bge. 9; tab. 1.
 — *coluteoides* Boiss. 13.
 — *Gordjaginitii* M. Pop. 5.
 — *Lipskyi* M. Pop. 12.
 — *Noeana* Boiss. 10; tab. 1.
 — *ornithopodioides* L. 9.
 — *quinquenervia* DC. 10.
 — *Raddeana* Trautv. 14.
 — *rostrata* Bobr. 12, 633; tab. 1.
 — *tomentella* M. Pop. 11.
 — *turkmena* Bobr. 6, 633.
Clerodendron L. 19, 699.
 — *foetidum* Bge. 700.
Clerodendrum L. 19, 699.
Clinelymus (Griseb.) Nevski 2, 690.
 — *dahuricus* (Turcz.) Nevski 691; tab. 49.
 — *excelsus* (Turcz.) Nevski 692; tab. 49.
 — *nutans* (Griseb.) Nevski 691; tab. 49.
 — *sibiricus* (L.) Nevski 690; tab. 49.
Clinopodium L. 21, 436.
 — *chinense* (Benth.) Kuntze 440.
 — *integerrimum* Boriss. 438; tab. 26.
 — *sachalinense* (Fr. Schmidt) Koidz. 440.
 — *umbrosum* (M. B.) C. Koch 439; tab. 26.
 — *vulgare* L. 437.
Clintonia Raf. 4, 448.
 — *udens* Trautv. et Mey. 448; tab. 27.
Clypeola L. 8, 364.
 — *dichotoma* Boiss. 367; tab. 22.
 — *echinata* DC. 367.
 — *elegans* Boiss. et Huet 366.
 — *jonthlaspi* L. 365; tab. 22.
 — *microcarpa* Boiss. 366.
 — *Raddeana* Alb. 366.
Cnicus L. 28, 52, 209.
Cnicus L. 28, 587.
 — *benedictus* L. 587.
Cnidium Guss. 16, 549.
 — *ajanense* (Rgl. et Til.) Drude 554; tab. 34.
 — *cnidiifolium* (Turcz.) Schischk. 552; tab. 34, 36.

- dahuricum (Jacq.) Turcz. 550; tab. 15, 36.
- dubium (Schkuhr) Thell. 552.
- Grossheimii Manden. 558.
- Monnieri (L.) Guss. 559.
- multicaule (Turcz.) Ledeb. 551; tab. 34.
- orientale Boiss. 557.
- pauciradiatum Somm. et Lev. 558.
- salinum Turcz. 553.
- Cobresia** Willd. 3, 105.
- Bellardii (All.) Degl. 109; tab. 9.
- calillifolia (Decne.) Clarke 109; tab. 9.
- filifolia (Turcz.) Meinsh. 109.
- humilis (C. A. Mey.) Serg. 111; tab. 9.
- paniculata Meinsh. 111; tab. 9.
- Royleana (Nees) W. Beck. 110; tab. 9.
- schoenoides (C. A. Mey.) Steud. 106; tab. 9.
- simpliciuscula (Wahl.) Maack 110; tab. 9.
- Cochlearia** L. 8, 568.
- arctica Schlecht. 569.
- groenlandica L. 570.
- lenensis Ad. 569.
- oblongifolia DC. 569.
- Cochlidiospermum* Reichb. 22, 329, 392.
- Cocos* Mart. 469.
- Codonoccephalum** Fenzl 25, 432.
- paecockianum Aitch. et Hemsl. 432.
- Codonopsis** Wall. 24, 433.
- clematidea (Schrenk) Clarke 437; tab. 26.
- lanceolata (Sieb. et Zucc.) Benth. et Hook. 435.
- pilosula (Franch.) Nannfeldt 434.
- ussuriensis (Rupr. et Maxim.) Hemsl. 436; tab. 26.
- Coeloglossum** Hartm. 4, 647.
- viride (L.) Hartm. 647.
- Coelopleurum** Ledeb. 17, 33.
- Gmelinii (DC.) Ledeb. 33; tab. 8.
- Colchicum* Tourn. 4, 23.
- Colchicum** L. 4, 23.
- autumnale L. 30.
- Biebersteinii Rouy 25.
- laetum Stev. 29.
- luteum Baker 27.
- nivale Boiss. et Huet ex Stef. 26; tab. 2.
- Regelii Stef. 27.
- serpentinum Misch. 25; tab. 2.
- speciosum Stev. 29.
- Szovitsii Fisch. et Mey. 26; tab. 2.
- umbrosum Stev. 28; tab. 2.
- zangezorum Grossh. 26.
- Coleanthus** Seidl. 2, 160.
- subtilis (Tratt.) Seidl. 160; tab. 12.
- Coleostephus** Cass. 26, 146.
- myconis (L.) Cass. 147.
- Collomia** Nutt. 19, 94.
- linearis Nutt. 94.
- Colpodium** Trin. 2, 434.
- altaicum Trin. 436.
- araraticum Woronow 438.
- chrysanthum Woronow 439.
- colchicus (Albov) Woronow 437; tab. 33.
- fibrosum Trautv. 438.
- humile (M. B.) Griseb. 442; tab. 33.
- lakium Woronow 441.
- leucolepis Nevski 437.
- ornatum Nevski 441, 757.
- parviflorum Boiss. et Buhse 445; tab. 33.
- ponticum (Bal.) Woronow 440.
- Vahlianum (Liebm.) Nevski 436; tab. 35.
- variegatum Boiss. 439.
- versicolor (Stev.) Schmalh. 440; tab. 33.
- Coluria** R. Br. 10, 241.
- geoides (Pall.) Ledeb. 241; tab. 18.
- Colutea** L. 11, 315.
- acutifolia Shap. 318, 394.
- arborescens L. 318.
- armena Boiss. et Huet 321; tab. 22.
- Buhsei (Boiss.) Shap. 320; tab. 22.
- canescens Shap. 312, 394.
- cilicica Boiss. et Bal. 319; tab. 22.
- gracilis Freyn et Sint. ex Freyn 321; tab. 22.
- hybrida Shap. 322, 395.
- Jarmolenkoi Shap. 320, 394; tab. 22.
- Komarovii Takht. 323.
- kopetdaghensis B. Fedtsch. 320.
- orientalis Mill. 317; tab. 22.
- Paulsenii Freyn et Sint. ex Freyn 322; tab. 22.
- Coluteocarpus** Boiss. 8, 572.
- vesicaria (L.) Holmb. 572.
- Comaropsis* Rich. 10, 239.
- Comarum** L. 10, 73.
- palustre L. 74; tab. 7.
- Salesovianum (Steph.) Aschers. Graebn. 77.
- Commelina** L. 3, 498.
- communis L. 501; tab. 26.
- Comperia** C. Koch 4, 676.
- taurica C. Koch 676; tab. 43.
- Condyllocarpus* Hoffm. 17, 276.
- Coniogramma** Fée 1, 73.
- fraxinea (D. Don) Diels 73.

- Conioselinum** Fisch. 17, 1.
 — boreale Schischk. 6, 351.
 — kamschaticum Rupr. 4; tab. 8.
 — latifolium Rupr. 3; tab. 8.
 — longifolium Turcz. 5; tab. 1.
 — pinnatifolium (Korov.) Schischk. 9.
 — schugnanicum B. Fedtsch. 4.
 — vaginatum (Spreng.) Thell. 2; tab. 8.
 — victoris Schischk. 6, 351; tab. 8.
Conium L. 16, 225.
 — maculatum L. 225.
Conringia Adans. 8, 495.
Conringia (Heist.) Pers. 8, 495.
 — austriaca (Jacq.) Sweet 496.
 — orientalis (L.) Andr. 496.
 — perfoliata (C. A. Mey.) N. Busch 497.
 — persica Boiss. 497.
 — planisiliqua Fisch. et Mey. 497.
Consolida S. F. Gray 7, 99.
Convallaria L. 4, 467.
 — majalis L. 467; tab. 29.
Convolvulus L. 19, 6.
 — Ammanii Desr. 26.
 — arvensis L. 29.
 — ascabadensis Bornm. et Sint. ex Bornm. 20.
 — Calvertii Boiss. 23.
 — campanulatus Zapr. 13.
 — cantabrica L. 22.
 — commutatus Boiss. 23.
 — divaricatus Rgl. et Schmalh. 18.
 — erinaceus Ledeb. 16; tab. 1.
 — fruticosus Pall. 14.
 — Gortschakovii Schrenk 14.
 — hamadae (Vved.) V. Petrov 17.
 — hirsutus Stev. 28; tab. 1.
 — holosericeus M. B. 25.
 — Korolkovii Rgl. et Schmalh. 18.
 — Krauseanus Rgl. et Schmalh. 19.
 — lineatus L. 26.
 — lycioides Boiss. 10.
 — Michelsonii V. Petrov 19.
 — Olgae Rgl. et Schmalh. 13.
 — persicus L. 27; tab. 1.
 — pilosellifolius Desr. 22.
 — pseudocantabrica Schrenk 20.
 — pseudoscammonia C. Koch 28.
 — scammonia L. 29.
 — sericocephalus Juz. 24.
 — subhirsutus Rgl. et Schmalh. 21.
 — subsericeus Schrenk 17.
 — tauricus (Bornm.) Juz. 24.
 — tragacanthoides Turcz. 15.
Conyza L. 25, 191.
Conyza Less. 25, 191, 239.
Conyza Spreng. 25, 185.
Conyzanthus Tamamsch. 25, 185, 583.
 — graminifolius (Spreng.) Tamamsch. 186; tab. 4.
 — squamatus (Spreng.) Tamamsch. 186.
Conyzella Rupr. 25, 191.
Coptis Salisb. 7, 78.
 — trifolia (L.) Salisb. 78.
Corallorhiza Hall. 4, 608.
 — trifida Chatel. 608; tab. 37.
Corchorus L. 15, 2.
 — capsularis L. 3.
 — olitorius L. 3.
Coreopsis L. 25, 546.
 — grandiflora Hoog. 547.
 — tinctoria Nutt. 547.
Coriandrum L. 16, 184.
 — sativum L. 185.
Corion Hoffm. et Link 16, 198.
Corispermum L. 6, 135.
 — algidum Iljin 139.
 — altaicum Iljin 148; tab. 6.
 — aralo-caspicum Iljin 144.
 — canescens Kit. 140.
 — chinganicum Iljin 147.
 — confertum Bge. 157.
 — crassifolium Turcz. 143.
 — declinatum Steph. ex Stev. 147; tab. 7.
 — Dutreuilii Iljin 154; tab. 6.
 — elongatum Bge. 156; tab. 6.
 — erosum Iljin 150; tab. 6.
 — filifolium C. A. Mey. 146.
 — gelidum Iljin 156, 875.
 — heptapotamicum Iljin 152.
 — Hilariae Iljin 154, 874.
 — hyssopifolium L. 148; tab. 6.
 — Komarovii Iljin 143.
 — Korovinii Iljin 155; tab. 7.
 — Krylovii Iljin 150.
 — laxiflorum Schrenk 145; tab. 6.
 — Lehmannianum Bge. 152; tab. 6.
 — macrocarpum Bge. 157; tab. 6.
 — Marschallii Stev. 138; tab. 6.
 — mongolicum Iljin 151; tab. 6.
 — nitidum Kit. 145; tab. 6.
 — orientale Lam. 150; tab. 6.
 — pamiricum Iljin 153; tab. 6.
 — papillosum (Kuntze) Iljin 155; tab. 7.
 — piliferum Iljin 151; tab. 7.
 — Redowskii Fisch. 149; tab. 7.
 — sibiricum Iljin 149; tab. 6.
 — squarrosum L. 140; tab. 6.
 — tibeticum Iljin 153.

- ulopterum Fenzl 158; tab. 7.
- Cormus* Spach 9, 374.
- Cornella* Rydb. 17, 324.
- Corniola* Adans. 11, 54.
- Cornulaca*** Delile 6, 350.
- Korshinskyi Litv. 350; tab. 14.
- Cornus*** L. 17, 317.
- mas L. 317; tab. 24.
- Corona* Fisch. et J. Grah. 4, 302.
- Coronaria*** L. 6, 699.
- coriacea (Moench) Schischk. 699.
- flos-cuculi (L.) A. Br. 700.
- Coronilla*** L. 13, 247.
- Balansae Boiss. 251.
- coronata L. 249.
- cretica L. 253.
- emeroides Boiss. et Sprun. 248.
- latifolia Jav. 251.
- orientalis Mill. 250.
- parviflora Willd. 254.
- scorpioides (L.) Koch 254.
- varia L. 252.
- Coronopus*** (Rupr.) Gaertn. 8, 537.
- didymus (L.) Smith 538.
- procumbens Gilib. 538.
- Coroxylon* Moq. 6, 248.
- Coroxylon* Thunb. 6, 248.
- Cortaderia*** Stapf 2, 302.
- dioica (Spreng.) Speg. 302; tab. 23.
- Cortusa*** L. 18, 242.
- altaica Losinsk. 246.
- amurensis Fed. 246, 731.
- Brotheri Pax ex Lipsky 245.
- Matthioli L. 248.
- pekinensis (A. Rich.) Losinsk. 244; tab. 10.
- sibirica Andr. 247.
- turkestanica Losinsk. 245; tab. 10.
- Corvisartia* Méral 25, 433, 440.
- Corydalis*** Medic. 7, 649.
- Aitchisonii M. Pop. 658, 750.
- Alexeenkoana N. Busch 674.
- alpestris C. A. Mey. 676.
- ambigua Cham. et Schlecht. 666.
- angustifolia (M. B.) DC. 673.
- arctica M. Pop. 680, 751; tab. 43.
- bracteata (Steph.) Pers. 674.
- bucharica M. Pop. 693, 752.
- Buschii Nakai 680.
- capnoides (L.) Pers. 702.
- caucasica DC. 664; tab. 43.
- cava (Mill.) Schweigg. et Korte 659; tab. 43.
- chionophila Czerniak. 654.
- conorhiza Ledeb. 675; tab. 43.
- darwasica Rgl. ex Prain 653.
- Emanueli C. A. Mey. 679.
- Erdelii Zucc. 655; tab. 43.
- Fedtschenkoana Rgl. 698.
- fimbrillifera Korsh. 691.
- fumariifolia Maxim. 669.
- gigantea Trautv. et Mey. 683.
- glaucescens Rgl. 663.
- Gortschakovii Schrenk 688.
- Halleri Willd. 671.
- impatiens (Pall.) Fisch. 705.
- inconspicua Bge. 699.
- intermedia (L.) Merat 665.
- kaschgarica Rupr. 695.
- Ledebouriana Kar. et Kir. 655.
- macrantha (Rgl.) M. Pop. 682, 751; tab. 44.
- macrocalyx Litv. 697; tab. 44.
- macrocentra Rgl. 652.
- Marschalliana (Pall.) Pers. 659; tab. 43.
- Nevski M. Pop. 658, 750; tab. 43.
- nobilis (L.) Pers. 687.
- nudicaulis Rgl. 660.
- ochotensis Turcz. 703; tab. 44.
- Paczoskii N. Busch 672.
- paeoniifolia (Steph.) Pers. 684.
- pallida Pers. 700.
- pallidiflora (Rupr.) N. Busch 679.
- paniculigera Rgl. et Schmalh. 695; tab. 44.
- pauciflora (Steph.) Pers. 678; tab. 43.
- persica Cham. et Schlecht. 654; tab. 43.
- Popovii Nevski 656; tab. 43.
- pseudoadunca M. Pop. 696, 753; tab. 44.
- pseudoalpestris M. Pop. 677, 750.
- pseudostricta M. Pop. 696, 752.
- Raddeana Rgl. 704; tab. 44.
- Redowskii Fedde 683.
- remota Fisch. ex Maxim. 670.
- repens Mandl et Muehld. 666.
- Schanginii (Pall.) B. Fedtsch. 663.
- Schelesnowiana Rgl. et Schmalh. 694.
- Semenovii Rgl. 687.
- sempervirens (L.) Pers. 701.
- Severzovii Rgl. 657.
- sibirica (L. f.) Pers. 704.
- stricta Steph. 692.
- tenella Kar. et Kir. 700; tab. 44.
- transalaica M. Pop. 693, 751.
- Corylus*** L. 5, 262.
- avellana L. 264.
- brevītuba Kom. 268.
- colchica Albov 267; tab. 12.

- Corylus colurna* L. 263; tab. 12.
 — *heterophylla* Fisch. ex Bess. 265.
 — *manshurica* Maxim. 268.
 — *maxima* Mill. 266; tab. 12.
 — *pontica* C. Koch 266; tab. 12.
Corynephorus Beauv. 2, 240.
 — *articulatus* (Desf.) Beauv. 241.
 — *canescens* (Bernh.) Beauv. 241; tab. 18.
Cosmea Willd. 25, 561.
Cosmos Cav. 25, 561.
 — *bipinnatus* Cav. 562.
Cota J. Gay ex Guss. 26, 9, 39.
Cotinus Adans. 14, 526.
 — *coggygia* Scop. 526.
Cotoneaster Medic. 9, 319.
 — *insignis* Pojark. 330; tab. 19.
 — *integerrima* Medic. 323.
 — *lucida* Schlecht. 323; tab. 19.
 — *melanocarpa* Lodd. 320.
 — *multiflora* Bge. 329.
 — *oligantha* Pojark. 326.
 — *racemiflora* (Desf.) C. Koch. 331.
 — *saxatilis* Pojark. 333.
 — *taurica* Pojark. 332; tab. 19.
 — *uniflora* Bge. 324; tab. 19.
Cotula L. 26, 418.
 — *coronopifolia* L. 421; tab. 6.
Cousinia Cass. 27, 108.
 — *abbreviata* Tscherneva 347.
 — *Abolinii* Kult. ex Tsherneva 218.
 — *acrodroma* Tscherneva 348; tab. 28.
 — *adenophora* Juz. 337.
 — *affinis* Schrenk 153, tab. 8.
 — *agelocephala* Tscherneva 216.
 — *alaica* Juz. ex Tscherneva 254.
 — *alata* Schrenk 163.
 — *Alberti* Rgl. et Schmalh. 239.
 — *Albertoregelia* C. Winkl. 168.
 — *albiflora* (Bornm. et Sint.) Bornm. 147; tab. 8.
 — *allosepis* Tscherneva et Vved. 343.
 — *alpestris* Bornm. ex Juz. 282.
 — *alpina* Bge. 284.
 — *ambigens* Juz. 209.
 — *amoena* C. Winkl. 228.
 — *Androssovii* Juz. 217.
 — *angreni* Juz. 199.
 — *angusticeps* Juz. 275; tab. 10.
 — *anomala* Franch. 182; tab. 13.
 — *Antonowii* C. Winkl. 158.
 — *apiculata* Tscherneva 174.
 — *arachnoidea* Fisch. et Mey. 316.
 — *araxena* Takht. 192.
 — *arctioides* Schrenk 177; tab. 12.
 — *armena* Takht. 189; tab. 22.
 — *astracana* (Spreng.) Tamamsch. 152.
 — *aurea* C. Winkl. 244.
 — *Badghysi* Kult. 144.
 — *Baranovii* Juz. ex Tscherneva 255.
 — *Batalinii* C. Winkl. 295.
 — *Beckeri* Trautv. 265.
 — *Bobrovii* Juz. 169.
 — *Bonvalotii* Franch. 354.
 — *Botschantzevii* Juz. ex Tscherneva 267; tab. 23.
 — *brachyptera* DC. 192.
 — *Bungeana* Rgl. et Schmalh. 272.
 — *buphtalmoides* Rgl. 287.
 — *Butkovii* Tscherneva et Vved. 304.
 — *caespitosa* C. Winkl. 356.
 — *calca* Juz. 295.
 — *campyloraphis* Tscherneva 228.
 — *candicans* Juz. 230.
 — *carduncelloidea* Rgl. et Schmalh. 285.
 — *centauroides* Fisch. et Mey.
 — *ceratophora* Kult. 355.
 — *chaetocephala* Kult. 151.
 — *chlorantha* Kult. 247; tab. 27.
 — *chlorocephala* C. A. Mey. 188.
 — *chrysanthia* Kult. 340.
 — *coerulea* Kult. ex Tscherneva 235.
 — *congesta* Bge. 216.
 — *coronata* Franch. 279.
 — *corymbosa* C. Winkl. 235.
 — *cryptadena* Juz. 157.
 — *cynaroides* (M. B.) C. A. Mey. 262.
 — *daralaghezica* Takht. 189.
 — *darwasica* C. Winkl. 309.
 — *decurrentifolia* Juz. ex Tscherneva 257; tab. 20.
 — *dichotoma* Bge. 269.
 — *dichromata* Kult. 214; tab. 15.
 — *Dimoana* Kult. 309.
 — *dissecta* Kar. et Kir. 160; tab. 9.
 — *dissectifolia* Kult. 257.
 — *divaricata* C. Winkl. 310.
 — *dolichoclada* Juz. 162.
 — *dolicholepis* Schrenk 197.
 — *dolichophylla* Kult. 219.
 — *dshisakensis* Kult. 300.
 — *dubia* M. Pop. 327.
 — *egens* Juz. 215.
 — *egregia* Juz. 218; tab. 14.
 — *erectispina* Tscherneva 269.
 — *eriotricha* Juz. 352.
 — *erivanensis* Bornm. 193.
 — *eryngioides* Boiss. 186; tab. 14.
 — *Eugenii* Kult. 275.

- fallax C. Winkl. 255; tab. 19.
- fascicularis Juz. 184.
- Fedorovii Takht. 190.
- Fedtschenkoana Bornm. 224.
- ferganensis Bornm. 320.
- ferruginea Kult. 308.
- Fetissowii C. Winkl. 293; tab. 23.
- finitima Juz. 207.
- Franchetii C. Winkl. 221.
- Freynii Bornm. et Sint. 265.
- glabriseta Kult. 292.
- glandulosa Kult. 158.
- glaphyrocephala Juz. ex Tscherneva 334.
- glochidiata Kult. 175.
- Gnezdiloi Tscherneva 233.
- Gomolitzkii Juz. ex Tscherneva 238.
- Gontscharowii Juz. 170.
- grandiflora Kult. 249; tab. 18.
- Grigoriewii Juz. 290.
- grisea Kult. 252.
- gulczensis Kult. 297.
- haesitabunda Juz. 247; tab. 19.
- hamadae Juz. 155.
- hastifolia C. Winkl. 326; tab. 26.
- Hilariae Kult. 288.
- Hohenackeri Fisch. et Mey. 195.
- hoplophylla Tscherneva 234.
- horrescens Juz. 240.
- horridula Juz. 212.
- hypopolia Bornm. et Sint. 148.
- hystrix C. A. Mey. 276; tab. 22.
- Iljinii Takht. 194.
- integrifolia Franch. 310.
- jassyensis C. Winkl. 332.
- Juzepczukii Tscherneva 203.
- karatavica Rgl. et Schmalh. 246.
- kazachorum Juz. ex Tscherneva 212.
- Knorringiae Bornm. 289.
- kokanica Rgl. et Schmalh. 328.
- Komarowii (Kuntze) C. Winkl. 250.
- Korolkovii Rgl. et Schmalh. 248.
- Korshinskyi C. Winkl. 225; tab. 16.
- Krauseana Rgl. et Schmalh. 324.
- Kuekenthalii Bornm. 256.
- laetevirens C. Winkl. 352.
- lanata C. Winkl. 335.
- laniceps Juz. 302.
- lappacea Schrenk 180.
- lasiosiphon Juz. 259; tab. 21.
- leioccephala (Rgl.) Juz. 314.
- leptacantha (Bornm.) Juz. 184.
- leptacma Tscherneva 227.
- leptocampyla Bornm. 283.
- leptoccephala Fisch. et Mey. 146.
- leptoclada Kult. 234.
- leptocladoides Tscherneva 232.
- leucantha Bornm. et Sint. 252.
- Linczewskii Juz. 145.
- Litvinovii Kult. ex Juz. 227.
- Lomakinii C. Winkl. 194.
- lyrata Bge. 263; tab. 21.
- macilenta C. Winkl. 226.
- macrocephala C. A. Mey. 263.
- macroptera C. A. Mey. 277.
- magnifica Juz. 334; tab. 27.
- maracandica Juz. 213.
- Margaritae Kult. 330.
- margiana Juz. 187.
- medians Juz. 245.
- microcarpa Boiss. 317.
- microcephala C. A. Mey. 196.
- mindshelkensis B. Fedtsch. 237.
- Minkwitziae Bornm. 200.
- minuta Boiss. 324.
- mogoltavica Tscherneva et Vved. 303.
- mollis Schrenk 185.
- mucida Kult. 150.
- mulgediifolia Bornm. 282.
- multiloba DC. 350.
- murgabica Tscherneva 274.
- neglecta Juz. 256.
- Newesskiana C. Winkl. 344.
- Ninae Juz. 318.
- Olga Rgl. et Schmalh. 166; tab. 9.
- omphalodes Tscherneva 326; tab. 26.
- onopordioides Ledeb. 260.
- oopoda Juz. 170.
- oreodoxa Bornm. et Sint. 174; tab. 11.
- oreoxerophila Kult. 150.
- orientalis (Adam) C. Koch 196.
- orthacantha Tscherneva 273.
- ortholepis Juz. ex Tscherneva 319.
- outichaschensis Franch. 285.
- Ovczinnikovii Tscherneva 296; tab. 24.
- oxiana Tscherneva 163.
- oxytoma Rech. f. 296.
- pannosa C. Winkl. 220.
- pannosiformis Tscherneva 222.
- patentispina Tscherneva 270.
- pauciramosa Kult. 315.
- peduncularis Juz. ex Tscherneva 297.
- pentacantha Rgl. et Schmalh. 239; tab. 17.
- pentacanthoides Juz. ex Tscherneva 241.
- perovskiensis (Bornm.) Juz. 161; tab. 9.
- platylepis Schrenk ex Fisch. et Mey. 313.
- platystegia Tscherneva 214.
- podophylla Tscherneva 232; tab. 16.

- Cousinia polycephala* Rupr. 206.
 — *polytimetica* Tscherneva 270.
 — *praestans* Tscherneva et Vved. 305.
 — *princeps* Franch. 300.
 — *proxima* Juz. 229.
 — *psammophila* Kult. 164; tab. 10
 — *pseudarctium* Bornm. 179.
 — *pseudoaffinis* Kult. 155.
 — *pseudodshisakensis* Tscherneva et Vved. 299; tab. 24.
 — *pseudolanata* M. Pop. ex Tscherneva 335.
 — *pseudomollis* C. Winkl. 183; tab. 13.
 — *pterolepida* Kult. 225.
 — *pulchella* Bge. 314.
 — *pulchra* C. Winkl. 280.
 — *pungens* Juz. 205.
 — *purpurea* C. A. Mey. 264.
 — *pusilla* C. Winkl. 273.
 — *pygmaea* C. Winkl. 167; tab. 10.
 — *Raddeana* C. Winkl. 176.
 — *radians* Bge. 278.
 — *ramulosa* Rech. f. 348.
 — *rava* C. Winkl. 290.
 — *refracta* Juz. 245.
 — *Regelii* C. Winkl. 316.
 — *resinosa* Juz. 210; tab. 15.
 — *rhodantha* Kult. 307.
 — *rigida* Kult. 236; tab. 18.
 — *rosea* Kult. 306.
 — *rotundifolia* C. Winkl. 307.
 — *rubiginosa* Kult. 349.
 — *scabrida* Juz. 199.
 — *Schischkinii* Juz. 294.
 — *schistoptera* Juz. 165.
 — *Schmalhauseni* C. Winkl. 246.
 — *Schtschurowskiana* Rgl. et Schmalh. 298.
 — *schugnanica* Juz. 346.
 — *sclerantha* Kult. 205.
 — *sclerophylla* Juz. 173.
 — *semidecurrens* C. Winkl. 222.
 — *semilacera* Juz. 342.
 — *serawschanica* C. Winkl. 355.
 — *Severtzovii* Rgl. 313; tab. 25.
 — *simulatrix* C. Winkl. 322.
 — *Smirnowii* Trautv. 266.
 — *sogdiana* Bornm. 161.
 — *sororia* Juz. 346.
 — *speciosa* C. Winkl. 294.
 — *Spiridonovii* Juz. 208.
 — *splendida* C. Winkl. 337; tab. 28.
 — *sporadocephala* Juz. 207.
 — *Sprygini* Kult. 268.
 — *Stahlia* Bornm. et Gauba 150.
 — *stellaris* Bornm. 287.
 — *stenophylla* Kult. 251.
 — *stephanophora* C. Winkl. 340.
 — *stricta* Tscherneva 172; tab. 11.
 — *strobilocephala* Tscherneva et Vved. 305.
 — *subappendiculata* Kult. 320.
 — *subcandicans* Tscherneva 230.
 — *submutica* Franch. 325.
 — *sylvicola* Bge. 272.
 — *syrdariensis* Kult. 202.
 — *talassica* (Kult.) Juz. 154.
 — *Tamarae* Juz. 326.
 — *tedshenica* Tscherneva 274.
 — *tenella* Fisch. et Mey. 333.
 — *tenuisecta* Juz. 202.
 — *tianschanica* Kult. 303.
 — *tomentella* C. Winkl. 179.
 — *trachyphylla* Juz. 339.
 — *transiliensis* Juz. 329.
 — *transoxana* Tscherneva 208.
 — *triceps* Kult. 292.
 — *trichopora* Kult. 345.
 — *triflora* Schrenk 242; tab. 17.
 — *turcomanica* C. Winkl. 145.
 — *turkestanica* (Rgl.) Juz. 203.
 — *turkmenorum* Bornm. 165.
 — *ulotoma* Bornm. 258; tab. 20.
 — *umblicata* Juz. 204.
 — *umbrosa* Bge. 178; tab. 12.
 — *Vavilovii* Kult. 249.
 — *verticillaris* Bge. 353.
 — *vicaria* Kult. 198.
 — *Vvedenskyi* Tscherneva 323.
 — *Waldheimiana* Bornm. 330.
 — *xanthina* Bornm. 338.
 — *xanthiocephala* Tscherneva 156.
Cousiniopsis Nevski 27, 57.
 — *atractylodes* (C. Winkl.) Nevski 58; tab. 4.
Covola Briq. 21, 359.
Craccina Stev. 12, 444.
Craepalia Aschers. et Graebn. 2, 546.
Crambe L. 8, 474.
 — *aculeolata* (N. Busch) Czerniak. 488, 651.
 — *armena* N. Busch 486.
 — *aspera* M. B. 480.
 — *cordifolia* Stev. 477.
 — *edentula* Fisch. et Mey. 486.
 — *gibberosa* Rupr. 480.
 — *Gordjagini* Spryg. et M. Pop. 489.
 — *grandiflora* DC. 485.
 — *juncea* M. B. 487.
 — *koktebelica* (Junge) N. Busch 487.
 — *Kotschyana* Boiss. 477; tab. 27.

- Litwinowii Grossh. 483.
- maritima L. 478; tab. 27.
- orientalis L. 489.
- pinnatifida R. Br. 479.
- schugnanica Korsh. 490.
- Steveniana Rupr. 485.
- tataria Sebeók 484.
- Craniospermum** Lehm. 19, 531.
- canescens DC. 534.
- echiioides (Schrenk) Bge. 535.
- subfloccosum Kryl. 534.
- subvillosum Lehm. 533.
- Crassina** Scepín 26, 532.
- Crataegus** L. 9, 416.
- altaica Lange 424; tab. 28.
- ambigua C. A. Mey. 443; tab. 29.
- armena Pojark. 467, 509.
- atrosanguinea Pojark. 448, 504.
- Beckeriana Pojark. 453, 505.
- caucasica C. Koch 447.
- chlorosarca Maxim. 429; tab. 28.
- dahurica Koehne ex Schneid. 423; tab. 28.
- dipyrena Pojark. 462, 508.
- dsungarica Zab. 461.
- eriantha Pojark. 439, 500.
- kirtostyla Fingerh. 450; tab. 30.
- Maximowiczii Schneid. 428.
- Meyeri Pojark. 438, 500; tab. 29.
- microphylla C. Koch 454; tab. 30.
- monogyna Jacq. 459; tab. 30.
- orientalis Pall. ex M. B. 433; tab. 29.
- oxyacantha L. 437; tab. 30.
- pentagyna Waldst. et Kit. 430.
- pinnatifida Bge. 421; tab. 28.
- pontica C. Koch 435; tab. 29.
- pseudoambigua Pojark. 466, 509.
- pseudoazarolus M. Pop. 465.
- pseudoheterophylla Pojark. 456, 506; tab. 30.
- pseudomelanocarpa M. Pop. 432, 498.
- remotilobata Raik. ex M. Pop. 428.
- sanguinea Pall. 422; tab. 28.
- Schraderiana Ledeb. 464.
- songorica C. Koch 449; tab. 29.
- sphaenophylla Pojark. 441, 502.
- Stevenii Pojark. 453, 505; tab. 30.
- Szovitsii Pojark. 434, 499.
- taurica Pojark. 440, 501.
- tianschanica Pojark. 461, 507.
- transcaspica Pojark. 447, 503; tab. 29.
- turcomanica Pojark. 457, 507; tab. 30.
- turkestanica Pojark. 451, 504.
- ucrainica Pojark. 444, 502.
- volgensis Pojark. 444, 502.
- zangezura Pojark. 463, 508.
- Crawfordia** Wall. 18, 536.
- japonica Sieb. et Zucc. 537.
- volubilis (Maxim.) Makino 537.
- Crepidium** Tausch 29, 595, 697.
- Crepinia** Reichb. 29, 699, 708.
- Crepis** auct. 29, 699.
- Crepis** L. 29, 594.
- alaica Krasch. 653.
- Alikeri Tamamsch. 646, 756.
- alpina L. 688.
- astrachanica Stev. 671, 759.
- biennis L. 637.
- Bungei Ledeb. 665.
- burejensis Fr. Schmidt 618.
- capillaris (L.) Wallr. 682.
- caucasica C. A. Mey. 612.
- caucasigena Czer. 663, 758; tab. 32.
- chrysantha (Ledeb.) Turcz. 617.
- ciliata C. Koch 636.
- conyzifolia (Gouan) Dalla Torre 629.
- corniculata Rgl. et Schmalh. 650; tab. 31.
- crocea (Lam.) Bab. 648.
- czuensis Serg. 621.
- darvazica Krasch. 632.
- flexuosa (Ledeb.) Clarke 651.
- foetida L. 689.
- glabra Boiss. 613.
- Gmelinii (L.) Tausch 678.
- hokkaidoensis Bab. 615.
- karakuschensis Czer. 622, 755.
- Karelinii M. Pop. et Schischk. 656, 757; tab. 31.
- khorassanica Boiss. 642.
- Kotschyana Boiss. 693.
- lactea Lipsch. 658; tab. 31.
- lyrata (L.) Froel. 623.
- Marshallii (C. A. Mey.) F. Schultz 696; tab. 33.
- micrantha Czer. 684.
- mollis (Jacq.) Aschers. 624.
- multicaulis Ledeb. 679.
- nana Richardson 659.
- nigrescens Pohle 672.
- oreades Schrenk 647.
- paludosa (L.) Moench 610.
- pannonica (Jacq.) C. Koch 639.
- polytricha (Ledeb.) Turcz. 620.
- pontica C. A. Mey. 627; tab. 32.
- praemorsa (L.) Tausch 661.
- pulchra L. 674.
- ramosissima Urv. 669.
- rhoadifolia M. B. 690.

- Crepis setosa* Hall. f. 698.
 — *sibirica* L. 608.
 — *sogdiana* (Krasch.) Czer. 657; tab. 30.
 — *sonchifolia* (M. B.) C. A. Mey. 634.
 — *tectorum* L. 667.
 — *trichocephala* (Krasch.) V. V. Nikit. 692; tab. 33.
 — *turcomanica* Krasch. 643.
 — *Willdenowii* Czer. 645.
 — *willemetioides* Boiss. 626.
Cressa L. 19, 2.
 — *cretica* L. 2.
Crinita Moench 25, 173.
Crinitaria Cass. 25, 173.
Critamus Bess. 16, 382.
Critesion Raf. 2, 721.
 — *jubatum* (L.) Nevski 721; tab. 50.
Crithmum L. 16, 468.
 — *maritimum* L. 468.
Crithodium Nevski 2, 677.
Crocus L. 4, 499.
 — *Adamii* J. Gay 509.
 — *alatavicus* Rgl. et Semen. 505.
 — *artvinensis* (Philipp.) Grossh. 510.
 — *aureus* Sibth. et Smith 505.
 — *Autranii* Albov 502.
 — *caspicus* Fisch. et Mey. 505.
 — *Heuffelianus* Herb. 503; tab. 31.
 — *karsianus* Fomin 502.
 — *Korolkowii* Rgl. et Maw 506; tab. 31.
 — *Michelsonii* B. Fedtsch. 506, 749.
 — *Pallasii* Goldb. 503; tab. 31.
 — *Roopiae* Woronow 510.
 — *Scharojanii* Rupr. 502.
 — *speciosus* M. B. 510; tab. 31.
 — *susianus* Ker-Gawl. 504.
 — *Suworowianus* C. Koch 501.
 — *tauricus* (Trautv.) Puring 509.
 — *vallicola* Herb. 501; tab. 31.
 — *variegatus* Hoppe et Hornsch. 504; tab. 31.
Crossophyllum Spach 15, 203.
Crossostephium auct. 26, 315.
Crotalaria L. 11, 47.
 — *junceae* L. 47.
Crucianella L. 23, 177.
 — *angustifolia* L. 187.
 — *baldshuanica* Krasch. 185; tab. 10.
 — *bucharica* B. Fedtsch. 179.
 — *chlorostachys* Fisch. et Mey. 186; tab. 10.
 — *divaricata* Korov. 184; tab. 10.
 — *exasperata* Fisch. et Mey. 185; tab. 10.
 — *filifolia* Rgl. et C. Winkl. 183; tab. 9.
 — *gilanica* Trin. 189.
 — *latifolia* L. 188.
 — *sabulosa* Korov. et Krasch. 180, 688.
 — *Schischkini* Lincz. 178, 687; tab. 9.
 — *Sintenisii* Bornm. 191; tab. 10.
 — *suaveolens* C. A. Mey. 190; tab. 10.
Crupina Cass. 28, 252.
 — *crupinastrum* (G. Moris) Vis. 253.
 — *vulgaris* Cass. 254.
Crypsis Ait. 2, 121.
 — *aculeata* (L.) Ait. 122, tab. 8.
 — *alopecuroides* (Pill. et Mitt.) Schrad. 125; tab. 8.
 — *Borszczowii* Rgl. 126; tab. 8.
 — *schoenoides* (L.) Lam. 125; tab. 8.
 — *turkestanica* Eig. 125; tab. 8.
Cryptoceras Schott 7, 651.
Cryptocodon Fed. 24, 422, 474.
 — *monocephalus* (Trautv.) Fed. 425; tab. 25.
Cryptodiscus Schrenk 16, 260.
 — *ammophilus* Bge. 260.
 — *arenarius* Schischk. 263, 594.
 — *cachroides* Schrenk 262; tab. 19.
 — *didymus* (Rgl.) Korov. 261; tab. 30.
Cryptogramma R. Br. 1, 77.
 — *acrostichoides* R. Br. 78; tab. 2.
 — *crispa* (L.) R. Br. 77.
 — *Raddeana* Fomin 78; tab. 3.
 — *Stelleri* Prantl 78.
Cryptospora Kar. et Kir. 8, 284.
 — *falcata* Kar. et Kir. 285, tab. 17.
Cryptotaenia DC. 16, 380.
 — *Flahaultii* (Woronow) K.-Pol. 380.
Ctenadena Prokh. 14, 476.
Cucubalus L. 6, 729.
 — *baccifer* L. 729; tab. 45.
Cucumis L. 24, 114.
 — *sativus* L. 114.
Cucurbita L. 24, 120.
 — *maxima* Duchartre 122.
 — *moschata* Duchartre 122.
 — *pepo* L. 121.
Cuminia J. F. Gmel. 16, 369.
Cuminum L. 16, 369.
 — *cyminum* L. 369.
Cummin Hill 16, 369.
Cupressus L. 1, 194.
 — *sempervirens* L. 194; tab. 7.
Cuscuta L. 19, 38.
 — *alba* J. et C. Presl 44.
 — *approximata* Bab. 49.
 — *araratica* Butk. 55, 703.
 — *australis* R. Br. 60.
 — *babylonica* Auch. ex Choisy 43.
 — *basarabica* Buia 62.

- *brevistyla* H. Br. ex A. Rich. 55.
- *bucharica* Palib. 70.
- *callinema* Butk. 50.
- *campestris* Yunck. 61.
- *chinensis* Lam. 59.
- *colorans* Maxim. 74.
- *convallariiflora* Pavl. 76.
- *cupulata* Engelm. 49.
- *Engelmanii* Körsh. 72.
- *epilinum* Weihe 54.
- *epithymum* Murr. 45.
- *europaea* L. 52.
- *ferganensis* Butk. 51.
- *gigantea* Griff. 75.
- *Gronovii* Willd. ex Roem. 64.
- *indica* (Engelm.) Petr. 52; tab. 3.
- *japonica* Choisy 73; tab. 3.
- *karatavica* Pavl. 63.
- *kotschyana* Boiss. 57.
- *Lehmanniana* Bge. 69.
- *lophosepala* Butk. 68.
- *lupuliformis* Krock. 71.
- *monogyna* Vahl 67.
- *pamirica* Butk. 75.
- *pedicellata* Ledeb. 56.
- *Stapfiana* Palib. 58.
- *stenocalycina* Palib. 58.
- *suaveolens* Ser. 63.
- *tianschanica* Palib. 69.
- *trifolii* Bab. 46; tab. 3.
- Cutandia** Willk. 2, 339.
- *memphitica* (Spreng.) Richt. 340; tab. 27.
- Cuviera** Koel. 2, 720.
- *europaea* (L.) Koel. 720; tab. 50.
- Cyanus* Juss. 28, 370, 387.
- Cyathidium* Lindl. 27, 361.
- Cyathocephalum* Nakai 26, 788.
- Cycas** L. 1, 129.
- *revoluta* Thunb. 129.
- Cyclachaena** Fresen. 25, 515.
- *xanthifolia* (Nutt.) Fresen. 515.
- Cyclamen** L. 18, 279.
- *abchasicum* (Medw.) Kolak. 288; tab. 15.
- *adsharicum* Pobed. 288.
- *circassicum* Pobed. 285; tab. 15.
- *coum* Mill. 286; tab. 15.
- *elegans* Boiss. et Buhse 289; tab. 15.
- *parviflorum* Pobed. 285; tab. 15.
- *ponticum* (Albov) Pobed. 281; tab. 15.
- *verum* Sw. 287.
- Cyclophorus** Desv. 1, 86.
- *lingua* (Thunb.) Desv. 86.
- Cydonia** Mill. 9, 334.
- *oblonga* Mill. 334; tab. 27.
- Cyclactis* Raf. 10, 12.
- Cylindrocarpa** Rgl. 24, 426.
- *Sewerzowii* Rgl. 426; tab. 25.
- Cymatocarpus** O. E. Schulz 8, 80.
- *Grossheimii* N. Busch 81.
- *heterophyllus* (M. Pop.) N. Busch 82.
- *pilosissimus* (Trautv.) O. E. Schulz 81.
- Cymbalaria** Medic. 22, 175.
- *muralis* Gaertn., Mey. et Scherb. 175.
- Cymbaria* L. 22, 801.
- Cymbaria** L. 22, 799.
- *dahurica* L. 800.
- Cymbocarpum** DC. 17, 57.
- *anethoides* DC. 58.
- *erythraeum* (DC.) Boiss. 58.
- *Wiedemannii* Boiss. 62; tab. 2.
- Cymbochasma** (Endl.) Klok. et Zoz 22, 801.
- *borysthénica* (Pall.) Klok. et Zoz 802.
- Cymbolaena** Smoljan. 25, 305.
- *longifolia* (Boiss. et Reut.) Smoljan. 306; tab. 18.
- Cymboseris* Boiss. 29, 595, 673.
- Cyminon* St. Lager 16, 369.
- Cyminum* Hill 16, 369.
- Cynanchica* Fourr. 23, 218.
- Cynanchum** L. 18, 714.
- *acutum* L. 715.
- *Maximoviczii* Pobed. 717; tab. 39.
- *sibiricum* Willd. 716.
- *stellatum* Pobed. 717, 754; tab. 39.
- Cynara** L. 28, 225.
- *scolymus* L. 226.
- Cynocrambe* Gaertn. 6, 372.
- Cynoctonum** F. Mey. 18, 709.
- *purpureum* (Pall.) Pobed. 709; tab. 39.
- Cynodon** Rich. 2, 285.
- *dactylon* (L.) Pers. 285; tab. 22.
- Cynoglossum** L. 19, 657.
- *divaricatum* Steph. 670.
- *holosericeum* Stev. 672; tab. 39.
- *montanum* L. 668.
- *nebrodense* Guss. 667.
- *officinale* L. 671.
- *pictum* Ait. 664.
- *seravschanicum* (B. Fedtsch.) M. Pop. 661; tab. 38.
- *tianschanicum* M. Pop. 663.
- *viridiflorum* Pall. ex Lehm. 662.
- Cynomorium** L. 15, 671.
- *songaricum* Rupr. 671.
- Cynosurus** L. 2, 362.
- *cristatus* L. 363; tab. 27.
- *echinatus* L. 363; tab. 27.
- *elegans* Desf. 364; tab. 27.

- Cynoxylon** Raf. 17, 319.
 — capitata (Wall.) Nakai 323; tab. 25.
 — florida (L.) Raf. 320.
- Cyperus** L. 3, 13.
 — amuricus Maxim. 21.
 — aureus Ten. 21.
 — badius Desf. 20.
 — difformis L. 16.
 — esculentus L. 21.
 — flavidus Retz. 17.
 — fuscus L. 15; tab. 1.
 — glaber L. 17.
 — glomeratus L. 18.
 — haspan L. 16.
 — iria L. 18.
 — longus L. 19; tab. 1.
 — rotundus L. 20.
 — soongoricus Kar. et Kir. 15.
 — truncatus Turcz. 18.
- Cyphomattia** Boiss. 19, 565, 573.
- Cypripedium** L. 4, 595.
 — calceolus L. 598.
 — guttatum Sw. 596; tab. 37.
 — macranthum Sw. 598; tab. 37.
 — Yatabeanum Makino 597; tab. 37.
- Cyssopetalum** Turcz. 16, 526, 536.
- Cystidospermum** Prokh. 14, 480.
- Cystopteris** Bernh. 1, 24.
 — Dickieana Sims 25; tab. 1.
 — fragilis (L.) Bernh. 24; tab. 1.
 — montana (Lam.) Bernh. 25.
 — regia (L.) C. Presl 25, tab. 1.
 — sudetica A. Br. et Milde 26.
- Cytherea** Salisb. 4, 604.
- Cytinus** L. 5, 441.
 — rubra (Fourr.) Kom. 442; tab. 23.
- Cytisus** L. 11, 75.
 — aggregatus Schur 92.
 — albus Hacq. 90; tab. 6.
 — austriacus L. 86; tab. 6.
 — Blockii V. Krecz. 86.
 — borysthenticus Grun. 78; tab. 6.
 — hirsutissimus C. Koch 83.
 — Lindemannii V. Krecz. 79.
 — Litwinowii V. Krecz. 89.
 — Paczoskii V. Krecz. 82.
 — podolicus Blocki 90.
 — polytrichus M. B. 85.
 — ratisbonensis Schaeff. 79.
 — Rochelii Wierzb. 91.
 — ruthenicus Fisch. ex Bess. 82.
 — Skrobiszewskii Pacz. 92.
 — Wulffii V. Krecz. 84.
 — Zingeri (Nenuk.) V. Krecz. 80; tab. 6.
- Cyttarium** Peterm. 25, 381, 404.
- Czernaevia** Turcz. 17, 11, 26.
- Dactylis** L. 2, 361.
 — glomerata L. 361; tab. 27.
 — Woronowii Ovcz. 362, 752.
- Dactylorhiza** Neck. 4, 697.
- Dahlia** Cav. 25, 548.
 — pinnata Cav. 548.
- Damasonium** Juss. 1, 285.
 — alisma Mill. 285; tab. 14.
 — constrictum Juz. 286; tab. 14.
- Danaa** All. 16, 223.
 — denaensis (B. Fedtsch.) Schischk. 224, 593; tab. 15.
 — nudicaulis (M. B.) Grossh. 223; tab. 16.
- Danaë** Medic. 4, 442.
 — racemosa (L.) Moench 443; tab. 26.
- Danthonia** DC. 2, 283.
 — calycina (Vill.) Reichb. 284.
 — Forskahlei (Vahl) Trin. 284.
 — intermedia Vasey 284.
- Daphne** L. 15, 483.
 — Albowiana Woronow 488; tab. 23.
 — altaica Pall. 490.
 — angustifolia C. Koch 494.
 — axilliflora (Keissl.) Pobed. 492; tab. 23.
 — baksanica Pobed. 497; tab. 23.
 — Blagayana Freyer 499.
 — caucasica Pall. 491; tab. 23.
 — circassica Woronow 498; tab. 23.
 — cneorum L. 499.
 — glomerata Lam. 489.
 — Julia K.-Pol. 500.
 — kamschatnica Maxim. 493.
 — laureola L. 488.
 — mezereum L. 486.
 — pontica L. 487; tab. 23.
 — pseudosericea Pobed. 498.
 — Sophia Kalen. 491.
 — transcaucasica Pobed. 497; tab. 23.
- Dargeria** Decne. 22, 526.
- Dasiphora** Raf. 10, 68.
 — davurica (Nestl.) Kom. et Aliss. 72.
 — dryadanthoides Juz. 72, 608.
 — fruticosa (L.) Rydb. 69; tab. 7.
 — mandshurica (Maxim.) Juz. 73.
 — parvifolia (Fisch.) Juz. 71; tab. 7.
 — phyllocalyx Juz. 70, 607.
- Dasyanthus** Bub. 25, 381.
- Dasygloma** DC. 16, 526, 536.
- Dasypermum** Neck. 16, 93, 153.
- Datisca** L. 15, 480.
 — cannabina L. 480.

- Datura** L. 22, 109.
 — *innoxia* Mill. 114.
 — *metel* L. 112.
 — *stramonium* L. 109.
 — *tatula* L. 111.
Daucalis Pomel 16, 153, 163.
Daucus L. 17, 288.
 — *carota* L. 288.
 — *sativus* (Hoffm.) Roehl. 291.
Decaneurum Sch. Bip. 26, 137.
Deeringia Kuntze 16, 380.
Delia Dum. 6, 562.
Delphinium L. 7, 99.
 — *aemulans* Nevski 161, 725.
 — *Ajaxis* L. 104.
 — *albomarginatum* Simonova 178.
 — *altaicum* Nevski 161, 726.
 — *arcuatum* N. Busch 139.
 — *barbatum* Bge. 102.
 — *Batalinii* Huth 169.
 — *baternatum* Huth 182; tab. 11.
 — *brachycentrum* Ledeb. 163.
 — *bracteosum* Somm. et Lev. 138.
 — *Brunonianum* Royle 123; tab. 9.
 — *bucharicum* M. Pop. 170.
 — *Buschianum* Grossh. 143.
 — *camptocarpum* Fisch. et Mey. 106; tab. 8.
 — *caucasicum* C. A. Mey. 126.
 — *cheilanthum* Fisch. ex DC. 162; tab. 10.
 — *confusum* M. Pop. 136, 723.
 — *consolida* L. 102; tab. 8.
 — *corymbosum* Rgl. 155.
 — *crassifolium* Schrad. ex Spreng. 154; tab. 10.
 — *crispulum* Rupr. 143.
 — *cryophilum* Nevski 146, 724.
 — *cuneatum* Stev. ex DC. 148; tab. 10.
 — *cyanthum* Nevski 160, 725.
 — *dasyanthum* Kar. et Kir. 132; tab. 9.
 — *dasyarpum* Stev. ex DC. 127.
 — *dictyocarpum* DC. 159; tab. 10.
 — *divaricatum* Ledeb. 104; tab. 8.
 — *elatum* L. 147; tab. 10.
 — *flexuosum* M. B. 141.
 — *foetidum* Lomak. 125.
 — *Freyii* Conr. 179; tab. 11.
 — *grandiflorum* L. 164.
 — *Hohenackeri* Boiss. 101; tab. 8.
 — *iliense* Huth 155; tab. 9.
 — *inconspicuum* Serg. 145.
 — *inopinatum* Nevski 173; 727.
 — *karategini* Korsh. 170.
 — *Knorringianum* B. Fedtsch. 165.
 — *Korshinskyanum* Nevski 153, 724.
 — *Lacostei* Danguy 124; tab. 9.
 — *laxiflorum* DC. 158.
 — *laxiusculum* (Boiss.) Rouy 175.
 — *leiocarpum* Huth 178.
 — *leptocarpum* Nevski 110; tab. 8.
 — *Lipskyi* Korsh. 167.
 — *longipedunculatum* Rgl. et Schmalh. 167.
 — *Maackianum* Rgl. 156.
 — *Mariae* N. Busch 144.
 — *megalanthum* Nevski 129, 722.
 — *mirabile* Serg. 131.
 — *ochotense* Nevski 146, 724; tab. 10.
 — *ochroleucum* Stev. ex DC. 181.
 — *oreophilum* Huth 136; tab. 9.
 — *orientale* J. Gay 105.
 — *osseticum* N. Busch 140.
 — *Pallasii* Nevski 177, 727.
 — *paniculatum* Host 103; tab. 8.
 — *paradoxum* Bge. 113.
 — *persicum* Boiss. 111.
 — *Poltoratzkii* Rupr. 135; tab. 9.
 — *propinquum* Nevski 124, 722.
 — *puniceum* Pall. 176.
 — *pyramidatum* Albov 142.
 — *quercetorum* Boiss. et Hausskn. 175.
 — *retropilosum* (Huth) Sambuk 152; tab. 10.
 — *rugulosum* Boiss. 112; tab. 8.
 — *Ruprechtii* Nevski 138, 723.
 — *sauricum* Schischk. 130.
 — *Schmalhausenii* Albov 179.
 — *semibarbatum* Bienert ex Boiss. 182; tab. 11.
 — *semiclavatum* Nevski 168, 726.
 — *songoricum* (Kar. et Kir.) Nevski 109.
 — *speciosum* M. B. 128.
 — *Stocksianum* Boiss. 111, tab. 8.
 — *Szovitsianum* Boiss. 180.
 — *ternatum* Huth 166.
 — *triste* Fisch. ex DC. 157; tab. 10.
 — *turkmenum* Lipsky 174.
 — *uralense* Nevski 159, 725.
 — *villosum* Stev. ex DC. 152.
Dematra Raf. 14, 476.
Dendranthema (DC.) Des Moul. 26, 364.
 — *arcticum* (L.) Tzvel. 386.
 — *erubescens* (Stapf) Tzvel. 374.
 — *Hultenii* (A. et D. Löve) Tzvel. 387; tab. 16.
 — *integrifolium* (Richards.) Tzvel. 388; tab. 16.
 — *kurilense* Tzvel. 385.
 — *littorale* (Maekawa) Tzvel. 384.
 — *Maximowiczii* (Kom.) Tzvel. 379.

Dendranthema mongolicum (Ling) Tzvel. 378.

- *naktongense* (Nakai) Tzvel. 375.
- *sichotense* Tzvel. 380, 879; tab. 16.
- *sinuatum* (Ledeb.) Tzvel. 370.
- *Weyrichii* (Maxim.) Tzvel. 383.
- *Zawadskii* (Herbich) Tzvel. 376.

Dendrobenthamia Hutch. 17, 323.

Dendrostellera Van-Tiegh. 15, 511.

- *arenaria* Pobed. 512, 689.
- *linearifolia* Pobed. 512, 689.
- *macrorhachis* Pobed. 513, 690; tab. 24.
- *Olgae* Pobed. 514, 691.
- *stachyoides* (Schrenk) Van-Tiegh. 511.
- *turkmenorum* Pobed. 514, 691.

Dentaria L. 8, 144.

- *bipinnata* C. A. Mey. 151; tab. 8.
- *bulbifera* L. 147; tab. 7.
- *glandulosa* Waldst. et Kit. 148; tab. 7.
- *microphylla* Willd. 151; tab. 8.
- *quinquefolia* M. B. 148; tab. 7.
- *sibirica* (O. E. Schulz) N. Busch 151.
- *tenuifolia* Ledeb. 152; tab. 8.

Dentidia Lour. 21, 630.

Derderia Jaub. et Spach 27, 643.

Deriandra Cambess. 6, 545.

Deringa Adans. 16, 380.

Derouetia Boiss. et Bal. 29, 699, 703.

Deschampsia Beauv. 2, 243.

- *alpina* (L.) Roem. et Schult. 248.
- *arctica* (Spreng.) Schischk. 248.
- *beringensis* Hult. 251; tab. 18.
- *borealis* (Trautv.) Roshev. 246, 750.
- *bottnica* (Wahl.) Trin. 247; tab. 18.
- *caespitosa* (L.) Beauv. 245; tab. 18.
- *flexuosa* (L.) Trin. 244; tab. 18.
- *koelerioides* Rgl. 251; tab. 18.
- *media* (Gouan) Roem. et Schult. 245.
- *obensis* Roshev. 247.
- *pamirica* Roshev. 252; 750.
- *Sukatschewii* (Popl.) Roshev. 246; tab. 18.

- *Turczaninowii* Litv. 246; tab. 18.

Descurainia Webb et Berth. 8, 82.

- *Kochii* (Petri) O. E. Schulz 84.
- *Sophia* (L.) Schur 83.
- *sophioides* (Fisch.) O. E. Schulz 84.

Descurea Guett 8, 82.

Desmiograstis Boern. 3, 149.

Desmodium Desv. 13, 374.

- *manschuricum* (Maxim.) Nakai 374.
- *Oldhami* Oliv. 375.

Deutzia Thunb. 9, 223.

- *amurensis* (Rgl.) Airy-Show 224; tab. 1²

— *glabrata* Kom. 224.

Deyeuxia Clar. 2, 202.

Dianthus L. 6, 803.

- *acantholimonoides* Schischk. 837; tab. 53.
- *acicularis* Fisch. ex Ledeb. 849; tab. 54.
- *amurensis* Jacq. 827.
- *Andronakii* Woronow 841.
- *Andrzejewskianus* (Zapal.) Kulcz. 813; tab. 51.
- *arenarius* L. 848.
- *armeria* L. 812; tab. 51.
- *azkurensis* Sosn. 845.
- *barbatus* L. 821.
- *bicolor* Adam 829; tab. 52.
- *Borbasii* Vand. 820; tab. 51.
- *calocephalus* Boiss. 819; tab. 51.
- *campestris* M. B. 830; tab. 52.
- *canescens* C. Koch 854.
- *capitatus* Balb. 813, tab. 51.
- *carbonatus* Klok. 830.
- *carthusianorum* L. 814; tab. 51.
- *caryophyllus* L. 847.
- *chinensis* L. 823.
- *crinitus* Smith 850; tab. 54.
- *crossopetalus* Fenzl 850.
- *cyri* Fisch. et Mey. 860; tab. 54.
- *deltoides* L. 838.
- *discolor* Smith 825.
- *elatus* Ledeb. 833.
- *Eugeniae* Kleop. 834.
- *eu-ponticus* Zapal. 818; tab. 51.
- *Fischeri* Spreng. 824.
- *floribundus* Boiss. 845.
- *fragrans* Adam 846.
- *Grossheimii* Schischk. 838.
- *guttatus* M. B. 829; tab. 52.
- *Hoeltzeri* C. Winkl. 856.
- *humilis* Willd. ex Ledeb. 837; tab. 53.
- *hypanicus* Andr. 833.
- *imereticus* (Rupr.) Schischk. 827.
- *inamoensis* Schischk. 842, 897.
- *karataviensis* Pavl. 852, 898.
- *kirghizicus* Schischk. 837, 896.
- *kubanensis* Schischk. 828; tab. 52.
- *Kuschakewiczii* Rgl. et Schmalh. 851.
- *Kusnezovii* Marc. 826.
- *lanceolatus* Stev. ex Reichb. 839; tab. 53.
- *leptopetalus* Willd. 840; tab. 52.
- *libanotis* Labill. 848.
- *macronyx* Fenzl 855.
- *Marschallii* Schischk. 841; tab. 53.
- *membranaceus* Borb. 817; tab. 51.
- *multicaulis* Boiss. et Huet 846.
- *orientalis* Adam 854.

- pallidiflorus Ser. 835.
- petraeus M. B. 845.
- polymorphus M. B. 820; tab. 51.
- pratensis M. B. 828; tab. 52.
- Preobrashenskii Klok. 834.
- pseudoarmeria M. B. 812; tab. 51.
- Raddeanus Vierh. 823.
- ramosissimus Pall. 835.
- recognitus Schischk. 851.
- repens Willd. 822.
- rigidus M. B. 836; tab. 53.
- Rogowiczii Kleop. 817.
- Ruprechtii Schischk. 818, 896.
- schemachensis Schischk. 840.
- Semenovii (Rgl. et Herd.) Vierh. 825; tab. 52.
- seravschanicus Schischk. 852, 898.
- soongoricus Schischk. 853, 899.
- squarrosus M. B. 849.
- stenocalyx (Trautv.) Juz. 859; tab. 54.
- subulosus Freyn et Conr. 814; tab. 51.
- superbus L. 856; tab. 54.
- tabrisianus Bienert ex Boiss. 855.
- talyschensis Boiss. et Buhse 847.
- tetralepis Nevski 854, 829.
- tianschanicus Schischk. 851, 897.
- transcaucasicus Schischk. 819.
- turcomanicus Schischk. 853, 899.
- turkestanicus Preobr. 827.
- uralensis Korsh. 836; tab. 53.
- versicolor Fisch. 824.
- Diapensia** L. 18, 105.
- lapponica L. 105.
- obovata (Fr. Schmidt) Nakai 106.
- Diaphane* Salisb. 4, 554.
- Diarrhena** Beauv. 2, 352.
- japonica Franch. et Savat. 353; tab. 27.
- manshurica Maxim. 352; tab. 27.
- Diarthron** Turcz. 15, 500.
- linifolium Turcz. 501.
- vesiculosum (Fisch. et Mey.) C. A. Mey. 501.
- Diatropa* Dum. 16, 283.
- Diaxulon* Raf. 11, 78.
- Dicentra** Bernh. 7, 648.
- peregrina (Rudolphi) Fedde 648; tab. 45.
- Dichodon* Bartl. 6, 435.
- Dichoglottis* Fisch. et Mey. 6, 772.
- Dichostylis** Beauv. 3, 59.
- hamulosa (M. B.) Nees 63; tab. 5.
- Micheliana (L.) Nees 59; tab. 5.
- pygmaea (Rottb.) Nees 60, tab. 5.
- Dichrocephala** L'Hér. 25, 51.
- bicolor (Roth) Schlecht. 51; tab. 2.
- Diclytra* Borckh. 7, 648.
- Diclytra* DC. 7, 648.
- Dictamnus** L. 14, 227.
- angustifolius G. Don 230.
- caucasicus Fisch. ex Grossh. 231.
- dasycarpus Turcz. 229.
- gymnostylus Stev. 231; tab. 11.
- tadshikorum Vved. 229.
- Didymopelta* Taub. 12, 317.
- Didymophysa** Boiss. 8, 573.
- Aucheri Boiss. 573.
- Fedtschenkoana Rgl. 574.
- Dielsiocharis* O. E. Schulz 8, 56.
- Digitalis** L. 22, 514.
- ciliata Trautv. 521.
- ferruginea L. 522.
- grandiflora Mill. 520.
- lanata Ehrh. 525.
- nervosa Steud. et Hochst. 524.
- purpurea L. 518.
- Schischkinii Ivanina 523.
- Digitaria** Heist. ex Adans. 2, 27.
- ciliaris (Retz.) Koel. 30; tab. 2.
- horizontalis Willd. 29.
- linearis (Krock.) Crép. 28; tab. 2.
- longiflora Pers. 29.
- sanguinalis (L.) Scop. 29; tab. 2.
- Digraphis** Trin. 2, 54.
- arundinacea (L.) Trin. 55; tab. 4.
- Dilophia** Thoms. 8, 574.
- salsa Thoms. 575.
- Dimorphanthus* Miq. 16, 25.
- Diolotus* Tausch 11, 51.
- Dionysia** Fenzl 18, 208.
- hissarica Lipsky 213; tab. 11.
- involucrata Zapr. 214; tab. 12.
- Kossinskyi Czerniak. 210; tab. 12.
- tapetodes Bge. 209; tab. 12.
- Dioscorea** L. 4, 495.
- batatus Decne. 496; tab. 29.
- caucasica Lipsky 495; tab. 29.
- polystachya Turcz. 497; tab. 29.
- Diospyros** L. 18, 475.
- kaki L. f. 477; tab. 24.
- lotus L. 481; tab. 24.
- virginiana L. 482; tab. 24.
- Diotis* Desf. 26, 127.
- Dipelta* Rgl. et Schmalh. 12, 317.
- Diphryllum* Raf. 4, 611.
- Diphylleia* Rich. 7, 541.
- Grayi Fr. Schmidt 541; tab. 37.
- Diplachne** Beauv. 2, 309.
- bulgarica (Bornm.) Roshev. 310, 751; tab. 23.

- Diplachne serotina* (L.) Link 310; tab. 23.
 --- *sinensis* Hance 311; tab. 23.
 --- *songorica* Roshev. 311, 752; tab. 23.
 --- *squarrosa* (Trin.) Maxim. 310; tab. 23.
Diploloma Schrenk 19, 531.
Diplopappus DC. 25, 110.
Diplophyllum Lehm. 22, 329, 392, 412.
Diplotaxis DC. 8, 456.
 --- *cretacea* Kotov 458.
 --- *muralis* (L.) DC. 458.
 --- *tenuifolia* (L.) DC. 457.
 --- *viminea* (L.) DC. 457.
Dipsacus L. 24, 19.
 --- *azureus* Schrenk 23; tab. 2.
 --- *fullonum* L. 21.
 --- *Gmelinii* M. B. 23; tab. 2.
 --- *laciniatus* L. 21.
 --- *pilosus* L. 24; tab. 1.
 --- *sativus* (L.) Honck. 22.
 --- *strigosus* Willd. 25.
Diptera Borkh. 9, 198.
Diptychocarpus Trautv. 8, 309.
 --- *strictus* (Fisch.) Trautv. 310; tab. 17.
Disarenum Labill. 2, 59.
Diserneston Jaub. et Spach 17, 155.
Disperma J. F. Gmel. 23, 169.
Disporum Salisb. 4, 454.
 --- *viridescens* B. Fedtsch. 454.
Distegia Raf. 23, 479.
Ditrita Raf. 14, 482.
Dodartia L. 22, 318.
 --- *orientalis* L. 319.
Dodecatheon L. 18, 290.
 --- *frigidum* Cham. et Schlecht. 291.
Doellingeria Nees 25, 121.
 --- *scabra* (Thunb.) Nees 121; tab. 3.
Donia R. Br. 5, 444.
Dontostemon Andrz. 8, 306.
 --- *dentatus* Ledeb. 307.
 --- *hispidus* Maxim. 307.
 --- *integrifolius* (L.) C. A. Mey. 308.
 --- *micranthus* C. A. Mey. 308.
 --- *pectinatus* (DC.) Ledeb. 309.
 --- *perennis* C. A. Mey. 308.
Dopatrium Buch.-Ham. 22, 320.
 --- *junceum* (Roxb.) Buch.-Ham. 320.
Dorema D. Don 17, 155.
 --- *Aitchisonii* Korov. 158.
 --- *glabrum* Fisch. et Mey. 163.
 --- *gummiferum* (Jaub. et Spach) K. Korol. 162.
 --- *hyrcanum* K.-Pol. 163.
 --- *karataviense* Korov. 161.
 --- *microcarpum* Korov. 164.
 --- *namanganicum* K. Korol. 165.
 --- *pruinatum* K. Korol. 162.
 --- *sabulosum* Litv. 161; tab. 17.
Doronicum L. 26, 669.
 --- *altaicum* Pall. 672.
 --- *austriacum* Jacq. 676.
 --- *bargusinense* Serg. 673.
 --- *carpaticum* (Griseb. et Schenk) Nym. 675.
 --- *Clusii* (All.) Tausch 674.
 --- *longifolium* Griseb. et Schenk 680.
 --- *macrophyllum* Fisch. 678.
 --- *oblongifolium* DC. 681.
 --- *orientale* Hoffm. 677.
 --- *pardalianches* L. 679.
 --- *Schischkinii* Serg. 673.
 --- *turkestanicum* Cavill. 681.
Dornera Heuff. 3, 296.
Dortmannia Neck. 24, 451.
Dorycnium L. 11, 282.
 --- *graecum* (L.) Ser. 282; tab. 18.
 --- *intermedium* Ledeb. 283; tab. 18.
Draba L. 8, 371.
 --- *alajica* Litv. 412.
 --- *Alberti* Rgl. et Schmalh. 407.
 --- *alpina* L. 394; tab. 24.
 --- *altaica* (C. A. Mey.) Bge. 423; tab. 25.
 --- *alticola* Kom. 452; tab. 26.
 --- *aradani* N. Busch 404.
 --- *araratica* Rupr. 388.
 --- *Arseniewii* (B. Fedtsch.) Gilg 410.
 --- *Aucheri* Boiss. 453.
 --- *baicalensis* Tolm. 421, 650; tab. 25.
 --- *barbata* Pohle 386.
 --- *Behringii* Tolm. 393, 649; tab. 23.
 --- *borealis* DC. 439.
 --- *bruniifolia* Stev. 381; tab. 23.
 --- *bryoides* DC. 380.
 --- *camtschatica* Andrz. 417.
 --- *cardaminiflora* Kom. 436; tab. 25.
 --- *Chamissonis* G. Don 418; tab. 24.
 --- *cinerea* Adam 419; tab. 25.
 --- *cuspidata* M. B. 378; tab. 23.
 --- *darwasica* Lipsky 410; tab. 24.
 --- *diversifolia* Boiss. 382.
 --- *Elisabethae* N. Busch 444.
 --- *eriopoda* Turcz. 446.
 --- *Eschscholtzii* Pohle ex N. Busch 396; tab. 24.
 --- *Fedtschenkoi* (Pohle) Gilg 407.
 --- *fladnizensis* Wulf 403.
 --- *glacialis* Adam 396; tab. 24.
 --- *globifera* Ledeb. 381.
 --- *heterocoma* Fenzl 381.
 --- *hirta* L. 430.

- hispida Willd. 441; tab. 26.
 - hissarica Lipsky 409; tab. 24.
 - Huetii Boiss. 449.
 - hyperborea (L.) Desv. 440.
 - imeretica Rupr. 413.
 - incana L. 435.
 - incompta Stev. 444.
 - juvenilis Kom. 429.
 - Kjellmanii Lid ex Ekman 394; tab. 24.
 - Korshinsky (O. Fedtsch.) Pohle 389; tab. 23.
 - kurilensis (Turcz.) Fr. Schmidt 438.
 - Kuznetzovii (Turcz.) Hayek 424.
 - lactea Adam 403.
 - lanceolata Royle 433.
 - lasiophylla Royle 431; tab. 25.
 - Lipskyi Tolm. 409, 650; tab. 24.
 - longisiliqua Schmalh. 415; tab. 24.
 - macrocarpa Adam 395.
 - magna (N. Busch) Tolm. 442; tab. 26.
 - melanopus Kom. 453; tab. 26.
 - micropetala Hook. 390.
 - mollissima Stev. 414; tab. 24.
 - mongolica Turcz. 433.
 - muralis L. 451.
 - nemorosa L. 451; tab. 26.
 - nivalis Liljebl. 416.
 - norvegica Gunn. 422.
 - oblongata R. Br. 390; tab. 23.
 - ochroleuca Bge. 399; tab. 24.
 - odudiana Lipsky 410.
 - Olgae Rgl. et Schmalh. 400.
 - oreades Schrenk 393; tab. 24.
 - ossetica (Rupr.) Somm. et Lev. 414.
 - pamirica (O. Fedtsch.) Pohle 389.
 - parviflora O. E. Schulz 423.
 - parvisiliquosa Tolm. 420.
 - physocarpa Kom. 408.
 - pilosa DC. 385; tab. 23.
 - Pohlei Tolm. 395.
 - polytricha Ledeb. 388; tab. 23.
 - primuloides Turcz. 400.
 - Prozorovskii Tolm. 429.
 - pseudopilosa Pohle 402.
 - pygmaea Turcz. 402.
 - sachalinensis Fr. Schmidt 438; tab. 25.
 - scabra C. A. Mey. 380.
 - sibirica (Pall.) Thell. 445.
 - siliquosa M. B. 405.
 - stenocarpa Hook. f. et Thoms. 450.
 - stenopetala Trautv. 386.
 - stylaris J. Gay 434.
 - subamplexicaulis C. A. Mey. 427.
 - subcapitata Simm. 387.
 - subglabra (Rupr.) Tolm. 405.
 - subsecunda Somm. et Levier 443.
 - supranivalis Rupr. 406.
 - talassica Pohle 411.
 - tibetica Hook. f. et Thoms. 412.
 - Turczaninovii Pohle et N. Busch 418; tab. 24.
 - ussuriensis Pohle 437.
- Dracocephalum** L. 20, 439.
- argunense Fisch. ex Link 471.
 - austriacum L. 472.
 - bipinnatum Rupr. 464; tab. 26.
 - botryoides Stev. 448.
 - Bungeanum Schischk. ex Serg. 446.
 - discolor Bge. 447.
 - diversifolium Rupr. 466; tab. 27.
 - foetidum Bge. 462.
 - formosum Gontsch. 452.
 - fragile Turcz. ex Benth. 454.
 - fruticosum Steph. 456.
 - grandiflorum L. 451.
 - heterophyllum Benth. 465.
 - imberbe Bge. 453.
 - integrifolium Bge. 457.
 - Komarovii Lipsky 469.
 - Krylovii Lipsky 456.
 - moldavica L. 463.
 - multicaule Montbr. et Auch. 470.
 - multicolor Kom. 455.
 - nodulosum Rupr. 460; tab. 27.
 - nutans L. 458.
 - oblongifolium Rgl. 461.
 - organoides Steph. ex Willd. 445.
 - palmatum Steph. ex Willd. 445; tab. 27.
 - Paulsenii Briq. 448.
 - peregrinum L. 464.
 - pinnatum L. 444; tab. 26.
 - Ruyschiana L. 472.
 - scrobiculatum Rgl. 461; tab. 26.
 - spinulosum M. Pop. 466.
 - stamineum Kar. et Kir. 473.
 - Stellerianum Hilteb. 454.
 - subcapitatum (Kuntze) Lipsky 470.
 - thymiflorum L. 459.
- Drepanocaryum** Pojark. 20, 228, 516.
- Sewerzowii (Rgl.) Pojark. 228; tab. 14.
- Drepanophyllum* Hoffm. 16, 458.
- Drepanophyllum* Wib. 16, 382.
- Drosanthe* Spach 15, 203.
- Drosera** L. 9, 2.
- anglica Huds. 5, tab. 1.
 - intermedia Hayne 6; tab. 1.
 - obovata Mert. et Koch 6; tab. 1.
 - rotundifolia L. 2; tab. 1.

Drosocarpium Fourr. 15, 203.

Dryadanth Endl. 10, 228.

— *tetrandra* (Bge.) Juz. 229; tab. 17.

Dryas L. 10, 264.

— *ajanensis* Juz. 275.

— *caucasica* Juz. 274; tab. 20.

— *Chamissonis* Spreng. 278; tab. 20.

— *crenulata* Juz. 277; tab. 20.

— *grandis* Juz. 265; tab. 20.

— *Henricae* Juz. 616.

— *octopetala* L. 269; tab. 20.

— *oxyodonta* Juz. 273; tab. 20.

— *punctata* Juz. 267; tab. 20.

— *Tschonoskii* Juz. 276; tab. 20.

— *viscosa* Juz. 266; tab. 20.

Drymocallis Fourr. 10, 93.

Drymocodon Fourr. 24, 133, 191.

Dryopteris Adans. 1, 30.

— *Alexeenkoana* Fomin 41.

— *amurensis* Christ 42.

— *austriaca* (Jacq.) Woyнар 41.

— *barbellata* Fomin 37; tab. 2.

— *Buschiana* Fomin 35.

— *continentalis* V. Petrov 43.

— *cristata* (L.) A. Gray 39.

— *filix-mas* (L.) Schott 36.

— *fragrans* (L.) Schott 38.

— *kamtschatica* Kom. 35.

— *Komarovii* C. Koss. 39.

— *laeta* (Kom.) C. Chr. 42.

— *Linnaeana* C. Chr. 43.

— *mediterranea* Fomin 35.

— *oreades* Fomin 37.

— *oreopteris* (Ehrh.) Maxon 34.

— *phegopteris* (L.) C. Chr. 44.

— *Raddeana* Fomin 39.

— *rigida* (Hoffm.) Und. 38.

— *Robertiana* (Hoffm.) C. Chr. 44.

— *sichotensis* Kom. 37.

— *spinulosa* (Muell.) Kuntze 40.

— *thelypteris* (L.) A. Gray 33.

— *wladiwostokensis* B. Fedtsch. 42.

Duchesnea Smith 10, 67.

— *indica* Andr. 67; tab. 6.

Dufresnia DC. 23, 642.

Dulcamara Moench 22, 10.

Dupontia R. Br. 2, 432.

— *Fischeri* R. Br. 432; tab. 33.

Dysophylla Blume 21, 637.

— *Jatabeana* Makino 637.

Ebulum Garcke 23, 426.

Eckballium A. Rich. 24, 109.

— *elaterium* (L.) A. Rich. 110.

Echenais Cass. 28, 52, 139.

Echinacea Moench 25, 540.

— *purpurea* (L.) Moench 541.

Echinanthus Neck. 27, 2.

Echinaria Desf. 2, 298.

— *capitata* (L.) Desf. 298; tab. 23.

Echinochloa Beauv. 2, 31.

— *caudata* Roshev. 35.

— *colona* (L.) Beauv. 33.

— *crus-galli* (L.) Roem. et Schult. 32;
tab. 2.

— *frumentacea* (Roxb.) Link 32.

— *macrocarpa* Vasing. 34, 739.

— *oryzicola* Vasing. 33.

— *spiralis* Vasing. 34, 739.

Echinocystis Torr. et Gray 24, 124.

— *echinata* (Muhl.) Vass. 125.

Echinopanax Decne. et Planch. 16, 17.

— *elatum* Nakai 18; tab. 2.

Echinophora L. 16, 88.

— *trichophylla* Smith 89; tab. 5.

— *Sibthorpiana* Guss. 90; tab. 5.

Echinops L. 27, 2.

— *abstersibilis* Iljin 46.

— *albicaulis* Kar. et Kir. 18.

— *babatagensis* Tscherneva 24.

— *brevipenicillatus* Tscherneva 12.

— *chantavicus* Trautv. 22.

— *colchicus* Sosn. ex Kem.-Nath. 43.

— *connatus* C. Koch 27.

— *Conrathii* Freyn 34.

— *dagestanicus* Iljin 41.

— *dasyanthus* Rgl. et Schmalh. 21.

— *dissectus* Kitag. 45.

— *Dubjanskyi* Iljin 19.

— *erevanensis* Mulk. 41.

— *exaltatus* Schrad. 47.

— *Fedtschenkoi* Iljin 25.

— *foliosus* Somm. et Lev. 35.

— *galaticus* Freyn 43.

— *Gmelinii* Turcz. 52.

— *humilis* M. B. 50; tab. 3.

— *Iljinii* Mulk. 37.

— *integrifolius* Kar. et Kir. 48; tab. 3.

— *kafiriganus* Bobr. 18, 714.

— *karabachensis* Mulk. 38.

— *karatavicus* Rgl. et Schmalh. 23.

— *Knorringianus* Iljin 53.

— *latifolius* Tausch 44.

— *leiopolyceras* Bornm. 14.

— *leucographus* Bge. 14.

— *Lipskyi* Iljin 16; tab. 1.

— *macrophyllus* Boiss. et Hausskn. 28;
tab. 1.

— *maracandicus* Bge. 11.

— *Meyeri* (DC.) Iljin 32.
 — *multicaulis* Nevski 17.
 — *nanus* Bge. 52.
 — *obliquilobus* Iljin 23.
 — *opacifolius* Iljin ex Grossh. 26.
 — *orientalis* Trautv. 25.
 — *ossicus* C. Koch 44.
 — *polyacanthus* Iljin 34.
 — *polygraphus* Tscherneva 11.
 — *praetermissus* Nevski 15.
 — *pubisquameus* Iljin 20.
 — *pungens* Trautv. 33; tab. 2.
 — *ritro* L. 30.
 — *ritrodes* Bge. 16.
 — *saissanicus* (B. Keller) Bobr. 51.
 — *sevanensis* Mulk. 38.
 — *spraerocephalus* L. 40.
 — *spiniger* Iljin ex Bobr. 32; tab. 2.
 — *subglaber* Schrenk 20.
 — *Szovitsii* Fisch. et Mey. ex DC. 36.
 — *tjanschanicus* Bobr. 22, 714; tab. 1.
 — *Tournefortii* Ledeb. ex Trautv. 39.
 — *transcaspicus* Bornm. 10.
 — *transcaucasicus* Iljin 36.
 — *tricholepis* Schrenk 46.
 — *tschimganicus* B. Fedtsch. 50.
 — *viridifolius* Iljin 42.
Echinopsilon Moq. 6, 124.
 — *divaricatum* Kar. et Kir. 126; tab. 5.
 — *hirsutum* (L.) Moq. 127; tab. 5.
 — *hyssopifolium* (Pall.) Moq. 125; tab. 5.
 — *sedoides* (Pall.) Moq. 126; tab. 5.
Echinopsus St.-Lag. 27, 2.
Echinopus Adans. 27, 2.
Echinosperrum Sw. ex Lehm. 19, 403.
Echium L. 19, 271.
 — *amoenum* Fisch. et Mey. 274.
 — *italicum* L. 277.
 — *plantagineum* L. 275.
 — *rubrum* Jacq. 273.
 — *vulgare* L. 276.
Eclipta L. 25, 537.
 — *alba* (L.) Hasskarl. 538; tab. 34.
 — *prostrata* L. 537; tab. 34.
Edrajanthus A. DC. 24, 442.
 — *Owerinianus* Rupr. 443; tab. 27.
Edritria Raf. 3, 335.
Edwardsia Salisb. 11, 25.
Eichwaldia Ledeb. 15, 277.
Elaeagnus L. 15, 518.
 — *angustifolia* L. 522; tab. 25.
 — *argentea* Pursh 521.
 — *orientalis* L. 524.
Elaeagrus Pall. 15, 518.

Elaeochytris Fenzl 17, 62.
Elatine L. 15, 261.
 — *alsinastrum* L. 262; tab. 13.
 — *ambigua* Wight 270.
 — *callitrichoides* (Rupr.) Kauffm. 269.
 — *hexandra* DC. 264.
 — *hungarica* Moesz. 266.
 — *hydropiper* L. 265.
 — *orthosperma* Dueben 264.
 — *triandra* Schkuhr 270; tab. 13.
Elatinoides (Chav.) Wettst. 22, 176.
Elephantina Bertol. 22, 686.
Elephas Adans. 22, 686.
Eleusine Gaertn. 2, 291.
 — *indica* (L.) Gaertn. 291; tab. 22.
Eleutherococcus Maxim. 16, 20.
 — *senticosus* (Rupr. et Maxim.) Maxim. 20; tab. 2.
Eleutherospermum C. Koch 16, 236.
 — *cicutarium* (M. B.) Boiss. 236; tab. 15, 18a.
 — *lazicum* Boiss. et Bal. 237.
Elisanthe Reichb. 6, 704.
Elisma Buchenau 1, 284.
 — *natans* (L.) Buchenau 284.
Elodea Juss. 15, 203.
Elodea Rich. 1, 294.
 — *canadensis* Rich. 295; tab. 10.
Elsholzia Willd. 21, 634.
 — *densa* Benth. 636.
 — *Patrinii* (Lepech.) Garcke 635.
 — *serotina* Kom. 636.
Elwendia Boiss. 16, 398.
Elymus L. 2, 694.
 — *arenarius* L. 695; tab. 49.
 — *giganteus* Vahl 696; tab. 49.
 — *mollis* Trin. 695; tab. 49.
 — *villosissimus* Scribn. 696; tab. 49.
Elytrigia Desv. 2, 627.
Eminium (Blume) Schott 3, 488.
 — *Alberti* (Rgl.) Engl. 489.
 — *Lehmannii* (Bge.) Kuntze 488; tab. 26.
Emmenospermum Clarke ex Hook. 22, 555.
Empedoclea Raf. 20, 253.
Empetrum L. 14, 511.
 — *androgynum* V. Vassil. 515.
 — *arcticum* V. Vassil. 516.
 — *hermaphroditum* (Lange) Hagerup 515.
 — *Kardakovii* V. Vassil. 517.
 — *kurilense* V. Vassil. 514, 744.
 — *nigrum* L. 512.
 — *sibiricum* V. Vassil. 513.
Endocellion Turcz. ex Herd. 26, 653.
Endogonia Turcz. ex Lindl. 19, 260.

Endoptera DC. 29, 595.

Enemion Raf. 7, 73.

— *Raddeanum* Rgl. 73; tab. 5.

Enula Neck. 25, 433, 443.

Ephedra L. 1, 195.

— *ciliata* C. A. Mey. 198; tab. 9.

— *distachya* L. 201.

— *equisetina* Bge. 203.

— *intermedia* Schrenk ex C. A. Mey. 198.

— *Fedtschenkoi* Pauls. 202; tab. 9.

— *lomatolepis* Schrenk 197; tab. 9.

— *monosperma* C. A. Mey. 202; tab. 9.

— *procera* Fisch. et Mey. 203.

— *strobilacea* Bge. 196; tab. 9.

Ephemerum Reichb. 18, 263.

Ephippianthus Reichb. f. 4, 607.

— *Schmidtii* Reichb. f. 607; tab. 37.

Epigaea L. 18, 77.

— *gaultherioides* (Boiss. et Bal.) Takht. 77, tab. 3.

Epilasia (Bge.) Benth. et Hook. f. 29, 111.

— *acrolasia* (Bge.) Clarke 112.

— *hemilasia* (Bge.) Clarke 114.

— *mirabilis* Lipsch. 112.

Epilobium L. 15, 571.

— *adenocaulon* Hausskn. 602.

— *adnatum* Griseb. 586; tab. 29.

— *algidum* M. B. 604; tab. 29.

— *almaatense* Steinb. 590.

— *alpestre* (Jacq.) Krock. 618; tab. 30.

— *alpinum* L. 607.

— *alsinifolium* Vill. 609.

— *amurense* Hausskn. 594.

— *anatolicum* Hausskn. 598.

— *angulatum* Kom. 597.

— *arcticum* Sam. 619; tab. 30.

— *behringianum* Hausskn. 610.

— *bifarium* Kom. 604; tab. 29.

— *Bongardii* Hausskn. 611.

— *calycinum* Hausskn. 596.

— *cephalostigma* Hausskn. 595.

— *collinum* C. C. Gmel. 582.

— *confusum* Hausskn. 606.

— *consimile* Hausskn. 590.

— *cylindrostigma* Kom. 596.

— *davuricum* Fisch. 617.

— *frigidum* Hausskn. 594.

— *gemmascens* C. A. Mey. 605.

— *glandulosum* Lehm. 603.

— *hirsutum* L. 578; tab. 28.

— *Hornemannii* Reichb. 612.

— *japonicum* Hausskn. 601.

— *lactiflorum* Hausskn. 608; tab. 29.

— *Lamyi* F. Schultz 587.

— *lanceolatum* Seb. et Mauri 585; tab. 28.

— *minutiflorum* Hausskn. 620.

— *modestum* Hausskn. 620.

— *montanum* L. 581; tab. 28.

— *nervosum* Boiss. et Buhse 589.

— *nudicarpum* Kom. 597.

— *nutans* F. W. Schmidt 614.

— *obscurum* (Schreb.) Roth 588.

— *palustre* L. 613.

— *parviflorum* (Schreb.) DC. 580; tab. 28.

— *ponticum* Hausskn. 593.

— *prionophyllum* Hausskn. 598.

— *roseum* (Schreb.) Pers. 588.

— *rupicola* Pavl. 593.

— *sertulatum* Hausskn. 607; tab. 30.

— *subalgidum* Hausskn. 605.

— *subnivale* M. Pop. ex Pavl. 592.

— *tenue* Kom. 597.

— *thermophilum* Pauls. 591.

— *tianschanicum* Pavl. 591.

— *tundrarum* Sam. 618; tab. 30.

— *uralense* Rupr. 612.

Epimedium L. 7, 542.

— *circinnatocucullatum* Sosn. 543.

— *colchicum* (Boiss.) Trautv. 543.

— *koreanum* Nakai 544.

— *pinnatum* Fisch. 543.

— *pubigerum* (DC.) Morr. et Decne. 544.

Epipactis Adans. 4, 620.

— *latifolia* (L.) All. 624; tab. 39.

— *microphylla* (Ehrh.) Sw. 629; tab. 39.

— *palustris* (L.) Crantz 623; tab. 39.

— *papillosa* Franch. et Sav. 625; tab. 39.

— *Royleana* Lindl. 622.

— *rubiginosa* Crantz 626; tab. 39.

— *Thunbergii* A. Gray 622; tab. 38.

— *veratrifolia* Boiss. et Hohen. 623.

Epipogon S. G. Gmel. 4, 635.

— *aphyllum* (F. W. Schmidt) Sw. 635; tab. 39.

Epitrachys C. Koch 28, 52, 69.

Epurga Fourr. 14, 479.

Equisetum L. 1, 101.

— *arvense* L. 103; tab. 5.

— *heleocharis* Ehrh. 108.

— *hiemale* L. 110, tab. 5.

— *Komarovii* Iljin 110; tab. 5.

— *litorale* Kuhl. 109; tab. 5.

— *majus* Gars. 104; tab. 5.

— *palustre* L. 108; tab. 5.

— *pratense* Ehrh. 104; tab. 5.

— *ramosissimum* Desf. 109; tab. 5.

— *scirpoides* Michx. 111; tab. 5.

— *silvaticum* L. 107; tab. 5.

- trachyodon A. Br. 111, tab. 5.
- variegatum Schleich. 111; tab. 5.
- Eragrostis** Host 2, 313.
- aegyptica (Willd.) Delile 315; tab. 24.
- arundinacea (L.) Roshev. 319; tab. 24.
- Kossinskyi Roshev. 314; tab. 24.
- megastachya (Koel.) Link 316; tab. 24.
- minor Host 315; tab. 24.
- nigra Nees ex Steud. 314; tab. 24.
- pilosa (L.) Beauv. 315; tab. 24.
- Starosselskyi Grossh. 319; tab. 24.
- suaveolens Beck. ex Claus 316; tab. 24.
- Eranthis** Salisb. 7, 60.
- longistipitata Rgl. 60; tab. 6.
- sibirica DC. 61; tab. 6.
- stellata Maxim. 61; tab. 6.
- Erechtites** Raf. 26; 682.
- valerianifolia (Wolf) DC. 683.
- Eremanthe* Spach 15, 203, 211.
- Eremodaucus** Bge. 16, 250.
- Lehmannii Bge. 250; tab. 13.
- Eremogone* Fenzl 6, 520.
- Eremopappus* Takht. 28, 367.
- Eremopoa** Roshev. 2, 429, 756.
- altaica (Trin.) Roshev. 431; tab. 32.
- bellula (Rgl.) Roshev. 431; tab. 32.
- multiradiata (Trautv.) Roshev. 430; tab. 32.
- oxyglumis (Boiss.) Roshev. 430, 756.
- persica (Trin.) Roshev. 430; tab. 32.
- soongorica (Schrenk) Roshev. 431; tab. 32.
- Eremopyrum** Jaub. et Spach 2, 661.
- Buonapartis (Spreng.) Nevski 663; tab. 47a.
- distans (C. Koch) Nevski 665; tab. 47a.
- hirsutum (Bertol.) Nevski 663.
- orientale (L.) Jaub. et Spach 664; tab. 47a.
- triticeum (Gaertn.) Nevski 662; tab. 47a.
- Eremosparton** Fisch. et Mey. 11, 310.
- aphyllum (Pall.) Fisch. et Mey. 310; tab. 21.
- flaccidum Litv. 311; tab. 21.
- songoricum (Litv.) Vass. 311; tab. 21.
- Eremostachys** Bge. 21, 1.
- affinis Schrenk 54.
- Alberti Rgl. 13.
- angreni M. Pop. 17; tab. 1.
- aralensis Bge. 50.
- arctiifolia M. Pop. 9.
- baissunensis M. Pop. 35.
- baldschuanica Rgl. 37.
- Boissieriana Rgl. 47.
- canescens M. Pop. 20.
- cephalariifolia M. Pop. 30.
- cordifolia Rgl. 9.
- czuiliensis Golosk. 28.
- desertorum Rgl. 49.
- dschambulensis Knorr. 29, 645.
- ebracteolata M. Pop. 17.
- eriocalyx Rgl. 18.
- Fetissovii Rgl. 10.
- fulgens Bge. 36.
- glanduligera M. Pop. 35.
- gymnocalyx Schrenk 22.
- gypsacea M. Pop. 20.
- hajastanica Sosn. 26.
- hissarica Rgl. 13.
- iberica Vis. 25.
- iliensis Rgl. 22.
- jakka' aghi M. Pop. 34.
- Kaufmanniana Rgl. 40.
- Korovinii M. Pop. 11.
- labiosa Bge. 39.
- labiosiformis (M. Pop.) Knorr. 26.
- laciniata (L.) Bge. 24.
- Lehmanniana Bge. 12.
- mogianica M. Pop. 52.
- moluccelloides Bge. 55.
- nuda Rgl. 23.
- paniculata Rgl. 42.
- pectinata M. Pop. 21.
- phlomoides Bge. 49.
- Popovii Gontsch. 37; tab. 2.
- pulchra M. Pop. 38; tab. 1.
- Regeliana Aitch. et Hemsl. 47; tab. 3.
- rotata Schrenk 56.
- schugnanica (M. Pop.) Knorr. 33.
- serawschanica Rgl. 33.
- speciosa Rupr. 27.
- subspicata M. Pop. 44.
- tadschikistanica B. Fedtsch. 43; tab. 3.
- tianschanica M. Pop. 51.
- transoxana Bge. 41.
- tuberosa (Pall.) Bge. 53.
- uniflora Rgl. 19.
- Zenaidae M. Pop. 14; tab. 1.
- Eremurus** M. B. 4, 37.
- Alberti Rgl. 48; tab. 4.
- altaicus (Pall.) Stev. 41; tab. 4.
- anisopteris (Kar. et Kir.) Rgl. 50; tab. 4.
- bucharicus Rgl. 52.
- Capusii Franch. 51.
- comosus O. Fedtsch. 43; tab. 4.
- Hilariae M. Pop. et Vved. 49.
- inderiensis (MB.) Rgl. 43.
- Kaufmannii Rgl. 47; tab. 4.
- kopetdaghensis M. Pop. 50; tab. 4.

- Eremurus Korovinii* B. Fedtsch. 48, 733; tab. 4.
 — *Korshinskii* O. Fedtsch. 32; tab. 4.
 — *lactiflorus* O. Fedtsch. 49; tab. 4.
 — *luteus* Baker 51.
 — *Olgae* Rgl. 44; tab. 4.
 — *Regelii* Vved. 40; tab. 4.
 — *robustus* Rgl. 47; tab. 4.
 — *Sapragajevii* B. Fedtsch. 51, 734.
 — *sogdianus* (Rgl.) Benth. et Hook. f. 42.
 — *spectabilis* M. B. 39; tab. 4.
 — *stenophyllus* (Boiss. et Buhse) Baker 43.
 — *tauricus* Stev. 40.
 — *turkestanicus* Rgl. 41.
Erianthera Benth. 21, 140.
 — *anomala* Juz. 140.
Erianthus Rich. 2, 9.
 — *purpurascens* Anderss. 9; tab. 1.
Erica L. 18, 89.
 — *arborea* L. 90.
 — *tetralix* L. 90.
Erigeron L. 25, 191.
 — *acer* L. 246.
 — *Alexeenkoi* Krasch. 271.
 — *allochrous* Botsch. 208.
 — *alpinus* L. 252.
 — *altaicus* M. Pop. 203.
 — *andryaloides* (DC.) Benth. 274.
 — *annuus* (L.) Pers. 244; tab. 15.
 — *aurantiacus* Rgl. 209.
 — *azureus* Rgl. ex M. Pop. 207.
 — *badachschanicus* Botsch. 263, 586.
 — *baicalensis* Botsch. 250, 584.
 — *bellidiformis* M. Pop. 260.
 — *biramosus* Botsch. 279, 588.
 — *bonariensis* L. 240.
 — *borealis* (Vierh.) Simm. 253; tab. 16.
 — *brachyspermus* Botsch. 269.
 — *cabulicus* (Boiss.) Botsch. 277; tab. 17.
 — *canadensis* L. 239; tab. 15.
 — *caucasicus* Stev. 227.
 — *crispus* Pourr. 286.
 — *dolichostylus* Botsch. 278, 588.
 — *elongatus* Ledeb. 251; tab. 16.
 — *eriocalyx* (Ledeb.) Vierh. 228; tab. 14.
 — *eriocephalus* J. Vahl. 232.
 — *flaccidus* (Bge.) Botsch. 217.
 — *heterochaeta* (Benth. ex Clarke) Botsch. 218; tab. 13.
 — *hissaricus* Botsch. 262, 586.
 — *humilis* J. Grah. 233; tab. 14.
 — *kamtschaticus* DC. 248.
 — *karatavicus* Pavl. 272.
 — *khorossanicus* Boiss. 280; tab. 17.
 — *Komarovii* Botsch. 213.
 — *koragenensis* (Kom.) Botsch. 212.
 — *Krylovii* Serg. 254.
 — *lachnocephalus* Botsch. 230.
 — *leioreodes* M. Pop. 201.
 — *leucophyllus* (Bge.) Boiss. 272.
 — *lonchophyllus* Hook. 234; tab. 14.
 — *nigromontanus* Boiss. et Buhse 282.
 — *Oharai* (Nakai) Botsch. 216; tab. 13.
 — *Olgae* Rgl. et Schmalh. 270.
 — *oreades* (Schrenk) Fisch. et Mey. 236.
 — *orientalis* Boiss. 261.
 — *pallidus* M. Pop. 225.
 — *peregrinus* (Pursh) Greene 200.
 — *petiolatis* Vierh. 219.
 — *petroiketes* Rech. f. 231.
 — *plurifolius* Botsch. 223, 583.
 — *podolicus* Bess. 249.
 — *polymorphus* Scop. 224.
 — *Poncinsii* (Franch.) Botsch. 275.
 — *Popovii* Botsch. 235.
 — *primuloides* M. Pop. 268.
 — *pseudelongatus* Botsch. 264, 587.
 — *pseuderigeron* (Bge.) M. Pop. 267.
 — *pseuderiocephalus* M. Pop. 237; tab. 14.
 — *pseudoseravschanicus* Botsch. 258, 585.
 — *sachalinensis* Botsch. 266.
 — *schalbusi* Vierh. 225.
 — *Schmalhausenii* M. Pop. 264.
 — *seravschanicus* M. Pop. 202.
 — *silenifolius* (Turcz.) Botsch. 212.
 — *sogdianus* M. Pop. 226.
 — *strigosus* Muhl. ex Willd. 245.
 — *Thunbergii* A. Gray 214.
 — *tianschanicus* Botsch. 259.
 — *trimorphopsis* Botsch. 238, 584.
 — *umbrosus* (Kar. et Kir.) Boiss. 285.
 — *uniflorus* L. 227.
 — *venustus* Botsch. 210; tab. 13.
 — *vicarius* Botsch. 204.
 — *violaceus* M. Pop. 257.
Erinia Noulet 24, 133, 189.
Eriobotrya Lindl. 9, 407.
 — *japonica* Lindl. 407; tab. 27.
Eriocaulon L. 3, 494.
 — *chinorossicum* Kom. 497; tab. 27.
 — *decemflorum* Maxim. 496; tab. 27.
 — *robustius* (Maxim.) Makino 497; tab. 27.
 — *Sieboldianum* Sieb. et Zucc. 495; tab. 27.
 — *ussuriense* Koern. 496; tab. 27.
Eriochloa H. B. K. 2, 26.
 — *succincta* (Trin.) Kunth 27; tab. 2.
 — *villosa* (Thunb.) Kunth 27; tab. 2.
Eriolepis Cass. 28, 52, 69, 89.

Eriophorum L. 3, 26.

- angustifolium Roth 29; tab. 2.
- brachyantherum Trautv. 34; tab. 2.
- callitrix Cham. ex C. A. Mey. 35; tab. 2.
- Chamissonis C. A. Mey. ex Ledeb. 36; tab. 2.
- coreanum Palla 30; tab. 2.
- gracile Koch 30; tab. 2.
- humile Turcz. 33; tab. 2.
- japonicum Maxim. 28.
- latifolium Hoppe 29; tab. 2.
- russeolum Fries 35; tab. 2.
- Scheuchzeri Hoppe 36; tab. 2.
- vaginatum L. 33; tab. 2.

Eriostemon Less. 27, 361.

Eriosynaphe DC. 17, 144.

- longifolia (Fisch.) DC. 147.

Eritrichium Schrad. 19, 482.

- aretioides (Cham.) DC. 519; tab. 25.
- caucasicum (Albov) Grossh. 514; tab. 24.
- Czekanowskii Trautv. 520.
- dubium O. Fedtsch. 495.
- Fetissovii Rgl. 494.
- incanum (Turcz.) DC. 509.
- jacuticum M. Pop. 511, 712; tab. 24.
- jenseense Turcz. 503.
- latifolium Kar. et Kir. 489.
- kamtschaticum Kom. 511.
- Maackii Maxim. 506.
- mandshuricum M. Pop. 505, 711.
- nanum (Vill.) Schrad. 516.
- pamiricum B. Fedtsch. 490.
- pectinatum (Pall.) DC. 508.
- pseudolatifolium M. Pop. 494; tab. 19.
- pseudostrictum M. Pop. 496, 708.
- pulviniforme M. Pop. 504, 710.
- rupestre (Pall.) Bge. 501.
- sachalinense M. Pop. 499, 709.
- sericeum (Lehm.) DC. 512; tab. 25.
- sichotense M. Pop. 510, 171.
- sub-Jacquemontii M. Pop. 497, 709.
- turkestanicum Franch. 498.
- villosum (Ledeb.) Bge. 517.

Ermania Cham. 8, 328.

Erodium L'Hér. 14, 63.

- anthemidifolium M. B. 68.
- armenum Woronow 68.
- Beketovii Schmalh. 67.
- chium (Burm. f.) Willd. 69.
- ciconium (L.) Ait. 71.
- cicutarium (L.) L'Hér. 71.
- fumarioides Stev. 67.
- Hoefftianum C. A. Mey. 70.
- Litvinovii Woronow 65.

- malacoides (L.) Willd. 69.
- oxyrrhynchum M. B. 64.
- ruthenicum M. B. 68.
- schemachense Grossh. 67.
- Stephanianum Willd. 65.
- Stevenii M. B. 66.
- strigosum Kar. 70.
- tataricum Willd. 66.
- tibetanum Edgew. 65.

Erophila DC. 8, 454.

- Krockeri Andr. 456.
- minima C. A. Mey. 455.
- praecox (Stev.) DC. 455.
- verna (L.) Bess. 456.

Eruca Adans. 8, 469.

- sativa Lam. 469.

Ervum L. 13, 410.

Eryngium L. 16, 73.

- balchanicum Bobr. 79, 589; tab. 4.
- Biebersteinianum Nevski 86.
- Bungei Boiss. 83.
- campestre L. 78.
- giganteum M. B. 76.
- incognitum Pavl. 80; tab. 4.
- karatavicum Iljin 84; tab. 4.
- macrocalyx Schrenk 80; tab. 4.
- maritimum L. 87.
- mirandum Bobr. 84, 589; tab. 4.
- nigromontanum Boiss. 78.
- Noeanum Boiss. 76.
- planum L. 85.
- Wanaturi Woronow 87; tab. 4.

Erysimum L. 8, 92.

- altaicum C. A. Mey. 106; tab. 6.
- argyrocarpum N. Busch 108, 638.
- artvinense N. Busch 114.
- aurantiacum (Bge.) Maxim. 107.
- aureum M. B. 98.
- babataghi Korsh. 119.
- badghysi (Korsh.) Lipsky 123.
- brachycarpum Boiss. 115.
- brevistylum Somm. et Levier 108.
- callicarpum Lipsky 102.
- canescens Roth 118.
- caspicum N. Busch 112, 639.
- caucasicum Trautv. 114.
- chazarjurti N. Busch 112, 637.
- cheiranthoides L. 108.
- collinum (M. B.) Andr. 111.
- contractum Somm. et Lev. 105.
- crassipes Fisch. et Mey. 120.
- cretaceum (Rupr.) Schmalh. 113.
- croceum M. Pop. 101.
- cuspidatum (M. B.) DC. 127.

- Erysimum Czernjajevii* N. Busch 115.
 — *epikeimenum* N. Busch 126, 637.
 — *Franchetii* N. Busch 125, 639.
 — *gaudanense* Litv. 111.
 — *gelidum* Bge. 109; tab. 5.
 — *humillimum* (Ledeb.) N. Busch 106, 638.
 — *ibericum* (Adam) DC. 101; tab. 5.
 — *inense* N. Busch 119.
 — *ischnostylum* Freyn et Sint. 110; tab. 6.
 — *krynkenense* Lavr. 113.
 — *lazistanicum* (Rupr.) Lipsky 105.
 — *leptophyllum* (M. B.) Andr. 114; tab. 5.
 — *leptostylum* DC. 110.
 — *leucanthemum* (Steph.) B. Fedtsch. 116; tab. 6.
 — *lilacinum* Steinb. 124.
 — *Marschallianum* Andr. 100.
 — *Meyerianum* (Rupr.) N. Busch 107.
 — *Pallasii* (Pursh) Fern. 126.
 — *pannonicum* Crantz 99.
 — *passgalense* Boiss. 117.
 — *persicum* Boiss. 118; tab. 5.
 — *pulchellum* (Willd.) J. Gay 102; tab. 5.
 — *repandum* L. 116; tab. 6.
 — *sisymbrioides* C. A. Mey. 124.
 — *strictisiliquum* N. Busch 126, 638.
 — *substrigosum* (Rupr.) N. Busch 112.
 — *sylvaticum* M. B. 99.
 — *Szovitsianum* Boiss. 123.
 — *violascens* M. Pop. 125.
 — *vitellinum* M. Pop. 120.
Erythraea Renealmé ex Borkh. 18, 527.
Erythrochaete Sieb. et Zucc. 26, 788, 798.
Erythronium L. 4, 364.
 — *caucasicum* Woronow 365; tab. 20.
 — *sibiricum* (Fisch. et Mey.) Kryl. 365; tab. 20.
Eshenbachia Moench 25, 91.
Esquirolia Lév. 18, 518.
Estellata Schur 19, 194.
Esula Haw. 14, 309.
Eubotryoides (Nakai) Hara 18, 72.
 — *Grayana* (Maxim.) Hara 73; tab. 3.
Eucalligonum Bge. ex Boiss. 5, 562.
Eucalyptus L'Her. 15, 555.
 — *camaldulensis* Dehnh. 560.
 — *cinerea* F. Muell. ex Benth. 564.
 — *citriodora* Hook. 560.
 — *globulus* Labill. 562.
 — *gummifera* (Gaertn.) Hochr. 559.
 — *Gunnii* Hook. f. 561.
 — *Macarthurii* Deane et Maid. 563.
 — *pauciflora* Sieb. 564.
 — *salicifolia* (Soland.) Cav. 565.
 — *urnigera* Hook. f. 561.
 — *viminalis* Labill. 563.
Euchroma Nutt. 22, 530.
Euclidium R. Br. 8, 323.
 — *syriacum* (L.) R. Br. 323; tab. 13.
Eucommia Oliv. 9, 273.
 — *ulmoides* Oliv. 273.
Eufragia Griseb. 22, 641.
Euilus Stev. 12, 594.
Eukrania Raf. 17, 317, 324.
Eulophia R. Br. 4, 609.
 — *turkestanica* (Litw.) Schlechter 610.
Eumolthea Wettst. 19, 234.
Eumolthia Guérke 19, 234.
Eunomia DC. 8, 590.
 — *rotundifolia* C. A. Mey. 590; tab. 32.
Euonymus L. 14, 548.
 — *europaea* L. 553; tab. 30.
 — *japonica* L. 552.
 — *Koopmannii* Lauche 565; tab. 30.
 — *Maackii* Rupr. 555; tab. 30.
 — *nana* M. B. 561; tab. 30.
 — *pauciflora* Maxim. 560.
 — *sacrosancta* Koidz. 557; tab. 30.
 — *Semenovii* Rgl. et Herd. 559.
 — *Sieboldiana* Blume 556.
 — *velutina* (C. A. Mey.) Fisch. et Mey. 557.
 — *verrucosa* Scop. 559; tab. 30.
Eupatorium L. 25, 18.
 — *cannabinum* L. 19.
 — *Glehni* Fr. Schmidt ex Trautv. 21.
 — *Lindleyanum* DC. 20.
Euphorbia L. 14, 304.
 — *acuminata* Lam. 465.
 — *agraria* M. B. 430; tab. 22.
 — *alaica* Prokh. 388.
 — *alata* Boiss. 373; tab. 20.
 — *aleppica* L. 460.
 — *alpina* C. A. Mey. 370.
 — *altaica* C. A. Mey. ex Ledeb. 381.
 — *amygdaloides* L. 453.
 — *andrachnoides* Schrenk 418.
 — *angulata* Jacq. 381.
 — *anisopetala* Prokh. 492; tab. 25.
 — *aristata* Schmalh. 361.
 — *armena* Prokh. 411, 741.
 — *arvalis* Boiss. et Heldr. 472; tab. 23.
 — *aserbajdzhanica* Bordz. 470; tab. 23.
 — *astrachanica* C. A. Mey. ex Claus 440; tab. 22.
 — *Aucherii* Boiss. 456.
 — *aulacosperma* Boiss. 464; tab. 23.
 — *biglandulosa* Desf. 405.

- blepharophylla C. A. Mey. ex Ledeb. 345.
- Boissieriana (Woronov) Prokh. 445.
- Borodinii Sambuk 427.
- Borszczowii Prokh. 425, 742; tab. 22.
- buchtormensis C. A. Mey. ex Ledeb. 371.
- Buhsei Boiss. 419.
- Bungei Boiss. 386.
- Buschiana Grossh. 413.
- canescens L. 491; tab. 25.
- carniolia Jacq. 365.
- carpatica Woloszcz. 357.
- chamaesyce L. 488; tab. 25.
- cheirolepis Fisch. et Mey. 481; tab. 24.
- condylocarpa M. B. 377.
- coniosperma Boiss. et Buhse 369; tab. 20.
- consanguinea Schrenk 471; tab. 23.
- cyparissias L. 439.
- cyrtophylla Prokh. 441.
- deltobracteata Prokh. 457.
- densa Schrenk 473; tab. 23.
- densiuscula M. Pop. 475.
- denticulata Lam. 412.
- discolor Ledeb. 423.
- dulcis L. 379.
- eriophora Boiss. 382.
- esula L. 419.
- Eugeniae Prokh. 356, 735; tab. 19.
- exigua L. 460; tab. 23.
- falcata L. 464; tab. 23.
- ferganensis B. Fedtsch. 346.
- Forskalli J. Gay 493; tab. 24.
- Franchetii B. Fedtsch. 467; tab. 23.
- glaberrima C. Koch 454.
- glareosa Pall. ex M. B. 402; tab. 21.
- glomerulans Prokh. 429.
- Gmelinii Steud. 422.
- Goldei Prokh. 404, 738.
- graeca Boiss. et Sprun. 461; tab. 23.
- Grossheimii Prokh. 391.
- guntensis Prokh. 442.
- helioscopia L. 383.
- humifusa Willd. 487; tab. 24.
- humilis C. A. Mey. ex Ledeb. 397.
- iberica Boiss. 435.
- inderiensis Less. ex Kar. et Kir. 468.
- indica Lam. 486.
- irgisensis Litv. 417.
- isphanica Boiss. 390.
- jaxartica Prokh. 446.
- Karoi Freyn 424.
- Komaroviana Prokh. 343, 734; tab. 18.
- kopetdaghi Prokh. 398.
- Kudrjaschewii (Pazij) Prokh. 352.
- lamprocarpa Prokh. 362.
- lanata Sieber ex Spreng. 476.
- lathyris L. 479.
- latifolia C. A. Mey. 426.
- Ledebouri Boiss. 462.
- leptocaula Boiss. 443.
- Lipskyi Prokh. 347; tab. 18.
- lucida Waldst. et Kit. 434.
- lucorum Rupr. ex Maxim. 374.
- macrocarpa Boiss. et Buhse 350.
- macroceras Fisch. et Mey. 455.
- macroclada Boiss. 400.
- macrorrhiza C. A. Mey. ex Ledeb. 371.
- maculata L. 494; tab. 24.
- mandshurica Maxim. 433; tab. 22.
- Marshalliana Boiss. 410; tab. 21.
- microcarpa Prokh. 420.
- microsphaera Boiss. 368.
- mongolica Prokh. 342.
- monocyathium Prokh. 338.
- monostyla Prokh. 406, 739; tab. 21.
- mucronulata Prokh. 351.
- myrsinites L. 408; tab. 21.
- Normannii Schmalh. ex Lipsky 466; tab. 23.
- nutans Lag. 485; tab. 24.
- oblongifolia C. Koch 455.
- orientalis L. 352.
- pachyrrhiza Kar. et Kir. 378.
- Pallasii Turcz. 343; tab. 18.
- palustris L. 355; tab. 19.
- pamirica Prokh. 438.
- paralias L. 391.
- peplis L. 486.
- peplus L. 463; tab. 23.
- petrophila C. A. Mey. 392; tab. 21.
- pilosa L. 363.
- platyphylla L. 367.
- poecilophylla Prokh. 428.
- polychroma A. Kerner 364.
- polytimetica Prokh. 458.
- pontica Prokh. 408, 740; tab. 21.
- Prokhanovii M. Pop. 340.
- pseudagraria Smirn. 436.
- pubescens Vahl 372.
- rapulum Kar. et Kir. 344.
- rosularis Al. Theod. 339.
- rupestris C. A. Mey. ex Ledeb. 341.
- salicifolia Host 429.
- sareptana Beck. 425; tab. 22.
- Savaryi Kiss. 452.
- schugnanica B. Fedtsch. 387.
- sclerocyathium Korov. et M. Pop. 336.
- scripta Somm. et Levier 348.
- Segueriana Neck. 395.

- Euphorbia semivillosa* Prokh. 360; tab. 19.
 — *serawschanica* Rgl. 338.
 — *Sewerzowii* Herd. 433.
 — *Sieboldiana* Morr. et Decne. 451.
 — *sogdiana* M. Pop. 399.
 — *soongorica* Boiss. 362.
 — *sororia* Schrenk 470; tab. 23.
 — *spinidens* Bornm. ex Prokh. 407; tab. 21.
 — *squamosa* Willd. 349; tab. 20.
 — *stepposa* Zoz 401, 738.
 — *stricta* L. 366.
 — *subcordata* C. A. Mey. ex Ledeb. 448.
 — *subtilis* Prokh. 421.
 — *Szovitsii* Fisch. et Mey. 474; tab. 23.
 — *talastavica* Prokh. 379; tab. 20.
 — *tauricola* Prokh. 358, 736; tab. 19.
 — *tianshanica* Prokh. 339.
 — *tibetica* Boiss. 385.
 — *transoxana* Prokh. 350; tab. 19.
 — *Tranzschelii* Prokh. 386.
 — *tridonta* Prokh. 469.
 — *tskuiensis* (Prokh.) Serg. 440.
 — *turcomanica* Boiss. 492; tab. 25.
 — *Turczaninowii* Kar. et Kir. 472.
 — *turkestanica* Rgl. 388.
 — *undulata* M. B. 414.
 — *uralensis* Fisch. ex Link 437.
 — *villosa* Waldst. et Kit. 359.
 — *virgata* Waldst. et Kit. 443.
 — *volgensis* Krysh. 403.
 — *Wittmannii* Boiss. 377; tab. 20.
 — *Woronowii* Grossh. 409.
 — *zhiguliensis* Prokh. 447.
- Euphrasia** L. 22, 557.
 — *adenocaulon* Juz. 623; tab. 30.
 — *Alboffii* Chabert 619; tab. 30.
 — *altaica* Serg. 611.
 — *amblyodonta* Juz. 613; tab. 29.
 — *amurensis* Freyn 628; tab. 31.
 — *bajankolica* Juz. 594.
 — *bakurianica* Juz. 638.
 — *brevipila* Burn. et Gremli 582.
 — *caucasica* Juz. 587.
 — *condensata* Jord. 579.
 — *cyclophyla* Juz. 595.
 — *daghestanica* Juz. 625; tab. 30.
 — *drosophylla* Juz. 608; tab. 29.
 — *Fedschenkoana* Wettst. ex B. Fedtsch. 590; tab. 28.
 — *fennica* Kihlm. 634.
 — *frigida* Pugsl. 605; tab. 29.
 — *georgica* Kem.-Nath. 577.
 — *glabrescens* (Wettst.) Wiinst. 602; tab. 28.
 — *Grossheimii* Kem.-Nath. 607.
 — *hirtella* Jord. 635; tab. 31.
 — *huperborea* Jorgens. 591.
 — *Irenae* Juz. 575.
 — *jacutica* Juz. 579.
 — *Juzepczukii* Deniss. 614.
 — *Kemulariae* Juz. 620.
 — *Kernerii* Wettst. 615.
 — *Krassnowii* Juz. 599.
 — *macrocalyx* Juz. 576.
 — *macrodonta* Juz. 619.
 — *Maximowiczii* Wettst. 568; tab. 27.
 — *micrantha* Reichb. 603.
 — *mollis* Ledeb. ex Benth. 611; tab. 29.
 — *montana* Jord. 633.
 — *Murbeckii* Wettst. 586.
 — *onegenis* Cajand. 635.
 — *ossica* Juz. 624.
 — *parviflora* Schag. 600; tab. 28.
 — *pectinata* Ten. 577.
 — *peduncularis* Juz. 617.
 — *petiolaris* Wettst. 621; tab. 30.
 — *picta* Wimm. 616.
 — *pseudomollis* Juz. 612.
 — *Regelii* Wettst. 589; tab. 28.
 — *Reuteri* Wettst. 581.
 — *Rostkoviana* Hayne 623.
 — *saamica* Juz. 592.
 — *salisburgensis* Funck 638.
 — *schugnanica* Juz. 618.
 — *sevanensis* Juz. 625; tab. 30.
 — *sibirica* Serg. 574.
 — *Sosnowskyi* Kem.-Nath. 637.
 — *subpolaris* Juz. 593.
 — *svanica* Kem.-Nath. 588.
 — *Syreitschikovii* Govor. 574.
 — *tatarica* Fisch. 570; tab. 27.
 — *Tatrae* Wettst. 606.
 — *taurica* Ganesch. 627; tab. 30.
 — *tenuis* (Brenn.) Wettst. 587.
 — *Townsendiana* Freyn ex Wettst. 578.
 — *Tranzselii* Juz. 596.
 — *Uechtritziana* Jung. et Engl. 601.
 — *ussuriensis* Juz. 569.
 — *Woronowii* Juz. 626.
- Eurotia** Adans. 6, 108.
 — *ceratoides* (L.) C. A. Mey. 108; tab. 1, 2.
 — *Ewersmanniana* Stschegl. 109.
Eurotia L. 6, 423.
Euryale Salisb. 7, 5.
 — *ferox* Salisb. 6.
Euryangium Kauffm. 17, 62.
Eusalsola Fenzl 6, 224, 235, 236.
Eutrema R. Br. 8, 33.

- cordifolium Turcz. 35.
- Edwardsii R. Br. 34.
- integrifolium (DC.) Bge. 35.
- pseudocordifolium M. Pop. 35, 634.
- Evax** Gaertn. 25, 307.
- anatolica Boiss. et Heldr. 308; tab. 19.
- arenaria Smoljan. 310; tab. 19.
- contracta Boiss. 309.
- filaginoides Kar. et Kir. 313; tab. 19.
- micropodioides Willk. 313.
- Ewersmannia** Bge. 13, 258.
- subspinosa (Fisch.) B. Fedtsch. 258.
- Exochorda** Lindl. 9, 316.
- Alberti Rgl. 317; tab. 19.
- tianschanica Gontsch. 317.
- Faba* Adans. 13, 474.
- Fabago* Adans. 14, 158.
- Facelos* Raf. 3, 167.
- Fagopyrum** Gaertn. 5, 702.
- sagittatum Gilib. 702.
- suffruticosum Fr. Schmidt 703.
- tataricum (L.) Gaertn. 703.
- Fagotriticum* L. 5, 702.
- Fagus** L. 5, 354.
- orientalis Lipsky 355; tab. 19.
- silvatica L. 356; tab. 19.
- Falcaria** Bernh. 16, 382.
- falcarioides (Bornm. et Wolff) Wolff 384; tab. 27.
- sioides (Wib.) Aschers. 383.
- Falcata** J. F. Gmel. 13, 526.
- japonica (Oliv.) Kom. 527.
- Faldermannia* Trautv. 21, 381, 407.
- Farfara* Gilib. 26, 641.
- Farnesia* Gasp. 11, 11.
- Farsetia** Turra 8, 332.
- spathulata Kar. et Kir. 332.
- Fatsia** Decne. et Planch. 16, 2.
- japonica (Thunb.) Decne. et Planch. 3.
- Fauria** Franch. 18, 641.
- crista-galli (Menz.) Makino 641.
- Fedcenkiella* Gontsch. 20, 473.
- Fedia* Adans. 23, 587.
- Fedia* Gaertn. 23, 642.
- Ferula** L. 17, 62.
- Aitchisonii K.-Pol. 123; tab. 13.
- akitschkensis B. Fedtsch. ex K.-Pol. 135.
- angreni Korov. 115.
- assa-foetida L. 73.
- badhysi Korov. 126.
- badrakema K.-Pol. 90.
- canescens Ledeb. 92.
- caspica M. B. 141; tab. 15.
- caucasica Korov. 140.
- ceratophylla Rgl. et Schmalh. 107.
- clematidifolia K.-Pol. 131.
- conocaula Korov. 83.
- dissecta Ledeb. 113.
- diversivittata Rgl. et Schmalh. 83.
- dshaudshamyr Korov. 141.
- dshizakensis Korov. 111.
- equisetacea K.-Pol. 100.
- eremophila Korov. 130.
- Fedtschenkoana K.-Pol. 101; tab. 13.
- ferganensis Lipsky 113.
- ferulaeoides (Steud.) Korov. 139; tab. 14, 17.
- foetidissima Rgl. et Schmalh. 89.
- foliosa Lipsky 94.
- gigantea B. Fedtsch. 84.
- glaberrima Korov. 75.
- gracilis Ledeb. 137; tab. 11.
- Grigorjevii B. Fedtsch. 102.
- gumosa Boiss. 90.
- gypsacea Korov. 124.
- iliensis Krasn. 84.
- inflata Korov. 85.
- involucrata Korov. 123.
- Jaeschkeana Vatke 86.
- karatavica Rgl. et Schmalh. 125.
- karataviensis (Rgl. et Schmalh.) Korov. 137.
- karategina Lipsky 107.
- Kaschkarovii Korov. 132.
- kelifi Korov. 74.
- Kelleri K.-Pol. 95.
- kokanica Rgl. et Schmalh. 93.
- kopetdagensis Korov. 115.
- Korshinskiyi Korov. 131.
- Koso-Poljanskyi Korov. 100.
- Krylovii Korov. 91.
- kuhistanica Korov. 89.
- lapidosa Korov. 112.
- latifolia Korov. 85.
- latiloba Korov. 120.
- Lehmannii Boiss. 77; tab. 10.
- leiophylla (K.-Pol.) Korov. 96.
- leucographa Korov. 122.
- Linczevskii Korov. 99.
- lingulata Korov. 119.
- Lipskyi Korov. 101.
- Litwinoviana K.-Pol. 81.
- microcarpa Korov. 110.
- microloba Boiss. 77.
- Minkwitziae Korov. 103.
- mogoltavica Lipsky 78.
- mollis Korov. 120.

- Ferula moschata* (Reinsch) K.-Pol. 121.
 — *Nevskii* Korov. 99.
 — *nuda* Spreng 108; tab. 22.
 — *oopoda* (Boiss. et Buhse) Boiss. 129.
 — *orientalis* L. 116.
 — *ovina* Boiss. 110.
 — *pachyphylla* Korov. 104.
 — *pallida* Korov. 114.
 — *penninervis* Rgl. et Schmalh. 132.
 — *persica* Willd. 76; tab. 10.
 — *plurivittata* Korov. 75.
 — *Potaninii* Korov. ex Pavl. 108; tab. 12.
 — *prangifolia* Korov. 103.
 — *primaeva* Korov. 75.
 — *pseudooreoselinum* (Rgl. et Schmalh.) K.-Pol. 121.
 — *rigidula* DC. 109.
 — *rubroarenosa* Korov. 112.
 — *samarcandica* Korov. 95.
 — *schair* Borszcz. 126.
 — *Schtschurowskiana* Rgl. et Schmalh. 138; tab. 17.
 — *songorica* Pall. ex Schult. 136.
 — *stylosa* Korov. 111.
 — *subtilis* Korov. 95.
 — *Syreitschikovii* K.-Pol. 92.
 — *Szovitsiana* DC. 81; tab. 9.
 — *tatarica* Fisch. 130.
 — *tenuisecta* Korov. 114.
 — *tersakensis* Korov. 76; tab. 9.
 — *teterrima* Kar. et Kir. 91; tab. 11.
 — *transitoria* Korov. 135.
 — *tschimganica* Lipsky 104.
 — *tuberifera* Korov. 94.
 — *ugamica* Korov. 124.
 — *vicaria* Korov. 138.
 — *xeromorpha* Korov. 119.
- Ferulago** Koch 17, 149.
 — *campestris* (Bess.) Grec. 150.
 — *daghestanica* Schischk. 151.
 — *latiloba* Schischk. 152.
 — *setifolia* C. Koch 153.
 — *silvatica* (Bess.) Reichb. 154; tab. 16.
 — *taurica* Schischk. 152; tab. 16.
 — *turcomanica* Schischk. 154.
- Festuca** L. 2, 497.
 — *alata* (Hack.) Roshev. 528.
 — *altaica* Trin. 528.
 — *amblyodes* V. Krecz. et Bobr. 529, 771; tab. 39.
 — *amethystina* L. 515.
 — *arenaria* Osbeck ex Retz. 520; tab. 40.
 — *arundinacea* Schreb. 531; tab. 39.
 — *aucta* V. Krecz. et Bobr. 518, 767.
 — *auriculata* Drob. 511.
 — *baicalensis* (Griseb.) V. Krecz. et Bobr. 518, 768.
 — *Beckeri* Hack. 508.
 — *Bornmuelleri* (Hack.) V. Krecz. et Bobr. 510.
 — *brevifolia* R. Br. 514; tab. 40.
 — *chalcophaea* V. Krecz. et Bobr. 513, 768; tab. 40.
 — *coelestis* (St.-Yves) V. Krecz. et Bobr. 514, 740; tab. 40.
 — *cretacea* Czern. 527; tab. 39.
 — *cryophila* V. Krecz. et Bobr. 519, 767; tab. 40.
 — *dahurica* (St.-Yves) V. Krecz. et Bobr. 517, 771; tab. 40.
 — *djimilensis* Boiss. et Bal. 524.
 — *duriuscula* L. 507.
 — *egena* V. Krecz. et Bobr. 527, 769; tab. 40.
 — *eriantha* Honda et Tatewaki 523; tab. 40.
 — *extremiorientalis* Ohwi 534; tab. 40.
 — *Fenas* Lag. 532.
 — *Ganeschinii* Drob. 509.
 — *gigantea* (L.) Vill. 534; tab. 40.
 — *heterophylla* Lam. 515; tab. 40.
 — *jacutica* Drob. 516.
 — *Kirilovii* Steud. 524; tab. 40.
 — *kolymensis* Drob. 511.
 — *Kryloviana* Reverd. 512; tab. 40.
 — *lenensis* Drob. 513; tab. 40.
 — *longiaristata* Somm. et Lev. 511.
 — *mollissima* V. Krecz. et Bobr. 512, 770.
 — *montana* M. B. 533.
 — *orientalis* Kerner 531; tab. 39.
 — *ovina* L. 503; tab. 40.
 — *polesica* Zapal. 508.
 — *pratensis* Huds. 530; tab. 39.
 — *pseudo-sulcata* Drob. 504.
 — *pseudovina* Hack. 508; tab. 40.
 — *rubra* L. 517; tab. 40.
 — *Ruprechtii* (Boiss.) V. Krecz. et Bobr. 507, 769.
 — *silvatica* (Poll.) Vill. 533; tab. 40.
 — *sulcata* Hack. 509; tab. 40.
 — *supina* Schur 504; tab. 40.
 — *taurica* Kerner ex Hack. 510.
 — *tianschanica* Roshev. 526, 772; tab. 39.
 — *tristis* Kryl. et Ivanitzk. 527; tab. 39.
 — *vaginata* Waldst. et Kit. 516.
 — *varia* Haenke 526; tab. 39.
 — *venusta* St.-Yves. 527.
- Fibigia** Medic. 8, 336.
 — *clypeata* (L.) Medic. 336.

- eriocarpa Boiss. 337.
- macroptera Boiss. 337; tab. 22.
- suffruticosa (Vent.) Sweet 337; tab. 22.
- Ficaria** Dill. 7, 332.
- calthifolia Reichb. 333.
- fascicularis C. Koch 334.
- ficarioides (Bory et Chaub.) Halacsy 335.
- verna Huds. 333.
- Ficus** L. 5, 380.
- carica L. 380; tab. 21.
- Fieberia* Opiz. 16, 93.
- Filaginella* Opiz. 25, 381.
- Filago* L. 25, 342.
- Filago** L. 25, 314.
- arvensis L. 322; tab. 20.
- Bornmuelleri Hausskn. 318.
- eriocephala Guss. 317; tab. 20.
- gallica L. 325.
- germanica L. 316.
- lagopus Parl. 323.
- minima (Smith) Pers. 324.
- montana L. 323.
- spathulata J. et C. Presl 321; tab. 20.
- Filifolium** Kitam. 26, 416.
- sibiricum (L.) Kitam. 417; tab. 19.
- Filipendula** Adans. 10, 279.
- angustiloba (Turcz.) Maxim. 283; tab. 21.
- denudata (J. et C. Presl) Fritsch 285.
- glabra Nakai ex Kom. et Aliss. 281.
- hexapetala Gilib. 286; tab. 21.
- intermedia (Glehn) Juz. 284.
- kamschatica (Pall.) Maxim. 281; tab. 21.
- palmata (Pall.) Maxim. 282; tab. 21.
- purpurea Maxim. 282.
- stepposa Juz. 286, 617.
- ulmaria (L.) Maxim. 284; tab. 21.
- Fimbriatum* Will. 6, 848.
- Fimbristylis** Vahl 3, 90.
- annua (All.) Roem. et Schult. 93.
- dichotoma (L.) Vahl 92; tab. 8.
- ferruginea (L.) Vahl 94.
- leiocarpa Maxim. 93; tab. 8.
- ochotensis (Meinsh.) Kom. 94; tab. 8.
- quinquangularis (Vahl) Kunth 96; tab. 8.
- Sieberiana Kunth 95.
- squarrosa Vahl 95; tab. 8.
- verrucifera (Maxim.) Makino 92; tab. 8.
- Fleischeria* Hochst. et Steud. ex Endl. 29, 55.
- Floerkea* Spreng. 24, 343.
- Flourensia* Cambess. 6, 545.
- Flox* Adans. 6, 692.
- Flüggea** Willd. 14, 284.
- ussuriensis Pojark. 284, 734; tab. 16.
- Foeniculum** Mill. 16, 541.
- vulgare Mill. 542.
- Fornicium* Cass. 28, 308, 311.
- Fortunella** Swingle 14, 238.
- japonica (Thunb.) Swingle 241; tab. 14.
- Fragaria** L. 10, 58.
- ananassa Duchartre 63.
- bucharica Losinsk. 63; tab. 6.
- campesiris Stev. 62.
- chiloensis Duchartre 64.
- moschata Duchartre 60; tab. 6.
- orientalis Losinsk. 61; tab. 6.
- vesca L. 59; tab. 6.
- virginiana Duchartre 64.
- viridis Duchartre 61; tab. 6.
- Fragariastra* Th. Wolf 10, 91.
- Francoeuria* Cass. 25, 487.
- Frangula** Mill. 14, 641.
- alnus Mill. 642.
- grandifolia (Fisch. et Mey.) Grub. 643; tab. 35.
- rupestris (Scop.) Schur 644; tab. 35.
- Frankenia** L. 15, 272.
- bucharica Basil. 275.
- hirsuta L. 274; tab. 25.
- pulverulenta L. 273.
- Fraxinus** L. 18, 485.
- americana L. 491.
- angustifolia Vahl 500; tab. 25.
- coriariifolia Scheele 496; tab. 25.
- excelsior L. 495; tab. 25.
- lanceolata Borkh. 490.
- manschurica Rupr. 492; tab. 25.
- ornus L. 488.
- oxycarpa Willd. 499; tab. 25.
- Pallisae Willem. ex M. Pallis 497.
- pennsylvanica Marsh. 491.
- Pojarkoviana V. Vassil. 501, 750; tab. 25.
- raibocarpa Rgl. 489; tab. 25.
- rhynchophylla Hance 489; tab. 25.
- sogdiana Bge. 502; tab. 25.
- syriaca Boiss. 498; tab. 25.
- Freirea* Gaud. 5, 401.
- Fritillaria** L. 4, 302.
- armena Boiss. 311.
- caucasica Adam 311.
- dagana Turcz. 319.
- Eduardii Rgl. 317.
- ferganensis Losinsk. 315, 740; tab. 19.
- grandiflora Grossh. 308.
- Grossheimiana Losinsk. 313, 739; tab. 19.

- Fritillaria kamtschaticensis* (L.) Fisch. ex Hook. 318; tab. 19.
 — *Kotschyana* Herb. 307.
 — *kurdica* Boiss. et Noë 312.
 — *latifolia* Willd. 308.
 — *lutea* Mill. 307; tab. 19.
 — *Maximowiczii* Freyn 320; tab. 19.
 — *meleagris* L. 306.
 — *meleagroides* Patr. ex Schult. 306.
 — *Michailovskiyi* Fomin 312; tab. 19.
 — *montana* Hoppe 305.
 — *Olgae* Vved. 314.
 — *orientalis* Adam 311.
 — *pallidiflora* Schrenk 304.
 — *Raddeana* Rgl. 317; tab. 19.
 — *Regelii* Losinsk. 314, 739.
 — *ruthenica* Wikstr. 305; tab. 19.
 — *ussuriensis* Maxim. 315.
 — *verticillata* Willd. 316.
 — *Walujewii* Rgl. 313.
Friolovia DC. 27, 361, 384.
Froriepia C. Koch 16, 368.
 — *subpinnata* (Ledeb.) Baill. 368; tab. 30.
Fuernrobia C. Koch 16, 191.
 — *setifolia* C. Koch 192; tab. 15, 17.
Fumana Spach 15, 348.
 — *procumbens* (Dunal) Gren. et Godr. 349.
 — *viscidula* (Stev.) Juz. 348, 681; tab. 17.
Fumaria L. 7, 706.
 — *asepala* Boiss. 715.
 — *capreolata* L. 708.
 — *Kralikii* Jord. 709.
 — *micrantha* Lag. 710.
 — *officinalis* L. 713; tab. 45.
 — *parviflora* Lam. 714.
 — *pikermiana* Boiss. 708.
 — *rostellata* Knaf 709.
 — *Schleicheri* Soy.-Willem. 713.
 — *Thuretii* Boiss. 708.
 — *Vaillantii* Loisel. 715; tab. 45.
Fumariola Korsh. 7, 716.
 — *turkestanica* Korsh. 716.
Funkia Spreng. 4, 54.
 — *lancifolia* Spreng. 55; tab. 5.
 — *ovata* Spreng. 54; tab. 5.
Gaertnera Retz. 24, 449.
Gagea Salisb. 4, 61.
 — *afghanica* Terr. 107.
 — *Alberti* Rgl. 103; tab. 8.
 — *Alexeenkoana* Misch. 99; tab. 8.
 — *altaica* Schischk. et Sumn. 107; tab. 8.
 — *anisanthos* C. Koch 87, 737; tab. 7.
 — *anisopoda* M. Pop. 103, 737; tab. 9.
 — *arvensis* Dum. 89.
 — *Bergii* Litv. 95; tab. 8.
 — *bulbifera* (Pall.) Roem. et Schult. 108; tab. 8.
 — *Callieri* Pasch. 93.
 — *capillifolia* Vved. 110; tab. 9.
 — *Capusii* Terr. 81; tab. 7.
 — *Caroli-Kochii* Grossh. 99, 736; tab. 44.
 — *Chanae* Grossh. 82.
 — *chlorantha* (M. B.) Roem. et Schult. 103; tab. 8.
 — *Chomutoviae* Pasch. 102; tab. 8.
 — *commutata* C. Koch 100; tab. 8.
 — *confusa* Terr. 75; tab. 6.
 — *divaricata* Rgl. 95; tab. 8.
 — *dshungarica* Rgl. 75; tab. 6.
 — *dubia* Terr. 90; tab. 7.
 — *emarginata* Kar. et Kir. 88; tab. 7.
 — *erubescens* Bess. 79; tab. 6.
 — *Fedtschenkoana* Pasch. 81; tab. 6.
 — *filiformis* (Ledeb.) Kunth 76.
 — *fistulosa* (Ram.) Ker-Gawl. 83.
 — *gageoides* (Zucc.) Vved. 110; tab. 9.
 — *Germaniae* Grossh. 82; tab. 7.
 — *glacialis* C. Koch 87; tab. 7.
 — *graminifolia* Vved. 94; tab. 7.
 — *Granatellii* Parl. 90.
 — *granulosa* Turcz. 71; tab. 6.
 — *Heldreichii* Terr. 93; tab. 7.
 — *Helenae* Grossh. 80; tab. 6.
 — *hiensis* Pasch. 72; tab. 6.
 — *hissarica* Lipsky 95; tab. 8.
 — *improvisa* Grossh. 102, 737; tab. 44.
 — *Joannis* Grossh. 70, 734; tab. 6, 44.
 — *kopetdagensis* Vved. 77; tab. 6.
 — *Korshinskiyi* Grossh. 77, 735; tab. 6.
 — *longiscapa* Grossh. 79, 735.
 — *lutea* (L.) Ker-Gawl. 78; tab. 6.
 — *minima* (L.) Ker-Gawl. 70; tab. 6.
 — *minuta* Grossh. 76, 734; tab. 6.
 — *minutiflora* Rgl. 111; tab. 8.
 — *mirabilis* Grossh. 88, 736; tab. 7.
 — *Olgae* Rgl. 104; tab. 9.
 — *ova* Stapf 109; tab. 9.
 — *Paczoskii* (Zapal.) Grossh. 91; tab. 7.
 — *pamirica* Grossh. 108, 738; tab. 6.
 — *parva* Vved. 82.
 — *pauciflora* Turcz. 111; tab. 9.
 — *Popovii* Vved. 77; tab. 7.
 — *pratensis* (Pers.) Roem. et Schult. 91.
 — *provisa* Pasch. 112; tab. 9.
 — *pseudoerubescens* Pasch. 75; tab. 6.
 — *pseudoreticulata* Vved. 100; tab. 8.
 — *pusilla* (Schmidt) Roem. et Schult. 80.

- *reticulata* (Pall.) Roem. et Schult. 101; tab. 8.
- *rigida* Boiss. et Sprun. 94; tab. 7.
- *sacculifera* Rgl. 78; tab. 6.
- *samojedorum* Grossh. 84, 736; tab. 7.
- *spathacea* (Hayne) Salisb. 70; tab. 6.
- *stipitata* Merckl. ex Bge. 109; tab. 9.
- *sulfurea* Misch. 87.
- *Szovitsii* (Lang.) Bess. 92; tab. 7.
- *taurica* Stev. 99; tab. 8.
- *tenera* Pasch. 109; tab. 9.
- *tenuifolia* (Boiss.) Fomin 101; tab. 8.
- *tenuissima* Misch. 89; tab. 7.
- *transversalis* Stev. 92.
- *triquetra* Vved. 83; tab. 7.
- *ucrainica* Klok. 96; tab. 8.
- *Vvedenskyi* Grossh. 107, 737; tab. 6.
- Gaillonia** A. Rich. 23, 170.
- *asperuliformis* Lincz. 175, 689.
- *Bruguieri* A. Rich. 171.
- *bucharica* B. Fedtsch. et Desjat. 170; tab. 9.
- *Szovitsii* DC. 171; tab. 9.
- Galagania** Lipsky 16, 418.
- Galanthus** L. 4, 476.
- *alpinus* Sosn. 479.
- *caucasicus* (Baker) Grossh. 478.
- *latifolius* Rupr. 477.
- *nivalis* L. 478.
- *plicatus* M. B. 479; tab. 30.
- *transcaucasicus* Fomin 478.
- *Woronowii* Losinsk. 479, 749.
- Galatella** Cass. 25, 138.
- *altaica* Tzvel. 144, 582.
- *angustissima* (Tausch) Novopokr. 167.
- *biflora* (L.) Nees 151.
- *chromopappus* Novopokr. 149.
- *coriacea* Novopokr. 156.
- *dahurica* DC. 143; tab. 12.
- *divaricata* (Fisch. ex M. B.) Novopokr. 171.
- *dracunculoides* (Lam.) Nees 162.
- *eldarica* Kem.-Nath. 160.
- *fastigiiformis* Novopokr. 157.
- *Hauptii* (Ledeb.) Lindl. 166.
- *hissarica* Novopokr. 158.
- *Litvinovii* Novopokr. 158.
- *macrosciadia* Gand. 145.
- *Pastuchovii* (Kem.-Nath.) Tzvel. 159.
- *polygaloides* Novopokr. 165.
- *punctata* (Waldst. et Kit.) Nees 154.
- *Regelii* Tzvel. 153.
- *saxatilis* (M. Pop. ex Novopokr.) Novopokr. 163.
- *scoparia* (Kar. et Kir.) Novopokr. 172; tab. 11.
- *Sosnovskyana* Kem.-Nath. 161.
- *tianschanica* Novopokr. 164; tab. 12.
- *trinervifolia* (Less.) Novopokr. 152.
- *Villosula* Novopokr. 150.
- Galatella** (Cass.) Benth. et Hook. 25, 138.
- Galbanum** D. Don 17, 278.
- Galearia** C. Presl 11, 226.
- Galega** L. 11, 303.
- *officinalis* L. 303; tab. 20.
- *orientalis* Lam. 304.
- Galeobdolon** Adans. 21, 138.
- *luteum* Huds. 139.
- Galeopsis** L. 21, 111.
- *bifida* Boenn. 119; tab. 7.
- *ladanum* L. 112; tab. 7.
- *pubescens* Bess. 115.
- *speciosa* Mill. 116.
- *tetrahit* L. 117; tab. 7.
- Galeorchis** Rydb. 4, 669.
- *cyclochilus* (Franch. et Savat.) Nevski 669; tab. 42.
- Galinsoga** Ruiz et Pav. 25, 563.
- *parviflora* Cav. 563; tab. 34.
- *quadriradiata* Ruiz et Pav. 563.
- Galinsogaea** Zucc. 25, 563.
- Galium** L. 23, 287.
- *achurense* Grossh. 363.
- *amblyophyllum* Schrenk ex Fisch. et Mey. 351; tab. 19.
- *amurense* Pobed. 350, 716.
- *anfractum* Somm. et Lev. 360.
- *anisophyllum* Vill. 338.
- *aparine* L. 306.
- *apscheronicum* Pobed. 313, 710.
- *articulatum* Lam. 345; tab. 19.
- *atropatanum* Grossh. 369.
- *aureum* Vis. 362.
- *baicalense* Pobed. 336, 714; tab. 18.
- *boreale* L. 349.
- *brachyphyllum* Roem. et Schult. 380. tab. 20.
- *Braunii* Zelen. 322.
- *bullatum* Lipsky 377; tab. 20.
- *calcareum* (Alb.) Pobed. 372, 719.
- *caspicum* Stev. 375.
- *chloroleucum* Fisch. et Mey. 310.
- *cordatum* Roem. et Schult. 324.
- *coriaceum* Bge. 379; tab. 21.
- *coronatum* Sibth. et Sm. 322.
- *cruciata* (L.) Scop. 319.
- *Czerepanovii* Pobed. 379, 720.
- *dahuricum* Turcz. 341.

- Galium Decaisnei* Boiss. 311.
 — *densiflorum* Ledeb. 364.
 — *elbrassicum* Pobed. 319, 711.
 — *eldaricum* Grossh. 311; tab. 17.
 — *elongatum* J. et C. Presl 333.
 — *erectum* Huds. 371.
 — *fistulosum* Somm. et Levier 359.
 — *Grossheimii* Pobed. 378, 720.
 — *grusinum* Trautv. 375.
 — *hercynicum* Weig. 336.
 — *hyrcanicum* C. A. Mey. 376.
 — *Juzepczukii* Pobed. 372, 719.
 — *kamtschaticum* Steller ex Schult. 330.
 — *karakulense* Pobed. 332, 712; tab. 18.
 — *kiapazi* Manden. 340; tab. 17.
 — *kopetdagense* Pobed. 323, 711; tab. 16.
 — *Krylovii* Iljin 318; tab. 16.
 — *krymense* Pobed. 334, 713.
 — *Kutzingii* Boiss. et Buhse 369; tab. 20.
 — *lacteam* (Maxim.) Pobed. 363, 718.
 — *leiophyllum* Boiss. et Hohen. 377.
 — *Linczevskii* Pobed. 305, 710.
 — *majmechense* Bordz. 361; tab. 20.
 — *mite* Boiss. et Hohen. 376.
 — *mollugo* L. 370.
 — *mugodsharicum* Pobed. 352, 717.
 — *nupercratum* M. Pop. 313; tab. 21.
 — *palustre* L. 331.
 — *pamiro-alaicum* Pobed. 361, 718.
 — *paradoxum* Maxim. 326.
 — *pedemontanum* (Bell.) All. 325.
 — *Pojarkoviae* Pobed. 345, 715.
 — *polonicum* Blocki 374.
 — *pseudopolycarpon* Somm. et Levier 325.
 — *pumilum* Murr. 338.
 — *rubioides* L. 347.
 — *Ruprechtii* Pobed. 335, 713; tab. 18.
 — *ruthenicum* Willd. 367.
 — *saturejifolium* Trev. 332; tab. 18.
 — *saurense* Litv. 368; tab. 21.
 — *scabrum* L. 329.
 — *Schischkinii* Pobed. 318, 711.
 — *Schultesii* Vest 373.
 — *septentrionale* Roem. et Schult. 353.
 — *sevanense* Pobed. 324, 712.
 — *soongoricum* Schrenk 299; tab. 16.
 — *Sosnowskii* Manden. 321; tab. 17.
 — *spurium* L. 306.
 — *subuliferum* Somm. et Levier 358; tab. 20.
 — *tauricum* (Willd.) Roem. et Schult. 320; tab. 16.
 — *tenuissimum* M. B. 308; tab. 17.
 — *tianschanicum* M. Pop. 337; tab. 17.
 — *transcaasicum* Stapf 309.
 — *trichophorum* Kar. et Kir. 308; tab. 17.
 — *tricornis* Stokes 304.
 — *trifidum* L. 334.
 — *trifloriforme* Kom. 303.
 — *triflorum* Michx. 300.
 — *turkestanicum* Pobed. 351, 717.
 — *uliginosum* L. 340.
 — *ussuriense* Pobed. 348, 716.
 — *valantioides* M. B. 354; tab. 19.
 — *Vartanii* Grossh. 339.
 — *Vassilczenkoi* Pobed. 342, 714.
 — *verum* Scop. 314.
 — *verticillatum* Danth. 312.
 — *verum* L. 357.
 — *volgensis* Pobed. 348, 715; tab. 19.
 — *Wirtgenii* F. Schultz 358.
Gallotropis G. Don 11, 303.
Gamanthus Bge. 6, 346.
 — *ferganicus* Iljin 349.
 — *gamocarpus* (Moq.) Bge. 346.
 — *kelifi* Korov. 348; tab. 16.
 — *pilosus* (Pall.) Bge. 348; tab. 16.
Gamochaeta Wedd. 25, 397.
Garhadiolus Jaub. et Spach 29, 231.
 — *angulosus* Jaub. et Spach 232.
 — *papposus* Boiss. et Buhse 231.
Gastroidium Beauv. 2, 188.
 — *lenderum* (L.) Gaud. 188; tab. 12.
Gastrocotyle Bge. 19, 315.
 — *hispida* (Forsk.) Bge. 316.
Gastrodia R. Br. 4, 636.
 — *elata* Blume 636; tab. 39.
Gastrolychnis Reichb. 6, 714.
Gastrolychnis Rupr. 6, 714.
Gatyna Cass. 29, 595.
Gaudinia Beauv. 2, 283.
 — *fragilis* (L.) Beauv. 283.
Gaudinopsis Eig 2, 258.
 — *macra* (M. B.) Eig 258; tab. 18.
Gaultheria L. 18, 78.
 — *Miqueliana* Takeda 78.
Gaya Gaud. 16, 579.
Genersichia Heuff. 3, 380.
Genista L. 11, 54.
 — *albida* Willd. 57; tab. 4.
 — *angustifolia* Schischk. 59, 389.
 — *armenica* Spach 59.
 — *artwinensis* Schischk. 65, 390.
 — *compacta* Schischk. 58, 389.
 — *depressa* M. B. 60.
 — *flagellaris* Somm. et Levier 60.
 — *germanica* L. 57; tab. 4.
 — *glaberrima* Novopokr. 64.
 — *humifusa* L. 63; tab. 4.

- Lipskii Novopokr. et Schischk. 63.
- mingrelica Albov 64.
- patula M. B. 67.
- pilosa L. 68.
- scythica Pacz. 58.
- suanica Schischk. ex Grossh. 68, 390.
- tanaitica P. Smirn. 67; tab. 4.
- tetragona Bess. 64; tab. 4.
- tinctoria L. 65.
- transcaucasica Schischk. 67.
- Genistoides* Moench 11, 54.
- Gentiana** L. 18, 538.
- acuta Michx. 607.
- algida Pall. 559.
- angulosa M. B. 585.
- aquatica L. 579.
- arctica Grossh. 588.
- asclepiadea L. 543.
- atrata Bge. 610.
- aurea L. 611.
- auriculata Pall. 601; tab. 31.
- azurea Bge. 613.
- axillaris (F. M. Schmidt) Murb. 606.
- axilliflora Lévl. et Vaniot 549.
- baltica Murb. 599.
- barbata Froel. 595.
- Biebersteinii Bge. 601.
- blepharophora Bordz. 592.
- campestris L. 600.
- carpaticola Borb. 603.
- caucasica M. B. 603; tab. 31.
- ciliata L. 591.
- Clusii Perr. et Song. 583.
- cordifolia C. Koch 551.
- cruciata L. 568.
- Dechyana Somm. et Lév. 619.
- dahurica Fisch. 566.
- decumbens L. f. 562.
- detonsa Rottb. 596.
- dichotoma Pall. 617.
- djimilensis C. Koch 575.
- Doluchanovii Grossh. 592.
- dschungarica Rgl. 550.
- excisa C. Presl 583.
- falcata Turcz. 617; tab. 32.
- Fetissowii Rgl. et Winkl. 567.
- Fischeri Smirn. 549.
- frigida Haenke 560.
- gelida M. B. 555; tab. 28.
- glauca Pall. 561.
- grandiflora Laxm. 572.
- Grossheimii Doluch. 552.
- Karelinii Griseb. 578.
- Kaufmanniana Rgl. et Schmalh. 565.
- Kolakovskii Doluch. 552.
- Komarovii Grossh. 596.
- Krylovii Grossh. 585.
- kurilensis Grossh. 576, 750; tab. 30.
- laciniata Kit. ex Kanitz 572.
- lagodechiana (Kusn.) Grossh. 553.
- leucomelaena Maxim. 578.
- lingulata Agardh 605.
- Lipskyi Kusn. 604.
- lutea L. 540.
- macrophylla Pall. 567; tab. 29.
- Makinoi Kusn. 548.
- Marcowiczii Kusn. 604.
- nipponica Maxim. 576; tab. 30.
- nivalis L. 588.
- nutans Bge. 577; tab. 30.
- Olgae Rgl. et Schmalh. 564; tab. 29.
- oschtenica (Kusn.) Woronow 586.
- Olivierii Griseb. 569.
- Overinii (Kusn.) Grossh. 555.
- paludicola Koidz. 608.
- pamirica Grossh. 612, 751; tab. 32.
- paradoxa Albov 554.
- phlogifolia Schott et Kotschy 569.
- plebeja Cham. et Schlecht. 607.
- pneumonanthe L. 547.
- pontica Soltok 587.
- praecox A. Kerner 602.
- propinqua Richards. 609.
- prostrata Haenke 576.
- pseudoaquatica Kusn. 580.
- pulmonaris Turcz. 614.
- punctata L. 540.
- pygmaea Rgl. et Schmalh. 619; tab. 32.
- riparia Kar. et Kir. 581.
- Romanzovii Ledeb. ex Bge. 559.
- scabra Bge. 544; tab. 28.
- schistocalyx C. Koch 543; tab. 28.
- septemfida Pall. 550.
- sibirica (Kusn.) Grossh. 612.
- squarrosa Ledeb. 581.
- tenella Rottb. 618.
- tianschanica Rupr. 563.
- triflora Pall. 547.
- turkestanorum Gand. 610.
- uliginosa Willd. 605.
- umbellata M. B. 611.
- utriculosa L. 589.
- verna L. 587.
- Vvedenskyi Grossh. 597, 751.
- Walujewii Rgl. et Schmalh. 565.
- Zollingeri Fawcett 582.
- Gentianopsis* Ma 18, 590.
- Georgina* Willd. 25, 548.

Geracium Reichb. 29, 595, 606, 622, 661.

Geranium L. 14, 2.

— affine Ledeb. 33.

— albanicum M. B. 49; tab. 3.

— albiflorum Ledeb. 27.

— bifolium Patr. 30.

— bohemicum L. 59; tab. 5.

— Charlesii (Aitch. et Hemsl.) Vved. ex Nevski 62; tab. 3.

— collinum Steph. ex Willd. 43; tab. 3.

— columbinum L. 12; tab. 5.

— dahuricum DC. 11.

— depilatum (Somm. et Lev.) Grossh. 52.

— dissectum L. 14; tab. 5.

— divaricatum Ehrh. 57; tab. 5.

— erianthum DC. 23; tab. 4.

— eriostemon Fisch. 22; tab. 2, 4.

— ferganense Bobr. 43, 713; tab. 3.

— finitimum Woronow 34.

— gracile Ledeb. 46; tab. 2.

— gymnocaulon DC. 18; tab. 1.

— ibericum Cav. 19; tab. 1.

— Kotschy Boiss. 62.

— linearilobum DC. 61; tab. 3.

— lucidum L. 36; tab. 5.

— macrorrhizum L. 34.

— Maximowiczii Rgl. et Maak 42.

— Meeboldii Briq. 45.

— molle L. 55; tab. 5.

— montanum Habl. 20; tab. 1.

— pallens M. B. 50.

— palustre L. 40.

— phaeum L. 39; tab. 2.

— platypetalum Fisch. et Mey. ex Hohen. 20.

— pratense L. 31.

— pseudosibiricum J. Mayer 29.

— psilostemon Ledeb. 18.

— pusillum Burm. f. 52; tab. 5.

— pyrenaicum Burm. f. 51; tab. 3.

— rectum Trautv. 30; tab. 2.

— Renardii Trautv. 17; tab. 1.

— Robertianum L. 35; tab. 5.

— rotundifolium L. 56; tab. 5.

— Ruprechtii Woronow 33.

— sanguineum L. 10.

— saxatile Kar. et Kir. 44; tab. 3.

— Schrenkianum Trautv. ex A. Beck. 13.

— sibiricum L. 57.

— Sieboldii Maxim. 21; tab. 4.

— silvaticum L. 24.

— soboliferum Kom. 12; tab. 4.

— Sophiae Fed. 40.

— subcaulescens L'Her. 10.

— tauricum Rupr. 50; tab. 3.

— transbaicalicum Serg. 32; tab. 2.

— transversale (Kar. et Kir.) Vved. 61.

— tuberosum L. 60; tab. 3.

— Vlassovianum Fisch. ex Link 41; tab. 2, 4.

— Wilfordii Maxim. 49; tab. 4.

Gerbera auct. 28, 592.

Gerbera Cass. 28, 589.

— Jamesonii Bolus 590.

Geropogon L. 29, 197.

— hybridus (L.) Sch. Bip. 197; tab. 8.

Geum L. 10, 251.

— aleppicum Jacq. 254; tab. 19.

— coccineum Sibth. et Smith 253.

— Fauriei Lévl. 256.

— glabricaulum Juz. 255, 615.

— latilobum Somm. et Lev. 259.

— macrophyllum Willd. 259; tab. 19.

— rivale L. 252; tab. 19.

— urbanum L. 260; tab. 19.

Gifola Cass. 25, 314, 316.

Gigachilon Seidl. 2, 688.

Gingidium Forst. 17, 11.

Giraldia Baroni 27, 88.

Girardinia Gaud. 5, 395.

— cuspidata Wedd. 395.

Girgensohnia Bge. 6, 277.

— diptera Bge. 281.

— minima Korov. 278.

— oppositiflora (Pall.) Fenzl 277; tab. 14.

Gladiolus L. 4, 578.

— atroviolaceus Boiss. 587; tab. 36.

— communis L. 582; tab. 36.

— halophilus Boiss. et Heldr. 588.

— imbricatus L. 583; tab. 36.

— Kotschyanus Boiss. 584.

— palustris Gaud. 583.

— segetum Ker.-Gawl. 580; tab. 36.

— tenuiflorus C. Koch 582; tab. 36.

— turkmenorum Czerniak. 581, 750; tab. 36.

Glaucium Adans. 7, 585.

— bracteatum M. Pop. 595; tab. 40.

— corniculatum (L.) Curt. 588; tab. 40.

— elegans Fisch. et Mey. 594.

— fimbriigerum Boiss. 593.

— flavum Crantz 592.

— grandiflorum Boiss. et Huet. 591.

— insigne M. Pop. 587.

— leiocarpum Boiss. 593.

— oxylobum Boiss. et Buhse 591.

— squamigerum Kar. et Kir. 594; tab. 40.

Glaux L. 18, 273.

— maritima L. 274.

- Glebionis* Cass. 26, 131, 134.
Glechoma L. 20, 437.
 — *hederacea* L. 437.
 — *hirsuta* Waldst. et Kit. 438.
 — *longituba* (Nakai) Kuprian. 439.
Gleditschia L. 11, 21.
 — *caspia* Desf. 21.
 — *triacanthos* L. 22.
Glehnia Fr. Schmidt 17, 42.
 — *litoralis* Fr. Schmidt 42; tab. 4.
Glinus Loefl. ex L. 6, 375.
 — *lotoides* L. 375.
Globocarpus Car. 16, 526.
Globularia L. 23, 128.
 — *aphyllanthos* Graebn. 129.
 — *trichosantha* Fisch. et Mey. 130.
Glossanthis Poljak. 26, 273, 277.
Glossocomia D. Don 24, 433.
Glyceria R. Br. 2, 449.
 — *alnasteretum* Kom. 457; tab. 34.
 — *aquatica* (L.) Wahl. 458; tab. 34.
 — *arundinacea* (M. B.) Kunth 459; tab. 34.
 — *caspica* Trin. 454; tab. 34.
 — *fluitans* (L.) R. Br. 451; tab. 34.
 — *kamtschatica* Kom. 459, 758; tab. 34.
 — *leptorhiza* (Maxim.) Kom. 452; tab. 34.
 — *lithuanica* (Gorski) Lindm. 453; tab. 34.
 — *natans* Kom. 453; tab. 34.
 — *memoralis* Uechtr. et Koern. 453; tab. 34.
 — *orientalis* Kom. 454; tab. 34.
 — *plicata* Fries 452; tab. 34.
 — *spiculosa* (Fr. Schmidt) Roshev. 457; tab. 34.
 — *triflora* (Korsh.) Kom. 459, 753; tab. 34.
 — *turcomanica* Kom. 452, 757.
 — *ussuriensis* Kom. 460, 758; tab. 34.
Glycine L. 13, 527.
 — *gracilis* Skvorts. 528.
 — *hispida* (Moench) Maxim. 529.
 — *ussuriensis* Rgl. et Maack 528.
Glycyrrhiza L. 13, 230.
 — *aspera* Pall. 234.
 — *bucharica* Rgl. 231.
 — *echinata* L. 238.
 — *glabra* L. 233.
 — *Gontscharovii* Masl. 232.
 — *Korshinskyi* Grig. 237.
 — *kulabensis* Masl. 233.
 — *laxissima* Vass. 235.
 — *macedonica* Boiss. 238.
 — *pallidiflora* Maxim. 239.
 — *uralensis* Fisch. 236.
 — *zaissanica* Serg. 235.
Glycyphylla Stev. 12, 91.
Gnaphalium L. 25, 342, 384, 404.
Gnaphalium L. 25, 381.
 — *baicalense* Kirp. 386.
 — *caucasicum* Somm. et Lev. 401; tab. 24.
 — *kasachstanicum* Kirp. 391.
 — *luteo-album* L. 395.
 — *mandshuricum* Kirp. 385.
 — *norvegicum* Gunn. 399.
 — *rossicum* Kirp. 389; tab. 24.
 — *sibiricum* Kirp. 390.
 — *supinum* L. 402.
 — *sylvaticum* L. 397.
 — *Tranzschelii* Kirp. 384; tab. 24.
 — *uliginosum* L. 391.
Goldbachia DC. 8, 236.
 — *laevigata* (M. B.) DC. 238; tab. 20.
 — *papulosa* Vass. 237, 643; tab. 20.
 — *reticulata* (Kuntze) Vass. 241, 644; tab. 20.
 — *verrucosa* Kom. 237; tab. 20.
Golenkinianthe K.-Pol. 16, 94, 109.
Golia Adans. 18, 249.
Golowninia Maxim. 18, 536.
Gomphocarpus R. Br. 18, 668.
 — *fruticosus* (L.) R. Br. 668; tab. 36.
Gomphopetalum Turcz. 17, 10, 11, 21.
Gomphrena L. 6, 369.
 — *globosa* L. 369; tab. 18.
Goniolimon Boiss. 18, 382.
 — *Besserianum* (Schult.) Kusn. 403.
 — *callicomum* (C. A. Mey.) Boiss. 394.
 — *cuspidatum* Gamajun. 396.
 — *dschungaricum* (Rgl.) O. et B. Fedtsch. 390.
 — *elatum* (Fisch.) Boiss. 395.
 — *eximium* (Schrenk) Boiss. 391.
 — *graminifolium* (Ait.) Boiss. 404.
 — *orthocladum* Rupr. 392.
 — *rubellum* (S. G. Gmel.) Klok. 401.
 — *Severzovii* Herd. 386.
 — *speciosum* (L.) Boiss. 388; tab. 20.
 — *tataricum* (L.) Boiss. 397; tab. 20.
Gontscharovia Boriss. 21, 628.
 — *Popovii* (B. Fedtsch. et Gontsch.) Boriss. 629; tab. 22.
Goodyera R. Br. 4, 639.
 — *repens* (L.) R. Br. 639; tab. 39.
Gossypium L. 15, 170.
 — *albescens* Raf. 179.
 — *Figarei* Tod. 180.
 — *frutescens* Lasteyr. 182.
 — *herbaceum* L. 175.

- Gossypium hirsutum* L. 178.
 — *Jumelianum* (Tod.) Prokh. 183.
 — *Zaitzevii* Prokh. 176.
Graellsia Boiss. 8, 201.
 — *saxifragifolia* (DC.) Boiss. 202.
Grammarthron Cass. 26, 669, 671.
Grammopetalum C. A. Mey. ex Claus 16, 349.
Grammosciadium DC. 16, 120.
 — *daucoides* DC. 120; tab. 15.
Gratiola L. 22, 321.
 — *japonica* Miq. 323.
 — *officinalis* L. 322.
Gregoria Duby 18, 208.
Grindelia Willd. 25, 30.
 — *squarrosa* (Pursh) Dun. 30.
Groenlandia J. Gay 1, 261.
 — *densa* (L.) Fourr. 261; tab. 12.
Grossheimia Sosn. et Takht. 28, 332.
 — *macrocephala* (Muss.-Puschk.) Sosn. et Takht. 333.
 — *ossica* (C. Koch) Sosn. et Takht. 334.
Grossularia Mill. 9, 267.
 — *acicularis* (Smith) Spach 269; tab. 15.
 — *burejensis* (Fr. Schmidt) Berger 270.
 — *reticulata* (L.) Mill. 268.
Gueldenstaedtia Fisch. 11, 384.
 — *monophylla* Fisch. 385; tab. 25.
 — *pauciflora* Fisch. 386.
Guizotia Cass. 25, 545.
 — *abyssinica* (L. f.) Cass. 545.
Gundelia L. 26, 862.
 — *Tournefortii* L. 862.
Gymnadenia R. Br. 4, 667.
 — *conopsea* (L.) R. Br. 668; tab. 40.
 — *odoratissima* (L.) Rich. 667.
Gymnandra Pall. 22, 500.
Gymnaster Kitam. 25, 58.
 — *Savatieri* (Makino) Kitam. 58; tab. 4.
Gymnocline Cass. 26, 184, 193, 330.
Gypsophila L. 6, 731.
 — *acutifolia* Fisch. 757.
 — *albida* Schischk. 753.
 — *alsinoides* Bge. 773; tab. 48.
 — *altissima* L. 750.
 — *anatolica* Boiss. et Heldr. 761.
 — *Antoninae* Schischk. 744.
 — *areticoides* Boiss. 744.
 — *aulieatensis* B. Fedtsch. 757.
 — *bicolor* Freyn et Sint. 749.
 — *brachypetala* Trautv. 770.
 — *bucharica* B. Fedtsch. 771.
 — *capitata* M. B. 745; tab. 46.
 — *capituliflora* Rupr. 768; tab. 48.
 — *cappadocia* Boiss. et Bal. 747.
 — *cephalotes* (Schrenk) Will. 752; tab. 47.
 — *dahurica* Turcz. ex Fenzl 768.
 — *desertorum* (Bge.) Fenzl 740; tab. 46.
 — *dichotoma* Bess. 748.
 — *diffusa* Fisch. et Mey. 753; tab. 47.
 — *elegans* M. B. 764.
 — *ericalyx* Boiss. 757.
 — *fastigiata* L. 747; tab. 47.
 — *Fedtschenkoana* Schischk. 770; tab. 48.
 — *filipes* (Boiss.) Schischk. 775.
 — *floribunda* (Kar. et Kir.) Turcz. ex Ledeb. 775.
 — *glandulosa* (Boiss.) Walp. 738.
 — *glauca* Stev. 759.
 — *globulosa* Stev. ex Bess. 746; tab. 46.
 — *glomerata* Pall. 746; tab. 46.
 — *herniarioides* Boiss. 743; tab. 46.
 — *heteropoda* Freyen 767.
 — *hispida* Boiss. 770.
 — *imbricata* Rupr. 745; tab. 46.
 — *intricata* Franch. 771.
 — *Krascheninnikovii* Schischk. 751.
 — *linearifolia* (Fisch. et Mey.) Boiss. 772.
 — *Lipskyi* Schischk. 769; tab. 48.
 — *Litwinowii* K.-Pol. 751.
 — *Meyeri* Rupr. 759.
 — *microphylla* (Schrenk) Fenzl 740; tab. 46.
 — *muralis* L. 774.
 — *pacifica* Kom. 768.
 — *paniculata* L. 749; tab. 47.
 — *Patrinii* Ser. 767.
 — *picta* Boiss. 776.
 — *Popovii* Preobr. 772.
 — *porrigens* (L.) Fenzl 776.
 — *Preobrashenskyi* Czernjak. 769.
 — *robusta* Grossh. 761.
 — *Sambukii* Schischk. 763; 892.
 — *scorzonerifolia* Ser. 760.
 — *sericea* (Ser.) Fenzl 739.
 — *silenoides* Rupr. 764.
 — *simulatrix* Bornm. et Woronow 752.
 — *spathulifolia* (Fisch. et Mey.) Fenzl 773.
 — *stepposa* Klok. 774.
 — *Steupii* Schischk. 762.
 — *Stevenii* Fisch. ex Bess. 758.
 — *Szowitsii* Fisch. et Mey. 754.
 — *tenuifolia* M. B. 762.
 — *tianschanica* M. Pop. et Schischk. 750, 891.
 — *trichotoma* Wend. 759.
 — *turkestanica* Schischk. 743.
 — *ucrainica* Kleop. 748, 891.

- *uralensis* Less. 763.
- *violacea* (Ledeb.) Fenzl 739.
- *virgata* Boiss. 754; tab. 47.
- *yorae* Woronow 761; tab. 48.
- Gyrostachys* Pers. 4, 637.
- Gytonanthus* Raf. 23, 587.

- Habenaria** Willd. 4, 641.
 - *dianthoides* Nevski 642, 751; tab. 40.
 - *linearifolia* Maxim. 642; tab. 40.
- Hablitzia** M. B. 6, 32.
 - *tamnoides* M. B. 32; tab. 2.
- Hackelia** Opiz 19, 479.
 - *deflexa* (Wahl.) Opiz 480.
 - *thymifolia* (DC.) M. Pop. 481.
- Haenselera* Lag. 16, 223.
- Hagenia* Moench 6, 776.
- Hahnia* Medic. 9, 387.
- Halanthium** C. Koch 6, 340.
 - *kulpianum* (C. Koch) Bge. 344.
 - *Lipskyi* Pauls. 345.
 - *rariflorum* C. Koch 343; tab. 16.
 - *roseum* (Trautv.) Iljin 345.
- Halenia** Borkh. 18, 638.
 - *corniculata* (L.) Cornaz 638.
 - *elliptica* D. Don 639; tab. 34.
- Halerpestes** Green 7, 329.
 - *ruthenica* (Jacq.) Ovcz. 331; tab. 34.
 - *salsuginosa* (Pall.) Green 330; tab. 34.
- Halianthus* Fries 6, 516.
- Halimocnemis** C. A. Mey. 6, 329.
 - *Beresinii* Iljin 334.
 - *glaberrima* Iljin 335.
 - *Karelinii* Moq. 331; tab. 17.
 - *lasiantha* Iljin 336; tab. 17.
 - *latifolia* Iljin 338; tab. 17.
 - *longifolia* Bge. 333; tab. 17.
 - *macranthera* Bge. 336.
 - *mollissima* Bge. 334.
 - *sclerosperma* (Pall.) C. A. Mey. 332; tab. 17.
 - *Smirnowii* Bge. 337; tab. 17.
 - *villosa* Kar. et Kir. 333; tab. 17.
- Halimodendron** Fisch. 11, 323.
 - *halodendron* (Pall.) Voss 323; tab. 20.
- Halimus* Wallr. 6, 106.
- Halocharis** Moq. 6, 327.
 - *hispida* (C. A. Mey.) Bge. 327; tab. 14.
 - *lachnantha* Korov. 329, 880.
 - *turcomanica* Iljin 328.
- Halocnemum** M. B. 6, 170.
 - *strobilaceum* (Pall.) M. B. 171; tab. 8.
- Halodendron* DC. 11, 323.
- Halogeton** C. A. Mey. 6, 350.
 - *arachnoideus* Moq. 352.
 - *glomeratus* (M. B.) C. A. Mey. 351; tab. 14.
 - *tibeticus* Bge. 352.
- Haloheplis** Bge. 6, 168.
 - *pygmaea* (Pall.) Bge. 169; tab. 8.
- Haloscias* Fries 16, 566, 568.
- Halostachys** C. A. Mey. 6, 169.
 - *caspica* (Pall.) C. A. Mey. 169; tab. 8.
- Halotis** Bge. 6, 338.
 - *pilosa* (Moq.) Iljin 339; tab. 17.
- Haloxydon** Bge. 6, 310.
 - *ammodendron* (C. A. Mey.) Bge. 313.
 - *aphyllum* (Minkw.) Iljin 312; tab. 10.
 - *persicum* Bge. ex Boiss. 311; tab. 10.
- Handelia** Heimerl 26, 124.
 - *trichophylla* (Schrenk) Heimerl 125.
- Hansenia* Turcz. 16, 566.
- Haplostephium* D. Don 29, 595, 606, 627.
- Haplophyllum** A. Juss. 14, 200.
 - *acutifolium* (DC.) G. Don 226.
 - *affine* (Aitch. et Hemsl.) Korov. 212.
 - *Alberti-Regelii* Korov. 221.
 - *Bourgaei* Boiss. 211.
 - *bucharicum* Litv. 211.
 - *Bungei* Trautv. 222.
 - *ciliatum* Griseb. 208.
 - *ciscaucasicum* Grossh. et Vved. 218.
 - *dauricum* (L.) G. Don 14, 205.
 - *dshungaricum* Rubtz. 216.
 - *dubium* Korov. 220.
 - *Eugenii-Korovinii* Pavl. 213.
 - *ferganicum* Vved. 223.
 - *foliosum* Vved. 216.
 - *Kowalenskyi* Stschegl. 212.
 - *latifolium* Kar. et Kir. 225.
 - *leptomerum* Lincz. et Vved. 217, 731; tab. 12.
 - *monadelphum* Afan. 215.
 - *multicaule* Vved. 213, 731.
 - *obtusifolium* Ledeb. 214.
 - *pedicellatum* Bge. 14, 206.
 - *perforatum* (M. B.) Kar. et Kir. 226.
 - *Popovii* Korov. 222; tab. 12.
 - *ramosissimum* Vved. 214.
 - *robustum* Bge. 223.
 - *Schelkovnikovii* Grossh. 219.
 - *suaveolens* (DC.) G. Don 14; 207.
 - *tenue* Boiss. 217.
 - *tenuisetum* Lincz. et Vved. 216, 732.
 - *versicolor* Fisch. et Mey. 224.
 - *villosum* (M. B.) G. Don 218; tab. 12.
 - *Vvedenskyi* Nevski 220.
- Haplotaxis* Endl. 27, 361.

- Happophaestum* S. F. Gray 28, 573.
Harmsiella Briq. 21, 182.
Harrimanella Cov. 18, 70.
 — *hypnoides* (L.) Cov. 70.
 — *Stelleriana* (Pall.) Cov. 71.
Harrisonia Neck. 27, 59.
Hasselquistia L. 17, 276.
Hasteola Raf. 26, 683.
Haynaldia Schur 2, 665.
 — *villosa* (L.) Schur 665; tab. 47a.
Hecatonia Lour. 7, 351, 407.
Hedera L. 16, 3.
 — *caucasigena* Pojark. 587; tab. 1.
 — *colchica* C. Koch 5.
 — *chrysocarpa* Walsh 8.
 — *helix* L. 10.
 — *Pastuchovii* Woronow 7; tab. 1.
 — *taurica* Carr. 16.
Hedinia Ostenf. 8, 547.
 — *tibetica* (Thoms.) Ostenf. 547.
Hedraianthus Griseb. 24, 442.
Hedranthus Rupr. 24, 442.
Hedyphylla Stev. 12, 91.
Hedypnois Schreb. 29, 229.
 — *cretica* (L.) Willd. 230; tab. 1.
 — *persica* M. B. 230.
Hedysarum L. 13, 259.
 — *alaicum* B. Fedtsch. 294.
 — *alpinum* L. 279.
 — *amankutanicum* B. Fedtsch. 292.
 — *arcticum* B. Fedtsch. 269.
 — *argenteum* M. B. 310.
 — *armenum* Boiss. 277.
 — *atropatanum* Bge. ex Boiss. 285.
 — *auriculatum* Eastw. 275.
 — *austrosibiricum* B. Fedtsch. 271.
 — *babatagicum* Korotk. 317.
 — *baicalense* B. Fedtsch. 312.
 — *balchanense* Boriss. 316.
 — *baldshuanicum* B. Fedtsch. 294.
 — *Bordzilovskiy* Grossh. 310.
 — *Branthii* Trautv. 280; tab. 14.
 — *bucharicum* B. Fedtsch. 318.
 — *candidum* M. B. 308.
 — *causicum* M. B. 277.
 — *cephalotes* Franchet 313.
 — *chaitocarpum* Rgl. et Schmalh. 294.
 — *connatum* B. Fedtsch. 277.
 — *consanguineum* DC. 270.
 — *cretaceum* Fisch. 301.
 — *daghestanicum* Rupr. ex Boiss. 311.
 — *dahuricum* Turcz. 290.
 — *dasycarpum* Turcz. 288.
 — *denticulatum* Rgl. et Schmalh. 305.
 — *Drobovii* Korotk. 288.
 — *elegans* Boiss. et Huet 310.
 — *Fedtschenkoanum* Rgl. et Schmalh. 307; tab. 14.
 — *ferganense* Korsh. 312.
 — *flavescens* Rgl. et Schmalh. 278.
 — *flexuosum* L. 268.
 — *formosum* Fisch. et Mey. 281.
 — *fruticosum* Pall. 266.
 — *Gmelinii* Ledeb. 289.
 — *grandiflorum* Pall. 309.
 — *hedysaroides* (L.) Schinz et Thell. 272.
 — *ibericum* M. B. 287.
 — *iliense* B. Fedtsch. 308; tab. 15.
 — *inundatum* Turcz. 270.
 — *iomuticum* B. Fedtsch. 287; tab. 15.
 — *jaxarticum* M. Pop. 303.
 — *karataviense* B. Fedtsch. 297.
 — *kirghisorum* B. Fedtsch. 274.
 — *kopetdaghi* Boriss. 286.
 — *Korshinskyanum* B. Fedtsch. 282; tab. 15.
 — *Krassnovii* B. Fedtsch. 267.
 — *Krylovii* Sumn. 314.
 — *Kudrjashevii* Korotk. 303.
 — *kuhitangi* Boriss. 306.
 — *Lehmannianum* Bge. 304.
 — *Lipskyi* B. Fedtsch. 285.
 — *macranthum* Freyn et Sint. 317; tab. 14.
 — *magnificum* Kudr. 282.
 — *microphyllum* Turcz. 315.
 — *minussinense* B. Fedtsch. 302.
 — *mogianicum* B. Fedtsch. 293.
 — *monophyllum* Boriss. 306.
 — *montanum* B. Fedtsch. 292.
 — *neglectum* Ledeb. 273.
 — *nuratense* M. Pop. 317.
 — *Olgae* B. Fedtsch. 318; tab. 14.
 — *Poncinsii* Franch. 314.
 — *pskemense* M. Pop. 295.
 — *Razoumovianum* Fisch. 302.
 — *sachalinense* B. Fedtsch. 276.
 — *santalaschi* B. Fedtsch. 296.
 — *Schischkinii* Sumn. 314.
 — *scoparium* Fisch. et Mey. 267; tab. 15.
 — *Semenovii* Rgl. et Herd. 278.
 — *sericeum* M. B. 311.
 — *setigerum* Turcz. 313.
 — *Severzovii* Bge. 295.
 — *songoricum* Bong. 291.
 — *splendens* Fisch. 308.
 — *subglabrum* (Kar. et Kir.) B. Fedtsch. 291.
 — *taschkenticum* M. Pop. 290.

- tauricum L. 298.
- tenuifolium B. Fedtsch. 293.
- truncatum Eastw. 275.
- turkestanicum Rgl. et Schmalh. 315.
- Turkeviczii B. Fedtsch. 297; tab. 14.
- ucrainicum Kaschm. 301.
- ussuriense I. Schischk. et Kom. 280.
- varium Willd. 286.
- vegetius B. Fedtsch. 316.
- vicioides Turcz. 280.
- Hegemone** Bge. 7, 53.
- lilacina Bge. ex Ledeb. 53.
- Hegemone* Prantl 7, 53.
- Heldreichia** Boiss. 8, 593.
- longifolia Boiss. 594.
- Heleocharis** R. Br. 3, 63.
- acicularis (L.) Roem. et Schult. 70; tab. 6.
- afflata Steud. 88; tab. 7.
- argyrolepidoides Zinserl. 79, 584; tab. 6.
- argyrolepis Kjerulff ex Bge. 79; tab. 6.
- atropurpurea (Retz.) Kunth 72; tab. 6.
- carniolica C. Koch 89.
- crassa Fisch. et Mey. ex Beck. 77, 582; tab. 6.
- ecarinata Zinserl. 78, 583; tab. 6.
- equisetiformis (Meinsh.) B. Fedtsch. 80; tab. 6.
- eupalustris Lindb. f. 76, 582; tab. 6.
- euuniglumis Zinserl. 82, 584; tab. 6.
- fennica Palla 87, 587; tab. 7.
- globularis Zinserl. 78, 582; tab. 6.
- intersita Zinserl. 76, 581; tab. 6.
- kamschatica (C. A. Mey.) Kom. 81; tab. 6.
- kasakstanica Zinserl. 78, 583; tab. 6.
- Klingei (Meinsh.) B. Fedtsch. 82, 585; tab. 7.
- Komarovii Zinserl. 81, 588; tab. 6.
- Korshinskyana Zinserl. 88, 588; tab. 7.
- leptostylopodiata Zinserl. 75, 581; tab. 6.
- mamillata Lindb. f. 75; tab. 6.
- margaritacea Hult. 89; tab. 7.
- Maximoviczii Zinserl. 88, 588; tab. 7.
- meridionalis Zinserl. 69, 580; tab. 6.
- multiseta Zinserl. 83, 586; tab. 7.
- oxylepis (Meinsh.) B. Fedtsch. 83, 586; tab. 7.
- ovata (Roth) Roem. et Schult. 71; tab. 6, 7.
- parvula (Roem. et Schult.) Link 68; tab. 6, 7.
- paucidentata Zinserl. 87, 588; tab. 7.
- pauciflora (Lightf.) Link 69; tab. 6.
- petasata (Maxim.) Zinserl. 90, 589; tab. 7.
- sachalinensis (Meinsh.) Kom. 80; tab. 6.
- scythica Zinserl. 84, 586; tab. 7.
- septentrionalis Zinserl. 83, 586; tab. 7.
- Svensonii Zinserl. 71, 580; tab. 6.
- transcaucasica Zinserl. 81, 585; tab. 6.
- turcomanica Zinserl. 79, 583; tab. 6.
- ussuriensis Zinserl. 75, 581; tab. 6.
- Heleochoa turkestanica* Litv. 2, 743.
- Helianthemum** Adans. 15, 330.
- alpestre (Jacq.) DC. 343.
- Buschii (Palib.) Juz. et Pozd. 344.
- canum (L.) Baumg. 345.
- ciscausicum Juz. et Pozd. 346, 680.
- dagestanicum Rupr. 332.
- georgicum Juz. et Pozd. 347, 680.
- grandiflorum (Scop.) Lam. et DC. 334; tab. 17.
- hirsutum (Thuill.) Méral 333.
- lasiocarpum Willk. 337.
- ledifolium (L.) Mill. 336.
- nummularium (L.) Dunal 334.
- orientale (Grosser) Juz. et Pozd. 344.
- rupifragum A. Kerner 340.
- salicifolium (L.) Mill. 338.
- soongoricum Schrenk 338.
- Stevenii Rupr. ex Juz. et Pozd. 346, 679; tab. 17.
- tomentosum (Scop.) Spreng. 335.
- Helianthus** L. 25, 541.
- annuus L. 542.
- atrirubens L. 544.
- tuberosus L. 544.
- Helichrysum** Mill. 25, 404.
- araxinum Takht. ex Kirp. 424.
- arenarium (L.) Moench 410.
- armenium (Fisch. et Mey.) DC. 422.
- aurantiacum Boiss. et Huet ex Boiss. 429.
- callichrysum (Fisch. et Mey.) DC. 424; tab. 26.
- graveolens (M. B.) Sweet 421.
- kopetdagense Kirp., 415.
- maracandicum M. Pop. ex Kirp. 420.
- Mussae Nevski 417; tab. 25.
- nuratavicum Krasch. 417.
- Pallasii (Spreng.) Ledeb. 428; tab. 26.
- plicatum (Fisch. et Mey.) DC. 419.
- polylepis Bordz. ex Grossh. 427.
- polyphyllum Ledeb. 418.
- thianschanicum Rgl. 415; tab. 25.
- undulatum Ledeb. 412.
- Helicilla* Moq. 6, 177.
- Heliopsis** Pers. 25, 535.

Heliopsis scabra Dun. 535.

Heliotropium L. 19, 120.

- *acutiflorum* Kar. et Kir. 150.
- *arguzioides* Kar. et Kir. 131.
- *biannulatifforme* M. Pop. 133.
- *bucharicum* B. Fedtsch. 132.
- *chorassanicum* Bge. 137.
- *dasycarpum* Ledeb. 125.
- *ellipticum* Ledeb. 147; tab. 8.
- *europaeum* L. 145.
- *Fedtschenkoanum* M. Pop. 136; tab. 7.
- *grande* M. Pop. 126; tab. 8.
- *Kowalenskyi* Stchegl. 135.
- *Litvinovii* M. Pop. 149; tab. 8.
- *micranthum* (Pall.) Bge. 151.
- *Olgae* Bge. 138; tab. 8.
- *parvulum* M. Pop. 150.
- *seravshanicum* M. Pop. 140; tab. 8.
- *styligerum* Trautv. 144.
- *suaveolens* M. B. 140; tab. 8.
- *supinum* L. 153.
- *Szovitsii* (Stev.) Bge. 134; tab. 8.
- *transoxanum* Bge. 126.
- *turcomanicum* M. Pop. et Korov. 128; tab. 8.

Helleborine Hill 4, 620.

Helleborus L. 7, 57.

- *abchasicus* A. Br. 59; tab. 6.
- *caucasicus* A. Br. 58; tab. 6.
- *guttatus* A. Br. 59.
- *purpurascens* Waldst. et Kit. 58.

Helminthia Juss. 29, 227.

- *echioides* (L.) Gaertn. 228; tab. 12.

Helodium Dum. 16, 372.

Helosciadium Koch 16, 372.

- *nodiflorum* (L.) Koch 372; tab. 30.

Hemarthria R. Br. 2, 12.

- *fasciculata* (Lam.) Kunth 12.
- *japonica* (Hack.) Roshev. 13; tab. 1.

Hemerocallis L. 4, 55.

- *Dumortieri* Morr. 60.
- *flava* L. 59; tab. 5.
- *fulva* L. 56.
- *Middendorffii* Trautv. et Mey. 59.
- *minor* Mill. 60.

Hemipappus C. Koch 26, 359.

- *canus* C. Koch 360.

Hemisphace Benth. 21, 359.

Hepatica Mill. 7, 282.

- *Falconeri* (Thoms.) Juz. 284.
- *nobilis* Gars. 283; tab. 17.

Heracleum L. 17, 223.

- *aconitifolium* Woronow 233.
- *Albovii* Manden. ex Grossh. 255.

- *antasiaticum* Manden. ex Grossh. 249.

- *apiifolium* Boiss. 256.

- *asperum* M. B. 237.

- *barbatum* Ledeb. 238.

- *calcareum* Albov 240.

- *carpathicum* Porc. 234.

- *caspicum* DC. 259.

- *chorodanum* (Hoffm.) DC. 252.

- *Clausii* Ledeb. 259.

- *colchicum* Lipsky 239.

- *cuneiforme* DC. 259.

- *cyclocarpum* C. Koch 232.

- *dissectum* Ledeb. 238.

- *dulce* Fisch. 236.

- *grandiflorum* Stev. ex M. B. 250.

- *Grossheimii* Manden. ex Grossh. 243.

- *jugatum* Boiss. 259.

- *Lehmannianum* Bge. 246.

- *Leskovii* Grossh. 249.

- *ligusticifolium* M. B. 257.

- *Mantegazzianum* Somm. et Lévier 242.

- *Olgae* Rgl. et Schmalh. 257.

- *osseticum* Manden. 241.

- *palmatum* Baumg. 234.

- *pastinacifolium* C. Koch 251.

- *ponticum* (Lipsky) Schischk. ex Grossh. 235.

- *pubescens* M. B. 242.

- *roseum* Stev. 253.

- *scabrum* Albov 247.

- *Schelkovnikovii* Woronow 254.

- *sibiricum* L. 231.

- *Sommieri* Manden. ex Grossh. 245.

- *Sosnowskyi* Manden. 244.

- *sphondylium* L. 236.

- *Stevenii* Manden. 248.

- *trachyloma* Fisch. et Mey. 246.

- *transcaucasicum* Manden. ex Grossh. 253.

- *transiliense* (Rgl. et Herd.) O. et B. Fedtsch. 258.

- *Wilhelmsii* Fisch. et Avé-Lall. 244.

Herminium R. Br. 4, 643.

- *monorchis* (L.) R. Br. 643.

Herniaria L. 6, 566.

- *caucasica* Rupr. 567; tab. 34.

- *glabra* L. 567; tab. 34.

- *hirsuta* L. 571; tab. 34.

- *incana* Lam. 568; tab. 34.

- *polygama* J. Gay 571; tab. 34.

Hesiodia Moench 20, 253, 268.

Hesperis L. 8, 242.

- *armena* Boiss. 244.

- *bicuspidata* (Willd.) Poir. 243.

- *karsiana* N. Busch 247.

- matrónalis L. 244.
- Meyeriana (Trautv.) N. Busch 246.
- pendula DC. 251.
- persica Boiss. 248.
- sibirica L. 246.
- silvestris Crantz 245.
- Steveniana DC. 246.
- tristis L. 248.
- violacea Boiss. 244.
- Voronovii N. Busch 247; tab. 14.
- Heteracia** Fisch. et Mey. 29, 591.
- Szovitsii Fisch. et Mey. 591.
- Heteranthelium** Hochst. 2, 689.
- piliferum Hochst. 689; tab. 47a.
- Heterocaryum** DC. 19, 537.
- echinophorum (Pall.) Brand 544.
- laevigatum (Kar. et Kir.) DC. 539; tab. 26.
- macrocarpum Zak. 545.
- oligacanthum (Boiss.) Bornm. 546.
- rigidum DC. 540; tab. 26.
- Szovitsianum (Fisch. et Mey.) DC. 546; tab. 26.
- Heterochaeta** DC. 25, 191.
- Heterochroa** Bge. 6, 738.
- Heteroderis** (Bge.) Boiss. 29, 587.
- leucocephala (Bge.) Leonova 590.
- pusilla (Boiss.) Boiss. 588.
- Heterolophus** Cass. 28, 370, 463.
- Heteropappus** Less. 25, 61.
- Alberti (Rgl.) Novopokr. et Tamamsch. 67.
- altaicus (Willd.) Novopokr. 66.
- canescens (Nees) Novopokr. 67.
- distortus (Turcz.) Tamamsch. 66; tab. 5.
- elisabethinus Tamamsch. 70, 578.
- hispidus (Thunb.) Less. 69; tab. 5.
- medius (Kryl.) Tamamsch. 68.
- Meyendorffii (Rgl. et Maack) Kom. et Aliss. 72.
- noneifolius Tamamsch. 71, 578.
- pinetorum Kom. 69.
- saxamarinus Kom. 70.
- tataricus (Lindl.) Tamamsch. 71.
- Heterotrichum** M. B. 27, 361.
- Hexakistra** Hook. f. 14, 269.
- Hibiscus** L. 15, 151.
- cannabinus L. 153.
- esculentus L. 165.
- planifolius Sweet 168.
- ponticus Rupr. 157; tab. 8.
- rosa-sinensis L. 156.
- sabdariffa L. 155.
- syriacus L. 152.
- tiliaceus L. 152.
- trionum L. 159.
- Hieracioides** auct. 29, 699, 703.
- Hieracioides** Rupr. 29, 595.
- Hieracium** L. 30, 1.
- abakurae Schelk. et Zahn 651.
- abastumanense Juxip 314.
- accline Norrl. 581.
- achalzichiense Juxip 113.
- acrifolium Dahlst. 96.
- acrocomum Naeg. et Peter 580; tab. 40.
- acrogymnon Malme 389.
- acroleucoides Dahlst. 249.
- acroleucum Stenstr. 239.
- acrosciadium Naeg. et Peter 512.
- acrothyrsum Naeg. et Peter 524.
- acroxanthum Sosn. et Zahn 53.
- acuminatifolium Litv. et Zahn 259.
- acutangulum Kozl. et Zahn 48.
- acutisquamum Naeg. et Peter 669.
- aczelmanicum Schischk. et Serg. 224.
- adelum Juxip 351.
- adenoactis Juxip 320.
- adenobrachion Litv. et Zahn 22.
- adjarianum Peter 496.
- adpersum Norrl. 166.
- adunans Norrl. 251.
- aeruginascens Norrl. 663.
- agnostum Juxip 383.
- agronesaeum Juxip 230.
- Akinfiewii Woronow et Zahn 401.
- akjaurense Norrl. 168.
- alatavicum Zahn 52.
- albellipes Schelk. et Zahn 75.
- albidulum Stenstr. 383.
- albipes Dahlst. 347.
- albocinereum Rupr. 424.
- albocostatum Norrl. em. Juxip 140.
- alphostictum Dahlst. 216.
- alpinum L. 157; tab. 20.
- altaicum Naeg. et Peter 598.
- alticaule Litv. et Zahn 536.
- altipes Lindb. f. ex Norrl. 337.
- alupkanum Zahn 488.
- amauranthum Peter 510.
- amaureilema Naeg. et Peter 675.
- amaurobasis Litv. et Zahn 495.
- amblylobum Juxip 236.
- amnoon Naeg. et Peter 466.
- amoeniceps Zahn 648.
- amphileion Pohle et Zahn 125.
- amphitrophodes Sosn. et Zahn 69.
- anfractum Fries 266.
- anocladum Naeg. et Peter 531.

- *Hieracium antennarioidiforme* Zahn 683.
- *apatelioides* Zahn 586.
- *apatelium* Naeg. et Peter 633; tab. 29.
- *apatitum* Juxip 288.
- *apatorium* Naeg. et Peter 519.
- *aphanum* Juxip 349.
- *apiculatum* Tausch 161.
- *aquilonare* (Naeg. et Peter) Zahn 438.
- *arctogeton* Zahn 126.
- *arcuatidens* Zahn 263.
- *argillaceoides* Litv. et Zahn 269.
- *armeniacum* Naeg. et Peter 465.
- *artabirense* Zahn 74.
- *artvinense* Woronow et Zahn 33.
- *arvense* Naeg. et Peter 492.
- *arvicola* Naeg. et Peter 517; tab. 35.
- *arvorum* Naeg. et Peter 458.
- *aryslynense* Zahn 68.
- *asiaticum* Naeg. et Peter 419.
- *asperrimum* Schur 491.
- *assimilatum* Norrl. 518.
- *asterodermum* Woronow et Zahn 133.
- *astibes* Juxip 366.
- *atrellum* Zahn 189.
- *aurantiacum* L. 653.
- *auratum* Fries 84.
- *auricula* Lam. et DC. ex Naeg. et Peter 670; tab. 32.
- *Aurorinii* Juxip 379.
- *aurosulum* Norrl. 646; tab. 40.
- *Baenitzii* Naeg. et Peter 605.
- *bakurianense* Fomin et Zahn 53.
- *Balansae* Boiss. 409.
- *barbulatum* Pohle et Zahn 188.
- *basifolium* (Fries) Alm. 348.
- *basileucum* Litv. et Zahn 493.
- *bauginiflorum* Naeg. et Peter 532.
- *beschtaeviciforme* Juxip 218.
- *beschtaevicum* Litv. et Zahn 47.
- *Besserianum* Spreng. 461.
- *bichloricolor* Ganesch. et Zahn 117; tab. 10.
- *Biebersteinii* Litv. et Zahn 49; tab. 6.
- *bimanum* Norrl. 174.
- *Bobrovii* Juxip 289.
- *boreum* Elfstr. 176.
- *Borodinianum* Juxip 228; tab. 22.
- *brachycephalum* Norrl. 620.
- *branae* Naeg. et Peter 464.
- *Brandisianum* Zahn. 70.
- *brittatanse* Juxip 146; tab. 19.
- *Buhsei* Naeg. et Peter 411.
- *bupleurifolioides* Zahn 143.
- *bupleurifolium* Tausch 142.
- *bupleuroides* J. F. Gmel. 395.
- *Buschianum* Juxip 145; tab. 17.
- *caesiiflorioides* Juxip 365.
- *caesiiflorum* Alm. ex Norrl. 376; tab. 33.
- *caesiogenum* Woloszcz. et Zahn 209.
- *caesiomurorum* Lindeb. ex Norrl. 344.
- *caesium* Fries 354.
- *caespiticola* Norrl. 266.
- *callichlorum* Litv. et Zahn 44.
- *callimorphoides* Zahn 630.
- *callimorphopsis* Zahn 629.
- *callimorphum* Naeg. et Peter 625.
- *calodon* Naeg. et Peter 484.
- *calodontopsis* Litv. et Zahn 485.
- *calolepidium* Norrl. 657.
- *calomastix* Naeg. et Peter 516.
- *caloprasinum* Zahn 73.
- *canitiosum* Dahlst. 380.
- *canum* Naeg. et Peter 592.
- *carcarophyllum* K. Joh. 323; tab. 30.
- *cardiobasis* Zahn 372.
- *cardiophyllum* Jord. ex Sudre 324.
- *Casparyanum* Naeg. et Peter 637.
- *causicum* Naeg. et Peter 403.
- *caucasiense* Arv.-Touv. 42; tab. 5.
- *cauri* Juxip 382.
- *cercidotelmatodes* Juxip 375.
- *cereolinum* Norrl. 262.
- *cernuiforme* Naeg. et Peter 646.
- *chaetothyrsoides* Litv. et Zahn 32.
- *chaetothyrsum* Litv. et Zahn 30.
- *chorelliceps* Norrl. 243.
- *chorellum* Sael. et Norrl. 380.
- *chlorochromum* Sosn. et Zahn 25.
- *chloroleucopium* Kozl. et Zahn 54.
- *chlorophilum* Kozl. et Zahn 51.
- *chloroprenanthes* Litv. et Zahn 31.
- *chlorops* Naeg. et Peter 628.
- *christoglossum* Zahn 539.
- *chromolepium* Zahn 36.
- *chrysophthalmum* Norrl. 640.
- *cilicicum* Naeg. et Peter 684.
- *cinnatum* Fries 26; tab. 2.
- *cinereostriatum* Woronow et Zahn 321.
- *colliniforme* Naeg. et Peter 599.
- *coloratum* Elfstr. 171.
- *commilitonum* Juxip 310.
- *comosum* Elfstr. 165; tab. 9.
- *concinidens* Zahn 58.
- *concoloriforme* Norrl. 657.
- *conferciens* Norrl. 579.
- *coniciforme* Litv. et Zahn 130.
- *conicum* Arv.-Touv. 128.

- coniops Norrl. 236.
- connatum Norrl. 306.
- constringensiforme Juxip 235.
- contractum Norrl. 554.
- creperiforme Juxip 111.
- crispans Norrl. 371.
- crispum Elfstr. 159; tab. 20.
- crocatum Fries 126; tab. 14.
- cruentiferum Norrl. et Lindb. 107.
- curvescens Norrl. 561.
- curvicollum Norrl. 591.
- curvulatum Zahn 613.
- curvulum Norrl. 518.
- cuspidelliforme Juxip 301.
- cuspidellum Pohle et Zahn 300.
- cymanthodes Kozl. et Zahn 457.
- cymanthum Naeg. et Peter 456.
- cymigerum Reichb. 556; tab. 36.
- cymiratum Schelk. et Zahn 479.
- cymosiforme Naeg. et Peter 512.
- cymosum L. 549.
- cyrtophyllum Norrl. 508.
- czaiense Schischk. et Serg. 98.
- dagoense Juxip 117.
- debilescens Woronow et Zahn 290.
- Dechyi Kozl. et Zahn 104.
- decipiens Tausch 167.
- declivium Juxip 321.
- decurrens Norrl. 181.
- dentatum Hoppe 394.
- denticuliferum Norrl. 555.
- detonsum Norrl. 572.
- diaphanoides Lindeb. 283.
- diaphanoidiceps Woronow et Zahn 54.
- diminuens Norrl. 322.
- discolor Naeg. et Peter 532.
- discoloratum Norrl. 663.
- dissolutum Naeg. et Peter 600.
- distractum Norrl. 330.
- dmitrovense Peter 537.
- dolabratum Norrl. 108.
- Dublitzkii B. Fedtsch. et Nevski 602.
- duderhofense Juxip 138.
- durisetum Naeg. et Peter 422.
- echiocephalum Naeg. et Peter 494.
- echiogenes Naeg. et Peter 487.
- echioides Lumn. ex Naeg. et Peter 418; tab. 25.
- Eichvaldii Juxip 378.
- Endaurovae Juxip 218.
- epichlorum Litv. et Zahn 264.
- ericetorum Naeg. et Peter 440.
- ermaniense Juxip 40.
- erythrocarpoides Litv. et Zahn 76.
- erythrocarpum Peter 71; tab. 9.
- erythrochristum Naeg. et Peter 520.
- euscadium (Naeg. et Peter) Dahlst. 551.
- excubitum Elfstr. 174; tab. 13.
- eximiiforme Dahlst. 194.
- exotericum Jord. ex Boreau 327.
- falcidentatum Juxip 231.
- fallax (Willd.) Naeg. et Peter 423.
- fariniratum Ganesch. et Zahn 264; tab. 25.
- farinodermum Litv. et Zahn 400.
- fastigiatum Naeg. et Peter 453.
- fenno-orbicans Norrl. 309.
- fennoorbicantiforme Juxip 305.
- festinum Jord. ex Boreau 267.
- filiferum Tausch 466.
- finmarkicum Elfstr. 187.
- flagellare (Willd.) Naeg. et Peter 643; tab. 37.
- flagellariforme G. Schneid. 628.
- flexicaule Elfstr. 169.
- floccicomatum Woronow et Zahn 325.
- flocciparum Schelk. et Zahn 106.
- floccipedunculum Naeg. et Peter 437.
- floribundiforme Naeg. et Peter 584.
- floribundoides Zahn 585.
- floribundum Naeg. et Peter 606; tab. 17.
- floridum Naeg. et Peter 632.
- folioliferum Elfstr. 161.
- foliosissimum Woronow et Zahn 34.
- Fominianum Woronow et Zahn 480.
- Freynii Naeg. et Peter 417.
- Frickii Zahn 431.
- frigidellum Pohle et Zahn 319.
- Fritzei F. Schultz 198.
- frondiferum Elfstr. 170.
- frondosum Naeg. et Peter 676.
- fuliginosum Laest. 185; tab. 21.
- fulvescens Naeg. et Peter 618.
- furfuraceoides Zahn 318.
- galbanum Dahlst. ex Anderss. 353; tab. 10.
- Ganeschinii Zahn 238.
- gentile Jord. ex Boreau 333; tab. 31.
- georgicum Fries 60.
- gigantellum Litv. et Zahn 24.
- giganticaule Zahn 569.
- glabriligulatum Norrl. 166.
- glaucescens Bess. 462; tab. 37.
- Glehnii Juxip 306.
- glomeratiforme Zahn 612.
- glomeratum (Fries) Naeg. et Peter 574; tab. 38.
- glomerellum Zahn 70.

- Hieracium gnaphalium* Naeg. et Peter 634.
 — *goriense* Kozl. et Zahn 95.
 — *Gorodkowianum* Juxip 186; tab. 21.
 — *gothicifrons* Zahn 39.
 — *grandidens* Dahlst. 340.
 — *granvicum* Juxip 305.
 — *griseum* Norrl. 573.
 — *gudergomiense* Juxip 232.
 — *gudissiense* Juxip 225.
 — *Guentheri* Norrl. 270.
 — *Gustavianum* Juxip 255.
 — *Guttenfeldense* Zahn 635.
 — *gymnogenum* Zahn 159.
 — *gynaeconesaeum* Juxip 88.
 — *haematoglossum* Kozl. et Zahn 487.
 — *Haraldii* Norrl. 577.
 — *heothinum* Naeg. et Peter 462.
 — *heterodontoides* Litv. et Zahn 72.
 — *hispidissimum* Rehm. 459.
 — *Hjeltii* Norrl. 322.
 — *Hohenackeri* Naeg. et Peter 403.
 — *hololeion* Maxim. 60; tab. 3.
 — *homostegium* Norrl. 639.
 — *hopense* Juxip 464.
 — *Hoppeanum* Naeg. et Peter 681; tab. 34.
 — *hylocomum* Juxip 328.
 — *hylogeton* Kozl. et Zahn 300.
 — *hypeuryum* Naeg. et Peter 687.
 — *hypoglaucum* Litv. et Zahn 141.
 — *hypopityforme* Juxip 248.
 — *hypopitys* Litv. et Zahn 261.
 — *hypopogon* Litv. et Zahn 50.
 — *Igoschinae* Juxip 289.
 — *ilyassowoëense* Zahn 535.
 — *imandrense* Juxip 139.
 — *incaniforme* Litv. et Zahn 478.
 — *incanum* (M. B.) Naeg. et Peter 398; tab. 34.
 — *inceptans* Norrl. 640.
 — *inconveniens* Juxip 277.
 — *incurrans* Sael. ex Norrl. 242.
 — *ingricum* Naeg. et Peter 454.
 — *insolens* Norrl. 459.
 — *insolitum* Zahn 73.
 — *intercessum* Juxip 369.
 — *iremense* Juxip 162.
 — *ischnoadenum* Juxip 284.
 — *isthmicola* Norrl. 626.
 — *jablonicense* Woloszcz. 209.
 — *jailanum* Zahn 543.
 — *juranum* Fries 136.
 — *Kabanovii* Juxip 375.
 — *Kaczurinii* Juxip 134.
 — *kajanense* Malmgr. 656.
 — *karelicum* Norrl. 600.
 — *karelorum* Norrl. 141; tab. 15.
 — *Karjaginii* Juxip 227.
 — *Karpinskianum* Naeg. et Peter 400.
 — *Kemulariae* Juxip 698.
 — *kiderense* Zahn 57.
 — *Kihlmanii* Norrl. 661.
 — *kirghisorum* Juxip 38.
 — *Knatii* Čelak. 113.
 — *kochtanum* Kozl. et Zahn 49.
 — *Koenigianum* Zahn 200.
 — *Koernickeanum* Naeg. et Peter 527.
 — *Kolenatii* Naeg. et Peter 502.
 — *kolicola* Juxip 339; tab. 32.
 — *konshakovskianum* Juxip 379.
 — *Korshinskyi* Zahn 219; tab. 15.
 — *kosvinskiense* Juxip 304.
 — *kovdaëense* Juxip 144.
 — *Kozlowskianum* Zahn 402.
 — *Krasanii* Woloszcz. 197.
 — *Kreczetoviczii* Juxip 317.
 — *Krylovii* Nevski 130.
 — *kubanicum* Litv. et Zahn 104.
 — *kubinskense* Juxip 279.
 — *Kulkowianum* Zahn 112.
 — *kumbelicum* B. Fedtsch. et Nevski 420.
 — *Kupfferi* Dahlst. 302.
 — *kuroksarense* Juxip 178.
 — *kusnetzkiense* Schischk. et Serg. 129.
 — *Kuzenevae* Juxip 277.
 — *Lackschewitzii* Dahlst. 386.
 — *ladogense* Norrl. 622.
 — *laevigans* Zahn 102.
 — *laevigatum* Willd. 105.
 — *lailanum* Schelk. et Zahn 59; tab. 8.
 — *lamprocomoides* Woronow et Zahn 688.
 — *lamprocomum* Naeg. et Peter 688.
 — *lamprophtalmum* Norrl. 572.
 — *loncidens* Zahn 101.
 — *lapponicum* Fries 109; tab. 2.
 — *lasiophorum* Naeg. et Peter 493.
 — *lasiotrix* Naeg. et Peter 687.
 — *latens* Juxip 256.
 — *laterale* Norrl. 107.
 — *lateriflorum* Norrl. 335.
 — *latpariense* Peter 492.
 — *Lehbertii* Zahn 280.
 — *lenkoranense* Juxip 535.
 — *lepiduliforme* Dahlst. 237.
 — *lepidioides* K. Joh. ex Dahlst. 334.
 — *leptadenium* Dahlst. 552.
 — *leptocaulon* Naeg. et Peter 598.
 — *leptoclados* Naeg. et Peter 520.
 — *leptogrammoides* Juxip 279.

- leptophyes Peter 587.
- leptophyllum Naeg. et Peter 510.
- leptophytomorphum Litv. et Zahn 505.
- leptophytum Naeg. et Peter 533.
- leptoprenanthes Litv. et Zahn 37; tab. 4.
- Lespinassei Kozl. et Zahn 134.
- leucothyrsogenes Kozl. et Zahn 314.
- leucothyrsoides Kozl. et Zahn 223.
- leucothyrsus Litv. et Zahn 106.
- Levieri Peter 650.
- linahamariense Juxip 351.
- linifolium Sael. ex Lindb. 110.
- Lippmae Juxip 386.
- Lipskianum Juxip 242.
- lissolepium Zahn 103.
- lithuanicum Naeg. et Peter 673.
- litoreum Norrl. 553.
- Litwinowianum Zahn 39.
- ljapinense Juxip 172.
- lomnicense Woloszcz. 197.
- longatum Peter 620.
- longipes C. Koch ex Naeg. et Peter 431.
- longiradiatum Zahn 511.
- longiscapum Boiss. et Kotschy 603.
- longisetum Naeg. et Peter 488.
- longum Naeg. et Peter 502.
- loriense Juxip 145; tab. 18.
- lugdunense Rouy 86.
- lujaurense Norrl. 179.
- luteoglandulosum Sael. ex Norrl. 578.
- lyccense Naeg. et Peter 444.
- lychnaeum Norrl. 655.
- Lydiae Schischk. et Steinb. 514.
- lyratum Norrl. 341.
- macrochaetium Naeg. et Peter 406.
- macrochlorellum Litv. et Zahn 364.
- macrocynum Naeg. et Peter 416.
- macrolepidiforme Zahn 69.
- macrolepioides Zahn 69.
- macrolepis Boiss. 56.
- macrolepium Naeg. et Peter 683.
- macrolygodes Zahn 101.
- macrophyllopodium Zahn 255.
- macroradium Zahn 500.
- maculosum Dahlst. 362.
- magnaauricula Naeg. et Peter 674.
- Malmei Dahlst. 389.
- manifestum Juxip 195.
- marginale Naeg. et Peter 468.
- maschukense Litv. et Zahn 415.
- matrense Naeg. et Peter 537.
- maurocybe Juxip 439.
- madianiforme Litv. et Zahn 325.
- medschedsense Zahn 51.
- megalomastix Naeg. et Peter 465.
- Meinshausenianum Juxip 143.
- melachaetum Tausch 455.
- melaneilema Naeg. et Peter 669.
- melanocephalum Tausch 160.
- melanocybe Norrl. 439.
- membranulatum Litv. et Zahn 229.
- Mendelii Naeg. et Peter 678.
- Miansarofii Kozl. et Zahn 62.
- micans Norrl. 573.
- micrastrum Zahn 583.
- microplacerum Norrl. 316.
- microsphaericum Zahn 649.
- microtum Boiss. 35.
- miro-bauhini Zahn 530.
- mirum Naeg. et Peter 495.
- mixopolium Dahlst. 108.
- mnoophorum Naeg. et Peter 514.
- modiciforme Juxip 171.
- mohrungenense Zahn 635.
- mollisetum (Naeg. et Peter) Dahlst. 547.
- monczecola Juxip 175; tab. 19.
- moscovitum Peter 647.
- mukacevense Juxip 281.
- multiceps Naeg. et Peter 484.
- multifrons Brenn. 373.
- multiglandulosum Juxip 144; tab. 16.
- multisetum Naeg. et Peter 687.
- muratovoëense Zahn 612.
- murmanicola Zahn 194.
- nalczikense Juxip 536.
- naniceps Elfstr. 170.
- narymense Schischk. et Serg. 97.
- neglectum Norrl. 568.
- Nenukovii Juxip 252.
- neroikense Juxip 129.
- nesaum Juxip 280.
- nigrescens Willd. 189.
- nigrisetum Naeg. et Peter 463.
- niphocladum Schelk. et Zahn 52.
- niveolimbatum Juxip 299.
- norrliniiforme Pohle et Zahn 567.
- Obornyanum Naeg. et Peter 523.
- obscuribracteum Naeg. et Peter 453.
- obscuricaule Litv. et Zahn 30.
- obscurum Reichb. 441.
- ochrophyllum Naeg. et Peter 485.
- oioëense Dahlst. 374.
- olympicum Boiss. 76.
- Omangii Elfstr. 115.
- onegense Norrl. 601; tab. 31.
- onosmaceum Zahn 55.
- orbicans Almq. ex Stenstr. 303.
- ornatum Dahlst. 286.

- Hieracium orthocladum* Zahn 23.
 — *orthopodum* Dahlst. 192.
 — *osiliae* Dahlst. 352.
 — *Oswaldii* Norrl. 127.
 — *ovaliceps* Norrl. 188.
 — *ovalifrons* Woronow et Zahn 315.
 — *ovatifrons* Dahlst. ex Noto 326.
 — *pachylodes* Naeg. et Peter 691.
 — *Pahnschii* Juxip 373.
 — *panaeoliforme* Pohle et Zahn 315.
 — *Panjutinii* Juxip 32; tab. 3.
 — *pannoniciforme* Litv. et Zahn 480.
 — *pannosum* Boiss. 199.
 — *paragogum* Naeg. et Peter 527.
 — *Pareyssianum* Naeg. et Peter 498.
 — *pasense* Juxip 278; tab. 24.
 — *peczoryense* Juxip 428.
 — *pellucidum* Laest. 329.
 — *pendulum* Dahlst. 370.
 — *perasperum* Zahn 482.
 — *perfoliatum* Froel. 146.
 — *perfugii* Juxip 507.
 — *pergrandidens* Zahn 177.
 — *perileucum* Schelk. et Zahn 683.
 — *permense* Zahn 422.
 — *permicum* Zahn 579; tab. 39.
 — *persimile* Dahlst. 302.
 — *petiolatum* Elfstr. 168.
 — *petrofundii* Juxip 263.
 — *petropavlovskanum* Juxip 371.
 — *Petunnikovii* Peter 638.
 — *philanthrax* Stenstr. 390.
 — *phrygium* Zahn 410.
 — *pilipes* Sael. 584.
 — *pilisquamum* Naeg. et Peter 682.
 — *pilosella* L. 692.
 — *piloselliflorum* Naeg. et Peter 648.
 — *pineum* Schischk. et Serg. 427.
 — *pleuroleucum* Dahlst. 326.
 — *plicatulum* Zahn 454.
 — *pluricaule* Schischk. et Serg. 283.
 — *plurifoliosum* Schischk. et Steinb. 98.
 — *pocuticum* Woloszcz. 208.
 — *podkumokense* Juxip 23.
 — *Pohlei* Zahn 217.
 — *poliophyton* Zahn 697.
 — *poliudovense* Juxip 261.
 — *polymnoon* Naeg. et Peter 560.
 — *polymorphophyllum* Elfstr. 186.
 — *pomoricum* Juxip 327.
 — *Porphyrii* Schischk. 97.
 — *praealtum* (Vill.) Naeg. et Peter 441; tab. 36.
 — *praecurrens* Vukot. 211.
 — *praetermissum* Juxip 260.
 — *praetervisum* Juxip 228.
 — *pratense* Tausch 596; tab. 30.
 — *praticola* Surde 83.
 — *proceriforme* Naeg. et Peter 416.
 — *procerigenum* Litv. et Zahn 478.
 — *procerum* (Fries) Naeg. et Peter 409; tab. 35.
 — *progenitum* Norrl. 630.
 — *prognatum* Norrl. 638.
 — *prolatatum* K. Joh. ex Dahlst. 237.
 — *prolixiforme* Norrl. 349; tab. 27.
 — *prolixum* Norrl. 363.
 — *prolongatum* Naeg. et Peter 568.
 — *proximum* Norrl. 308.
 — *pruiniferum* Norrl. 125.
 — *prussicum* Naeg. et Peter 636; tab. 38.
 — *psammophilum* Naeg. et Peter 483.
 — *pseudauricula* Naeg. et Peter 627.
 — *pseudauriculoides* Naeg. et Peter 471.
 — *pseudobifidum* Schur 210.
 — *pseudobipes* Elfstr. 178.
 — *pseudo-Blyttii* Norrl. 664; tab. 39.
 — *pseudobrachiolum* Čelak. 537.
 — *pseudoconstrictum* Zahn 36.
 — *pseudojuranum* Arv.-Touv. 136.
 — *pseudophyllodes* Zahn 173.
 — *pseudosvaneticum* Peter 66.
 — *pseuduliginosum* Zahn 644.
 — *psilobranchion* Woronow et Zahn 534.
 — *pubens* Naeg. et Peter 622.
 — *pulvinatum* Norrl. 666.
 — *purpureibracteum* Zahn 540.
 — *purpureovittatum* Zahn 540.
 — *purpuristicum* Juxip 111.
 — *puschlachtae* Pohle et Zahn 110.
 — *pycnothyrsus* Peter 569.
 — *pyrsjuense* Juxip 172.
 — *quinqueмонтicola* Juxip 248.
 — *Raddeanum* Zahn 124.
 — *radiatellum* Woronow et Zahn 313.
 — *ratluense* Zahn 72.
 — *ravusculum* Dahlst. 355.
 — *reducatum* Norrl. em. Juxip 137.
 — *Regelianum* Zahn 124.
 — *regiomontanum* Naeg. et Peter 609.
 — *Rehmannii* Naeg. et Peter 566.
 — *renidescens* Norrl. 611.
 — *retroversilobatum* Schelk. et Zahn 319; tab. 29.
 — *revocans* Juxip 337.
 — *rigidellum* Litv. et Zahn 44.
 — *rigidum* Hartm. 111.
 — *riparium* Juxip 369.

- robustum Fries 78.
- rohacsense Kit. 196.
- Rojowskii Rehm. 452.
- Rothianum Zahn 425.
- roxolanicum Rehm. 565.
- rubricymigerum Naeg. et Peter 565.
- rubro-Bauhini Schelk. et Zahn 460.
- rubroonegense Norrl. 658.
- rubropannonicum Litv. et Zahn 486.
- Ruprechtii Boiss. 544.
- rusanum Zahn 570.
- sabiniceps Litv. et Zahn 499.
- sabiniforme Zahn 481.
- sabinopsis Ganesh. et Zahn 421.
- sabulosorum Dahlst. 689.
- Sachokianum Kem.-Nath. 421.
- sagittatum Lindeb. 391.
- samurense Zahn 68.
- sarmentosum Froel. 497; tab. 14.
- sarykamyschense Juxip 225; tab. 18.
- saxifragum Fries 204.
- sbaense Juxip 278; tab. 26.
- scabiosum Sudre 83.
- Schelkownikowii Zahn 404.
- Schellianum Juxip 287.
- schemachense Juxip 467.
- Schmalhausenianum Litv. et Zahn 10.
- Schipczinskii Juxip 255.
- Schischkinii Juxip 230; tab. 23.
- Schliakovii Juxip 313.
- Schultesii (F. Schultz) Naeg. et Peter 678.
- scopulorum Juxip 592.
- scotaiolepis Elfstr. 190.
- scotodes Norrl. 549.
- segevoldense Syr. et Zahn 385.
- semicurvatum Norrl. 190.
- semicymigerum Zahn 513.
- semionegense Norrl. 661.
- semipraecox Zahn 492.
- senescentifrons Elfstr. 178.
- septentrionale Norrl. 444.
- sericcaule Schelk. et Zahn 55.
- serratifolium Jord. ex Boreau 339.
- sershukense Juxip 226.
- signiferum Norrl. 548.
- Silenii Norrl. 270.
- silvicomum Juxip 259.
- silvularum Jord. ex Boreau 341.
- simplicicaule Somm. et Lev. 57; tab. 7.
- siworkae Juxip 267.
- sobrinatum Litv. 66.
- Soczavae Juxip 180; tab. 11.
- sordidescens Norrl. 258.
- Sosnowskyi Zahn 399.
- spathophyllum Naeg. et Peter 619.
- squarrosulum Norrl. 677.
- stauropolitanum Juxip 457.
- Steinbergianum Juxip 353.
- stellatum Tausch 442.
- stenolepis Lindeb. 377.
- stenomischum Omang 182.
- stenopiforme Pohle et Zahn 181.
- stenozon Zahn 649.
- sterromastix Naeg. et Peter 432.
- streptotrichum Zahn 25.
- strictiramum Naeg. et Peter 483.
- strictissimum Froel. 138.
- stuposipilum Woronow et Zahn 445.
- subambiguum Naeg. et Peter 570.
- subaquilonare Juxip 220.
- subarctum Norrl. 286.
- subartvinense Juxip 35.
- subasperellum Zahn 247.
- subatriceps Zahn 677.
- subauricula Naeg. et Peter 627.
- subbakurianiense Juxip 65.
- subbauhiniflorum Woronow et Zahn 531.
- subbetuletorum Juxip 290.
- subcompositum Juxip 317.
- subcrassifolium Zahn 307.
- subcymigerum Naeg. et Peter 438.
- suberectum Schischk. et Steinb. 139.
- subfallaciforme Zahn 425.
- subfariniramum Ganesh. et Zahn 268.
- subfiliferum Zahn 466.
- subfloribundum (Naeg. et Peter) Dahlst. 582.
- subgalbanum Juxip 350.
- subhastulatum Zahn 257.
- subhirsutissimum Juxip 89.
- subimandrae Juxip 176.
- subincomptum Zahn 175.
- sublactucaceum Zahn 84.
- sublasiphorum Litv. et Zahn 496.
- sublividum Dahlst. 381.
- submaculosum Dahlst. 361.
- submarginellum Zahn 307; tab. 28.
- submedianum Zahn 282; tab. 27.
- submirum Litv. et Zahn 497.
- subnigrescens Fries 191.
- subnigriceps Zahn 631.
- subobscuriceps Zahn 251.
- subpellucidum Norrl. 285; tab. 16.
- subpollichium (Litv. et Zahn) Juxip 257.
- subrubellum Schelk. et Zahn 539.
- subsimplex Somm. et Lev. 59.
- substoloniferum Naeg. et Peter 467.
- subsvaneticum Litv. et Zahn 67.

- Hieracium subumbelliforme* Zahn 501.
 — *subviolascens* Pohle et Zahn 229.
 — *sudavicum* Naeg. et Peter 609.
 — *sudetorum* Naeg. et Peter 596.
 — *succicum* (Fries) Naeg. et Peter 610; tab. 33.
 — *sulphurelliforme* Kozl. et Zahn 41.
 — *sulphurellum* Kozl. et Zahn 41.
 — *sulphureum* Doell 526.
 — *suomense* Norrl. 559.
 — *svaneticiforme* Litv. et Zahn 58.
 — *Syreistschikovii* Zahn 29.
 — *syrjaenorum* Norrl. 547.
 — *sysolskiense* Zahn 581.
 — *Szovitsii* Naeg. et Peter 433.
 — *tabergense* Dahlst. 551.
 — *taigense* Schischk. et Serg. 288; tab. 28.
 — *tanense* Elfstr. 182.
 — *tanythrix* Naeg. et Peter 500.
 — *tatrense* Naeg. et Peter 643.
 — *teberdaefontis* Litv. et Zahn 491.
 — *teberdense* Litv. et Zahn 133.
 — *tenebricans* Norrl. 443.
 — *tenuiceps* Naeg. et Peter 482.
 — *tenuiglandulosum* Norrl. 338.
 — *tephrantheloides* Zahn 634.
 — *tephranthelum* Zahn 566.
 — *tephrochlorellum* Ganesch. et Zahn 426.
 — *tephrophilum* Kozl. et Zahn 223.
 — *tephropodium* Zahn 543.
 — *Teplouchovii* Juxip 239; tab. 24.
 — *terekianum* Litv. et Zahn 33.
 — *thauasioides* Naeg. et Peter 456.
 — *thauasium* Naeg. et Peter 457.
 — *thracicum* Naeg. et Peter 498.
 — *Tilingii* Juxip 250.
 — *tjapomense* Norrl. 655.
 — *torquescens* Norrl. 666.
 — *torticeps* Dahlst. 336.
 — *transbalticum* Dahlst. 585.
 — *transsilvanicum* Heuff. 207; tab. 12.
 — *triangulare* Alm. 361.
 — *tricheilema* Naeg. et Peter 674.
 — *trichobrachium* Juxip 114.
 — *trichocymosum* Zahn 548.
 — *tridenticeps* Zahn 113.
 — *tridentatum* Fr. 102.
 — *triste* Willd. ex Spreng. 9; tab. 1.
 — *tritum* Juxip 226.
 — *Tschkhubianischwilii* Kem.-Nath. 65.
 — *tubuliflorum* Naeg. et Peter 534.
 — *tunguskanum* Ganesch. et Zahn 123; tab. 13.
 — *turkestanicum* Zahn 217.
 — *tuscheticum* Zahn 543.
 — *tzagwerianum* Kozl. et Zahn 48.
 — *uczanssuense* Juxip 224.
 — *ugandiense* Juxip 392.
 — *umbellaticeps* Pohle et Zahn 96.
 — *umbellatum* L. 90.
 — *umbelliferum* Naeg. et Peter 513.
 — *umbellosum* Naeg. et Peter 499.
 — *umbrosum* Jord. 273.
 — *uralense* Elfstr. 173.
 — *uranopoleos* Juxip 318.
 — *ussense* Pohle et Zahn 192.
 — *Vagae* Juxip 370.
 — *vagum* Jord. 85.
 — *vaidae* Juxip 180.
 — *valmierense* Juxip 281.
 — *variegatisquamum* Zahn 75.
 — *vasconicum* Jord. ex Zahn 86.
 — *Vereschaginii* Schischk. et Serg. 127.
 — *vernicosum* Norrl. 665.
 — *verruculatum* Naeg. et Peter 399.
 — *villosellipes* Zahn 62.
 — *villosum* Jacq. 393.
 — *vindobonae* Zahn 431.
 — *violaceipes* Zahn 588.
 — *violascens* Pohle et Zahn 269.
 — *virelliceps* Norrl. 366.
 — *virenticeps* Dahlst. 265.
 — *virentisquamum* Naeg. et Peter. 681.
 — *virgultorum* Jord. 85; tab. 12.
 — *virosiforme* Woronow et Zahn 29.
 — *virosum* Pall. 77.
 — *vischerae* Juxip 135.
 — *viscidulum* Tausch 461.
 — *vitellicolor* Elfstr. 160.
 — *vitellinum* Norrl. 577.
 — *volhynicum* Naeg. et Peter 468.
 — *voroniense* Juxip 193.
 — *vulgatiforme* Dahlst. 231.
 — *vulgatum* (Fries) Alm. 240.
 — *Wimmeri* Uechtr. 360.
 — *wjasowoense* Zahn 511.
 — *wolczankense* Juxip 260.
 — *wolgense* Zahn 477.
 — *wologdense* Pohle et Zahn 219; tab. 28.
 — *Woronowianum* Zahn 411.
 — *xanthostigma* Norrl. 621.
 — *Zinserlingianum* Juxip 135.
 — *Zizianum* Tausch 508.
Hierochloe R. Br. 2, 59.
 — *alpina* (Liljeb.) Roem. et Schult. 60; tab. 4.
 — *australis* (Schr.) Roem. et Schult. 60.
 — *Bungeana* Trin. 62.

- glabra Trin. 62.
- odorata (L.) Wahl. 61; tab. 4.
- pauciflora R. Br. 61.
- Himantoglossum** Spreng. 4, 719.
- carpinum (M. B.) Spreng. 719; tab. 43.
- formosum (Stev.) C. Koch 720; tab. 43.
- Hinterhubera* Reichb. ex Nym. 8, 549.
- Hipericum* Neck. 15, 203.
- Hippocrepis** L. 13, 255.
- biflora Spreng. 257.
- ciliata Willd. 256.
- comosa L. 256.
- unisiliquosa L. 257.
- Hippolytia** Poljak. 26, 411.
- darvasica (C. Winkl.) Poljak. 415; tab. 18.
- Herderi (Rgl. et Schmalh.) Poljak. 414.
- megacephala (Rupr.) Poljak. 413.
- schugnanica (C. Winkl.) Poljak. 416.
- Hippomarathrum** Hoffmgg. et Link 16, 252.
- caspicum (DC.) Grossh. 253.
- longilobium (DC.) B. Fedtsch. 254.
- microcarpum (M. B.) B. Fedtsch. 252.
- Hippophaestum* S. F. Gray 28, 370.
- Hippophaë** L. 15, 516.
- rhamnoides L. 516.
- Hippuris** L. 15, 668.
- tetraphylla L. 670.
- vulgaris L. 669.
- Hirculus* Haw. 9, 159.
- Hirschfeldia** Moench 8, 470.
- incana (L.) Lagr.-Foss. 471.
- Hisutsua* DC. 25, 122.
- Hohenackeria** Fisch. et Mey. 16, 273.
- exscapa (Stev.) K.-Pol. 274; tab. 30.
- Holcus** L. 2, 237.
- lanatus L. 238; tab. 18.
- mollis L. 239; tab. 18.
- setosus Trin. 238; tab. 18.
- Hololachne* Ehrenb. 15, 277, 279.
- Holopteura* Rgl. et Schmalh. 16, 563.
- Holopogon** Kom. et Nevski 4, 620, 750.
- ussuriensis Kom. et Nevski 620, 751.
- Holoschoenus** Link 3, 41.
- romanus (L.) Fritsch 42.
- vulgaris Link 41; tab. 3.
- Holosteum** L. 6, 466.
- glutinosum (M. B.) Fisch. et Mey. 467; tab. 25.
- marginatum C. A. Mey. 468; tab. 25.
- umbellatum L. 467; tab. 25.
- Homogyne** Cass. 26, 654.
- alpina (L.) Cass. 655.
- Honkenya* Ehrh. 6, 516.
- Hoppea* Reichb. 26, 788.
- Horaninowia** Fisch. et Mey. 6, 272.
- anomala (C. A. Mey.) Moq. 272.
- excellens Iljin 274; tab. 12.
- minor Fisch. et Mey. 273; tab. 10.
- ulicina Fisch. et Mey. 274; tab. 10.
- Hordeum** L. 2, 722.
- Bogdani Wilensky 724.
- boreale Scribn. 723.
- brevisubulatum (Trin.) Link 724; tab. 50.
- bulbosum L. 726.
- distichum L. 728.
- hystrix Roth 727.
- leporinum Link 726.
- sibiricum Roshev. 724.
- spontaneum C. Koch 727; tab. 50.
- turkestanicum Nevski 725; tab. 50.
- violaceum Boiss. et Huet 725; tab. 50.
- vulgare L. 728.
- Horminum* Moench 21, 291.
- Hornemannia* Willd. 22, 316.
- Hosta* Tratt. 4, 54.
- Hostia* Moench 29, 594, 687.
- Hotia* Morr. et Decne. 9, 135.
- Hottonia** L. 18, 252.
- palustris L. 252.
- Houttuynia** Thunb. 5, 20.
- cordata Thunb. 20.
- Hulthemia** Dum. 10, 506.
- berberifolia (Pall.) Dum. 506.
- persica Michx. 507.
- Hulthemosa** Juz. 10, 507, 638.
- guzarica Juz. 507, 639.
- kopetdaghensis (Meffert) Juz. 508.
- Humulus** L. 5, 382.
- japonicus Sieb. et Zicc. 383; tab. 21.
- lupulus L. 382; tab. 21.
- Hutchinsonia** R. Br. 8, 548.
- petraea (L.) R. Br. 548.
- Hyacinthella** Schur 4, 407.
- leucophaea (C. Koch) Schur 408; tab. 23.
- Pallasiana (Stev.) Losinsk. 408; tab. 23.
- Hyacinthus** Tourn. 4, 405.
- Litwinowii Czerniak. 406; tab. 23.
- kopetdaghi Czerniak. 407; tab. 23.
- orientalis L. 407.
- transcaspicus Litv. 406; tab. 23.
- Hyalea* (DC.) Jaub. et Spach 28, 370, 486.
- Hyalea** (DC.) Jaub. et Spach 28, 367.
- pulchella (Ledeb.) C. Koch 369.
- tadshicorum (Tzvel.) Sojak 368.
- Hyalolaena** Bge. 16, 563.
- collina Korov. 566.

- Hyalolaena depauperata* Korov. 565.
 — *jaxartica* Bge. 564; tab. 30.
 — *paniculata* Korov. 565.
Hybridium Fourr. 23, 640.
Hydrangea L. 9, 225.
 — *paniculata* Sieb. 226.
 — *petiolaris* Sieb. et Zucc. 225.
Hydrilla Rich. 1, 294.
 — *verticillata* (L. f.) Rich. 294; tab. 10.
Hydrocharis L. 1, 297.
 — *asiatica* Miq. 298.
 — *morsus-ranae* L. 297; tab. 10.
Hydrocotyle L. 16, 57.
 — *ramiflora* Maxim. 59.
 — *ranunculoides* L. 59.
 — *vulgaris* L. 58.
Hyomecon Maxim. 7, 584.
 — *vernal* Maxim. 584; tab. 40.
Hymenocrater Fisch. et Mey. 20, 488.
 — *bituminosus* Fisch. et Mey. 490.
 — *elegans* Bge. 489.
Hymenolaena DC. 16, 233.
 — *alpina* Schischk. 235; tab. 18.
 — *nana* Rupr. 234; tab. 18.
 — *pimpinellifolia* Rupr. 233; tab. 15, 18.
Hymenolobos Nutt. 8, 549.
 — *procumbens* (L.) Nutt. ex Torr. et Gr 549.
 — *puberulus* (Rupr.) N. Busch 550.
Hymenolyma Korov. 16, 413.
 — *bupleuroides* (Schrenk) Korov. 414.
 — *trichophyllum* (Schrenk) Korov. 413; tab. 30.
Hymenophyllum Smith 1, 18.
 — *Wrightii* Bosch 18; tab. 1.
Hymenophysa C. A. Mey. 8, 535.
 — *macrocarpa* Franch. 536.
 — *pubescens* C. A. Mey. 536.
Hyoscyamus L. 22, 86.
 — *albus* L. 96.
 — *bohemicus* F. Schmidt 95.
 — *Camerarii* Fisch. et Mey. 90.
 — *kopetdaghi* Pojark. 90.
 — *niger* L. 93.
 — *pusillus* L. 98.
 — *reticulatus* L. 88.
 — *turcomanicus* Pojark. 92.
Hypacanthium Juz. 27, 388.
 — *echinopifolium* (Bornm.) Juz. 360; tab. 29.
Hypecoum L. 7, 576.
 — *erectum* L. 577; tab. 45.
 — *grandiflorum* Benth. 579; tab. 45.
 — *leptocarpum* Hook. f. et Thoms. 578.
 — *parviflorum* Kar. et Kir. 580; tab. 45.
 — *pendulum* L. 581; tab. 45.
 — *trilobum* Trautv. 580; tab. 45.
Hypericon J. F. Gmel. 15, 203.
Hypericum L. 15, 203.
 — *acutum* Moench 241; tab. 11.
 — *alpestre* Stev. 232.
 — *alpigenum* Kit. 255.
 — *androsaeum* L. 214; tab. 9.
 — *antasiaticum* Grossh. 231.
 — *Ardasenowii* R. Keller 254.
 — *armenum* Jaub. et Spach 235.
 — *ascyron* L. 212; tab. 9.
 — *asperuloides* Czern. ex Turcz. 218.
 — *attenuatum* Choisy 236.
 — *bupleuroides* Griseb. 246.
 — *Buschianum* Woronow ex N. Busch 223.
 — *calycinum* L. 211.
 — *caucasicum* (Woronow) Gorschk. 256; tab. 12.
 — *chrysothyrsum* Woronow 232.
 — *crispum* L. 244.
 — *elegans* Steph. ex Willd. 243; tab. 11.
 — *elongatum* Ledeb. 230; tab. 11.
 — *erectum* Thunb. 241.
 — *fissurale* Woronow 236.
 — *formosissimum* Takht. 220.
 — *Gebleri* Ledeb. 213.
 — *helianthemoides* (Spach) Boiss. 229.
 — *hirsutum* L. 227; tab. 10.
 — *humifusum* L. 219; tab. 10.
 — *inodorum* Willd. 217; tab. 9.
 — *kamtschaticum* Ledeb. 237.
 — *karsianum* Woronow 234.
 — *Komarovii* Gorschk. 250.
 — *lydium* Boiss. 231.
 — *marginatum* Woronow 221.
 — *montanum* L. 245.
 — *mutilum* L. 257.
 — *nachitschevanicum* Grossh. 250.
 — *Nordmannii* Boiss. 253.
 — *nummularioides* Trautv. 221.
 — *olympicum* L. 219.
 — *organifolium* Willd. 247.
 — *paramushirense* Kudo 258.
 — *perforatum* L. 248; tab. 12.
 — *polygonifolium* Rupr. 233.
 — *ponticum* Lipsky 228.
 — *porphyrandrum* Lévl. 258.
 — *ptarmicifolium* Spach 222; tab. 10.
 — *quadrangulum* L. 242; tab. 12.
 — *sachalinense* Lévl. 257.
 — *scabrum* L. 224.
 — *strictum* Maleev 254.
 — *Theodori* Woronow 235.

- venustum Fenzl 245.
- yezoense Maxim. 238.
- Hypochaeris** L. 29, 199.
 - glabra L. 199.
 - radiata L. 200; tab. 12.
- Hypogomphia** Bge. 20, 491.
 - elatior (Rgl.) Vass. 492.
 - turkestanica Bge. 491.
- Hypopitys** Adans. 18, 20.
 - monotropa Crantz 21.
- Hipposelinum** Britt. et Rose 17, 40.
- Hysopus** L. 21, 448.
 - ambiguus Iljin 455.
 - angustifolius M. B. 451.
 - cretaceus Dubjan. 456; tab. 24.
 - cuspidatus Boriss. 455; tab. 24.
 - ferganensis Boriss. 461.
 - macranthus Boriss. 457; tab. 25.
 - officinalis L. 451.
 - seravschanicus (Dub.) Pazij 458; tab. 25.
 - tianschanicus Boriss. 452.
- Iberidella* Boiss. 8, 567.
- Iberis** L. 8, 550.
 - amara L. 552.
 - pinnata L. 551.
 - saxatilis L. 551.
 - taurica DC. 551.
- Ibidium* Salisb. 4, 637.
- Idianthes* Desv. 29, 595, 673.
- Ikonnikovia** Lincz. 18, 378, 745.
 - Kaufmanniana (Rgl.) Lincz. 381; tab. 19.
- Ilex** L. 14, 540.
 - aquifolium L. 541; tab. 27.
 - colchica Pojark. 542; tab. 27.
 - crenata Thunb. 544.
 - hyrcana Pojark. 544; tab. 27.
 - rugosa Fr. Schmidt 545.
 - stenocarpa Pojark. 543.
- Iljinia** Korov. 6, 309, 877.
 - Regelii (Bge.) Korov. 309; tab. 10.
- Impatiens** L. 14, 624.
 - balsamina L. 633.
 - brachycentra Kar. et Kir. 632; tab. 33.
 - furcillata Hemsl. 627; tab. 33.
 - Komarovii Pobed. 531.
 - Maackii Hook. 627; tab. 33.
 - Nevskii Pobed. 632, 746; tab. 33.
 - noli-tangere L. 626.
 - parviflora DC. 631; tab. 33.
 - Roylei Walp. 633.
 - Textori Miq. 628.
- Imperata** Cyr. 2, 6.
 - cylindrica (L.) Beauv. 6; tab. 1:
- Imperatoria* L. 17, 168, 193.
- Imperialis* Adans. 4, 302.
- Incarvillea** Juss. 23, 3.
 - Olgae Rgl. 3; tab. 1.
 - sinensis Lam. 4.
- Indigofera** L. 11, 298.
 - tinctoria L. 298.
- Intybellia* Cass. 29, 699, 703.
- Intybellia* Monn. 29, 595, 661, 673.
- Intybus* Fries 2, 595, 661.
- Inula** L. 25, 433.
 - acaulis Schott et Kotschy ex Boiss. 471.
 - aspera Poir. 452; tab. 27.
 - auriculata Boiss. et Bal. 462.
 - britannica L. 465.
 - caspica Blume 460; tab. 28.
 - decurrens M. Pop. 475.
 - ensifolia L. 449.
 - germanica L. 451.
 - glauca C. Winkl. 458; tab. 28.
 - grandiflora Willd. 444.
 - grandis Schrenk ex Fisch. et Mey. 441.
 - Gromczewskii C. Winkl. 463.
 - helenium L. 440.
 - hirta L. 448.
 - japonica Thunb. 468.
 - Kitamura Tatewaki ex Honda 456.
 - linariifolia Turcz. 468.
 - macrolepis Bge. 467.
 - magnifica Lipsky 442.
 - Mariae Bordz. 457.
 - Montbretiana DC. 457.
 - multicaulis Fisch. et Mey. 475.
 - oculus-Christi L. 461.
 - orientalis Lam. 447; tab. 27.
 - rhizocephala Schrenk 472.
 - Rubtzovii Gorschk. 464.
 - sabuletorum Czern. ex Lavr. 453; tab. 27.
 - salicina L. 454.
 - salsoloides (Turcz.) Ostenf. 476; tab. 29.
 - Schmalhauseni C. Winkl. 459.
 - Seidlitzii Boiss. 448.
 - thapsoides (Willd.) DC. 474.
 - vulgaris (Lam.) Trevis. 473; tab. 28.
- Ioxylon* Raf. 5, 379.
- Ipomoea** L. 19, 3.
 - batatas (L.) Lam. 5.
 - hispida (Vahl) Roem. et Schult. 4.
 - purpurea (L.) Roth 5.
 - sibirica (L.) Pers. 4.
- Iris** L. 4, 511.
 - acutiloba C. A. Mey. 533; tab. 33.
 - Alberti Rgl. 553; tab. 34.
 - aphylla L. 551; tab. 34.

- Iris baldshuanica* B. Fedtsch. 561.
 — *Bloudowii* Ledeb. 550.
 — *bucharica* Foster 570.
 — *Camillae* Grossh. 553.
 — *caucasica* Hoffm. 574.
 — *coerulea* B. Fedtsch. 569.
 — *darvasica* Rgl. 541; tab. 34.
 — *dichotoma* Pall. 530; tab. 32.
 — *drepanophylla* Aitch. et Baker 575.
 — *elegantissima* Sosn. 533; tab. 33.
 — *ensata* Thunb. 518; tab. 31.
 — *Ewbankiana* Foster 537.
 — *falcifolia* Bge. 544.
 — *flavissima* Pall. 545.
 — *foetidissima* L. 523.
 — *Fominii* Woronow 534; tab. 33.
 — *Fosteriana* Aitch. et Baker 560.
 — *germanica* L. 553.
 — *graminea* L. 529; tab. 32.
 — *Grossheimii* Woronow 538.
 — *halophila* Pall. 526.
 — *Hoogiana* Dykes 542; tab. 34.
 — *humilis* M. B. 529; tab. 32.
 — *hyrcana* Woronow 555; tab. 33.
 — *iberica* Hoffm. 532; tab. 33.
 — *imbricata* Lindl. 552; tab. 34.
 — *Kaempferi* Sieb. ex Lemaire 525.
 — *karategina* B. Fedtsch. 542.
 — *Kolpakowskiana* Rgl. 556; tab. 34.
 — *kopetdagensis* Vved. 575.
 — *Korolkowii* Rgl. 541.
 — *Kuschakewiczii* B. Fedtsch. 568.
 — *laevigata* Fisch. 524; tab. 32.
 — *lazica* Albov 514; tab. 32.
 — *leptorhiza* Vved. 576.
 — *linifolia* O. Fedtsch. 564.
 — *longiscapa* Ledeb. 544; tab. 34.
 — *Ludwigii* Maxim. 530.
 — *lycotis* Woronow 538; tab. 33.
 — *magnifica* Vved. 571; tab. 35.
 — *maracandica* Vved. 573.
 — *maricoides* Rgl. 556; tab. 34.
 — *Medwedewii* Fomin 539; tab. 33.
 — *musulmanica* Fomin 527; tab. 32.
 — *Narbutii* O. Fedtsch. 567.
 — *narynensis* O. Fedtsch. 567.
 — *Nicolaii* Vved. 561.
 — *notha* M. B. 528.
 — *orchioides* Carr. 572.
 — *orientalis* Thunb. 520; tab. 31.
 — *paradoxa* Stev. 538; tab. 33.
 — *parvula* Vved. 563.
 — *Popovii* Vved. 562.
 — *Potaninii* Maxim. 549; tab. 34.
 — *pseudacorus* L. 525; tab. 32.
 — *pseudocaucasica* Grossh. 574.
 — *pumila* L. 545; tab. 34.
 — *reticulata* M. B. 555; tab. 33.
 — *Rosenbachianum* Rgl. 562.
 — *ruthenica* Ker.-Gawl. 517.
 — *scariosa* Willd. ex Link 550.
 — *Schelkownikowii* Fomin 537; tab. 33.
 — *setosa* Pall. ex Link 520; tab. 32.
 — *sibirica* L. 519; tab. 31.
 — *sogdiana* Bge. 526.
 — *songarica* Schrenk 516.
 — *stolonifera* Maxim. 540; tab. 35.
 — *subdecolorata* Vved. 568.
 — *tadshikorum* Vved. 563.
 — *tenuifolia* Pall. 515; tab. 32.
 — *tianschanica* (Maxim.) Vved. 515; tab. 31, 32.
 — *tigridia* Bge. 549; tab. 34.
 — *Timofejewii* Woronow 546; tab. 34.
 — *Tubergeniana* Foster 573.
 — *uniflora* Pall. 518; tab. 31.
 — *variegata* L. 552.
 — *ventricosa* Pall. 516.
 — *vicaria* Vved. 569.
 — *violacea* Klatt 528; tab. 32.
 — *Vvedenskyi* Nevski 564.
 — *warleyensis* Foster 570.
 — *Willmottiana* Foster 572.
 — *Winkleri* Rgl. 554.
 — *Winogradowii* Fomin 554; tab. 34.
Isatis L. 8, 203.
 — *aleppica* Scop. 219.
 — *anceps* N. Busch 208, 643.
 — *apscheronica* N. Busch 221.
 — *araratica* Rupr. 210; tab. 11.
 — *Arnoldiana* N. Busch 211.
 — *Besseri* Trautv. 209; tab. 11.
 — *Boissieriana* Reichb. f. 220.
 — *brachycarpa* C. A. Mey. 217; tab. 11.
 — *Bungeana* Seidl. 218.
 — *canescens* DC. 217; tab. 11.
 — *caucasica* (Rupr.) N. Busch 210; tab. 11.
 — *collina* Boiss. 209; tab. 11.
 — *costata* C. A. Mey. 218.
 — *emarginata* Kar. et Kir. 207.
 — *frutescens* Kar. et Kir. 219.
 — *glauca* Auch. 211.
 — *Grossheimii* N. Busch 217; tab. 11.
 — *hirtocalyx* Franch. 219.
 — *iberica* Stev. 221; tab. 11.
 — *jacutensis* N. Busch 214.
 — *japonica* Miq. 213.
 — *laevigata* Trautv. 220.

- lasiocarpa Ledeb. 219.
- latisiliqua Stev. 208; tab. 11.
- leuconeura Boiss. 211.
- litoralis Stev. 214; tab. 11.
- minima Bge. 222.
- oblongata DC. 213.
- ornithorhynchus N. Busch 222; tab. 11.
- psilocarpa Ledeb. 209; tab. 11.
- reticulata C. A. Mey. 210; tab. 11.
- sabulosa Stev. ex Ledeb. 212; tab. 11.
- sevangensis N. Busch 212.
- subradiata Rupr. 208.
- taurica M. B. 214; tab. 11.
- tinctoria L. 212; tab. 11.
- trachycarpa Trautv. 220.
- Isika* Adans. 23, 479.
- Iskandera** N. Busch 8, 319, 649.
- hissarica N. Busch 320, 649.
- Ismelia* Cass. 26, 131, 133.
- Isnardia* L. 15, 567.
- Isoetes** L. 1, 127.
- asiatica Makino 128; tab. 6.
- beringensis Kom. 128; tab. 6.
- echinospora Dur. 128; tab. 6.
- lacustris L. 127; tab. 6.
- Isopyrum** L. 7, 74.
- thalictroides L. 7, 74.
- Ixeridium** (A. Gray) Tzvel. 29, 388.
- chinense (Thunb.) Tzvel. 390.
- dentatum (Thunb.) Tzvel. 392.
- gramineum (Fisch.) Tzvel. 391.
- graminifolium (Ledeb.) Tzvel. 392; tab. 24.
- strigosum (Lévl. et Vaniot) Tzvel. 390.
- Ixiolirion** Fisch. 4, 489.
- karateginum Lipsky 490.
- montanum (Labill.) Herb. 491.
- tataricum (Pall.) Roem. et Schult. 490; tab. 30.
- Jacea* auct. 28, 444.
- Jacea* Juss. 28, 370.
- Jalapa* Adans. 6, 370.
- Jasione** L. 24, 444.
- Heldreichii Boiss. et Orph. 448.
- montana L. 447; tab. 27.
- Jasminum** L. 18, 522.
- fruticans L. 524.
- nudiflorum Lindl. 523.
- officinale L. 524.
- revolutum Sims 525.
- Jaubertia* Guillem. 23, 170.
- Jeffersonia** Bart. 7, 540.
- dubia (Maxim.) Benth. et Hook. 540; tab. 37.
- Johrenia** DC. 17, 49.
- paucijuga (DC.) Bornm. 49; tab. 5.
- Jovibarba* Opiz 9, 23.
- Jubaea** H. B. K. 3, 468.
- spectabilis H. B. K. 468.
- Juglans** L. 5, 248.
- fallax Dode 251.
- manshurica Maxim. 249.
- regia L. 250.
- Juncastrum* Fourr. 3, 543.
- Juncellus** (Kunth) Clarke 3, 9.
- alopecuroides (Rottb.) Clarke 10.
- serotinus (Rottb.) Clarke 10; tab. 1.
- Juncinella* Fourr. 3, 514.
- Juncotypus* Dum. 3, 546.
- Juncus** L. 3, 504.
- acutus L. 543; tab. 29.
- alpigenus C. Koch 542; tab. 30.
- alpinus Vill. 537; tab. 30.
- ambiguus Guss. 518.
- amuricus (Maxim.) V. Krecz. et Gontsch. 516, 623.
- arcticus Willd. 555; tab. 29.
- arianus V. Krecz. 540.
- atratus Krock. 542; tab. 30.
- atrofuscus Rupr. 529; tab. 28.
- balticus Willd. 555; tab. 29.
- beringensis Buchenau 556; tab. 29.
- biglumis L. 521; tab. 30.
- brachyspathus Maxim. 553; tab. 29.
- brachytepalus (Trautv.) V. Krecz. et Gontsch. 547, 630; tab. 29.
- bufonius L. 517.
- bulbosus L. 537.
- capitatus Wieg. 515.
- castaneus Smith 525; tab. 30.
- compressus Jacq. 527; tab. 28.
- curvatus Buchenau 553.
- decipiens (Buchenau) Nakai 551; tab. 29.
- effusus L. 548; tab. 29.
- epimetrocarpus V. Krecz. et Gontsch. 530; tab. 28 (vide heptopotamicus)
- filiformis L. 552; tab. 29.
- Gerardii Loisel. 528; tab. 28.
- gracilimus (Buchenau) V. Krecz. et Gontsch. 528, 627; tab. 28.
- Haenkei E. Mey. 556; tab. 29.
- heptopotamicus V. Krecz. et Gontsch. 530, 628; tab. 28, 6.
- himalensis Klotzsch 525.
- inflexus L. 546; tab. 29.
- inundatus Drej. 554.

- Juncus jaxarticus* V. Krecz. et Gontsch. 532, 628; tab. 28.
- *Juzepczukii* V. Krecz. et Gontsch. 519, 625; tab. 30.
- *kamtschatcensis* (Buchenau) Kudo 543.
- *Kotschyi* Boiss. 539.
- *lamprocarpus* Ehrh. 538; tab. 30.
- *Leersii* Marss. 551; tab. 29.
- *Leschenaultii* J. Gay 540; tab. 30.
- *leucochlamys* Zing. ex V. Krecz. 526, 627; tab. 30.
- *littoralis* C. A. Mey. 544.
- *macrantherus* V. Krecz. et Gontsch. 524, 626.
- *maritimus* Lam. 545.
- *minutulus* V. Krecz. et Gontsch. 520, 625.
- *Muelleri* Trautv. 554; tab. 29.
- *nastanthus* V. Krecz. et Gontsch. 517, 624; tab. 30.
- *Nevskii* V. Krecz. et Gontsch. 545, 629.
- *nipponensis* Buchenau 540; tab. 30.
- *paniculatus* Hoppe ex Mert. et Koch 547; tab. 29.
- *prominensis* (Buchenau) Miyabe et Kudo 558.
- *salsuginosus* Turcz. 530; tab. 28.
- *Schischkini* Kryl. et Sumn. 522; tab. 30.
- *soranthus* Schrenk 531; tab. 28.
- *sphaerocarpus* Nees 516; tab. 30.
- *squarrosus* L. 532.
- *stygicus* L. 523.
- *subulatus* Forsk. 557.
- *tenageia* Ehrh. ex L. f. 515; tab. 30.
- *tenuis* Willd. 533.
- *Thomsonii* Buchenau 523; tab. 30.
- *triceps* Rostk. 526; tab. 30.
- *trichodes* Steud. 558.
- *trifidus* L. 533.
- *triglumis* L. 522; tab. 30.
- *Turczaninowii* (Buchenau) V. Krecz. 539, 629.
- *turkestanicus* V. Krecz. et Gontsch. 519, 625.
- *tyraicus* Pacz. 544.
- *virens* Buchenau 541; tab. 30.
- Jungia* Moench 21, 357.
- Juniperus** L. 1, 174.
- *communis* L. 179.
- *dahurica* Pall. 188.
- *depressa* Stev. 180.
- *excelsa* M. B. 185.
- *foetidissima* Willd. 185.
- *isophyllos* C. Koch 186.
- *litoralis* Maxim. 183.
- *oblonga* M. B. 180.
- *oxycedrus* L. 182.
- *polycarpus* C. Koch 186.
- *pseudosabina* Fisch. et Mey. 184.
- *rigida* Sieb. et Zucc. 182.
- *sabina* L. 190.
- *Sargentii* (Henry) Takeda 188.
- *schugnanica* Kom. 190.
- *talassica* Lipsky 189.
- *seravschanica* Kom. 187; tab. 8.
- *sibirica* Burgsd. 181.
- *talassica* Lipsky 189.
- *turcomanica* B. Fedtsch. 187.
- *turkestanica* Kom. 183.
- *virginiana* L. 191.
- Juno* Tratt. 4, 557.
- Jurinea** Cass. 27, 538.
- *Abolinii* Iljin 584; tab. 45.
- *Abramovii* Rgl. et Herd. 652; tab. 50.
- *adenocarpa* Schrenk 687.
- *alata* (Desf.) Cass. 673.
- *albicaulis* Bge. 554.
- *algida* Iljin 691.
- *almaatensis* Iljin 690.
- *altaica* Iljin 559, 717.
- *amplexicaulis* (S. G. Gmel.) Bobr. 558.
- *Androssovii* Iljin 590.
- *Annae* Sosn. 574.
- *Antoninae* Iljin 656.
- *Antonovii* C. Winkl. 648.
- *apoda* Iljin 619; tab. 48.
- *arachnoidea* Bge. 659; tab. 40, 45.
- *armeniaca* Sosn. 600; tab. 40.
- *asperifolia* Iljin 631.
- *atripurpurea* C. Winkl. ex Iljin 640; tab. 49.
- *Auscheriana* DC. 644.
- *baissunensis* Iljin 642.
- *baldshuanica* C. Winkl. 696.
- *bellidioides* Boiss. 570; tab. 42.
- *bipinnatifida* C. Winkl. 628.
- *blanda* (M. B.) C. A. Mey. 668.
- *Bobrovii* Iljin 655, 725.
- *Botschantzevii* Iljin 615, 722.
- *bracteata* Rgl. et Schmalh. 701.
- *bucharica* C. Winkl. 611.
- *caespitans* Iljin 587; tab. 43.
- *calcarea* Klok. 665.
- *Capusii* Franch. 588.
- *cartaliniana* Boiss. 577; tab. 42.
- *cephalopoda* Iljin 610.
- *chaetocarpa* Ledeb. 680; tab. 51.
- *charcoviensis* Klok. 550.
- *ciscaucasica* (Sosn.) Iljin 561.

- coronopifolia Somm. et Levier 576.
- cretacea Bge. 661.
- cretica Iljin 555, 717.
- cyanoides (L.) Reichb. 546; tab. 40.
- Czilikinoana Iljin 700.
- darvasica Iljin 692.
- Demetrii Iljin 671, 727.
- densisquamea Iljin 693.
- derderioides C. Winkl. 645.
- dshungarica (Rubtz.) Iljin 683.
- Eduardi-Regelii Iljin 587.
- elegans (Stev.) DC. 601.
- elegantissima Iljin 608, 722.
- Eversmannii Bge. 549.
- eximia Tek. 646.
- exuberans (Trautv.) Sosn. 670.
- ferganica (Iljin) Iljin 621; tab. 47.
- Fedtschenkoana Iljin 700; tab. 46.
- filicifolia Boiss. 577.
- foliosa (Iljin) Iljin 689.
- Gorodkovii Iljin 544, 717.
- gracilis Iljin 609.
- granitica Klok. 552.
- Grossheimii Sosn. 675.
- grumosa Iljin 694.
- hamulosa Rubtz. 636.
- helichrysifolia M. Pop. 633; 724.
- Iljinii Grossh. 571.
- impressinervis Iljin 618.
- Kamelinii Iljin 607, 721.
- Kapelkinii O. Fedtsch. 582.
- karabugasica Iljin 647.
- karatavica Iljin 615.
- kasakorum Iljin 662, 725.
- kazachstanica Iljin 562, 718.
- kirghisorum Janisch. 698.
- Knorringiana Iljin 656.
- kokanica Iljin 592.
- Komarovii Iljin 606.
- Krascheninnikovii Iljin 686.
- Kultiassovii Iljin 649.
- kuraminensis Iljin 622; tab. 47.
- lanipes Rupr. 690.
- lasiopoda Trautv. 614.
- laxa Fisch. ex Iljin 556; tab. 41.
- Ledebouri Bge. 663.
- Levieri All. 575.
- Lipskyi Iljin 687.
- lithophila Rubtz. 637.
- longicorollaris (Iljin) Iljin 684; tab. 51.
- Ludmilae Iljin 651.
- Lydiae Iljin 650.
- macranthodia Iljin 591.
- margalensis Iljin 682.
- Mariae Pavl. 702.
- maxima C. Winkl. 627.
- Michelsonii Iljin 666, 726.
- mollissima Klok. 664.
- monticola Iljin 703.
- mugodsharica Iljin 596.
- multiceps Iljin 596; tab. 46.
- multiflora (L.) B. Fedtsch. 579.
- multiloba Iljin 682.
- nivea C. Winkl. 694.
- Olgae Rgl. et Schmalh. 620; tab. 40.
- orientalis Iljin 598.
- Paczoskiana Iljin 564.
- persimilis Iljin 680; tab. 51.
- pinetica Iljin 563, 719.
- Pjataieviae Iljin 629.
- poacea Iljin 695; tab. 40.
- Popovii Iljin 610.
- propinqua Iljin 632; tab. 49.
- psammophila Iljin 612.
- pseudocyanoides Klok. 547.
- pteroclada Iljin 701.
- pulchella (Fisch. et Mey.) DC. 581.
- pumila Albov 569.
- rhizomatoidea Iljin 593; tab. 40.
- robusta Schrenk 605; tab. 44.
- Ruprechtii Boiss. 676.
- salicifolia Grun. 552.
- sangardensis Iljin 641.
- schachimardanica Iljin 585.
- Schischkiniana Iljin 548, 716.
- Semenovii C. Winkl. 635.
- serpenticaulis Iljin 630.
- serratuloides Iljin 638.
- Sintenisii Bornm. 597.
- sordida Stev. 667.
- Sosnovskyi Grossh. 574; tab. 42.
- spectabilis Fisch. et Mey. 674.
- Spiridonovii Iljin 702, 724.
- spissa Iljin 699; tab. 50.
- stenophylla Iljin 586; tab. 43.
- stoechadifolia (M. B.) DC. 580.
- suffruticosa Rgl. 595; tab. 46.
- suidunensis (C. Winkl.) Korsh. 681.
- tadshikistanica Iljin 617, 723.
- Talijevii Klok. 660.
- tanaitica Klok. 566, 719.
- tapetodes Iljin 654; tab. 40, 48.
- tenuiloba Bge. 565.
- thyrsiflora Klok. 567.
- tianschanica Rgl. et Schmalh. 688.
- tortisquamea Iljin 590.
- transhyrcanica Iljin 645.
- transuralensis Iljin 559, 718.

- Jurinea* Trautvetteriana Rgl. et Schmalh. 608.
 — trifurcata Iljin 593.
 — venusta Iljin 572, 720.
 — Winkleri Iljin 616, 722.
 — Woronowii Iljin 570.
 — xeranthemoides Iljin 623; tab. 47.
 — xerophytica Iljin 549, 716.
 — Zakirovii Iljin 634, 723.
Jurinella Jaub. et Spach 27, 704.
 — moschus (Habl.) Bobr. 705.
 — squarrosa (Fisch. et Mey.) Iljin 707.
 — subcaulis (Fisch. et Mey.) Iljin 706.
Kali Adans. 6, 211.
Kalidium Moq. 6, 166.
 — caspicum (L.) Ung.-Sternb. 167.
 — foliatum (Pall.) Moq. 166; tab. 8.
 — Schrenkianum Bge. ex Ung.-Sternb. 168.
Kalimeris Cass. 25, 122.
 — incisa (Fisch.) DC. 123.
 — integrifolia Turcz. 123.
Kalonymus (G. Beck) Prokh. 14, 566, 744.
 — latifolia (Mill.) Prokh. 569; tab. 30.
 — leiophloea (Stev.) Prokh. 572; tab. 30.
 — macroptera (Rupr.) Prokh. 573.
 — Maximowicziana Prokh. 570, 744; tab. 30.
 — sachalinensis (Fr. Schmidt) Prokh. 571, 745; tab. 30.
 — yesoensis (Koidz.) Prokh. 568.
Kalopanax Miq. 16, 21.
 — septemlobum (Thunb.) Koidz. 22.
Karamyschewia Fisch. et Mey. 23, 167.
 — hedyotoides Fisch. et Mey. 168; tab. 8.
Karelinia Less. 25, 295.
 — caspica (Pall.) Less. 296.
Kaschgaria Poljak. 26, 423.
 — brachanthemoides (C. Winkl.) Poljak. 424; tab. 20.
 — Komarovii (Krasch.) Poljak. 424.
Kaufmannia Rgl. 18, 203.
 — brachyanthera Losinsk. 207; tab. 10.
 — Semenovii (Herd.) Rgl. 207; tab. 10.
Kemulariella Tamamsch. 25, 110.
 — abchasica (Kem.-Nath.) Tamamsch. 116.
 — Albovii Tamamsch. 117.
 — caucasica (Willd.) Tamamsch. 112; tab. 6.
 — colchica (Albov) Tamamsch. 117.
 — rosea (Stev.) Tamamsch. 115.
 — Tugana (Albov) Tamamsch. 116; tab. 6.
Kentranthus Neck. 23, 640.
 — calcitrapa (L.) Dufur. 641.
 — longiflorus Stev. 640; tab. 28.
 — ruber (L.) DC. 641.
Kentrophyllum Neck. 28, 581.
Keramocarpus Fenzl 16, 184.
Kerascomion Raf. 16, 376.
Keraselma Neck 15, 309.
Kerria DC. 10, 4.
 — japonica (L.) DC. 4.
Kickxia Dum. 22, 176.
 — caucasica (Muss.-Puschk.) Kuprian. 178.
 — elatine (L.) Dum. 177.
 — spuria (L.) Dum. 176.
Kirilowia Bge. 6, 123.
 — eriantha Bge. 123; tab. 1, 5.
Klassea Cass. 28, 272.
Knaulia L. 24, 12.
 — arvensis (L.) Coult. 14.
 — dipsacifolia (Host) Gren. et Godr. 13.
 — involucrata Somm. et Levier 16; tab. 2.
 — montana (M. B.) DC. 16.
 — orientalis L. 19.
 — tatarica (L.) Litv. 15.
Kochia Roth 6, 127.
 — iranica (Hauskn. et Bornm.) Litv. 131; tab. 5.
 — Krylovii Litv. 132; tab. 5.
 — laniflora (S. G. Gmel.) Borb. 130; tab. 1, 5.
 — melanoptera Bge. 133; tab. 5.
 — prostrata (L.) Schrad. 128.
 — Schrenkiana (Moq.) Iljin 132; tab. 5.
 — scoparia (L.) Schrad. 133; tab. 5.
 — Sieversiana (Pall.) C. A. Mey. 134; tab. 5.
Koeleria Pers. 2, 320.
 — Albovii Domin. 328.
 — asiatica Domin. 335; tab. 25.
 — askoldensis Roshev. 330; tab. 25.
 — atroviolacea Domin 336.
 — barbarensis Domin 337.
 — Buschiana (Domin) Gontsch. 328.
 — caucasica Trin. ex Domin 327; tab. 25.
 — Degenii Domin 324; tab. 25.
 — Delavignei Czern. 337; tab. 25.
 — Fominii Domin 329; tab. 25.
 — geniculata Domin 336; tab. 25.
 — glauca DC. 324; tab. 25.
 — Gorodkowskii Roshev. 326.
 — gracilis Pers. 330; tab. 25.
 — incerta Domin 336.
 — Ledebourii Domin 328.
 — Litwinowii Domin 325; tab. 25.
 — Luerssenii Domin 332; tab. 25.
 — monantha Domin 332; tab. 25.
 — nitidula Velen. 329; tab. 25.
 — poaeformis Domin 329; tab. 25.

- Pohleana (Domin) Gontsch. 323; tab. 25.
- polonica Domin 335; tab. 25.
- sclerophylla P. Smirn. 327; tab. 25.
- seminuda (Trautv.) Domin 331; tab. 25.
- sibirica Domin 331; tab. 25.
- splendens C. Presl 325.
- Thonii Domin 327.
- tokiensis Domin 326.
- Koelpinia** Pall. 29, 22.
- linearis Pall. 24.
- macrantha C. Winkl. 23.
- tenuissima Pavl. et Lipsch. 26.
- turanica Vass. 25.
- Koenigia** L. 5, 704.
- islandica L. 704.
- Kohlrauschia** Kunth 6, 779.
- prolifera (L.) Kunth 779; tab. 55.
- Kolomikta** Rgl. 15, 186.
- Kolpakowskiana** Rgl. 4, 489.
- Komaroffia** Kuntze 7, 71.
- Komarovia** Korov. 17, 149.
- anisopterum Korov. 149.
- Koniga** Adans. 8, 364.
- maritima (Desv.) R. Br. 364.
- Korolkowia** Rgl. 4, 295.
- Sewerzowii Rgl. 295; tab. 18.
- Korovina** Nevski et Vved. 17, 211.
- ferganensis Korov. 213.
- microcarpa Korov. 213.
- tenuisecta (Rgl. et Schmalh.) Nevski et Vved. 212; tab. 19, 21.
- Korshinskya** Lipsky 16, 419.
- bupleuroides Korov. 420.
- Olgae (Rgl. et Schmalh.) Lipsky 420; tab. 15.
- Kosopoljanskia** Korov. 16, 188.
- turkestanica Korov. 191; tab. 14a, 15.
- Kosteletzia** C. Presl 15, 168.
- pentacarpus (L.) Ledeb. 168.
- Kozlovia** Lipsky 16, 151.
- Krascheninnikowia** Turcz. 6, 423.
- Davidii Franch. 426; tab. 22.
- japonica Korsh. 425; tab. 22.
- Maximowicziana Franch. et Sav. 429; tab. 22.
- rigida Kom. 425; tab. 22.
- rupestris Turcz. 426; tab. 22.
- silvatica Maxim. 424; tab. 22.
- Krasnovia** M. Pop. 16, 117, 591.
- longiloba (Kar. et Kir.) M. Pop. 118; tab. 15.
- Krylovia** Schischk. 25, 129.
- eremophila (Bge.) Schischk. 132; tab. 10.
- limoniifolia (Less.) Schischk. 130; tab. 10.
- Novopokrovskiy (Krasch. et Iljin) Tamamsch. 135.
- Popovii (Botsch.) Tamamsch. 131; tab. 10.
- Kudrjaschevia** Pojark. 20, 474.
- allotricha Pojark. 475.
- Jacubi (Lipsky) Pojark. 481; tab. 28.
- Korshinskyi (Lipsky) Pojark. 476; tab. 28.
- Nadinae (Lipsky) Pojark. 480.
- Kummerovia** Schindl. 13, 383.
- stipulacea (Maxim.) Makino 383; tab. 20.
- striata (Thunb.) Schindl. 384; tab. 20.
- Kükenthalia** Boern. 3, 383.
- Kuschakewiczia** Rgl. 19, 638, 644.
- Kyllinga** Rottb. 3, 25.
- brevifolia Rottb. 25.
- kamschatica Meinsh. 25; tab. 3.
- Laburnum** Medic. 11, 69.
- anagyroides Medic. 69; tab. 5.
- Lachnoloma** Bge. 8, 334.
- Lehmannii Bge. 334; tab. 20.
- Lachnophyllum** Bge. 25, 288.
- gossypinum Bge. 288; tab. 16.
- Laciniaria** Hill 25, 23.
- Lactuca** L. 29, 274.
- altaica Fisch. et Mey. 303; tab. 18.
- auriculata DC. 309; tab. 18.
- Chaixii Vill. 289.
- georgica Grossh. 306; tab. 18.
- glauciifolia Boiss. 308; tab. 18.
- indica L. 292; tab. 17.
- mira Pavl. 313.
- Raddeana Maxim. 295; tab. 17.
- rosularis Boiss. 307; tab. 18.
- saligna L. 301; tab. 18.
- sativa L. 299; tab. 18.
- serriola Torner 297; tab. 18.
- sibirica (L.) Benth. ex Maxim. 280, tab. 16.
- spinidens Nevski 312; tab. 18.
- stricta Waldst. et Kit. 288; tab. 17.
- tatarica (L.) C. A. Mey. 282; tab. 16.
- triangulata Maxim. 294; tab. 17.
- undulata Ledeb. 310; tab. 18.
- Wilhelmsiana Fisch. et Mey. 290, tab. 17.
- Winkleri Kirp. 285; tab. 16.
- Lactucopsis** Sch. Bip. 29, 286.
- Ladanum** Gilib. 21, 111.
- Ladyginia** Lipsky 17, 143.
- bucharica Lipsky 144.
- Lagedium** Soják 29, 279.
- Lagenaria** Ser. 24, 119.

- Lagenaria vulgaris* Ser. 119.
Lagochilus Bge. 21, 160.
 — *acutifolius* (Ledeb.) Fisch. et Mey. 164; tab. 9.
 — *Androssovii* Knorr. 169.
 — *balchanicus* Czerniak. 176.
 — *Bungei* Benth. 168.
 — *cabulicus* Benth. 175.
 — *diacanthophyllus* (Pall.) Benth. 170.
 — *hirtus* Fisch. et Mey. 165.
 — *ilicifolius* Bge. 169.
 — *inebrians* Bge. 166.
 — *kaschgaricus* Rupr. 181.
 — *Knorringianus* Pavl. 171.
 — *kschtutensis* Knorr. 166.
 — *leiocanthus* Fisch. et Mey. 171.
 — *longidentatus* Knorr. 175.
 — *macrodonatus* Knorr. 179.
 — *Nevskii* Knorr. 172.
 — *Paulsenii* Briq. 178.
 — *platyacanthus* Rupr. 180.
 — *platycalyx* Schrenk ex Fisch. et Mey. 179.
 — *pubescens* Vved. 167, 651.
 — *pulcher* Knorr. 180; tab. 9.
 — *pungens* Schrenk 168.
 — *seravschanicus* Knorr. 177; tab. 9.
 — *setulosus* Vved. 165; 650.
 — *subhispidus* Knorr. 167.
 — *tianschanicus* Pavl. 176.
 — *usunachmaticus* Knorr. 177.
Lagonychium M. B. 11, 13.
 — *fartum* (Banks et Soland.) Bobr. 14; tab. 1.
Lagopsis Bge. 20, 248.
 — *eristachya* (Benth.) Ik.-Gal. 250.
 — *flava* Kar. et Kir. 249; tab. 16.
 — *marrubiastrum* (Steph.) Ik.-Gal. 248.
 — *supina* (Steph.) Ik.-Gal. 250; tab. 16.
Lagopus Bernh. 11, 232.
Lagoseriopsis Kirp. 29, 373, 726.
 — *Popovii* (Krasch.) Kirp. 374; tab. 20.
Lagoseris auct. 29, 708.
Lagoseris Hoffm. et Link 29, 595.
Lagoseris M. B. 29, 703.
Lagoseris M. B. 29, 699.
 — *aralensis* (Bge.) Boiss. 714.
 — *callicephala* Juz. 706; tab. 34.
 — *glaucescens* (C. Koch) Sosn. 710; tab. 34.
 — *macrantha* (Bge.) Iljin 713.
 — *obovata* (Boiss. et Noe) Bornm. 712.
 — *purpurea* (Willd.) Boiss. 705.
 — *robusta* Czer. 704, 759.
 — *sahendi* (Boiss. et Buhse) Czer. 707.
 — *sancta* (L.) K. Maly 708.
Lagotis Gaertn. 22, 500.
 — *decumbens* Rupr. 506; tab. 24.
 — *glauca* Gaertn. 504.
 — *Ikonnikovii* Schischk. 509; tab. 24.
 — *integrifolia* (Willd.) Schischk. 502; tab. 24.
 — *Korolkowii* (Rgl. et Schmalh.) Maxim. 509; tab. 24.
 — *minor* (Willd.) Standl. 505.
 — *stolonifera* (C. Koch) Maxim. 510.
 — *uralensis* Schischk. 503.
Legouzia Durand 24, 427.
 — *falcata* (Ten.) Fritsch 431; tab. 22.
 — *hybrida* (L.) Delarb. 430.
 — *pentagonia* (L.) Thell. 429.
 — *speculum Veneris* (L.) Fisch. ex A. DC. 428.
Lagrostemon Cass. 27, 361, 392.
Lagurus L. 2, 234.
 — *ovatus* L. 234, tab. 17.
Lallemantia Fisch. et Mey. 20, 482.
 — *baldshuanica* Gontsch. 487.
 — *canescens* (L.) Fisch. et Mey. 485.
 — *iberica* (Stev.) Fisch. et Mey. 485.
 — *peltata* (L.) Fisch. et Mey. 484.
 — *Royleana* Benth. 486.
Lamiopsis Opiz 21, 124, 126.
Lamium L. 21, 124.
 — *album* L. 134.
 — *amplexicaule* L. 128.
 — *barbatum* Sieb. et Zucc. 136.
 — *caucasicum* Grossh. 131.
 — *dumeticola* Klok. 135.
 — *hybridum* Vill. 132.
 — *glaberrimum* (C. Koch) Taliev 126.
 — *maculatum* L. 137.
 — *ordubadicum* Grossh. 129.
 — *Paczoskianum* Vorosch. 129.
 — *purpureum* L. 130.
 — *tomentosum* Willd. 133.
Lamprochlaenia Boern. 3, 370.
Lamyra Cass. 28, 219.
 — *echinocephala* (Willd.) Tamamsch. 220; tab. 10.
Lamyropappus Knorr. et Tamamsch. 28, 221.
 — *schakaptaricus* (B. Fedtsch.) Knorr. et Tamamsch. 221.
Lapathum Meisn. 5, 457, 473.
Laportea Gaud. 5, 394.
 — *bulbifera* (Sieb. et Zucc.) Wedd. 395.
Lappa Adans. 27, 93.
Lappula Gilib. 19, 403.
 — *aktaviensis* M. Pop. et Zak. 460, 712.
 — *anisacantha* (Turcz.) Guerke 445; tab. 22.

- *balchaschensis* M. Pop. ex Pavl. 423; tab. 20.
- *barbata* (M. B.) Guerke 461.
- *brachycentroides* M. Pop. 444.
- *ceratophora* M. Pop. 417; tab. 20.
- *consanguinea* (Fisch. et Mey.) Guerke 447; tab. 22.
- *coronifera* M. Pop. 472, 713.
- *cristata* (Bge.) B. Fedtsch. 419.
- *dipholoma* (Schrenk) Guerke 420; tab. 20.
- *Drobovii* M. Pop. ex Pavl. 467; tab. 22, 23.
- *echinata* Gilib. 449; tab. 22.
- *glabrata* M. Pop. ex Pavl. 458.
- *heteracantha* (Ledeb.) Guerke 427; tab. 22.
- *intermedia* (Ledeb.) M. Pop. 440.
- *Korshinskyi* M. Pop. 459.
- *kulikalonica* Zak. 465.
- *Lipschitzii* M. Pop. 474.
- *Lipskyi* M. Pop. 427.
- *macra* M. Pop. 438.
- *macrantha* (Ledeb.) Guerke 432.
- *marginata* (M. B.) Guerke 425; tab. 22.
- *microcarpa* (Ledeb.) Guerke 462; tab. 22.
- *occultata* M. Pop. 475.
- *patula* (Lehm.) Aschers. ex Guerke 436; tab. 22.
- *petrophila* Pavl. 473.
- *Popovii* Zak. 471.
- *rupestris* (Schrenk) Guerke 455; tab. 18.
- *semialata* M. Pop. 468.
- *semiglabra* (Ledeb.) Guerke 430; tab. 21, 22.
- *sericata* M. Pop. 457.
- *sessiliflora* (Boiss.) Guerke 477.
- *sinaica* (DC.) Aschers. ex Schweinf. 475.
- *spinocarpos* (Forsk.) Aschers. ex Kuntze 418; tab. 22.
- *stricta* (Ledeb.) Guerke 438; tab. 22.
- *tadshikorum* M. Pop. 452.
- *tenuis* (Ledeb.) Guerke 442.
- *tianschanica* M. Pop. et Zak. 451.
- *ulacholica* M. Pop. 466.
- Lappularia* Pomel 16, 153, 159.
- Lapsana** L. 29, 401.
 - *aipetriensis* Vass. 404, 727.
 - *communis* L. 401.
 - *grandiflora* M. B. 403.
 - *intermedia* M. B. 402.
- Larbreia* St.-Hil. 6, 394.
- Larix** Mill. 1, 153.
 - *dahurica* Turcz. 156; tab. 7.
 - *decidua* Mill. 154.
 - *kamtschatica* (Rupr.) Carr. 158.
 - *olgensis* Henry 158.
 - *sibirica* Ledeb. 155; tab. 7, 8.
- Laser** Borkh. 17, 166.
 - *trilobum* (L.) Borkh. 167.
- Laserpitium** L. 17, 279.
 - *affine* Ledeb. 282.
 - *alpinum* Waldst. et Kit. 282.
 - *hispidum* M. B. 283; tab. 22.
 - *latifolium* L. 281.
 - *prutenicum* L. 287.
 - *Stevenii* Fisch. et Trautv. 284.
- Lasiagrostis** Link. 2, 71.
 - *bromoides* (L.) Nevski 72; tab. 6.
 - *caragana* Trin. et Rupr. 72; tab. 6.
 - *longearistata* (Boiss.) Roshev. et Nevski 73; tab. 6.
 - *splendens* (Trin.) Kunth 72; tab. 6.
- Lasiopogon** Cass. 25, 377.
 - *muscoideus* (Desf.) DC. 377.
- Lasiospermum* Fisch. 29, 55.
- Lasiospora* Cass. 29, 55.
- Lasiospora* Less. 29, 97.
- Lasiotrachyphylla* Bernh. 7, 600.
- Lathraea** L. 22, 803.
 - *squamaria* L. 804.
- Lathyrus** L. 13, 479.
 - *alatus* (Maxim.) Kom. 514.
 - *angulatus* L. 497.
 - *annuus* L. 483.
 - *aphaca* L. 480.
 - *atropatanus* (Grossh.) Sirj. 512.
 - *aureus* (Stev.) Brandza 518.
 - *chloranthus* Boiss. 486.
 - *cicera* L. 484.
 - *colchicus* Lipsky 484.
 - *cyaneus* (Stev.) C. Koch 512.
 - *Davidii* Hance 506.
 - *digitatus* (M. B.) B. Fedtsch. 511.
 - *Dominianus* Litv. 500.
 - *Frolovii* (Fisch.) Rupr. 514.
 - *Gmelinii* (Fisch.) Fritsch 517.
 - *hirsutus* L. 487.
 - *humilis* Fisch. ex DC. 499.
 - *inconspicuus* L. 498.
 - *incurvus* (Roth) Willd. 504.
 - *Krylovii* Serg. 518.
 - *laevigatus* (Waldst. et Kit.) Fritsch 519.
 - *latifolius* L. 491.
 - *laxiflorus* (Desf.) Kuntze 520.
 - *Ledebourii* Trautv. 510.
 - *Litvinovii* Iljin 495.
 - *maritimus* (L.) Bigel. 507.

- Lathyrus miniatus* M. B. 494.
 — *montanus* Bernh. 515.
 — *mulkak* Lipsky 491.
 — *niger* (L.) Bernh. 516.
 — *nissolia* L. 481.
 — *ochrus* (L.) DC. 482.
 — *odoratus* L. 488.
 — *pallescens* (M. B.) C. Koch 509.
 — *palustris* L. 501.
 — *pannonicus* (Kramer) Garcke 510.
 — *pilosus* Cham. 502.
 — *pisiformis* L. 505.
 — *pratensis* L. 500.
 — *quinquenervius* (Miq.) Litv. 503.
 — *roseus* Stev. 489.
 — *rotundifolius* Willd. 493.
 — *sativus* L. 485.
 — *setifolius* L. 496.
 — *silvestris* L. 482.
 — *sphaericus* Retz. 497.
 — *subrotundus* Maxim. 516.
 — *tuberosus* L. 490.
 — *venetus* (Mill.) Rouy et Fouc. 513.
 — *vernus* (L.) Bernh. 513.
 — *Voronovii* Bornm. 499.
Laulia Raf. 18, 518.
Launaea auct. 29, 239.
Laurocerasus Roem. 10, 579.
 — *officinalis* Roem. 580; tab. 37.
Laurus L. 7, 572.
 — *nobilis* L. 572; tab. 38.
Lavandula L. 20, 226.
 — *spica* L. 226.
Lavatera L. 15, 76.
 — *cashemiriana* Cambess. 78; tab. 5.
 — *punctata* All. 79; tab. 5.
 — *thuringiaca* L. 76.
 — *trimestris* L. 83.
Laxmannia S. G. Gmel. 23, 192.
Laya Hook. et Arn. 25, 568.
 — *elegans* Torr. et Gray 568.
Lecokia DC. 16, 251.
 — *cretica* (Lam.) DC. 251; tab. 18a.
Ledebouriella Wolff 16, 361.
 — *multiflora* (Ledeb.) Wolff 362; tab. 30.
 — *seseloides* (Hoffm.) Wolff 362; tab. 30.
Ledeburia Link 16, 422.
Ledonia Spach 15, 328.
Ledum L. 18, 27.
 — *decumbens* (Ait.) Small 30.
 — *hypoleucum* Kom. 29.
 — *palustre* L. 28.
Leersia Sw. 2, 48.
 — *oryzoides* (L.) Sw. 48; tab. 3.
Leibnitzia Cass. 28, 592.
 — *anandria* (L.) Turcz. 593.
 — *Knorringiana* (B. Fedtsch.) Pobed. 594; tab. 28.
Lembotropis Griseb. 11, 71.
 — *nigricans* (L.) Griseb. 71; tab. 5.
Lemna L. 3, 492.
 — *gibba* L. 493.
 — *minor* L. 493.
 — *trisulca* L. 493; tab. 26.
Lens Adans. 13, 475.
 — *culinaris* Medic. 478.
 — *lenticula* (Schreb.) Alef. 477.
 — *nigricans* (M. B.) Godr. 476.
 — *orientalis* (Boiss.) Hand-Mazz. 477.
Leobordea Delile 11, 44.
Leonia La Llav. et Lex. 21, 289.
Leontice L. 7, 545.
 — *Alberti* Rgl. 550.
 — *altaica* Pall. 549.
 — *darwasica* Rgl. 550; tab. 37.
 — *Ewersmannii* Bge. 546; tab. 37.
 — *incerta* Pall. 545.
 — *minor* Boiss. 549.
 — *odessana* Fisch. ex Rogow. 550.
 — *Smirnowii* Trautv. 551.
Leontodon L. 29, 204.
 — *asperrimus* (Willd.) Boiss. 216; tab. 13.
 — *asperus* (Waldst. et Kit.) Boiss. 215; tab. 13.
 — *autumnalis* L. 207.
 — *caucasicus* (M. B.) Fisch. 218.
 — *croceus* Haenke 214; tab. 12.
 — *danubialis* Jacq. 211.
 — *gutzulorum* V. Vassil. 210; tab. 10.
 — *hispidus* L. 217; tab. 13.
 — *keretinus* Nyl. 209.
 — *Kotschyi* Boiss. 217; tab. 13.
 — *pseudotaraxaci* Schur 203; tab. 13.
 — *repens* Schur 211; tab. 13.
 — *rilaensis* Hayek 209; tab. 12.
 — *Schischkinii* V. Vassil. 212; tab. 13.
Leontopodium R. Br. 25, 342.
 — *alpinum* Cass. 360.
 — *brachyactis* Gand. 358.
 — *discolor* Beauv. 346.
 — *kurilense* Takeda 348.
 — *leontopodioides* (Willd.) Beauv. 349; tab. 22.
 — *nanum* (Hook. f. et Thoms.) Hand-Mazz. 359.
 — *ochroleucum* Beauv. 350; tab. 22.
 — *Palibinianum* Beauv. 345.
Leonurus L. 321, 145.

- *cardiaca* L. 148.
- *deminutus* V. Krecz. 153.
- *heterophyllus* Sweet 156.
- *glaucescens* Bge. 151; tab. 8.
- *incanus* V. Krecz. et Kuprian. 155.
- *macranthus* Maxim. 155.
- *mongolicus* V. Krecz. et Kuprian. 154.
- *panzerioides* M. Pop. 154, 650.
- *quinquelobatus* Gilib. 148; tab. 8.
- *sibiricus* L. 157.
- *tataricus* L. 153.
- *turkestanicus* V. Krecz. et Kuprian. 152; tab. 8.
- Leopoldia** Parl. 4, 409.
- *caucasica* (Griseb.) Losinsk. 410.
- *comosa* (L.) Parl. 409; tab. 24.
- *longipes* (Boiss.) Losinsk. 410; tab. 24.
- *tenuiflora* (Tausch) Heldr. 410; tab. 24.
- Lepargyrea* Raf. 15, 518.
- Lepechiniella** M. Pop. 19, 387.
- *alaica* M. Pop. 401, 716.
- *arassanica* (B. Fedtsch.) M. Pop. 392.
- *ferganensis* M. Pop. 398, 715.
- *Korshinskyi* M. Pop. 394, 625, 715.
- *minuta* (Lipsky) M. Pop. 402; tab. 19.
- *omphaloides* (Schrenk) M. Pop. 397; tab. 18.
- *seravschanica* (Lipsky) M. Pop. 391; tab. 17.
- *transalaica* (B. Fedtsch.) M. Pop. 393, 714; tab. 17.
- Lepicaune* Lapeyr. 29, 595, 627.
- Lepicephalus* Lag. 24, 25.
- Lepidium** L. 8, 501.
- *amplexicaule* Willd. 516.
- *apetalum* Willd. 508.
- *Boissieri* N. Busch 505, 651; tab. 28.
- *Borsczovii* N. Busch 507, 652; tab. 28.
- *campestre* (L.) R. Br. 506.
- *cordatum* Willd. ex Stev. 517.
- *coronopifolium* Fisch. 523.
- *crassifolium* Waldst. et Kit. 514; tab. 29.
- *draba* L. 504; tab. 28.
- *eremophilum* Schrenk 518.
- *ferganense* Korsh. 519.
- *graminifolium* L. 524.
- *karataviense* Rgl. et Schmalh. 519.
- *lacerum* C. A. Mey. 518.
- *latifolium* L. 515.
- *lyratum* L. 517; tab. 29.
- *Meyeri* Claus 520.
- *obtusum* Basin. 516.
- *perfoliatum* L. 512.
- *persicum* Boiss. 519.
- *pinnatifidum* Ledeb. 512.
- *propinquum* Fisch. et Mey. 506.
- *pumilum* Boiss. et Bal. 514; tab. 29.
- *repens* (Schrenk) Boiss. 505.
- *ruderales* L. 511.
- *sativum* L. 508.
- *sibiricum* Schweigg. 515.
- *soongoricum* Schrenk 523.
- *Turczaninovii* Lipsky 520; tab. 29.
- *vesicarium* L. 513.
- *virginicum* L. 512.
- *Lepidocroton* C. Presl 14, 288.
- Lepidolopha** C. Winkl. 26, 288.
- *Fedtschenkoana* Knorr. 291.
- *filifolia* Pavl. 289.
- *karatavica* Pavl. 291.
- *Komarowii* C. Winkl. 289.
- *mogoltavica* Krasch. 290.
- *nurataavica* Krasch. 290.
- Lepidolopsis** Poljak. 26, 315.
- *turkestanica* (Rgl. et Schmalh.) Poljak. 316; tab. 12.
- Lepidoseris* (Reichb.) Fourr. 29, 595, 695.
- Lepigonum* Wahl. 6, 556.
- Leptaleum** DC. 8, 302.
- *filifolium* (Willd.) DC. 302; tab. 19.
- Leptandra* Nutt. 22, 494.
- Leptanthe* Klotzsch 19, 167.
- Leptargyrea* Schlecht. 15, 518.
- Leptasea* Haw. 9, 159, 186.
- Lepteranthus* Neck. 28, 370, 446, 449.
- Leptilon* Raf. 25, 191.
- Leptopyrum** Reichb. 7, 72.
- *fumarioides* (L.) Reichb. 72.
- Leptorhabdos** Schrenk 22, 526.
- *parviflora* Benth. 527.
- Leptunis** Stev. 23, 285.
- *trichoides* (J. Gay) Schischk. 285; tab. 15.
- Lepyrodiclis** Fenzl 6, 480.
- *holosteoides* (C. A. Mey.) Fisch. et Mey. 480; tab. 26.
- *stellarioides* Schrenk 481; tab. 26.
- Lereschia* Boiss. 16, 380.
- Lerouxia* Mérat. 18, 258.
- Lespedeza** Rich. 13, 376.
- *bicolor* Turcz. 379; tab. 20.
- *cyrtobotrya* Miq. 380; tab. 20.
- *dahurica* (Laxm.) Schindl. 380.
- *hedysaroides* (Pall.) Kitag. 380.
- *tomentosa* (Thunb.) Sieb. 382.
- Lesquerouxia* Boiss. et Reut. 22, 795.
- Leucantha* S. F. Gray 28, 370, 570.
- Leucanthemella** Tzvel. 26, 137.
- *linearis* (Matsum.) Tzvel. 139.

- Leucanthemella serotina* (L.) Tzvel. 139.
Leucanthemum Mill. 26, 140.
 — *rotundifolium* (Waldst. et Kit.) DC. 142.
 — *subalpinum* (Simonk.) Tzvel. 145.
 — *vulgare* Lam. 143.
Leucoglochin Ehrh. ex Heuff. 3, 301.
Leucojum L. 4, 480.
 — *aestivum* L. 480; tab. 30.
 — *vernum* L. 481.
Leucopoa Griseb. 2, 494.
 — *albida* (Turcz.) V. Krecz. et Bobr. 495; tab. 39.
 — *caucasica* (Hack.) V. Krecz. et Bobr. 496.
 — *karatavica* (Bge.) V. Krecz. et Bobr. 496; tab. 39.
 — *Olgae* (Rgl.) V. Krecz. et Bobr. 495.
 — *sclerophylla* (Boiss. et Hohen.) V. Krecz. et Bobr. 497; tab. 39.
Leucorchis E. Mey. 4, 648.
 — *albidus* (L.) E. Mey. 649.
 — *Leucostemma* Benth. 6, 421.
Levisticum Hill 17, 40.
 — *officinale* Koch 41.
Liatris Schreb. 25, 23.
 — *spicata* (L.) Willd. 23.
Libanotis L. 16, 471.
 — *amurensis* Schischk. 476.
 — *buchtormensis* (Fisch.) DC. 473.
 — *calycina* Korov. 482.
 — *condensata* (L.) Grantz 480; tab. 30.
 — *dolichostyla* Schrenk 480, 600.
 — *intermedia* Rupr. 474.
 — *monstrosa* (Willd.) DC. 483.
 — *montana* Crantz 477.
 — *Schrenkiana* C. A. Mey. 478, 601.
 — *seseloides* (Fisch. et Mey.) Turcz. 477.
 — *setifera* (Korov.) Schischk. 481.
 — *sibirica* (L.) C. A. Mey. 479.
 — *transcaucasica* Schischk. 475.
Ligularia Cass. 26, 788.
 — *abakanica* Pojark. 810, 887.
 — *alpigena* Pojark. 841.
 — *altaica* DC. 843; tab. 39.
 — *altissima* Pojark. 835.
 — *arctica* Pojark. 817, 891.
 — *bucovinensis* Nakai 818.
 — *calthifolia* Maxim. 800; tab. 37.
 — *carpatica* (Schott, Nym. et Kotschy) Pojark. 848.
 — *caucasica* (M. B.) G. Don 855.
 — *Correvoniana* (Albov) Pojark. 856; tab. 37.
 — *Fischeri* (Ledeb.) Turcz. 802.
 — *glauca* (L.) O. Hoffm. 847; tab. 39.
 — *heterophylla* Rupr. 838.
 — *Hodgsonii* Hook. 798.
 — *jaluensis* Kom. 826.
 — *karataviensis* (Lipsch.) Pojark. 824.
 — *Kareliniana* Stschegl. 821.
 — *Knorringiana* Pojark. 832.
 — *longipes* Pojark. 816, 890.
 — *Lydiae* Minder. 808.
 — *macrophylla* (Ledeb.) DC. 837.
 — *mongolica* (Turcz.) DC. 849; tab. 40.
 — *narynensis* (C. Winkl.) O. et B. Fedtsch. 822; tab. 38.
 — *Pavlovii* (Lipsch.) Cretz. 852; tab. 30.
 — *renifolia* (C. A. Mey.) DC. 853.
 — *robusta* (Ledeb.) DC. 820.
 — *sachalinensis* Nakai 805.
 — *Schischkinii* Rubtz. 825.
 — *Schmidtii* (Maxim.) Makino 850; tab. 49.
 — *sibirica* (L.) Cass. 807.
 — *sichotensis* Pojark. 811, 888.
 — *songarica* (Fisch.) Ling 831.
 — *splendens* (Lévl. et Vaniot) Nakai 803.
 — *subsagittata* Pojark. 812, 889.
 — *talassica* Pojark. 840.
 — *Thomsonii* (Clarke) Pojark. 834.
 — *thyrsoides* (Ledeb.) DC. 827.
 — *trichocephala* Pojark. 800, 886.
Ligularia Duw. 9, 198.
Ligularia O. Hoffm. 26, 797.
Ligusticum L. 16, 566.
 — *alatum* (M. B.) Spreng. 571.
 — *arafae* Albov 570.
 — *causicum* Somm. et Lévier 574.
 — *discolor* Ledeb. 572.
 — *Fedtschenkoanum* Schischk. 576.
 — *Hultenii* Fern. 569.
 — *mongolicum* (Turcz.) Kryl. 573; tab. 34.
 — *mutellina* (L.) Crantz 573.
 — *physospermifolium* Albov 571; tab. 34.
 — *pumilum* Korov. 575; tab. 30.
 — *purpureopetalum* Kom. 569.
 — *scoticum* L. 568.
Ligustridium Spach 18, 518.
Ligustrina Rupr. 18, 516.
 — *amurensis* Rupr. 517; tab. 26.
Ligustrum L. 18, 518.
 — *japonicum* Thunb. 520.
 — *lucidum* Ait. 519.
 — *Tschonoskii* Decne. 520; tab. 26.
 — *vulgare* L. 522.
 — *yezoense* Nakai 521; tab. 26.
Lilac Adans. 18, 502.
Lilium Renault 18, 502.
Lilarihiza Kellogg 4, 318.

Lilium L. 4, 282.

- *avenaceum* Fisch. 288; tab. 17.
- *bulbiferum* L. 291.
- *callosum* Sieb. et Zucc. 291; tab. 17.
- *candidum* L. 284.
- *cernuum* Kom. 292.
- *cordifolium* Thunb. 294.
- *dahuricum* Ker.-Gawl. 284; tab. 17.
- *distichum* Nakai. 289.
- *Hansonii* Leichtlin 289.
- *Kesselringianum* Misch. 293.
- *Ledebouri* Boiss. 292; tab. 17.
- *martagon* L. 288.
- *Maximoviczii* Rgl. 290.
- *monadelphum* M. B. 293; tab. 17.
- *ponticum* C. Koch 293.
- *pulchellum* Fisch. 287; tab. 17.
- *Szovitsianum* Fisch. et Avé-Lall. 294.
- *tenuifolium* Fisch. 291; tab. 17.
- *tigrinum* Ker.-Gawl. 290.

Limbardia Adans. 25, 433, 476.

Limivasculum Boern. 3, 201, 232.

Limnanthemum S. G. Gmel. 18, 643.

Limnas Trin. 2, 165.

- *Stelleri* Trin. 165.
- *Veresczaginii* Kryl. et Schischk. 166; tab. 12.

Limnocypris Fourr. 29, 595, 608.

Limnocypris Adans. 15, 668.

Limnorchis Rydb. 4, 664.

- *convallariifolius* (Fisch. ex Lindl.) Rydb. 665.

— *dilatatus* (Pursh) Rydb. 665.

— *hologlottis* (Maxim.) Nevski 666.

Limnoseris Peterm. 29, 595, 630.

Limodorum Rich. 4, 634.

- *abortivum* (L.) Sw. 635.

Limoniopsis Lincz. 18, 376, 744.

- *Overinii* (Boiss.) Lincz. 377.

Limonium Mill. 18, 411.

- *aperum* (L.) Hill ex Kuntze 435.
- *Bungei* (Claus) Gamajun. 448.
- *carnosum* (Boiss.) Kuntze 461.
- *caspium* (Willd.) Gams 449.
- *chrysocomum* (Kar. et Kir.) Kuntze 431; tab. 21.
- *congestum* (Ledeb.) Kuntze 423.
- *coralloides* (Tausch) Lincz. 451; tab. 22.
- *dichroanthum* (Rupr.) Ik.-Gal. 428.
- *drepanostachyum* Ik.-Gal. 465; tab. 23.
- *Fajzievii* Zak. 466, 748.
- *ferganense* Ik.-Gal. 454.
- *Fischeri* (Trautv.) Lincz. 427.
- *flexuosum* (L.) Kuntze 420; tab. 21.

— *Gmelinii* (Willd.) Kuntze 436.

— *Hoeltzeri* (Rgl.) Ik.-Gal. 426.

— *kaschgaricum* (Rupr.) Ik.-Gal. 424.

— *latifolium* (Smith) Kuntze 442; tab. 22.

— *leptolobum* (Rgl.) Kuntze 429.

— *leptophyllum* (Schrenk) Kuntze 459.

— *macrorrhizon* (Ledeb.) Kuntze 452.

— *Meyeri* (Boiss.) Kuntze 439.

— *Michelsonii* Lincz. 430, 747.

— *myrianthum* (Schrenk) Kuntze 453.

— *otolepis* (Schrenk) Kuntze 455.

— *reniforme* (Girard) Lincz. 456.

— *Reznitzenkoanum* Lincz. 434, 747.

— *sareptanum* (A. Beck.) Gams 446.

— *Semenovii* (Herd.) Kuntze 432.

— *sinuatum* (L.) Mill. 419.

— *sogdianum* (M. Pop.) Ik.-Gal. 462.

— *suffruticosum* (L.) Kuntze 458; tab. 22.

— *tomentellum* (Boiss.) Kuntze 440.

Limosella L. 22, 324.

— *aquatica* L. 324.

Linaria Mill. 22, 178.

- *acutifolia* Fisch. ex Reichb. 202.
- *albifrons* (Sibth. et Smith) Spreng. 225.
- *altaica* Fisch. 207.
- *armeniaca* Chav. 218.
- *arvensis* (L.) Desf. 222.
- *Biebersteinii* Bess. 197; tab. 7.
- *bipartita* (Vent.) Willd. 218.
- *brachyceras* (Bge.) Kuprian. 210.
- *Bungei* Kuprian. 206; tab. 9.
- *buratica* Turcz. 196.
- *canadensis* (L.) Dum. 218.
- *chalepensis* (L.) Mill. 217.
- *corifolia* Desf. 219.
- *cretacea* Fisch. ex Spreng. 221; tab. 8.
- *creticola* Kuprian. 221; tab. 8.
- *debilis* Kuprian. 215.
- *dolichocarpa* Klok. 208, 818.
- *dolichoceras* Kuprian. 210.
- *dulcis* Klok. 209.
- *elymaica* (Boiss.) Kuprian. 217.
- *euxina* Velen. 190.
- *genistifolia* (L.) Mill. 188; tab. 8.
- *grandiflora* Desf. 187.
- *hepatica* Bge. 205.
- *incompleta* Kuprian. 215.
- *japonica* Miq. 220.
- *kokanica* Rgl. 204; tab. 9.
- *kopetdaghensis* Kuprian. 194; tab. 7.
- *kulabensis* B. Fedtsch. 205.
- *kurdica* Boiss. et Hohen. 195.
- *lenkoranica* Kuprian. 194; tab. 7.
- *leptoceras* Kuprian. 211.

- Linaria lineolata* Boiss. 195.
 — *Loeselii* Schweigg. 209.
 — *macrophylla* Kuprian. 222; tab. 8.
 — *macroura* (M. B.) Chav. 216.
 — *melampyroides* Kuprian. 202.
 — *Meyeri* Kuprian. 212.
 — *micrantha* (Cav.) Hoffmg. et Link 224.
 — *monspeßulana* (L.) Mill. 219.
 — *odora* (M. B.) Fisch. 208.
 — *pedicellata* Kuprian. 211; tab. 9.
 — *Pelisseriana* (L.) DC. 224.
 — *pontica* Kuprian. 189; tab. 8.
 — *Popovii* Kuprian. 203; tab. 9.
 — *ramosa* (Kar. et Kir.) Kuprian. 207.
 — *reflexa* (L.) Desf. 220.
 — *ruthenica* Blonski 197; tab. 7.
 — *sabulosa* Czern. ex Klok. 190.
 — *Schelkovnikovii* Schischk. ex Grossh. et Schischk. 198.
 — *schirvanica* Fomin 216.
 — *sessilis* Kuprian. 204; tab. 9.
 — *simplex* (Willd.) DC. 223.
 — *striatella* Kuprian. 211; tab. 9.
 — *sypsiensis* C. Koch 193; tab. 8.
 — *transiliensis* Kuprian. 206; tab. 9.
 — *turcomanica* Kuprian. 223.
 — *vulgaris* Mill. 201; tab. 7.
 — *zangezura* Grossh. 188.
Lindelofia Lehm. 19, 625.
 — *angustifolia* (Schrenk) Brand 637.
 — *Capusii* (Franch.) M. Pop. 630.
 — *macrostyla* (Bge.) M. Pop. 627; tab. 35.
 — *Olgae* (Rgl. et Smirn.) Brand 629; tab. 35.
 — *pterocharpa* M. Pop. 638.
 — *stylosa* (Kar. et Kir.) Brand 633; tab. 35.
Lindera Adans. 16, 94.
Lindera Aschers. 16, 150.
Lindernia All. 22, 327.
 — *pyxidaria* All. 327.
Linnaea Gronov. ex L. 23, 464.
 — *borealis* L. 465.
Linopsis Reichb. 14, 128.
Linosyris Cass. 25, 173.
 — *Fominii* Kem.-Nath. 176.
 — *pontica* (Lipsky) Novopokr. 177.
 — *tatarica* (Less.) C. A. Mey. 179.
 — *villosa* (L.) DC. 178.
 — *vulgaris* Cass ex Less. 175.
Linum L. 14, 86.
 — *altaicum* Ledeb. 113, 717.
 — *amurense* Alef. 110.
 — *angustifolium* Huds. 95.
 — *atricalyx* Juz. 114; 719.
 — *austriacum* L. 123; tab. 7.
 — *baicalense* Juz. 109, 715; tab. 6.
 — *basarabicum* (Sävul. et Rayss) Klok. 133.
 — *bienne* Mill. 99.
 — *boreale* Juz. 111, 718; tab. 7.
 — *brevisepalum* Juz. 117, 720.
 — *catharticum* L. 127.
 — *corymbulosum* Rech. 128.
 — *crepitans* Dum. 96.
 — *Czerniaevii* Klok. 135.
 — *euxinum* Juz. 118, 721.
 — *extraaxillare* Kit. 115.
 — *flavum* L. 136.
 — *gallicum* L. 129.
 — *heterosepalum* Rgl. 144; tab. 8.
 — *hirsutum* L. 141; tab. 8.
 — *humile* Mill. 102.
 — *hypericifolium* Salisb. 140.
 — *jailicola* Juz. 93; 714.
 — *Komarovii* Juz. 112, 719; tab. 7.
 — *lanuginosum* Juz. 143, 723; tab. 8.
 — *linearifolium* Jav. 133.
 — *luteolum* M. B. 139.
 — *macrorrhizum* Juz. 105, 714; tab. 6.
 — *Marschallianum* Juz. 120, 721; tab. 7.
 — *mesostylum* Juz. 107, 714.
 — *nervosum* Waldst. et Kit. 92.
 — *Olgae* Juz. 145; tab. 8.
 — *orientale* Boiss. 130.
 — *Pallasianum* Schult. 132.
 — *pallescens* Bge. 106; tab. 6.
 — *perenne* L. 116; tab. 7.
 — *stelleroides* Planch. 125.
 — *subbiflorum* Juz. 110, 716; tab. 6.
 — *tauricum* Willd. 131.
 — *tenuifolium* L. 125.
 — *turcomanicum* Juz. 114, 720.
 — *ucranicum* Czern. 134.
 — *uralense* Juz. 135, 722.
 — *usitatissimum* L. 100.
 — *violascens* Bge. 108.
Liparis Rich. 4, 601.
 — *japonica* (Miq.) Maxim. 603.
 — *Loeselii* (L.) Rich. 602; tab. 37.
 — *Makinoana* Schlechter 603; tab. 37.
Lippia L. 19, 697.
 — *nodiflora* (L.) Rich. 697.
Lipskyia Nevski 16, 192, 193.
Lipskyella Juz. 27, 357.
 — *annua* (C. Winkl.) Juz. 358.
Liriodendron L. 7, 565.
 — *tulipiferum* L. 565; tab. 39.
Lisaea Boiss. 16, 177.
 — *armena* Schischk. 178; tab. 14.

- heterocarpa (DC.) Boiss. 178; tab. 14.
Listera R. Br. 4, 611.
 — brevidens Nevski 613; tab. 38.
 — cordata (L.) R. Br. 613; tab. 38.
 — major Nakai 614; tab. 38.
 — ovata (L.) R. Br. 612.
Lithoon Nevski 12, 98.
Lithosciadium Turcz. 16, 549.
Lithospermum L. 19, 155.
 — apulum (L.) Vahl 163.
 — arvense L. 165.
 — erythrorhizon Sieb. et Zucc. 162.
 — officinale L. 162.
 — purpureo-coeruleum L. 157.
 — tenuiflorum L. f. 164; tab. 9.
 — tschimganicum B. Fedtsch. 158; tab. 9.
Littledalea Hemsl. 2, 553.
 — alaica (Korsh.) V. Petrov 553; tab. 43.
Littorella Bergius 23, 163.
 — uniflora (L.) Aschers. 163.
Litvinovia Woronow 8, 324.
 — tenuissima (Pall.) N. Busch 327; tab. 13.
Lloydia Salisb. 4, 365.
 — rubroviridis (Boiss. et Kotschy) Baker 366.
 — serotina (L.) Reichb. 369.
 — triflora (Ledeb.) Baker 366.
Lobelia L. 24, 451.
 — Dortmanna L. 451.
 — sessilifolia Lamb. 452.
Lobularia Desv. 8, 364.
Lochnera Reichb. 18, 646.
Logfia Cass. 25, 314, 325.
Loiseleuria Desv. 18, 62.
 — procumbens (L.) Desv. 62.
Lolium V. Krecz. et Bobr. 2, 544, 765.
 — orientale (Boiss.) V. Krecz. et Bobr. 544; tab. 41.
Lolium L. 2, 545.
 — arvense With. 547; tab. 44.
 — cuneatum Nevski 547; tab. 44.
 — loliaceum (Bory et Chaub.) Hand.-Mazz. 551; tab. 44.
 — multiflorum Lam. 551; tab. 44.
 — perenne L. 552; tab. 44.
 — persicum Boiss. et Hohen. 548; tab. 44.
 — remotum Schrank 547; tab. 44.
 — rigidum Gaud. 551; tab. 44.
 — temulentum L. 546; tab. 44.
Lomatocarum Fisch. et Mey. 16, 385.
Lomatogonium A. Br. 18, 620.
 — carinthiacum (Wulfen.) A. Br. 620; tab. 33.
 — rotatum (L.) Fries ex Nym. 621; tab. 33.
Lomatopodium Fisch. et Mey. 16, 483, 561.
Londesia Fisch. et Mey. 6, 124.
 — eriantha Fisch. et Mey. 124; tab. 5.
Lonieera L. 23, 467.
 — Alberti Rgl. 478.
 — altaica Pall. 496.
 — Altmannii Rgl. et Schmalh. 517.
 — asperifolia Hook. f. et Thoms. 522.
 — baltica Pojark. 491, 731.
 — bracteolaris Boiss. et Buhse 521.
 — Buschiorum Pojark. 499, 733.
 — caerulea L. 500.
 — caprifolium L. 570.
 — caucasica Pall. 540.
 — Chamissoi Bge. 539.
 — chrysantha Turcz. 555.
 — cinerea Pojark. 529, 736; tab. 26.
 — edulis Turcz. ex Freyn 492.
 — etrusca Santi 572.
 — floribunda Boiss. et Buhse 551.
 — gibbiflora (Rupr.) Dipp. 557.
 — Glehnii Fr. Schmidt 532.
 — heterotricha Pojark. et Zak. 514.
 — hispida Pall. ex Roem. et Schult. 509.
 — humilis Kar. et Kir. 525; tab. 26.
 — iberica M. B. 503; tab. 25.
 — iliensis Pojark. 502, 734.
 — japonica Thunb. 568.
 — kamtschatica (Sevast.) Pojark. 487, 730.
 — Karelinii Bge. ex P. Kir. 530.
 — Korolkovii Stapf 548.
 — lanata Pojark. 550, 737.
 — Maackii Rupr. 565.
 — Maximowiczii (Rupr.) Rgl. 535.
 — micrantha Trautv. ex Rgl. 547.
 — microphylla Willd. ex Roem. et Schult. 482; tab. 24.
 — nigra L. 543.
 — nummulariifolia Jaub. et Spach 566.
 — Olgae Rgl. et Schmalh. 524.
 — Pallasii Ledeb. 489.
 — pamirica Pojark. 484, 729; tab. 24.
 — paradoxa Pojark. 534.
 — praeflorens Batal. 515; tab. 26.
 — Ruprechtiana Rgl. 563.
 — sachalinensis (Fr. Schmidt) Nakai 537.
 — Semenovii Rgl. 513.
 — simulatrix Pojark. 480, 729; tab. 24.
 — stenantha Pojark. 497; tab. 25.
 — Steveniana Fisch. ex Pojark. 561, 738.
 — subhispida Nakai 511; tab. 26.
 — tatarica L. 544.
 — tianschanica Pojark. 518.
 — Tolmatchevii Pojark. 505, 735; tab. 25.

- Lonicera Turczaninowii* Pojark. 494, 731.
 — *xylostemum* L. 559.
 — *zaravschanica* (Rehd.) Pojark. 519.
Lophanthus Adans. 20, 275.
 — *chinensis* (Raf.) Benth. 276.
 — *elegans* (Lipsky) Levin 282.
 — *Krylovii* Lipsky 277.
 — *Lipskyanus* Ik.-Gal. et Nevski 280.
 — *Schrenkii* Levin 278.
 — *Schtschurowskianus* (Rgl.) Lipsky 279.
 — *subnivalis* Lipsky 281.
 — *tschimganicus* Lipsky 279.
 — *urticifolia* (Miq.) Makino 529.
Lophioilepis Cass. 28, 52, 69, 89.
Lophochloa Reichb. 2, 337.
 — *obtusiflora* (Boiss.) Gontsch. 338; tab. 25.
 — *phleoides* (Vill.) Reichb. 338; tab. 25.
Lopholoma Cass. 28, 370, 440, 493.
Loranthus L. 5, 407.
 — *europaeus* Jacq. 407; tab. 23.
Loroglossum Rich. 4, 719.
Lotononis DC. 11, 44.
 — *genistoides* (Fenzl) Benth. 44.
Lotophyllum Reichb. 11, 218.
Lotus L. 11, 284.
 — *aleppicus* Boiss. 290.
 — *angustissimus* L. 296; tab. 19.
 — *caucasicus* Kuprian. 291; tab. 19.
 — *corniculatus* L. 291; tab. 19.
 — *frondosus* Freyn 295.
 — *Gebelia* Vent. 290; tab. 19.
Louichea L'Hér. 6, 572.
Lowea Lindl. 10, 506.
Loxaniza Raf. 3, 246.
Ludwigia L. 15, 567.
 — *palustris* (L.) Ell. 568; tab. 27.
 — *prostrata* Roxb. 568; tab. 27.
Luerssenia Kuntze 16, 369.
Luffa Adans. 24, 99.
 — *acutangula* (L.) Roxb. 100.
 — *cylindrica* (L.) Roem. 99.
Lunaria L. 8, 335.
 — *rediviva* L. 335.
Lupinaster Adans. 11, 201.
Lupinus L. 11, 48.
 — *albus* L. 50.
 — *angustifolius* L. 49.
 — *luteus* L. 49.
 — *polyphyllus* Lindl. 50.
Luzula DC. 3, 559.
 — *arcuata* Wahl. 569.
 — *capitata* (Miq.) Nakai 572.
 — *confusa* Lindb. 569.
 — *Forsteri* (Smith) DC. 563.
 — *frigida* (Buchenau) Sam. ex Lindm. 573.
 — *japonica* Buchenau 564.
 — *kamtschadalarum* (Sam.) Gorodk. ex Kryl. 568.
 — *Kjellmanniana* Miyabe et Kudo 573.
 — *macrocarpa* (Buchenau) Nakai 564.
 — *melanocarpa* (Michx.) Desv. 567.
 — *multiflora* (Ehrh.) Lej. 572.
 — *nemorosa* E. Mey. 565.
 — *nivalis* Laest. 568.
 — *oligantha* Sam. 574.
 — *pallescens* (Wahl.) Bess. 576.
 — *parviflora* (Ehrh.) Desv. 566.
 — *pilosa* (L.) Willd. 564.
 — *pseudo-sudetica* V. Krecz. 571.
 — *rufescens* Fisch. et E. Mey. 563.
 — *sibirica* V. Krecz. 574, 631.
 — *silvatica* (Huds.) Gaud. 566.
 — *spicata* (L.) DC. 570.
 — *subpilosa* Gilib. 571.
 — *sudetica* (Willd.) DC. 575.
 — *Wahlenbergii* Rupr. 567.
Lychnis L. 6, 692.
 — *ajanensis* Rgl. 693; tab. 42.
 — *chalconica* L. 696; tab. 45.
 — *cognata* Maxim. 695; tab. 42.
 — *fulgens* Fisch. 696; tab. 42.
 — *samojedorum* (Sambuk) Gorschk. 694; tab. 42.
 — *sibirica* L. 693; tab. 42.
 — *vilosula* (Trautv.) Gorschk. 694; tab. 42.
 — *Wilfordii* (Rgl.) Maxim. 695.
Lycium L. 22, 77.
 — *barbarum* L. 82.
 — *dasystemum* Pojark. 84.
 — *flexicaule* Pojark. 81.
 — *kopetdaghi* Pojark. 85.
 — *ruthenicum* Murr. 80.
 — *turcomanicum* Turcz. ex Miers 78.
Lycopersicon Mill. 22, 42.
 — *esculentum* Mill. 50.
 — *Humboldtii* (Willd.) Dun. 49.
 — *peruvianum* (L.) Mill. 45.
 — *pimpinellifolium* (Jusl.) Mill. 47.
Lycopersicum Hill 22, 42.
Lycopersicus Neck. 22, 42.
Lycopodium L. 1, 112.
 — *alpinum* L. 122; tab. 6.
 — *anceps* Wallr. 121; tab. 6.
 — *annotinum* L. 117; tab. 6.
 — *appressum* (Desv.) V. Petrov 115; tab. 6.
 — *chinense* Christ. 115; tab. 6.

- clavatum L. 118; tab. 6.
- inundatum L. 116; tab. 6.
- juniperoideum Sw. 116; tab. 6.
- obscurum L. 116; tab. 6.
- pungens La Pyl. 117; tab. 6.
- selago L. 114; tab. 6.
- serratum Thunb. 114; tab. 6.
- sitchense Rupr. 122; tab. 6.
- tristachyum Pursh 121; tab. 6.
- Lycopsis** L. 19, 311.
- arvensis L. 312.
- orientalis L. 313.
- Lycopus** L. 21, 591.
- europaeus L. 595.
- exaltatus L. f. 593.
- hirtellus Kom. 596.
- lucidus Turcz. 593.
- Maackianus (Maxim.) Makino 594.
- parviflorus Maxim. 592.
- uniflorus Michx. 592.
- Lysichitum** Schott 3, 480.
- camtschaticense (L.) Schott 480; tab. 26.
- Lysiella** Rydb. 4, 663.
- oligantha (Turcz.) Nevski 663; tab. 40.
- Lysimachia** L. 18, 255.
- barystachys Bge. 263; tab. 14.
- clethroides Duby 266.
- daurica Ledeb. 267.
- dubia Soland. 264.
- Fortunei Maxim. 265.
- japonica Thunb. 259; tab. 14.
- nemorum L. 258; tab. 14.
- nummularia L. 257.
- punctata L. 260.
- verticillaris Spreng. 263.
- vulgaris L. 266.
- Lythrum** L. 15, 536.
- hyssopifolia L. 545; tab. 26.
- intermedium Ledeb. 551; tab. 26.
- Komarovii Murav. 543; tab. 26.
- linifolium Kar. et Kir. 544; tab. 26.
- nanum Kar. et Kir. 542; tab. 26.
- salicaria L. 548; tab. 26.
- Schelkovnikovii Sosn. 546.
- silenoides Boiss. 547.
- Theodori Sosn. 545.
- thesioides M. B. 544; tab. 26.
- thymifolia L. 547; tab. 26.
- tribracteatum Salzm. 541; tab. 26.
- virgatum L. 551; tab. 26.
- Maackia** Rupr. et Maxim. 11, 35.
- amurensis Rupr. et Maxim. 35; tab. 3.
- Maclura** Nutt. 5, 379.
- aurantica Nutt. 379.
- Macrocarpium** Nakai 17, 317.
- Macropodium** R. Br. 8, 27.
- nivale (Pall.) R. Br. 28.
- pterospermum Fr. Schmidt 28.
- Macroselinum** Schur 17, 168, 191.
- Macrosema** Stev. 12, 479.
- Macrosiphon** Hochst. 2, 529.
- Macrotomia** DC. 19, 167.
- densiflora (Ledeb.) Macbr. 171.
- echiioides (L.) Boiss. 172.
- euchroma (Royle) Pauls. 169.
- ugamensis M. Pop. 170.
- Madia** Mol. 25, 567.
- sativa Mol. 567.
- Magnolia** L. 7, 564.
- grandiflora L. 565; tab. 39.
- Mairania** Neck. 18, 83.
- Majanthemum** Wigg. 4, 453.
- bifolium (L.) Fr. Schmidt 453; tab. 27.
- dilatatum (Wood) A. Nels. et Macbr. 454.
- Majorana** Moench 21, 462.
- hortensis Moench 462.
- Malabaila** Hoffm. 17, 261.
- dasyantha (C. Koch) Grossh. 265.
- dasycarpa (Rgl. et Schmalh.) Schischk. 262.
- graveolens (M. B.) Hoffm. 265.
- sulcata (C. Koch) Boiss. 261.
- Malachium** Fries 6, 430.
- aquaticum Fries 430; tab. 22.
- Malacocarpus** Fisch. et Mey. 14, 150.
- crithmifolius (Retz.) C. A. Mey. 150.
- Malacurus** Nevski 2, 712.
- lanatus (Korsch.) Nevski 712; tab. 50.
- Malaxis** Soland. ex Sw. 4, 599.
- paludosa (L.) Sw. 600; tab. 37.
- Malcolmia** R. Br. 8, 273.
- africana (L.) R. Br. 276; tab. 16.
- bucharica Vass. 276, 647.
- circinata (Bge.) Boiss. 281; tab. 16.
- crenulata (C. A. Mey.) Vass. 284.
- grandiflora (Bge.) Kuntze 280.
- hispida Litv. 275.
- Karelinii Lipsky 281.
- multisiliqua Vass. 282, 647.
- scorpioides (Bge.) Boiss. 282; tab. 16.
- taraxacifolia Balb. 283.
- trichocarpa Boiss. et Buhse 280.
- turkestanica Litv. 275; tab. 16.
- Malope** L. 15, 25.
- malacoides L. 26; tab. 1.
- trifida Cav. 25.

Malus Mill. 9, 357.

- *baccata* (L.) Borkh. 369.
- *domestica* Borkh. 365.
- *manshurica* (Maxim.) Kom. 371; tab. 22.
- *Niedzwetzkyana* Dieck 364.
- *orientalis* Uglitzk. 362, 492; tab. 22.
- *Pallasiana* Juz. 370; tab. 22.
- *praecox* (Pall.) Borkh. 360; tab. 22.
- *prunifolia* (Willd.) Borkh. 366.
- *sachalinensis* Juz. 372, 493; tab. 22.
- *Sieversii* (Ledeb.) Roem. 363; tab. 22.
- *silvestris* Mill. 359.
- *turkmenorum* Juz. et M. Pop. 364, 493.

Malva L. 15, 31.

- *alcea* L. 39.
- *ambigua* Guss. 48.
- *armeniaca* Iljin 36; tab. 4.
- *bucharica* Iljin 55; tab. 4.
- *crispa* L. 73.
- *erecta* J. et C. Presl 47.
- *excisa* Reichb. 37.
- *Grossheimii* Iljin 52.
- *leiocarpa* Iljin 35; tab. 4.
- *mauritiana* L. 49.
- *meluca* Graebn. 74.
- *mohileviensis* Downar 64; tab. 3.
- *moschata* L. 40.
- *neglecta* Wallr. 56.
- *niccaensis* All. 53.
- *pamiroalaica* Iljin 67, 675.
- *parviflora* L. 63.
- *pusilla* Smith 60.
- *silvestris* L. 41.
- *verticillata* L. 68; tab. 3.

Malvathaea Iljin 15, 144.

- *transcaucasica* (Sosn.) Iljin 144; tab. 4.

Malvella Jaub. et Spach 15, 30.

- *Scherardiana* (L.) Jaub. et Spach 30; tab. 2.

Mandragora L. 22, 75.

- *turcomanica* Mizgir. 75.

Mannagettaea H. Smith 23, 115.

- *ircutensis* M. Pop. 115; tab. 6.
- *Manochlaena* Boern. 3, 356, 419.

Maresia Pom. 8, 58.

- *nana* (DC.) Batt. 59.

Marianthemum Schrank 24, 133.**Marinella** Bub. 22, 533.**Marrubium** L. 20, 233.

- *alternidens* Reichb. f. 236.
- *catariifolium* Desr. 242.
- *goktschaicum* N. Pop. 246; tab. 15.
- *leonuroides* Desr. 242.
- *nanum* Knorr. 243.

- *parviflorum* Fisch. et Mey. 240; tab. 15.
- *peregrinum* L. 245.
- *persicum* C. A. Mey. 244; tab. 15.
- *plumosum* C. A. Mey. 241.
- *praecox* Janka 239.
- *propinquum* Fisch. et Mey. 244.
- *purpureum* Bge. 246.
- *Turkeviczii* Knorr. 247, 516.
- *vulgare* L. 235.
- *Woronowii* N. Pop. 239.

Marsilea L. 1, 91.

- *aegyptiaca* Willd. 91; tab. 3.
- *quadrifolia* L. 91; tab. 3.
- *strigosa* Willd. 91.

Martinia Vaniot 25, 122.**Maruta** Cass. 26, 9, 63.**Mastrucium** Cass. 28, 268.**Matricaria** L. 26, 147.

- *aurea* (L.) Boiss. 151; tab. 7.
- *matricarioides* (Less.) Porter ex Britt. 150.
- *recutita* L. 148.
- *Tzvelevii* Pobed. 149, 871.

Matthiola R. Br. 8, 285.

- *albicaulis* Boiss. 289.
- *bucharica* Czerniak. 297, 648.
- *chenopodiifolia* Fisch. et Mey. 294.
- *daghestanica* (Conti) N. Busch 291.
- *farinosa* Bge. 292; tab. 18.
- *fragrans* Bge. 293.
- *incana* R. Br. 298.
- *integrifolia* Kom. 290.
- *odoratissima* (Pall.) R. Br. 291.
- *oxyceras* DC. 297.
- *robusta* Bge. 292.
- *runcinata* Rgl. 290.
- *Stoddartii* Bge. 297; tab. 18.
- *superba* Conti 294.
- *tatarica* (Pall.) DC. 293.
- *Mattia* Schult. 19, 565, 572.

Mattiastrum Brand 19, 588.**Maukschia** Heuff. 3, 163.**Mausolea** Bge. 26, 631.

- *eriocarpa* (Bge.) Poljak. 631.

Mazus Lour. 22, 316.

- *japonicus* (Thunb.) Kuntze 316.
- *stachydifolius* (Turcz.) Maxim. 317.

Medicago L. 11, 129.

- *agrestis* Ten. ex DC. 165; tab. 11.
- *arabica* All. 166; tab. 11.
- *borealis* Grossh. 139, 391.
- *cancellata* M. B. 137; tab. 10.
- *coerulea* Less. ex Ledeb. 150; tab. 11.
- *coronata* (L.) Desr. 173.
- *daghestanica* Rupr. 172; tab. 11.

- denticulata Willd. 168; tab. 11.
- dzawakhetica Bordz. 159; tab. 11.
- falcata L. 140; tab. 10.
- globosa J. et C. Presl 166; tab. 11.
- glutinosa M. B. 156; tab. 10.
- hemicycla Grossh. 154; tab. 10.
- laciniata L. 174; tab. 11.
- lanigera C. Winkl. et B. Fedtsch. 175; tab. 10.
- litoralis Rohde 165; tab. 11.
- lupulina L. 134; tab. 10.
- marina L. 160; tab. 11.
- minima Grufberg 174; tab. 11.
- nigra Willd. 171.
- orbicularis All. 161; tab. 10.
- papillosa Boiss. 158; tab. 11.
- polychroa Grossh. 154; tab. 10.
- praecox DC. 172; tab. 11.
- rigidula Desr. 164; tab. 11.
- romanica Prod. 145.
- rupestris M. B. 136; tab. 10.
- sativa L. 148; tab. 10.
- saxatilis M. B. 138; tab. 11.
- Schischkinii Sumn. 152; tab. 10.
- scutellata All. 161; tab. 10.
- Soleirolii Duby 163.
- tianschanica Vass. 153.
- Trautvetteri Sumn. 152; tab. 10.
- tribuloides Desr. 163; tab. 11.
- virescens Grossh. 157; tab. 10.
- Medium* Fisch. ex A. DC. 24, 133.
- Meehania** Britt. 20, 529.
- urticifolia (Miq.) Makino 529.
- Megacarpaea** DC. 8, 541.
- gigantea Rgl. 545.
- gracilis Lipsky 544.
- megalocarpa (Fisch.) Schischk. 543.
- orbiculata B. Fedtsch. 542.
- schugnanica B. Fedtsch. 544.
- Megasperma* Lehm. 22, 413.
- Megista* (Fourr.) Rydb. 22, 63.
- Melampyrum** L. 22, 533.
- Alboffianum Beauverd 539.
- argyrocomum Fisch. ex Steud. 541.
- arvense L. 540.
- caucasicum Bge. 538; tab. 26.
- chlorostachyum Beauverd 537.
- cristatum L. 536.
- elatius Reut. 542.
- Herbachii Woloszcz. 550.
- laciniatum Koshewn. et Zing. 553.
- nemorosum L. 543.
- polonicum (Beauverd) Soó 545.
- pratense L. 552.
- roseum Maxim. 545; tab. 26.
- saxosum Baumg. 551.
- setaceum (Maxim.) Nakai 546.
- silvaticum L. 549; tab. 26.
- Melandrium** Roehl. 6, 701.
- adenophorum Schischk. 705, 890.
- affine J. Vahl 719; tab. 44.
- Akinfievii (Schmalh.) Schischk. 709; tab. 45.
- album (Mill.) Garcke 725.
- angustiflorum (Rupr.) Walp. 720; tab. 44.
- apetalum (L.) Fenzl 716; tab. 44.
- apricum (Turcz.) Rohrb. 713.
- astrachanicum Pacz. 726.
- baicalense (Sukacz.) Tolm. 722.
- Balansae Boiss. 724.
- Boissieri Schischk. 725.
- brachypetalum (Hornem.) Fenzl 722; tab. 44.
- erubescens Schischk. 706, 890; tab. 43.
- Fedtschenkoanum (Preobr.) Schischk. 705; tab. 43.
- ferganicum (Preobr.) Schischk. 706; tab. 43.
- firmum (Sieb. et Zucc.) Rohrb. 713.
- gracile Tolm. 721.
- longicarpophorum Kom. 714; tab. 44.
- noctiflorum (L.) Fries 712.
- Olgae Maxim. 712.
- ovalifolium Rgl. et Schmalh. 704; tab. 43.
- quadrilobum (Turcz.) Schischk. 711.
- ruinarum M. Pop. 709.
- sachalinense (Fr. Schmidt) Schischk. 710; tab. 43.
- saxatile (Turcz.) A. Br. 723; tab. 44.
- silvestre (Schk.) Roehl. 724.
- Soczavianum Schischk. 715.
- sordidum (Kar. et Kir.) Rohrb. 715; tab. 44.
- suaveolens (Kar. et Kir.) Schischk. 711; tab. 43.
- tajmyrense Tolm. 721.
- tenellum Tolm. 721; tab. 44.
- triste (Bge.) Fenzl 715; tab. 44.
- viscosum (L.) Celak. 710.
- Melandrum* Blytt 6, 701.
- Melandryum* Reichb. 6, 701.
- Melanocarya* Turcz. 14, 557.
- Melia** L. 14, 244.
- azedarach L. 244.
- Melica** L. 2, 340.
- altissima L. 350.
- atropatana Schischk. 343.
- breviflora Boiss. 344; tab. 26.

- Melica canescens* (Rgl.) Lavr. 344, 752; tab. 26.
 — *flavescens* (Schur.) Simonk. 346.
 — *glauca* F. Schultz 345.
 — *Hohenackeri* Boiss. 344.
 — *inaequiglumis* Boiss. 343; tab. 26.
 — *minor* Hack. 351; tab. 26.
 — *nutans* L. 351; tab. 26.
 — *penicillaris* Boiss. 342.
 — *persica* Kunth 343.
 — *picta* C. Koch 351; tab. 26.
 — *secunda* Rgl. 352; tab. 26.
 — *taurica* C. Koch 346; tab. 26.
 — *transsilvanica* Schur 345; tab. 26.
 — *Turczaninowiana* Ohwi 349; tab. 26.
 — *uniflora* Retz. 350; tab. 26.
 — *virgata* Turcz. 349.
- Melilotus** Adans. 11, 176.
 — *albus* Desr. 181; tab. 12.
 — *altissimus* Thuill. 184; tab. 12.
 — *dentatus* (Waldst. et Kit.) Pers. 178; tab. 12.
 — *hirsutus* Lipsky 187.
 — *indicus* (L.) All. 189; tab. 12.
 — *neapolitanus* Ten. 188; tab. 12.
 — *officinalis* (L.) Desr. 180; tab. 12.
 — *polonicus* (L.) Desr. 183; tab. 12.
 — *suaveolens* Ledeb. 180.
 — *tauricus* (M. B.) Ser. 188; tab. 12.
 — *wolgicus* Poir. 182; tab. 12.
- Melissa** L. 21, 411.
 — *officinalis* L. 411; tab. 21.
- Mellisophyllon** Adans. 20, 498.
- Melittis** L. 20, 498.
 — *melissophyllum* L. 499.
- Melo** Adans. 24, 115.
 — *dudaim* (L.) Sageret ex Roem. 117.
 — *flexuosus* (L.) Sageret ex Roem. 117.
 — *sativus* Sageret ex Roem. 116.
- Melongena** Mill. 22, 39.
- Meniocus** Desv. 8, 359.
 — *linifolius* (Steph.) DC. 359.
- Menispermum** DC. 7, 560.
 — *dahuricum* DC. 563; tab. 38.
- Mentha** L. 21, 596.
 — *alaica* Boriss. 615.
 — *aquatica* L. 608.
 — *arvensis* L. 604; tab. 32.
 — *asiatica* Boriss. 614.
 — *crispa* L. 609.
 — *crispata* Schrad. 622.
 — *daghestanica* Boriss. 627.
 — *dahurica* Fisch. 610; tab. 32.
 — *darvasica* Boriss. 616.
 — *haplocalyx* Briq. 607.
 — *interrupta* Boriss. 619.
 — *kopetdagensis* Boriss. 618.
 — *lapponica* Wahl. 606.
 — *longifolia* (L.) Huds. 611; tab. 32.
 — *micrantha* Fisch. 627; tab. 32.
 — *pamiroalaica* Boriss. 617.
 — *piperita* L. 620.
 — *pulegium* L. 624.
 — *rotundifolia* (L.) Huds. 622.
 — *sachalinensis* (Briq.) Kudo 607.
 — *spicata* L. 621.
 — *vagans* Boriss. 614.
- Menthella** Pérard. 21, 623.
- Menyanthes** L. 18, 642.
 — *trifoliata* L. 642.
- Menziesia** J. G. Smith 18, 61.
 — *pentandra* Maxim. 61.
- Mercckia** Fisch. 6, 545.
 — *physodes* (DC.) Fisch. ex Cham. et Schlecht. 545; tab. 31.
- Mercurialis** L. 14, 295.
 — *annua* L. 298.
 — *ovata* Sternb. et Hoppe 297; tab. 17.
 — *perennis* L. 296.
- Merendera** Ramond 4, 15.
 — *candidissima* Misch. ex Grossh. 18.
 — *Eichleri* (Rgl.) Boiss. 18.
 — *hissarica* Rgl. 17.
 — *Jolantae* Czerniak. 19; tab. 2.
 — *Raddeana* Rgl. 16.
 — *robusta* Bge. 18; tab. 2.
 — *sobolifera* C. A. Mey. 16; tab. 2.
 — *trigyna* (Adam) Woronow 17.
- Meristotropis** Fisch. et Mey. 13, 240.
 — *erythrocarpa* Vass. 241; tab. 13.
 — *triphylla* Fisch. et Mey. 240; tab. 13.
 — *xanthioides* Vass. 241; tab. 13.
- Mertensia** Roth 19, 238.
 — *davurica* (Sims) G. Don 249.
 — *dshagastanica* Rgl. 257.
 — *jenissejensis* M. Pop. 244.
 — *kamczatica* (Turcz.) DC. 253; tab. 13.
 — *maritima* (L.) S. F. Gray 242.
 — *Pallasii* (Ledeb.) G. Don 244.
 — *pilosa* (Cham.) DC. 251.
 — *Popovii* Rubtz. 247, 706.
 — *pterocarpa* (Turcz.) Tat. et Ohwi 254.
 — *rivularis* (Turcz.) DC. 251; tab. 13.
 — *serrulata* (Turcz.) DC. 255.
 — *sibirica* (L.) G. Don 243.
 — *stylosa* (Fisch.) DC. 248.
 — *tarbagataica* B. Fedtsch. 256.
- Mertensianthe** M. Pop. 19, 238, 257.

- Merwia* B. Fedtsch. 17, 62, 74.
Mesocentron Cass. 28, 370, 570.
Mesodiscus Raf. 16, 380.
Mespilus L. 9, 414.
 — *germanica* L. 414; tab. 27.
Metaplexis R. Br. 18, 672.
 — *japonica* (Thunb.) Makino 672; tab. 36.
Metastachys Knorr. 21, 192, 652.
 — *sagittata* (Rgl.) Knorr. 193.
Mibora Adans. 2, 159.
 — *minima* (L.) Desv. 159; tab. 12.
Michauxia L'Hér. 24, 383.
 — *laevigata* Vent. 384; tab. 23.
Micranthemum C. Presl 11, 214.
Macranthes Haw. 9, 145.
Microbiota Kom. 1, 193.
 — *decussata* Kom. 193; tab. 7, 8.
Microcephala Pobed. 26, 152.
 — *lamellata* (Bge.) Pobed. 155.
 — *subglobosa* (Krasch.) Pobed. 156; tab. 5.
 — *turcomanica* (C. Winkl.) Pobed. 155.
Microcerasus Roem. 10, 562.
Microlepis C. Presl 1, 49.
 — *pilosella* S. Moore 50.
 — *Wilfordii* S. Moore 50.
Microlophopsis Czer. 28; 305.
Microlophus Cass. 28, 370, 560.
Micromeles Decne. 9, 406.
 — *alnifolia* (Sieb. et Zucc.) Koehne 406; tab. 27.
Micromeria Benth. 21, 426.
 — *elegans* Boriss. 428.
 — *elliptica* C. Koch 429.
 — *marifolia* (Willd.) Benth. 428.
 — *serpyllifolia* (M. B.) Boiss. 427; tab. 21.
Micropeplis Bge. 6, 352.
Micropetalon Pers. 6, 394.
Micropetalum Tausch 9, 163.
Microphysa Schrenk 23, 286.
 — *elongata* (Schrenk) Pobed. 286; tab. 21.
Micropus L. 25, 300.
 — *supinus* L. 300; tab. 18.
Microstigma Trautv. 8, 298.
 — *deflexum* (Bge.) Juz. 298.
Microstylis Nutt. 4, 600.
 — *monophyllos* (L.) Lindl. 601; tab. 37.
Middendorfia Trautv. 15, 535.
 — *borysthena* (M. B.) Trautv. 535.
Milium L. 2, 119.
 — *effusum* L. 119; tab. 5.
 — *Schmidtianum* C. Koch 120; tab. 5.
 — *vernale* M. B. 119; tab. 5.
Millefolium C. Koch 26, 75.
Millepora Boiss. 15, 203, 247.
Miltianthus Bge. 14, 158.
Minulus L. 22, 310.
 — *guttatus* DC. 312.
 — *moschatus* Dougl. 315.
 — *pilosiusculus* H. B. K. 313.
 — *ringens* L. 312.
 — *stolonifer* Novopokr. 314.
 — *tenellus* Bge. 314.
Mindium Juss. 24, 383.
Minuartia L. 6, 482.
 — *abchasica* Schischk. 495.
 — *adenotricha* Schischk. 495; tab. 27.
 — *aizoides* (Boiss.) Bornm. 509.
 — *Akinfiewii* (Schmalh.) Woronow 490.
 — *arctica* (Stev.) Aschers. et Graebn. 515; tab. 28.
 — *Biebersteinii* (Rupr.) Schischk. 500; tab. 27.
 — *biflora* (L.) Schinz et Thell. 516; tab. 28.
 — *Brotheriana* (Trautv.) Woronow 515; tab. 28.
 — *Buschiana* Schischk. 493, 884.
 — *caucasica* (Adam) Mattf. 509; tab. 28.
 — *dianthifolia* (Boiss.) Hand.-Mazz. 499.
 — *elegans* (Cham. et Schlecht.) Schischk. 508.
 — *glomerata* (M. B.) Degen 492; tab. 27.
 — *gracilipes* Kom. 502, 885.
 — *granuliflora* (Fenzl) Grossh. 494.
 — *Helmii* (Fisch.) Schischk. 501; tab. 27.
 — *hirsuta* (M. B.) Hand.-Mazz. 496; tab. 27.
 — *hybrida* (Vill.) Schischk. 488.
 — *imbricata* (M. B.) Woronow 514.
 — *intermedia* (Boiss.) Hand.-Mazz. 491.
 — *jacutica* Schischk. 502.
 — *Krascheninnikovii* Schischk. 493; tab. 27.
 — *Kryloviana* Schischk. 501.
 — *laricina* (L.) Mattf. 513; tab. 28.
 — *lineata* (C. A. Mey.) Bornm. 503.
 — *Litwinowii* Schischk. 504, 885.
 — *macrocarpa* (Pursh) Ostenf. 513; tab. 28.
 — *Meyeri* (Boiss.) Bornm. 489.
 — *micrantha* Schischk. 494, 884.
 — *oriena* (Mattf.) Schischk. 499.
 — *orthotrichoides* Schischk. 506, 886.
 — *pusilla* Schischk. 508, 886.
 — *Regeliana* (Trautv.) Mattf. 488.
 — *rhodocalyx* (Albov) Woronow 514.
 — *rubella* (Wahl.) Graebn. 506; tab. 27.
 — *sclerantha* (Fisch. et Mey.) Thell. 491.
 — *setacea* (Thuill.) Hayek 492; tab. 27.
 — *stricta* (Sw.) Hiern 507; tab. 28.

- Minuartia taurica* (Stev.) Aschers. et Graebn. 503; tab. 28.
 — *turcomanica* Schischk. 487; tab. 27.
 — *verna* (L.) Hiern 505.
 — *viscosa* (Schreb.) Schinz et Thell. 487.
 — *Wiesneri* (Stapf) Schischk. 490.
 — *Woronowii* Schischk. 495, 884.
Mirabilis L. 6, 370.
 — *nyctaginea* (Michx.) MacMill. 371.
Miscanthus Anderss. 2, 7.
 — *purpurascens* Anderss. 8; tab. 1.
 — *sacchariflorus* (Maxim.) Hack. 7.
 — *sinensis* Anderss. 8.
Miscaria Haw. 9, 174.
Mistyllus C. Presl 11, 216.
Mitchella L. 23, 169.
 — *undulata* Sieb. et Zucc. 169.
Mitella L. 9, 199.
 — *nuda* L. 199.
Mitina Adans. 27, 77.
Modestia Char. et Tamamsch. 28, 223.
 — *darwasica* (C. Winkl.) Char. et Tamamsch. 224.
 — *mira* (Iljin) Char. et Tamamsch. 225; tab. 10.
Moehringia L. 6, 540.
 — *elongata* Schischk. 541, 887.
 — *lateriflora* (L.) Fenzl 541; tab. 31.
 — *trinervia* (L.) Clairv. 540; tab. 31.
 — *umbrosa* (Bge.) Fenzl 542; tab. 31.
Mogoltavia Korov. 17, 214.
 — *Severzovii* (Rgl.) Korov. 214; tab. 1.
Moldavica Adans. 20, 439.
Molinia Schrank 2, 312.
 — *coerulea* (L.) Moench 312; tab. 23.
 — *litoralis* Host 313; tab. 23.
Mollugo L. 6, 374.
 — *cerviana* (L.) Ser. 374; tab. 19.
Moltkea Wettst. 19, 234.
Moltkia Lehm. 19, 234.
 — *coerulea* (Willd.) Lehm. 235.
Molucella L. 21, 181.
 — *laevis* L. 182.
Momordica L. 24, 97.
 — *balsamita* L. 98.
Moneses Salisb. 18, 14.
 — *uniflora* (L.) A. Gray 14.
Monocarpus Adans. 6, 48.
Monochilon Dulac 20, 39.
Monochoria C. Presl 3, 502.
 — *Korsakowii* Rgl. et Maack 502; tab. 26.
 — *plantaginea* (Roxb.) Kunth 503.
Monolepis Schrad. 6, 73.
 — *asiatica* Fisch. et Mey. 73; tab. 2.
 — *Litwinowii* Pauls. 74.
Monotropa L. 18, 20.
Monotropa Nutt. 18, 19.
 — *uniflora* L. 20.
Montia L. 6, 384.
 — *lamprosperma* Cham. 385; tab. 19.
 — *minor* C. C. Gmel. 384; tab. 19.
 — *rivularis* C. C. Gmel. 385.
Moriera Boiss. 8, 557.
Morina L. 24, 2.
 — *kokanica* Rgl. 9; tab. 1.
 — *Lehmanniana* Bge. 7; tab. 1.
 — *parviflora* Kar. et Kir. 4; tab. 1.
 — *persica* L. 8.
Morucodon Salisb. 4, 302.
Morus L. 5, 377.
 — *alba* L. 377; tab. 21.
 — *nigra* L. 377.
Moscharia Forsk. 20, 17.
Mosharia Salisb. 4, 411.
Mosla Buch.-Ham. ex Maxim. 21, 633.
Muehlbergella Feer 24, 442.
Muehlenbergia Schreb. 2, 120.
 — *Hügelii* Trin. 121; tab. 5.
 — *japonica* Steud. 121; tab. 5.
Muffetta Neck. 23, 587.
Mulgedium Cass. 29, 279.
Munbya Boiss. 19, 167, 168.
Muretia Boiss. 16, 415.
 — *fragrantissima* (Lipsky) K.-Pol. 418; tab. 30.
 — *lutea* (M. B.) Boiss. 416.
 — *oerolonica* Korov. 418, 598.
 — *transcaspica* Korov. 417, 598.
 — *transitoria* Korov. 417.
Murtekias Raf. 14, 391, 404.
Muscari Mill. 4, 412.
 — *apertum* Conr. et Freyn 421.
 — *coeleste* Fomin 422; tab. 24.
 — *coeruleum* Losinsk. 421, 745.
 — *commutatum* Guss. 416.
 — *dolychanthum*, Woronow et Tron 417, 744; tab. 24.
 — *forniculatum* Fomin 422; tab. 24.
 — *leucostomum* Woronow 417.
 — *neglectum* Guss. 416; tab. 24.
 — *pallens* M. B. 420; tab. 24.
 — *paradoxum* (Fisch. et Mey.) Baker 421; tab. 24.
 — *pendulum* Trautv. 418; tab. 24.
 — *polyanthum* Boiss. 419; tab. 24.
 — *racemosum* (L.) Mill. 417; tab. 24.
 — *Steupii* Woronow et Tron 418, 745; tab. 24.

- Szowitzianum Baker 420; tab. 24.
- Turkewiczii (Woronow) Losinsk. 420; tab. 24.
- Woronowii Tron et Losinsk. 418, 744; tab. 24.
- Muscarimia** Kostel. 4, 411.
 - muscari (L.) Losinsk. 411; tab. 24.
- Myagrum** L. 8, 202.
 - perfoliatum L. 202; tab. 13.
- Mycelis** Cass. 29, 335.
 - muralis (L.) Dum. 336; tab. 20.
- Myconia** Neck. ex Sch. Bip. 26, 146.
- Mylinum** Gaud. 16, 560.
- Myobroma** Stev. 12, 142.
- Myoseris** Link 29, 699, 703.
- Myosotis** L. 19, 352.
 - alpestris Schmidt 377.
 - amoena (Rupr.) Boiss. 359.
 - arvensis Hill 379.
 - asiatica Schischk. et Serg. 378.
 - baltica Sam. ex Lindem. 367.
 - caespitosa Schultz 366.
 - collina Hoffm. 382.
 - heteropoda Trautv. 379.
 - idaea Boiss. et Heldr. 371.
 - Krylovii Serg. 374.
 - lazica M. Pop. 380; tab. 16.
 - litoralis Stev. 368.
 - micrantha Pall. ex Lehm. 383.
 - palustris Lam. 363.
 - propinqua Fisch. et Mey. 360.
 - pseudopropinqua M. Pop. 361.
 - pseudovariabilis M. Pop. 375, 706; tab. 16.
 - refracta Boiss. 384.
 - sachalinensis M. Pop. 375.
 - sicala Guss. 368.
 - silvatica Hoffm. 373.
 - sparsiflora Mikan ex Pohl 361.
 - suaveolens Waldst. et Kit. 376.
 - ucrainica Czern. 372.
 - versicolor Smith 384.
- Myosoton** Moench 6, 430.
- Myosurus** L. 7, 323.
 - minimus L. 323.
- Myriactis** Less. 25, 52.
 - Gmelinii (Fisch. et Mey.) DC. 52; tab. 2.
- Myrica** L. 5, 243.
 - gale L. 243.
 - tomentosa (DC.) Aschers. et Graebn. 244; tab. 11.
- Myricaria** Desv. 15, 321.
 - alopecuroides Schrenk 324; tab. 16.
 - dahurica (Willd.) Ehrenb. 327.
 - elegans Royle 322.
 - germanica (L.) Desv. 323.
 - longifolia (Willd.) Ehrenb. 326.
 - squamosa Desv. 325.
- Myrice** St.-Lag. 15, 321.
- Myriogyne** Less. 26, 421.
- Myriophyllum** L. 15, 662.
 - alterniflorum DC. 666.
 - isoetophyllum Kom. 664.
 - spicatum L. 667; tab. 13.
 - ussuriense Maxim. 664.
 - verticillatum L. 665; tab. 13.
- Myrrhis** Mill. 16, 150.
 - odorata (L.) Scop. 150.
- Myscolus** Cass. 29, 11.
- Najas** L. 1, 269.
 - flexilis (Willd.) Rostk. et Schmidt 273; tab. 13.
 - foveolata A. Br. ex Magnus 274; tab. 13.
 - graminea Delile 275; tab. 13.
 - marina L. 270; tab. 13.
 - minor All. 273; tab. 13.
 - tenuissima A. Br. ex Magnus 274; tab. 13.
- Nanophyton** Less. 6, 314.
 - erinaceum (Pall.) Bge. 314; tab. 14.
- Narcissus** L. 4, 491.
 - caucasicus (Fomin) Gorschk. 492; tab. 30.
 - poeticus L. 493.
 - pseudo-narcissus L. 492; tab. 30.
 - tazetta L. 493.
- Nardosmia** Cass. 26, 645.
 - angulosa Cass. 648.
 - Fominii Bordz. 648.
 - frigida (L.) Hook. 649.
 - glacialis Ledeb. 654.
 - Gmelinii (Turcz.) DC. 653.
 - japonica Sieb. et Zucc. 652.
 - laevigata (Willd.) DC. 650.
 - palmata (Ait.) Hook. 651.
 - saxatilis Turcz. 647.
- Nardurus** Reichb. 2, 539.
 - Krausei (Rgl.) V. Krecz. et Bobr. 540.
 - tenuiflorus (Schrud.) Boiss. 540; tab. 41.
- Nardus** L. 2, 587.
 - stricta L. 587; tab. 44.
- Narthecium** (Moehr.) Huds. 4, 5.
 - caucasicum Misch. 5.
- Narthex** Falc. 17, 62, 82.
- Nasturtium** R. Br. 8, 143.
 - officinale (L.) R. Br. 143.

- Nathaliella** B. Fedtsch. 22, 511.
 — *alaica* B. Fedtsch. 511.
Naumburgia Moench 18, 268.
 — *thyrsiflora* (L.) Reichb. 269.
Nectarobotryum Ledeb. 4, 365.
Nectaroscordum Lindl. 4, 279.
Neesia Spreng. 26, 127.
Negundium Raf. 14, 621.
Negundo Ludwig 14, 621.
Nelumbium Juss. 7, 3.
 — *nuciferum* Gaertn. 3.
Nemauchenes Cass. 92, 595, 697.
Nemostylis Stev. 23, 192.
Nenningia Opiz 24, 133, 166.
Neogaya Meisn. 16, 579.
Neolindleya Kränzl. 4, 646.
 — *camtschatica* (Cham.) Nevski 646; tab. 40.
Neopallasia Poljak. 26, 636.
 — *pectinata* (Pall.) Poljak. 537; tab. 31.
Neottia Sw. 4, 617.
 — *asiatica* Ohwi 620; tab. 38.
 — *camtschatea* (L.) Reichb. f. 619; tab. 38.
 — *nidus-avis* (L.) Rich. 618; tab. 38.
 — *papilligera* Schlechter 618; tab. 38.
Neottianthe Schlechter 4, 645.
 — *cucullata* (L.) Schlechter 645.
Nepeta L. 20, 286.
 — *alaghezi* Pojark. 366.
 — *alata* Lipsky 324.
 — *amoena* Stapf 380; tab. 23.
 — *badachschanica* Kudr. 337.
 — *betonicifolia* C. A. Mey. 361.
 — *Biebersteiniana* (Trautv.) Pojark. 357.
 — *bracteata* Benth. 422; tab. 25.
 — *brevifolia* C. A. Mey. 401.
 — *bucharica* Lipsky 322; tab. 20.
 — *Buhsei* Pojark. 367.
 — *Buschii* Sosn. et Mand. 327.
 — *cataria* L. 349.
 — *consanguinea* Pojark. 347; 519.
 — *cyanea* Stev. 353; tab. 22.
 — *czegemensis* Pojark. 356, 521.
 — *daenensis* Boiss. 425.
 — *daghestanica* Pojark. 399.
 — *densiflora* Kar. et Kir. 314.
 — *erivanensis* Grossh. 420; tab. 24.
 — *Fedtschenkoi* Pojark. 430, 524.
 — *fissa* C. A. Mey. 395.
 — *formosa* Kudr. 344.
 — *glutinosa* Benth. 306; tab. 19.
 — *Gontscharovii* Kudr. 346; tab. 21.
 — *grandiflora* M. B. 359.
 — *Grossheimii* Pojark. 363; tab. 23.
 — *hajastana* Grossh. 373.
 — *iberica* Pojark. 400.
 — *ispahanica* Boiss. 389.
 — *Knorringiana* Pojark. 310, 517; tab. 19.
 — *kokamirica* Rgl. 316.
 — *kokanica* Rgl. 328; tab. 20.
 — *Komarovii* E. Busch 412.
 — *kopetdagensis* Pojark. 418, 523.
 — *kubanica* Pojark. 355, 520.
 — *ladanolens* Lipsky 338; tab. 20.
 — *lamiifolia* Willd. 405.
 — *Lipskyi* Kudr. 305; tab. 19.
 — *longibracteata* Benth. 303.
 — *longituba* Pojark. 392; tab. 21.
 — *Mariae* Rgl. 317.
 — *manchuriensis* S. Moore 341.
 — *maussarifii* Lipsky 323.
 — *Meyeri* Benth. 384.
 — *micrantha* Bge. 383.
 — *microcephala* Pojark. 432, 525; tab. 25.
 — *Mussinii* Spreng. 369.
 — *noraschenica* Grossh. 378.
 — *odorifera* Lipsky 321.
 — *Olgae* Rgl. 339.
 — *pallida* C. Koch 386.
 — *pamirensis* Franch. 333.
 — *pannonica* L. 406.
 — *parviflora* M. B. 414.
 — *podostachys* Benth. 312.
 — *pseudofloccosa* Pojark. 336.
 — *pseudokokanica* Pojark. 330.
 — *pulchella* Pojark. 318.
 — *pungens* (Bge.) Benth. 429.
 — *Reichenbachiana* Fisch. et Mey. 371; tab. 22.
 — *saccharata* Bge. 388; tab. 23.
 — *santoana* M. Pop. 390; tab. 25.
 — *satureioides* Boiss. 435; tab. 25.
 — *Schischkinii* Pojark. 417, 522.
 — *schugnanica* Lipsky 325.
 — *sibirica* L. 342.
 — *Sintenisii* Bornm. 411; tab. 24.
 — *somkhetica* Kapell. 362.
 — *Sosnovskyi* Asker. 393.
 — *spathulifera* Benth. 427.
 — *strictifolia* Pojark. 365; tab. 22.
 — *subhastata* Rgl. 311; tab. 19.
 — *sulphurea* C. Koch 409.
 — *supina* Stev. 326.
 — *transcaucasica* Grossh. 374.
 — *transiliensis* Pojark. 315.
 — *Trautvetteri* Boiss. et Buhse 396.
 — *Troitzkii* Sosn. 382.
 — *tythanthia* Pojark. 320.
 — *ucrainica* L. 415.

- vakhanica Pojark. 335.
- velutina Pojark. 397; tab. 21.
- Nephrophyllidium* Gilg 18, 641.
- Nerium** L. 18, 662.
- oleander L. 662.
- Neslia** Desv. 8, 602.
- apiculata Fisch. et Mey. 603; tab. 20.
- paniculata (L.) Desv. 602; tab. 20.
- Neustruevia** Juz. 20, 501, 526.
- karatavica Juz. 502, 527.
- Nicandra** Adans. 22, 115.
- physaloides (L.) Gaertn. 116.
- Nicotiana** L. 22, 106.
- rustica L. 108.
- tabacum L. 106.
- Niedzwedzkia** B. Fedtsch. 23, 5.
- semiretschenskia B. Fedtsch. 5.
- Nigella** L. 7, 62.
- arvensis L. 68; tab. 6.
- bucharica Schipcz. 71; tab. 6.
- damascena L. 70; tab. 6.
- garidella Spenn. 63; tab. 6.
- glandulifera Freyn et Sint. 70.
- integrifolia Rgl. 71; tab. 6.
- orientalis L. 64; tab. 6.
- oxypetala Boiss. 67; tab. 6.
- persica Boiss. 67; tab. 6.
- sativa L. 69; tab. 6.
- segetalis M. B. 68; tab. 6.
- Nigera** Bub. 16, 172.
- Nikitinia** Iljin 27, 712.
- leptoclada (Bornm. et Sint.) Iljin 712.
- Nintooa* Sweet 23, 568.
- Nitraria** L. 14, 196.
- Komarovii Iljin et Lava 198.
- Schoberi L. 197.
- sibirica Pall. 197.
- Noaea** Moq. 6, 266.
- leptoclada (Woronow) Iljin 269.
- minuta Boiss. et Bal. 269.
- mucronata (Forsk.) Aschers. et Schweinf. 266; tab. 13.
- Nonea** Medic. 19, 317.
- alpestris (Stev.) G. Don 320.
- caspica (Willd.) G. Don 334.
- daghestanica Kusn. 342.
- decurrens (C. A. Mey.) G. Don 341.
- flavescens (G. A. Mey.) Fisch. et Mey. 323.
- intermedia Ledeb. 340.
- karsensis M. Pop. 329.
- lutea (Desr.) Reichb. ex DC. 321.
- macropoda M. Pop. 331; tab. 15.
- melanocarpa Boiss. 332.
- pallens Petrović 336.
- pulla (L.) DC. 337.
- rosea (M. B.) Link 324.
- setosa (Lehm.) Roem. et Schult. 323.
- turcomanica M. Pop. 330.
- ventricosa (Sibth. et Smith) Griseb. 344.
- versicolor (Stev.) Sweet 326.
- Nordmannia* Ledeb. 19, 291.
- Notholaena** R. Br. 1, 74.
- Maranthae (L.) R. Br. 74.
- Notiosphace* Benth. 21, 289.
- Notobasis** Cass. 28, 215.
- syriaca (L.) Cass. 216.
- Novosieversia** F. Bolle 10, 244.
- glacialis (Adam) F. Bolle 244; tab. 18.
- Nummularia* Gilib. 18, 257.
- Nummularia* Kuntze 18, 268.
- Nuphar** Smith 7, 12.
- advenum R. Br. 14.
- luteum (L.) Smith 13.
- luteum × *N. pumilum* 14.
- pumilum (Hoffm.) DC. 13.
- Nymphaea** L. 7, 6.
- alba L. 7.
- candida J. et C. Presl 8; tab. 1.
- tetragona Georgi 11; tab. 1.
- Wenzelii Maack 12.
- Nymphoides** Hill 18, 643.
- koreanum Lévl. 644.
- peltatum (S. G. Gmel.) Kuntze 643.
- Ocimastrum* Rupr. 15, 633.
- Ocimum** L. 21, 641.
- basilicum L. 641.
- Octarillum* Lour. 15, 518.
- Octoceras** Bge. 8, 327.
- Lehmannianum Bge. 328; tab. 20.
- Odontarrhena* C. A. Mey. 8, 344.
- Odontites** Linn. 22, 649.
- glutinosa (M. B.) Benth. 656; tab. 33.
- litoralis Fries 655; tab. 33.
- salina Kotov 652.
- serotina (Lam.) Dum. 650; tab. 33.
- verna (Bell.) Dum. 652; tab. 33.
- Odontolophus* Cass. 28, 370, 481.
- Oedibasis** K.-Pol. 17, 203, 355.
- apiculata (Kar. et Kir.) K.-Pol. 204; tab. 19, 21.
- chaerophylloides (Rgl. et Schmalh.) Korov. 207; tab. 21.
- karatavica Korov. 207, 355.
- platycarpa (Lipsky) K.-Pol. 208; tab. 21.
- Oenanthe** L. 16, 526.
- abchasica Schischk. 534.

- Oenanthe aquatica* (L.) Poir. 537.
 — *banatica* Heuff. 535.
 — *decumbens* (Thunb.) K.-Pol. 535.
 — *Fedtschenkoana* K.-Pol. 533.
 — *fistulosa* L. 531.
 — *heterococca* Korov. 533.
 — *longifoliolata* Schischk. 534.
 — *pimpinelloides* L. 530.
 — *silaifolia* M. B. 532.
 — *Sophiae* Schischk. 536.
Oenosciadium Pomel 16, 526.
Oenothera L. 15, 630.
 — *odorata* Jacq. 630.
Ofaiston Rafin. 6, 276.
 — *monandrum* (Pall.) Moq. 276; tab. 14.
Oflifa Cass. 25, 314, 321.
Olea L. 18, 512.
 — *europaea* L. 513.
Olgaea Iljin 28, 43.
 — *baldschuanica* (C. Winkl.) Iljin 50.
 — *eriocephala* (C. Winkl.) Iljin 44.
 — *lanipes* (C. Winkl.) Iljin 47.
 — *longifolia* (C. Winkl.) Iljin 47.
 — *nidulans* (Rupr.) Iljin 48.
 — *nivea* (C. Winkl.) Iljin 45.
 — *pectinata* Iljin 50.
 — *spinifera* Iljin 49.
 — *Vvedenskyi* Iljin 46.
Oligochaeta C. Koch 28, 346.
 — *divaricata* (Fisch. et Mey.) C. Koch 347.
 — *minima* (Boiss.) Briq. 349; tab. 13, 20.
 — *tomentosa* Czer. 348.
Oligosporus Cass. 26, 525.
Olympia Spach 15, 203.
Omalanthus Less. 26, 324.
Omalocline Cass. 29, 595.
Omalotes DC. 26, 324.
Omalotheca Cass. 25, 402.
Omphalodes Moench 19, 607.
 — *cappadocica* (Willd.) DC. 609; tab. 33.
 — *Kusnetzovii* Klok. 613.
 — *linifolia* (L.) Moench 616; tab. 33.
 — *Lojkae* Somm. et Levier 614.
 — *rupestris* Rupr. 615; tab. 32.
 — *scorpioides* (Haenke) Schrank 619; tab. 33.
Omphalothrix Maxim. 22, 640.
 — *longipes* Maxim. 640.
Onagra Adans. 15, 628.
 — *biennis* (L.) Scop. 628.
 — *muricata* (L.) Moench 629.
Onkerma Raf. 3, 305.
Onobrychis Adans. 13, 319.
 — *altissima* Grossh. 346; tab. 16.
 — *amoena* M. Pop. et Vved. 360; tab. 17.
 — *arenaria* (Kit.) DC. 349.
 — *argyrea* Boiss. 355.
 — *armena* Boiss. et Huet. 338.
 — *atropatana* Boiss. 356; tab. 18.
 — *Biebersteinii* Sirj. 336; tab. 16.
 — *Bobrovii* Grossh. 363, 554; tab. 17.
 — *borystenica* (Sirj.) Klok. 335.
 — *Buhseana* Bge. 356.
 — *Bungei* Boiss. 338.
 — *cadmea* Boiss. 337.
 — *caput-galli* (L.) Lam. 327; tab. 16.
 — *chorassanica* Bge. 360.
 — *cornuta* (L.) Desv. 325.
 — *Cyri* Grossh. 339; tab. 16.
 — *daghestanica* Grossh. 335.
 — *darwasica* Vass. 326.
 — *Dielsii* (Sirj.) Vass. 340.
 — *echidna* Lipsky 326; tab. 16.
 — *ferganica* (Sirj.) Grossh. 350.
 — *Gontscharovii* Vass. 332.
 — *gracilis* Bess. 332.
 — *grandis* Lipsky 352; tab. 17.
 — *Grossheimii* Kolak. 356.
 — *hajastana* Grossh. 345.
 — *hamata* Vass. 337.
 — *heterophylla* C. A. Mey. 357; tab. 18.
 — *Hohenackeriana* C. A. Mey. 366; tab. 17..
 — *iberica* Grossh. 347.
 — *inermis* Stev. 347.
 — *kachetica* Boiss. et Buhse 362.
 — *Komarovii* Grossh. 366; tab. 17.
 — *Lipskyi* Korov. 331.
 — *major* Boiss. et Kotschy 337.
 — *Majorovii* Grossh. 363, 553.
 — *meschetica* Grossh. 364, 554.
 — *Michauxii* DC. 365.
 — *micrantha* Schrenk 328; tab. 16.
 — *miniata* Stev. 340.
 — *Nemecii* Sirj. 348.
 — *Novopokrovskii* Vass. 340.
 — *oxyodonta* Boiss. et Huet 345.
 — *oxytropoides* Bge. 329.
 — *Pallasii* (Willd.) M. B. 359.
 — *petraea* (M. B.) Fisch. 330; tab. 16.
 — *pulchella* Schrenk 328; tab. 16.
 — *radiata* M. B. 364; tab. 17.
 — *Ruprechtii* Grossh. 330.
 — *schugnanica* B. Fedtsch. 352.
 — *seravschanica* B. Fedtsch. 361.
 — *sibirica* Turcz. ex Bess. 349.
 — *Sintenisii* Bornm. 359; tab. 16.
 — *Sosnovskyi* Grossh. 331.
 — *subacaulis* Boiss. 357; tab. 18.

- *tanaitica* Spreng. 350.
- *teheranica* Bornm. 358.
- *Tournefortii* (Willd.) Desv. 365.
- *transcaspica* V. Nikit. 342.
- *transcaucasica* Grossh. 345, 555.
- *vaginalis* C. A. Mey. 363.
- *Vassilczenkoi* Grossh. 361, 553.
- *viciifolia* Scop. 341.
- Onoclea** L. 1, 29.
- *sensibilis* L. 29.
- Ononis** L. 11, 94.
- *antiquorum* L. 100; tab. 7.
- *arvensis* L. 96; tab. 7.
- *intermedia* C. A. Mey. ex A. Beck. 101.
- *leiosperma* Boiss. 101; tab. 7.
- *pusilla* L. 95; tab. 7.
- *repens* L. 99; tab. 7.
- *spinosa* L. 99; tab. 7.
- Onopordum** L. 28, 228.
- *acanthium* L. 231; tab. 11.
- *armenum* Grossh. 234.
- *candidum* Nabél. 238.
- *cinereum* Grossh. 232.
- *Frickii* Tamamsch. 236, 605.
- *heteracanthum* C. A. Mey. 239; tab. 11.
- *leptolepis* DC. 237.
- *Prjachinii* Tamamsch. 233, 605.
- *seravschanicum* Tamamsch. 238.
- *tauricum* Willd. 233.
- Onosma** L. 19, 184.
- *arenarium* Waldst. et Kit. 219.
- *armeniaceum* Klok. 214.
- *atrocyaneum* Franch. 196; tab. 10.
- *azureum* Schipcz. 199; tab. 11.
- *baldshuanicum* Lipsky 209.
- *Barszewskii* Lipsky 206.
- *brevipilosum* Schischk. 200, 704.
- *calycinum* Stev. 218.
- *caucasicum* Levin 231; tab. 12.
- *dichroanthum* Boiss. 210.
- *ferganense* M. Pop. 200, 703; tab. 10.
- *Gmelinii* Ledeb. 207.
- *gracile* Trautv. 225.
- *irritans* M. Pop. ex Pavl. 208.
- *leucocarpum* M. Pop. 202.
- *Livanovii* M. Pop. 226.
- *longilobum* Bge. 204.
- *macrohizum* M. Pop. 227.
- *maracandicum* Zak. 199.
- *microcarpum* Stev. ex DC. 215.
- *polychromum* Klok. 224.
- *polyphyllum* Ledeb. 194.
- *rigidum* Ledeb. 229.
- *rupestre* M. B. 216.
- *sericeum* Willd. 192.
- *setosum* Ledeb. 213.
- *simplicissimum* L. 195.
- *stamineum* Ledeb. 203.
- *tauricum* Pall. 230.
- *trachycarpum* Levin 201; tab. 11.
- *tinctorium* M. B. 220.
- *transrhymense* Klok. 219.
- *Visianii* Clem. 214.
- *zerizaminum* Lipsky 205.
- Onotrophe* Cass. 28, 52, 149.
- Ophelia** D. Don ex G. Don 18, 625.
- *chinensis* Bge. ex Griseb. 625.
- *diluta* (Turcz.) Ledeb. 626.
- *tetrapetala* (Pall.) Grossh. 627; tab. 33.
- *Tscherskyi* (Kom.) Grossh. 626.
- *Wilfordii* Kerner 18, 628.
- Ophioglossum** L. 1, 92.
- *bucharicum* B. et O. Fedtsch. 93; tab. 3.
- *lusitanicum* L. 94.
- *thermale* Kom. 93; tab. 3.
- *vulgatum* L. 93.
- Ophioscordon* Wallr. 4, 142.
- Ophrys** (L.) Sw. 4, 722.
- *apifera* Huds. 730; tab. 43.
- *caucasica* Woronow 727.
- *muscifera* Huds. 725; tab. 43.
- *oestrifera* M. B. 729; tab. 43.
- *taurica* (Agg.) Nevski 728; tab. 43.
- *transhyrcana* Czerniak. 726.
- Oplismenus** Beauv. 2, 37.
- *Burmanniei* (Retz.) Beauv. 38.
- *undulatifolius* (Ard.) Beauv. 37; tab. 2.
- Oplopanax* Miq. 16, 17.
- Opopanax** C. Koch 17, 165.
- *armeniaceum* Bordz. 166.
- Oporanthus* Herb. 4, 485.
- Opulus* Moench 23, 453.
- Orchis** L. 4, 677.
- *amblyoloba* Nevski 707; 753; tab. 42.
- *aristata* Fisch. ex Lindl. 710.
- *baltica* Klinge 712.
- *caspia* Trautv. 688; tab. 41.
- *chlorotica* Woronow 689; tab. 41.
- *coriophora* L. 681; tab. 41.
- *cruenta* Muell. 716.
- *euxina* Nevski 709; tab. 42.
- *Fedtschenkoi* Czerniak. 689; tab. 41.
- *flavescens* C. Koch 701.
- *Fuchsii* Druce 704; tab. 42.
- *iberica* M. B. ex Willd. 700; tab. 42.
- *latifolia* L. 717; tab. 42.
- *maculata* L. 703; tab. 42.
- *majalis* Reichb. f. tab. 42.

- Orchis mascula* L. 683; tab. 41.
 — *maxima* C. Koch 695; tab. 41.
 — *militaris* L. 691; tab. 41.
 — *morio* L. 686.
 — *pallens* L. 684; tab. 41.
 — *palustris* Jacq. 680.
 — *picta* Loisel. 686.
 — *provincialis* Balb. 685; tab. 41.
 — *punctulata* Stev. ex Lindl. 696; tab. 41.
 — *purpurea* Huds. 694; tab. 41.
 — *romana* Seb. et Maur. 702.
 — *salina* Turcz. ex Lindl. 713.
 — *sambucina* L. 702.
 — *sanasunitensis* Fleischm. 715.
 — *Schelkovnikovii* Woronow 697; tab. 41.
 — *simia* Lam. 693; tab. 41.
 — *Traunsteineri* Saut. ex Reichb. f. 711.
 — *tridentata* Scop. 691.
 — *triphylla* C. Koch 708; tab. 42.
 — *umbrosa* Kar. et Kir. 714; tab. 42.
 — *ustulata* L. 690; tab. 41.
 — *viridifusca* Albov 685.
Oreophila D. Don 29, 202.
Oreorchis Lindl. 4, 609.
 — *patens* Lindl. 609.
Oreoselinum Adans. 17, 168, 188.
Origanum L. 21, 463.
 — *kopetdagensis* Boriss. 469.
 — *tyttanthum* Gontsch. 466; tab. 26.
 — *vulgare* L. 464.
Oritrophium Torr. et Gray 25, 104.
Orlaya Hoffm. 16, 181.
 — *grandiflora* (L.) Hoffm. 182; tab. 14.
 — *platycarpus* (L.) Koch 183; tab. 14.
Ormopterum Schischk. 16, 363, 597.
 — *turcomanicum* (Korov.) Schischk. 363; tab. 30.
Ormosciadium Boiss. 17, 275.
 — *pulchrum* Schischk. 276; tab. 21.
Ornithogalum L. 4, 379.
 — *arcuatum* Stev. 391; tab. 22.
 — *arianum* Lipsky 390; tab. 22.
 — *Balansae* Boiss. 385; tab. 22.
 — *Boucheanum* (Kunth) Aschers. 393; tab. 22.
 — *brachystachys* C. Koch 392.
 — *fimbriatum* Willd. 383.
 — *Fischerianum* Krasch. 392.
 — *flavescens* Lam. 390; tab. 22.
 — *graciliflorum* C. Koch 389.
 — *hyrcanum* Grossh. 389.
 — *magnum* Krasch. et Schischk. 391, 743.
 — *nutans* L. 393.
 — *platyphyllum* Boiss. 389; tab. 22.
 — *pyrenaicum* L. 391; tab. 22.
 — *refractum* Kit. 383.
 — *Schelkovnikovii* Grossh. 390.
 — *Schischkinii* Krasch. 386, 743.
 — *Schmalhauseni* Albov 385.
 — *sigmoideum* Freyn et Sint. 386; tab. 22.
 — *Sintenisii* Freyn 384; tab. 22.
 — *tenuifolium* Guss. 383; tab. 22.
 — *transcaasicum* Misch. 384.
 — *umbellatum* L. 382.
 — *Woronowii* Krasch. 384, 743; tab. 22.
Ornithopodium Scop. 13, 247.
Ornithopus L. 13, 245.
 — *compressus* L. 246.
 — *perpusillus* L. 246.
 — *sativus* Broth. 246.
Orobanche L. 23, 30.
 — *aegyptiaca* Pers. 60; tab. 4.
 — *alba* Steph. 93; tab. 5.
 — *alsatica* Kirschleg. 110.
 — *amoena* C. A. Mey. 74; tab. 5.
 — *amurensis* (G. Beck) Kom. 74; tab. 5.
 — *Androssovii* Novopokr. 53.
 — *arenaria* Borkh. 50.
 — *ariana* Gontsch. 75.
 — *armena* Tzvel. 105; 686.
 — *badchysensis* Novopokr. et V. Nikit. 82.
 — *Borissoviae* Novopokr. 55.
 — *brachypoda* Novopokr. 64.
 — *brassicae* Novopokr. 62.
 — *brevidens* Novopokr. 81.
 — *Bungeana* G. Beck 48.
 — *caesia* Reichb. 23, 46.
 — *camptolepis* Boiss. et Reut. 83; tab. 5.
 — *cernua* Loeffl. 79.
 — *cilicica* G. Beck 57.
 — *Clarkei* Hook. f. 76.
 — *coelestis* Boiss. 54; tab. 4.
 — *coerulescens* Steph. 71.
 — *colorata* C. Koch 113; tab. 6.
 — *connata* C. Koch 104.
 — *crenata* Forsk. 98.
 — *cumana* Wallr. 79; tab. 5.
 — *dalmatica* (G. Beck) Tzvel. 66.
 — *flava* Mart. 108.
 — *gamosepala* Reut. 87; tab. 5.
 — *gigantea* (G. Beck) Gontsch. 84.
 — *glabricalis* Tzvel. 86, 685.
 — *glaucantha* Trautv. 72.
 — *gracilis* Smith 112; tab. 6.
 — *Grigorjevii* Novopokr. 95.
 — *Grossheimii* Novopokr. 106.
 — *Hansii* Kerner 76.

- *hederae* Duby 104; tab. 5.
- *hirtiflora* (Reut.) Tzvel. 59.
- *Hohenackeri* (Reut.) Tzvel. 63.
- *hymenocalyx* Reut. 92.
- *iberica* (G. Beck) Tzvel. 49.
- *inulae* Novopokr. et Abramov 108; tab. 5.
- *karatavica* Pavl. 54.
- *Kelleri* Novopokr. 56; tab. 4.
- *Korshinskyi* Novopokr. 72.
- *Kotschyi* Reut. 83.
- *Krylowii* G. Beck 109.
- *kurdica* Boiss. et Hausskn. 105.
- *Linczevskyi* Novopokr. 89.
- *lutea* Baumg. 88; tab. 5.
- *major* L. 107.
- *minor* Sutt. 102.
- *Mutelii* F. Schultz 61.
- *nana* Noë 69.
- *orientalis* G. Beck 65.
- *Owerinii* G. Beck 97.
- *oxyloba* (Reut.) G. Beck 64.
- *pallidiflora* Wimm. et Grab. 94.
- *picridis* F. Schultz 101.
- *pulchella* (C. A. Mey.) Novopokr. 23, 47; tab. 4.
- *purpurea* Jacq. 23, 45.
- *pycnostachya* Hance 73.
- *Raddeana* G. Beck 96; tab. 5.
- *ramosa* L. 70; tab. 4.
- *reticulata* Wallr. 95.
- *rosea* Tzvel. 111, 687.
- *Schelkovnikovii* Tzvel. 90, 685.
- *septemloba* (G. Beck) Tzvel. 58; tab. 4.
- *serratocalyx* G. Beck 58.
- *Sintenisii* G. Beck 77.
- *sogdiana* Novopokr. 66; tab. 4.
- *solenanthi* Novopokr. et Pissjauk. 78.
- *Solmsii* Clarke 81.
- *sordida* C. A. Mey. 85; tab. 5.
- *sulphurea* Gontsch. 78.
- *teucris* Holand. 89.
- *transcaucasica* Tzvel. 97, 686.
- *uralensis* G. Beck 46.
- *versicolor* F. Schultz 103.
- *vitellina* Novopokr. 86.
- *vulgaris* Poir. 91.
- Orobis* L. 13, 507.
- Orostachys** (DC.) Fisch. 9, 108.
 - *cartilaginea* Boriss. 112, 482.
 - *fimbriata* (Turcz.) Berger 113; tab. 6.
 - *malacophylla* (Pall.) Fisch. 110; tab. 6.
 - *spinosa* (L.) C. A. Mey. 110.
 - *thyrsiflora* Fisch. 112; tab. 6.
- Orphanidesia* Boiss. et Bal. 18, 77.
- Orthantha** (Benth.) Kerner 22, 647.
 - *Aucheri* (Boiss.) Wettst. 648.
 - *lutea* (L.) Kerner ex Wettst. 647.
- Orthocentron* Cass. 28, 52, 150.
- Orthodon** Benth. 21, 633.
 - *grosseserratum* (Maxim.) Kudo 633.
- Orthurus** Juz. 10, 262, 616.
 - *heterocarpus* Boiss. 262.
 - *kokanicus* (Rgl. et Schmalh.) Juz. 263; tab. 19.
- Orythia* Baker 4, 362.
- Oryza** L. 2, 47.
 - *sativa* L. 47; tab. 3.
- Oryzopsis** Michx. 2, 112.
 - *coerulescens* (Desf.) Hack. 114; tab. 5.
 - *ferganensis* Litv. 116, 742; tab. 5.
 - *holciformis* (M. B.) Hack. 114; tab. 5.
 - *kokanica* (Rgl.) Roshev. 115, 742; tab. 5.
 - *kopetdagensis* Roshev. 117, 743; tab. 5.
 - *latifolia* Roshev. 116, 743; tab. 5.
 - *molinioides* (Boiss.) Hack. ex Pauls. 117; tab. 5.
 - *purpurascens* Hack. ex Pauls. 117; tab. 5.
 - *songorica* (Trin. et Rupr.) B. Fedtsch. 115; tab. 5.
 - *virescens* (Trin.) G. Beck 113; tab. 5.
- Osmorhiza** Raf. 16, 148.
 - *aristata* (Thunb.) Makino et Vabe 149.
- Osmathamnus* DC. 18, 40.
- Osmunda** L. 1, 87.
 - *cinnamomea* L. 88.
 - *Claytoniana* L. 88; tab. 3.
 - *regalis* L. 88.
- Ossea* Lunell 17, 331.
- Ostericum* Hoffm. ex Endl. 17, 10.
- Ostericum** Hoffm. 17, 10.
 - *palustre* Bess. 10.
- Ostrowskia** Rgl. 24, 382.
 - *magnifica* Rgl. 382; tab. 23.
- Ostrutium* Link 17, 168.
- Ostrya** Scop. 5, 253.
 - *carpinifolia* Scop. 254; tab. 12.
- Otanthus** Hoffm. et Link 26, 127.
 - *maritimus* (L.) Hoffm. et Link 128.
- Otites* Adans. 6, 685.
- Otostegia** Benth. 21, 182.
 - *bucharica* B. Fedtsch. 186.
 - *Fedtschenkoana* Kudr. 186.
 - *Olgae* (Rgl.) Korsh. 184.
 - *sogdiana* Kudr. 185.
- Ottelia** Pers. 1, 297.
 - *alismoides* (L.) Pers. 297; tab. 10.
- Ovilla* Adans. 24, 444.

Oxalis L. 14, 76.

- acetosella L. 79.
- corniculata L. 77.
- obtriangulata Maxim. 81.
- pes-caprae L. 82.
- stricta L. 78.
- violacea L. 81.

Oxycoccus Adans. 18, 103.

- quadripetalus Gilib. 103.
- microcarpus Turcz. 104.

Oxygraphis Bge. 7, 325.

- Chamissonis (Schlecht.) Freyn 328; tab. 34.

- glacialis (Fisch.) Bge. 326; tab. 34.

- vulgaris Freyn 327; tab. 34.

Oxylapathon St. Lager 5, 444.**Oxynepeta** Bge. 20, 413.**Oxyria** Hill 5, 444.

- digyna (L.) Hill 444.

Oxytropis DC. 13, 1.

- aciphylla Ledeb. 225; tab. 9.
- Adamsiana (Trautv.) Vass. 69.
- adscendens Gontsch. 154.
- ajanensis (Rgl. et Til.) Bge. 76.
- alajica Drob. 47, 545.
- albana Stev. 35.
- albiflora Bge. 81.
- albovillosa B. Fedtsch. 159.
- alpestris Schischk. 70.
- alpicola Turcz. 92.
- alpina Bge. 86.
- altaica (Pall.) Pers. 88.
- ambigua (Pall.) DC. 85; tab. 2.
- ammophila Turcz. 102.
- ampullata (Pall.) Pers. 181.
- anadyrensis Vass. 212.
- approximata Less. 65.
- arassanica Gontsch. 162, 551; tab. 7.
- arctica R. Br. 87; tab. 1.
- argentata (Pall.) Pers. 72.
- aspera Gontsch. 126, 548; tab. 6.
- assiensis Vass. 179.
- astragaloides Boriss. 131.
- atbaschi Saposhn. 24.
- aulieatensis Vved. 111, 546.
- aurea Vass. 110.
- austrosachalinensis Vass. 75.
- avis Saposhn. 26.
- baicalia (Pall.) Pers. 194.
- baissunensis Vass. 112; tab. 4.
- baldshuanica V. Fedtsch. 40.
- bella B. Fedtsch. 227.
- Bellii (Britt.) Palib. 196.
- biloba Saposhn. 141.

- Bobrovii B. Fedtsch. 152, 550; tab. 5.

- boguschi B. Fedtsch. 10.

- brachycarpa Vass. 139.

- bracteata Basil. 180.

- bracteolata Vass. 67.

- brevicaulis Ledeb. 123.

- caespitosa (Pall.) Pers. 185.

- caespitosula Gontsch. 160, 551; tab. 7.

- campanulata Vass. 100; tab. 3.

- campestris (L.) DC. 60; tab. 2.

- cana Bge. 45.

- candicans (Pall.) DC. 100.

- canopatula Vass. 124; tab. 6.

- Capusii Franch. 115.

- carpathica Uechtr. 16.

- caucasica Rgl. 35.

- caulescens Gontsch. 153, 550.

- chantengriensis Vass. 29.

- chesneyoides Gontsch. 151.

- chiliophylla Royle 218.

- chionobia Bge. 204; tab. 11.

- chionophylla Schrenk 92.

- chorgossica Vass. 47.

- cobresietorum Vass. 161.

- coerulea (Pall.) DC. 22.

- columbina Vass. 182; tab. 8.

- coluteoides Vass. 165; tab. 4.

- confusa Bge. 99.

- crassiuscula Boriss. 163.

- cretacea Basil. 45, 544.

- cuspidata Bge. 126.

- cyanea M. B. 31.

- czapandaghi B. Fedtsch. 27, 543.

- dasyopoda Rupr. ex Boiss. 36.

- deflexa (Pall.) DC. 43.

- dichroantha Schrenk 148.

- didymophysa Bge. 159.

- Dorogostajskiy Kuzen. 63.

- dubia Turcz. 194.

- echidna Vved. 224.

- erecta Kom. 78.

- eriocarpa Bge. 186.

- Fedtschenkoana Vass. 171.

- ferganensis Vass. 113.

- Fetissoyii Bge. 203; tab. 10.

- filiformis DC. 24.

- floribunda (Pall.) DC. 142.

- Fominii Grossh. 102; tab. 12.

- frigida Kar. et Kir. 94.

- fruticulosa Bge. 135.

- Gebleri Fisch. 81.

- glabra (Lam.) DC. 41.

- glandulosa Turcz. 217.

- glareosa Vass. 49.

- globiflora Bge. 17.
- Gmelinii Fisch. 64.
- Gorbunovii Boriss. 49.
- grandiflora (Pall.) DC. 93; tab. 2.
- guntensis B. Fedtsch. 13.
- gymnogyne Bge. 171.
- heteropoda Bge. 46.
- heterotricha Turcz. 196; tab. 11.
- Hippolyti Boriss. 66.
- hirsuta Bge. 146.
- hirsutiuscula Freyn 48.
- humifusa Kar. et Kir. 29.
- hystrix Schrenk 222.
- immersa (Baker) Bge. ex B. Fedtsch. 25.
- inaria (Pall.) DC. 201.
- includens Basil. 229.
- integripetala Bge. 125.
- intermedia Bge. 187.
- iskanderica B. Fedtsch. 151.
- jucunda Vved. 149, 549.
- kamtschatica Hult. 83.
- karataviensis Pavl. 175.
- Karjaginii Grossh. 36.
- kasbeki Bge. 31.
- katangensis Basil. 63.
- kawasimensis Sugaw. 91.
- ketmenica Saposhn. 82.
- Komarovii Vass. 228; tab. 12.
- kopetdagensis Gontsch. 40, 544.
- Krylovii Schipcz. 21; tab. 1.
- kubanensis Leskov 61.
- Kusnetzovii Kryl. 86.
- Ladyginii Kryl. 22.
- lanata (Pall.) DC. 197.
- lapponica (Wahl.) J. Gay 17.
- lasiocarpa Gontsch. 150.
- lazica Boiss. 71.
- Lehmannii Bge. 8.
- leptophylla (Pall.) DC. 184.
- leptophysa Bge. 172.
- leucantha (Pall.) Bge. 211.
- leucicyanea Bge. 147.
- leucotricha Turcz. 183.
- Linczevskii Gontsch. 128, 549; tab. 6.
- Lipskyi Gontsch. 121, 547.
- lithophila Vass. 119; tab. 5.
- litoralis Kom. 77.
- Litvinovii B. Fedtsch. 145.
- longibracteata Kar. et Kir. 76.
- longipes Fisch. 167.
- longirostra DC. 93.
- lupinoides Grossh. 556.
- macrobotrys Bge. 143.
- macrocarpa Kar. et Kir. 108.
- macrodonta Gontsch. 110, 545.
- macrosema Bge. 79.
- maidantalensis B. Fedtsch. 162, 552.
- malocophylla Bge. 180.
- mandshurica Bge. 23.
- marina Vass. 70.
- Martjanovii Kryl. 80.
- masarensis Vass. 97.
- Maydelliana Trautv. 64.
- megalorrhyncha Nevski 130.
- Meinshausenii C. A. Mey. 103.
- melaleuca Bge. 79.
- melanotricha Bge. 30.
- merkensis Bge. 27; tab. 5.
- Mertensiana Turcz. 166.
- Meyeri Bge. 90.
- Michelsonii B. Fedtsch. 9.
- microcarpa Gontsch. 8, 542.
- microphylla (Pall.) DC. 216.
- microsphaera Bge. 158; tab. 7.
- Middendorffii Trautv. 207.
- mixotriche Bge. 183.
- mugodsharica Bge. 114.
- mumynabadensis B. Fedtsch. 120.
- muricata (Pall.) DC. 215.
- myriophylla (Pall.) DC. 197.
- Niedzweckiana M. Pop. 125, 548.
- nigrescens (Pall.) Fisch. 164.
- nitens Turcz. 177.
- nivea Bge. 90.
- nuda Basil. 187.
- nutans Bge. 37.
- ochotensis Bge. 91.
- ochroleuca Bge. 44.
- oligantha Bge. 205.
- ornata Vass. 119.
- Owerinii Bge. 89.
- oxyphylla (Pall.) DC. 195.
- pagobia Bge. 28.
- Pallasii Pers. 105.
- pauciflora Bge. 15.
- pellita Bge. 205.
- penduliflora Gontsch. 38, 543.
- physocarpa Ledeb. 215.
- piceetorum Vass. 88.
- pilosa (L.) DC. 104.
- pilosissima Vved. 116, 547.
- platonychchia Bge. 50; tab. 8.
- platysema Schrenk 15.
- podoloba Kar. et Kir. 144.
- polyphylla Ledeb. 221.
- Poncinsii Franch. 178.
- prostrata (Pall.) DC. 198.
- proxima Boriss. 136.

- Oxytropis pseudofrigida* Saposhn. 179.
 — *pseudoleptophysa* Boriss. 175.
 — *puberula* Boriss. 43; tab. 1.
 — *pulvinata* Saposhn. 14.
 — *pulvinoides* Vass. 147.
 — *pumila* Fisch. ex DC. 199.
 — *pumilio* (Pall.) Ledeb. 165.
 — *recognita* Bge. 62.
 — *retusa* Matsum. 85.
 — *revoluta* Ledeb. 166.
 — *rhynchophysa* Schrenk 202; tab. 8, 10.
 — *riparia* Litv. 42.
 — *robusta* M. Pop. 109, 545.
 — *rosea* Bge. 120.
 — *roseiformis* B. Fedtsch. 121.
 — *roseililacina* Vass. 127.
 — *rostrata* Vass. 46.
 — *rubriargillosa* Vass. 113.
 — *rubricaudex* Hult. 84.
 — *Rübsaamenii* B. Fedtsch. 26.
 — *rukutamensis* Sugaw. 75.
 — *rupifraga* Bge. 25.
 — *ruthenica* Vass. 78.
 — *sachalinensis* Miyabe et Tatewaki 83.
 — *salina* Vass. 50.
 — *samurensis* Bge. 32.
 — *Saposhnikovii* Kryl. 21.
 — *sarkandensis* Vass. 140, 549.
 — *saurica* Saposhn. 206.
 — *savellanica* Bge. ex Boiss. 14.
 — *scabrida* Gontsch. 129.
 — *Schischkinii* Vass. 66.
 — *Schmidtii* Meinsh. 208.
 — *Schrenkii* Trautv. 141.
 — *selengensis* Bge. 201.
 — *Semenovii* Bge. 122.
 — *seravschanica* Gontsch. 169, 552.
 — *sericea* (Lam.) Simonk. 71.
 — *setosa* (Pall.) DC. 188.
 — *Severzovii* Bge. 157.
 — *silvatica* (Pall.) DC. 101.
 — *songorica* (Pall.) DC. 98; tab. 3.
 — *sordida* (Willd.) Pers. 59; tab. 2.
 — *spicata* (Pall.) O. et B. Fedtsch. 99.
 — *spinifer* Vass. 222.
 — *squamulosa* DC. 213.
 — *stenophylla* Bge. 186.
 — *strobilacea* Bge. 68.
 — *Stukovii* Palib. 199.
 — *suavis* Boriss. 152.
 — *subcapitata* Gontsch. 123, 547.
 — *submutica* Bge. 169.
 — *subverticillaris* Ledeb. 200.
 — *sulphurea* (Fisch.) Ledeb. 61.
 — *susamyrensis* B. Fedtsch. 149.
 — *tachtensis* Franch. 115.
 — *talassica* Gontsch. 6.
 — *talgarica* M. Pop. 112, 546.
 — *tenuirostris* Boriss. 129.
 — *tenuissima* Vass. 144.
 — *terekensis* B. Fedtsch. 203; tab. 11.
 — *teres* (Lam.) DC. 143.
 — *tianschanica* Bge. 134; tab. 5.
 — *Tilingii* Bge. 97.
 — *todomoshiriensis* Miyabe et Miyake 69.
 — *tomentosa* Gontsch. 130.
 — *tragacanthoides* Fisch. 223.
 — *trajectorum* B. Fedtsch. 161.
 — *transalaica* Vass. 182.
 — *transversa* Vass. 139.
 — *Trautvetteri* Meinsh. 211.
 — *trichocalycina* Bge. 226.
 — *trichophysa* Bge. 214.
 — *trichosphaera* Freyn 226.
 — *triphylla* (Pall.) Pers. 191.
 — *tschimganica* Gontsch. 7.
 — *tschujae* Bge. 82.
 — *tyttantha* Gontsch. 9.
 — *ugamica* Gontsch. 170.
 — *uralensis* (L.) DC. 68.
 — *vermicularis* Freyn 30.
Ozodia Wight et Arn. 16, 541.
Ozophyllum Dum. ex Kuntze 3, 534.

Pachylepis Less. 29, 595.
Pachyloma Spach 7, 351, 475.
Pachyphragma (DC.) N. Busch 8, 575.
 — *macrophyllum* (Hoffm.) N. Busch 575; tab. 32.
Pachypleurum Ledeb. 16, 579.
 — *alpinum* Ledeb. 579; tab. 37.
 — *gayoides* (Rgl. et Schmalh.) Schischk. 582; tab. 34, 37.
 — *mucronatum* (Schrenk) Schischk. 581; tab. 34, 37.
Pachypteris Kar. et Kir. 8, 223.
Pachypterygium Bge. 8, 223.
 — *brevipes* Bge. 224; tab. 12.
 — *densiflorum* Bge. 227; tab. 12.
 — *multicaule* (Kar. et Kir.) Bge. 227; tab. 12.
Pachysandra Michx. 14, 503.
 — *terminalis* Sieb. et Zucc. 504; tab. 16.
Padus Mill. 10, 575.
 — *asiatica* Kom. 578.
 — *Maackii* (Rupr.) Kom. 579; tab. 37.
 — *racemosa* (Lam.) Gilib. 576.
 — *ssiori* (Fr. Schmidt) Schneid. 576.

- virginiana (L.) Mill. 575.
Paederotella (Wulff) Kem.-Nath. 22, 329, 492.
Paeonia L. 7, 24.
 — abchasica Miscz. 33.
 — albiflora Pall. 25.
 — anomala L. 33, tab. 3.
 — Biebersteiniana Rupr. 35.
 — caucasica Schipcz. 28; tab. 3.
 — hybrida Pall. 34.
 — japonica Miyabe et Takeda 27.
 — macrophylla Lomak. 30.
 — Mlokosewitschii Lomak. 26.
 — obovata Maxim. 27.
 — oreogeton S. Moore 26.
 — tenuifolia L. 34.
 — tomentosa (Lomak.) N. Busch 30; tab. 3.
 — triternata Pall. 28.
 — vernalis Mandl 27.
 — Wittmanniana Hartwiss et Lindl. 29; tab. 3.
Paleya Cass. 29, 595.
Palimbia Bess. 17, 45.
 — rediviva (Pall.) Thell. 45; tab. 6.
Palimbia DC. 17, 168.
Paliurus Mill. 14, 635.
 — spina-Christi Mill. 636; tab. 34.
Pallasia L. f. 5, 530.
Pallenis Cass. 25, 508.
 — spinosa (L.) Cass. 508.
Panax L. 16, 34.
 — schin-seng Nees 34; tab. 2.
Pancratium L. 4, 494.
 — maritimum L. 494; tab. 30.
Pandertia Fisch. et Mey. 6, 119.
 — pilosa Fisch. et Mey. 120.
 — turkestanica Iljin 120; tab. 5.
Panicularia Fabr. 2, 449.
Panicum L. 2, 35.
 — acroanthum Steud. 36.
 — capillare L. 36.
 — miliaceum L. 36; tab. 2.
 — miliare Lam. 37.
Panzeria Moench 21, 157.
 — argyracea Kuprian. 158.
 — canescens Bge. 159.
 — lanata (L.) Bge. 159.
Papaver L. 7, 598.
 — ajanense M. Pop. 607, 748.
 — alboroseum Hult. 608.
 — ambiguum M. Pop. 638, 749; tab. 41.
 — angustifolium Tolm. 614.
 — anomalum Fedde 604.
 — arenarium M. B. 642; tab. 42.
 — argemone L. 630.
 — Belangeri Boiss. 633; tab. 42.
 — bipinnatum C. A. Mey. 643; tab. 42.
 — bracteatum Lindl. 617; tab. 41.
 — canescens Tolm. 610.
 — caasicum M. B. 624.
 — chelidoniifolium Boiss. et Buhse 642; tab. 41.
 — commutatum Fisch. et Mey. 637; tab. 41.
 — croceum Ledeb. 607.
 — dubium L. 639.
 — hybridum L. 629; tab. 42.
 — intermedium DC. 618.
 — involucratum M. Pop. 609, 748; tab. 41.
 — lacerum M. Pop. 641, 749.
 — laevigatum M. B. 640.
 — lapponicum (Tolm.) Nordh. 615.
 — lasiothrix Fedde 619.
 — Ledebourianum Lundstr. 607.
 — leiocarpum Turcz. 604.
 — Lisae N. Busch 603.
 — Litwinowii Fedde ex Bornm. 640; tab. 42.
 — macrostomum Boiss. et Huet 634.
 — microcarpum DC. 608.
 — monanthum Trautv. 622.
 — nivale Tolm. 615.
 — nudicaule L. 606.
 — ocellatum Woronow 628; tab. 42.
 — oreophilum Rupr. 622.
 — orientale L. 619.
 — paucifoliatum (Trautv.) Fedde 620.
 — pavoninum Schrenk 627; tab. 42.
 — persicum Lindl. 625.
 — pseudocanescens M. Pop. 610, 749.
 — pseudo-Stubendorfii M. Pop. 605, 748.
 — pulvinatum Tolm. 614.
 — radicatum Rottb. 613.
 — rheas L. 636.
 — Roopianum (Bordz.) Sosn. 626.
 — rubro-aurantiacum Fisch. ex Steud. 606.
 — setigerum DC. 645.
 — somniferum L. 644.
 — strigosum (Boenn.) Schur 637.
 — Stubendorfii Tolm. 605.
 — talyschense Grossh. 645.
 — tenellum Tolm. 606.
 — tianschanicum M. Pop. 609, 748.
Pappagrostis Roshev. 2, 230, 749.
 — pappophorea (Hack.) Roshev. 231; tab. 12.
Pappophorum Schreb. 2, 296.
 — boreale Griseb. 297; tab. 23.
 — persicum (Boiss.) Steud. 297; tab. 23.
Paracaryum Boiss. 19, 588.

- Paracaryum Bungei* (Boiss.) Brand 605; tab. 29.
- *gracile* Czerniak. 600; tab. 31.
 - *himalayense* (Klotsch) Clarke 597; tab. 30.
 - *incanum* (Ledeb.) Boiss. 593; tab. 31.
 - *intermedium* (Fresen.) Lipsky 602; tab. 30.
 - *karataviense* Pavl. ex M. Pop. 597. 717.
 - *laxiflorum* Trautv. 594; tab. 29.
 - *strictum* (C. Koch) Boiss. 601; tab. 31.
 - *turcomanicum* Bornm. et Sint. 599; tab. 30.
- Paracaryum* Brand 19, 588.
- Paracynoglossum** M. Pop. 19, 673, 717.
- *aspermum* (Nakai) M. Pop. 679.
 - *denticulatum* (DC.) M. Pop. 674.
 - *imeretinum* (Kusn.) M. Pop. 676; tab. 39.
- Parageum** Nakai et Hara 10, 247.
- *calthifolium* (Menzies) Nakai et Hara 248; tab. 18.
- Paraixeris** Nakai 29, 396.
- *denticulata* (Houtt.) Nakai 397; tab. 24.
 - *pinnatipartita* (Makino) Tzvel. 398.
 - *saxatilis* (A. Baran.) Tzvel. 400.
 - *serotina* (Maxim.) Tzvel. 399.
- Paramicrorhynchus** Kirp. 29, 236, 725.
- *procumbens* (Roxb.) Kirp. 237; tab. 15.
- Paraquilegia** Drum. et Hutch. 7, 75.
- *anemonioides* (Kar. et Kir.) Schipcz. 78.
 - *caespitosa* (Boiss. et Hoh.) Drum. et Hutch. 77.
 - *grandiflora* (Fisch.) Drum. et Hutch. 76.
 - *microphylla* (Royle) Drum. et Hutch. 77.
- Parasyringa* W. W. Smith 18, 518.
- Parentucellia** Viv. 22, 641.
- *flaviflora* (Boiss.) Nevski 645; tab. 32.
 - *latifolia* (L.) Caruel 642; tab. 32.
 - *viscosa* (L.) Caruel 646; tab. 32.
- Parietaria** L. 5, 398.
- *alsinifolia* Delile 402.
 - *chersonensis* (O. Lang et Szov.) Doerfl. 401; tab. 22.
 - *erecta* Mert. et Koch 400; tab. 22.
 - *judaica* Strand. 400.
 - *micrantha* Ledeb. 402; tab. 22.
 - *officinalis* L. 399; tab. 22.
- Paris** L. 4, 469.
- *hexaphylla* Cham. 470.
 - *incompleta* M. B. 470; tab. 29.
 - *manshurica* Kom. 473, 748.
 - *quadrifolia* L. 469; tab. 29.
- Parnassia** L. 9, 215.
- *bifolia* Nekras. 218.
 - *Kotzebuei* Cham. et Schlecht. 218.
 - *Laxmannii* Pall. ex Schult. 219.
 - *palustris* L. 216.
- Paronychia** Adans. 6, 565.
- *cephalotes* (M. B.) Bess. 565; tab. 34.
 - *kurdica* Boiss. 566; tab. 34.
- Parrotia** C. A. Mey. 9, 272.
- *persica* (DC.) C. A. Mey. 272; tab. 16.
- Parrya** R. Br. 8, 156.
- *ajanensis* N. Busch 261, 646.
 - *albida* M. Pop. ex P. Baran. 263.
 - *arctica* R. Br. 261.
 - *asperrima* M. Pop. 259.
 - *Beketovii* Krassn. 262.
 - *ericalyx* Rgl. et Schmalh. 272.
 - *excapa* C. A. Mey. 271.
 - *fruticulosa* Rgl. et Schmalh. 263.
 - *Golenkinii* Lipsch. 266.
 - *karatavica* Lipsch. 264.
 - *microcarpa* Ledeb. 270.
 - *nudicaulis* (L.) Rgl. 260.
 - *pinnatifida* Kar. et Kir. 262.
 - *pulvinata* M. Pop. 270, 646; tab. 15.
 - *runcinata* (Rgl. et Schmalh.) N. Busch 264; 645.
 - *schugnana* Lipsch. 260.
 - *siliquosa* Krassn. 269.
 - *stenocarpa* Kar. et Kir. 265.
 - *stenophylla* M. Pop. 266, 646.
 - *subsiliquosa* M. Pop. 269, 645.
 - *surculosa* N. Busch 270, 647; tab. 15.
 - *turkestanica* (Korsh.) N. Busch 259, 644.
- Parthenium** L. 25, 530.
- *argentatum* A. Gray 530.
- Parthenocissus** Planch. 14, 707.
- *inserta* (Kerner) Fritsch 709; tab. 39.
 - *quinquefolia* (L.) Planch. 709; tab. 39.
 - *tricuspidata* (Sieb. et Zucc.) Planch. 708.
- Paspalum** L. 2, 25.
- *digitaria* Poir. 25; tab. 2.
 - *dilatatum* Poir. 26.
 - *Thunbergii* Kunth ex Steud. 26.
- Pastinaca** L. 17, 215.
- *armena* Fisch. et Mey. 221; tab. 20.
 - *aurantiaca* (Albov) Kolak. 221.
 - *pimpinellifolia* M. B. 218.
 - *sativa* L. 217.
 - *silvestris* Gars. 216.
 - *umbrosa* Stev. ex DC. 217; tab. 20.
- Pastinacopsis** Golosk. 17, 273.
- *glacialis* Golosk. 274; tab. 23.
- Patrinia** Juss. 23, 587.
- *gibbosa* Maxim. 593.
 - *intermedia* (Hornem.) Roem. et Schult. 590; tab. 28.
 - *rupestris* (Pall.) Dufr. 590; tab. 28.

- scabiosifolia Fisch. 588.
- sibirica (L.) Juss. 589; tab. 28.
- Pecten* Lam. 16, 139.
- Pectinaria* Bernh. 16, 139.
- Pedicularis** L. 22, 687.
- abrotanifolia M. B. ex Stev. 730.
- achilleifolia Steph. 761.
- acmodonta Boiss. 764.
- Adamsii Hult. 782.
- adunca M. B. ex Stev. 774.
- alatauca Stadlm. ex Vved. 755, 813; tab. 37.
- Alberti Rgl. 786; tab. 39.
- altaica Steph. ex Stev. 771.
- amoena Adam ex Stev. 709; tab. 35.
- amoeniflora Vved. 721, 810.
- arguteserrata Vved. 706; 809.
- atripurpurea Nordm. 789; tab. 38.
- balkharica E. Busch 791.
- brachystachys Bge. 746.
- capitata Adam 792.
- caucasica M. B. 712.
- Chamissonis Stev. 704; tab. 39.
- cheilanthifolia Schrenk 713.
- chroorrhyncha Vved. 767, 815.
- compacta Steph. 748.
- condensata M. B. 788.
- crassirostris Bge. 705.
- daghestanica Bonati 765.
- dasyantha Hadac 782.
- dasystachys Schrenk 749.
- dolichorrhiza Schrenk 757.
- dubia B. Fedtsch. 763.
- elata Willd. 744.
- eriophora Turcz. 708; tab. 35.
- exaltata Bess. ex Bge. 787.
- fissa Turcz. 758.
- flava Pall. 760.
- grandiflora Fisch. 794.
- grandis M. Pop. 756, 814.
- Hacquetii Graf 788.
- hirsuta L. 784; tab. 35.
- hyperborea Vved. 777, 817.
- incarnata L. 747.
- inconspicua Vved. 724, 811.
- interrupta Steph. ex Willd. 715.
- karatavica Pavl. 727.
- Karoi Freyn 776.
- Kaufmannii Pinzger 764.
- Korolkovii Rgl. 707; tab. 35.
- Krylovii Bonati 762.
- Kuznetsovii Kom. 732; tab. 37.
- labradorica Wirsing. 738; tab. 38.
- Langsdorfii Fisch. ex Stev. 783.
- lapponica L. 735.
- lasiostachys Bge. 759.
- longiflora J. Rudolph 699.
- Ludwigii Rgl. 729.
- macrochila Vved. 705.
- mandshurica Maxim. 756.
- Mariae Rgl. 772.
- Maximowiczii Krassn. 728.
- myriophylla Pall. 729.
- nasuta M. B. ex Stev. 741.
- Nordmanniana Bge. 745; tab. 38.
- Oederi Vahl 785.
- Olgae Rgl. 720.
- Pallasii Vved. 781, 817; tab. 35.
- palustris L. 775.
- Panjutinii E. Busch 790.
- peduncularis M. Pop. 700; tab. 36.
- Pennellii Hult. 777.
- physocalyx Bge. 750.
- platyrrhyncha Schrenk 716.
- pontica Boiss. 712.
- Popovii Vved. 726, 812.
- proboscidea Stev. 745; tab. 36.
- pubiflora Vved. 754, 812; tab. 37.
- pulchra Pauls. 722.
- pycnantha Boiss. 719.
- resupinata L. 737.
- rhinanthoides Schrenk 700.
- rubens Steph. ex Willd. 760; tab. 39.
- sceptrum-carolinum L. 793.
- schistostegia Vved. 770.
- schugnana B. Fedtsch. 772.
- Semenovii Rgl. 725.
- sibirica Vved. 767, 816.
- Sibthorpii Boiss. 766.
- songarica Schrenk 753.
- spicata Pall. 731; tab. 37.
- striata Pall. 743.
- subrostrata C. A. Mey. 711.
- sudetica Willd. 739.
- sylvatica L. 773.
- talassica Vved. 762, 814.
- tianschanica Rupr. 703.
- tristis L. 736.
- uliginosa Bge. 742.
- uralensis Vved. 768, 816.
- venusta Schang. ex Bge. 769.
- Verae Vved. 723, 810; tab. 36.
- verticillata L. 714.
- villosa Ledeb. 740.
- violascens Schrenk 709.
- Vlassoviana Stev. 776.
- Waldheimii Bonati 727.
- Wilhelmsiana Fisch. ex M. B. 791.

- Pedicularis Willdenovii* Vved. 778.
 — *yezoënsis* Maxim. 737.
 — *zeravschanica* Rgl. 723.
Pedina Stev. 16, 443.
Peganum L. 14, 147.
 — *harmala* L. 148.
 — *nigellastrum* Bge. 149.
Pelargonium L'Hér. 14, 72.
 — *Endlicherianum* Fenzl 73.
Peltaria Jacq. 8, 594.
 — *Aucheri* Boiss. 595.
 — *turkmena* Lipsky 595.
 — *Voronovii* N. Busch 596.
Peltariopsis N. Busch 8, 571.
 — *Grossheimii* N. Busch 571.
Pennisetum Rich. 2, 44.
 — *flaccidum* Griseb. 44; tab. 2.
 — *orientale* Rich. 45; tab. 2.
Pentagonia Heist. ex Fabr. 22, 115.
Pentanema Cass. 25, 477.
 — *Albertoregelia* (C. Winkl.) Gorschk. 479; tab. 29.
 — *divaricatum* Cass. 480.
 — *glanduligerum* (Krasch.) Gorschk. 485; tab. 29.
 — *parietarioides* (Nevski) Gorschk. 484.
 — *propinquum* (Nevski) Gorschk. 484.
 — *rupicola* (Krasch.) Gorschk. 483.
Pentastemon L'Hér. 22, 308.
 — *frutescens* Lamb. 309.
Pentataenium Tamamsch. 17, 260.
Penthorum Gronov. 9, 132.
 — *chinense* Pursh 132; tab. 7.
 — *humile* Rgl. et Maack ex Rgl. 133.
Peplis L. 15, 532.
 — *alternifolia* M. B. 533.
 — *hyrcanica* Sosn. 534.
 — *portula* L. 534.
Peracarpa Hook. f. et Thoms. 24, 380.
 — *circaeoides* (Fr. Schmidt) Feer 380; tab. 23.
Peramium Salisb. 4, 639.
Pereuphora Hoffmgg. 28, 268.
Periclymenum Mill. 23, 569.
Perilla L. 23, 630.
 — *nankinensis* (Lour.) Decne. 632.
 — *ocymoides* L. 631.
Periploca L. 18, 665.
 — *graeca* L. 665.
 — *sepium* Bge. 666.
Perovskia Kar. 21, 374.
 — *abrotanoides* Kar. 375.
 — *angustifolia* Kudr. 379.
 — *Kudrjashevii* Gorschk. et Pjat. 376.
 — *Linczevskii* Kudr. 380.
 — *scrophulariifolia* Bge. 377.
 — *virgata* Kudr. 379.
Perplexia Iljin 27, 708, 727.
 — *microcephala* (Boiss.) Iljin 709, 727.
Persica Mill. 10, 600.
 — *ferganensis* (Kostina et Rjab.) Kov. et Kostina 603.
 — *vulgaris* Mill. 601.
Persicaria Tourn. 5, 643.
Perularia Lindl. 4, 650.
 — *fuscescens* (L.) Lindl. 651; tab. 40.
 — *ussuriensis* (Maxim.) Schlechter 652; tab. 40.
Pervinca Adans. 18, 646.
Petasites Mill. 26, 642.
 — *albus* (L.) Gaertn. 644.
 — *hybridus* (L.) Gaertn. 643.
 — *spurius* (Retz.) Reichb. 643.
Petillium L. 4, 317.
Petrocoma Rupr. 6, 726.
 — *Hoefftiana* (Fisch.) Rupr. 729; tab. 45.
Petroselinum Hoffm. 16, 373.
 — *crispum* (Mill.) Nym. 374.
Petroselinum Reichb. 17, 168, 197.
Petrosimonia Bge. 6, 316.
 — *brachiata* (Pall.) Bge. 325.
 — *brachyphylla* (Bge.) Iljin 323.
 — *crassifolia* (Pall.) Bge. 319.
 — *glauca* (Pall.) Bge. 324.
 — *glaucescens* (Bge.) Iljin 323.
 — *hirsutissima* (Bge.) Iljin 323; tab. 16.
 — *Litwinowii* Korsh. 319.
 — *monandra* (Pall.) Bge. 317; tab. 16.
 — *sibirica* (Pall.) Bge. 326.
 — *squarrosa* (Schrenk) Bge. 325.
 — *triandra* (Pall.) Simonk. 318; tab. 16.
Peucedanum L. 17, 168.
 — *Adae* Woronow 199.
 — *baicalense* (Redow.) C. Koch 181.
 — *borysthenticum* Klok. 197, 354.
 — *calcareum* Albov 174.
 — *caucasicum* (M. B.) C. Koch 187.
 — *cervaria* (L.) Cuss. 189.
 — *cervariifolium* C. A. Mey. 190.
 — *eryngiifolium* Kom. 183.
 — *elegans* Kom. 183.
 — *falcaria* Turcz. 184.
 — *hissaricum* Korov. 178.
 — *hystrix* Bge. 186; tab. 8.
 — *latifolium* (M. B.) DC. 191.
 — *Lubimenkoanum* Kotov 198.
 — *luxurians* Tamamsch. 176, 353.
 — *microphyllum* Schischk. 192.

- *mogoltavicum* Korov. 178.
- *Morissonii* Bess. 175.
- *oreoselinum* (L.) Moench 188.
- *ostruthium* (L.) C. Koch 193.
- *palimboides* Boiss. 196.
- *palustre* (L.) Moench 201.
- *paucifolium* Ledeb. 199.
- *pauciradiatum* Tamamsch. 200.
- *podolicum* (Bess.) Eichw. 195.
- *polyanthum* Korov. 202.
- *pschavicum* Boiss. 196.
- *puberulum* Turcz. 186.
- *Renardii* Rgl. et Schmalh. 177; tab. 8.
- *ruthenicum* M. B. 173.
- *salinum* Pall. 184.
- *Schottii* Bess. 194.
- *Sintenisii* Wolff 191.
- *songoricum* Schischk. 176, 354.
- *tauricum* M. B. 174.
- *terebinthaceum* Fisch. 182.
- *transiliense* Herd. 202; tab. 18.
- *turcomanicum* Schischk. 177; tab. 18.
- *vaginatum* Ledeb. 185.
- *Zedelmeyerianum* Manden. 187.
- Pfundia* Opiz 7, 351, 475.
- Phaca* L. 12, 11.
- Phacelia** Juss. 19, 95.
- *tanacetifolia* Benth. 96.
- Phacellanthus** Sieb. et Zucc. 23, 116.
- *tubiflorus* Sieb. et Zucc. 116; tab. 6.
- Phaecasium* Cass. 29, 595, 673.
- Phaenioxpus* Cass. 29, 317.
- Phaeopappus* (DC.) Boiss. 28, 359.
- Phagnalon** Cass. 25, 379.
- *Androssovii* B. Fedtsch. 380.
- *darvasicum* Krasch. 379.
- Phalacrachena** Iljin 28, 579.
- *calva* (Ledeb.) Iljin 581; tab. 27.
- *inuloides* (Fisch. ex Schmalh.) Iljin 580.
- Phalacroderis* DC. 29, 595.
- Phalacroloma* Cass. 25, 191.
- Phalaris** L. 2, 51.
- *brachystachys* Link 54; tab. 4.
- *bulbosa* L. 52; tab. 4.
- *canariensis* L. 53; tab. 4.
- *minor* Retz. 53; tab. 4.
- *paradoxa* L. 54; tab. 4.
- *truncata* Guss. 51; tab. 4.
- Phalolepis* Cass. 28, 340, 370, 538.
- Pharbitis* Choisy 19, 3.
- Phaseolus** L. 13, 354.
- *acutifolius* A. Gray 535.
- *angularis* (Willd.) W. Wight 537.
- *aureus* Roxb. 537.
- *coccineus* L. 536.
- *vulgaris* L. 535.
- Phellandrium* L. 16, 526, 537.
- Phellodendron** Rupr. 14, 232.
- *amurense* Rupr. 232; tab. 13.
- Phellopterus* Benth. 17, 42.
- Phelypaea* auct. 23, 30.
- Phelypaea** Desf. 23, 28.
- *coccinea* (M. B.) Poir. 28.
- *Helenae* Popl. 29.
- *Tournefortii* Desf. 30; tab. 3.
- Philadelphus** L. 9, 220.
- *caucasicus* Koehne 220.
- *latifolius* Schrad. ex DC. 223.
- *Schrenkii* Rupr. et Maxim. 222.
- *tenuifolius* Rupr. et Maxim. 221; tab. 13.
- Phillyrea** L. 18, 510.
- *angustifolia* L. 512.
- *latifolia* L. 511.
- *Medwedewii* Sred. 511.
- Phippsia** R. Br. 2, 446.
- *algida* (Soland.) R. Br. 447; tab. 33.
- *concinna* (Fries) Lindeb. 447; tab. 33.
- Phleboanthe* Tausch 20, 17.
- Phleum** L. 2, 127.
- *alpinum* L. 135; tab. 9.
- *arenarium* L. 129; tab. 9.
- *Boissieri* Bornm. 129; tab. 9.
- *echinatum* Host 132; tab. 9.
- *graecum* Boiss. et Heldr. 130; tab. 9.
- *Michellii* All. 131; tab. 9.
- *montanum* C. Koch 131; tab. 9.
- *paniculatum* Huds. 130; tab. 9.
- *phleoides* (L.) Simonk. 131; tab. 9.
- *pratense* L. 132; tab. 9.
- *tenue* Schrad. 129; tab. 9.
- Phlojodicarpus** Turcz. 17, 49.
- *sibiricus* (Steph.) K.-Pol. 50; tab. 5, tab. 7.
- *villosus* Turcz. 51; tab. 7.
- Phlomidopsis* Link 21, 85.
- Phlomidioschema** (Benth.) Vved. 21, 242.
- *parviflorum* (Benth.) Vved. 243.
- Phlomis** L. 21, 57.
- *agraria* Bge. 103.
- *alaica* Knorr. 106; tab. 6.
- *alpina* Pall. 92.
- *angrenica* Knorr. 73.
- *betoniticifolia* Rgl. 79.
- *brachystegia* Bge. 86; tab. 5.
- *bucharica* Rgl. 65.
- *cancellata* Bge. 83; tab. 4.
- *canescens* Rgl. 92; tab. 6.
- *caucasica* Rech. f. 65.

- Phlomis cyclodon* Knorr. 80.
 — *Drobovii* M. Pop. 78; 646.
 — *dszumrutensis* Afan. 95.
 — *ferganensis* M. Pop. 90.
 — *fruticetorum* Gontsch. 74.
 — *fruticosa* L. 64.
 — *hybrida* Zelen. 104.
 — *hypanica* Schost. 102.
 — *hypoleuca* Vved. 78, 646.
 — *Knorringiana* M. Pop. 107, 648.
 — *kopetdagensis* Knorr. 82.
 — *lenkoranica* Knorr. 83.
 — *linearifolia* Zak. 75.
 — *maeotica* Schost. 101.
 — *majkopensis* (Novopokr.) Grossh. 85.
 — *Maximoviczii* Rgl. 105.
 — *nubilans* Zak. 71.
 — *Olgae* Rgl. 67; tab. 4.
 — *oreophila* Kar. et Kir. 95; tab. 6.
 — *Ostrovskiana* Rgl. 89; tab. 5.
 — *pratensis* Kar. et Kir. 94.
 — *pseudopungens* Knorr. 81, 647.
 — *puberula* Kryl. et Serg. 101.
 — *pungens* Willd. 80.
 — *Regelii* M. Pop. 77.
 — *salicifolia* Rgl. 76; tab. 4.
 — *scythica* Klok. 104.
 — *Sewerzovii* Rgl. 75.
 — *spinidens* Nevski 68.
 — *taurica* Hartwiss. 84.
 — *tenuis* Knorr. 72.
 — *thapsoides* Bge. 67.
 — *tomentosa* Rgl. 66.
 — *tschimganica* Vved. 90, 647.
 — *tuberosa* L. 99.
 — *tytthaster* Vved. 93, 648.
 — *urodonta* M. Pop. 96.
 — *Vavilovii* M. Pop. 86.
 — *Zenaidae* Knorr. 73.
Phlomoides Moench 21, 85.
Phlox L. 19, 93.
 — *sibirica* L. 93.
Phlyarodoxa S. Moore 18, 518.
Phoenix L. 3, 466.
 — *canariensis* Hort. 467; tab. 25.
 — *silvestris* Roxb. 467; tab. 25.
Phoenixopus Reichb. 29, 317.
Phoenopus DC. ex Nym. 29, 317.
Pholiurus Trin. 2, 588.
 — *glabriglumis* Nevski 589.
 — *incurvus* (L.) Schinz et Thell. 588; tab. 4.
 — *pannonicus* (Host) Trin. 388; tab. 44.
 — *persicus* (Boiss.) A. Camus 589; tab. 44.
Phragmites Adans. 2, 303.
 — *communis* Trin. 304; tab. 23.
 — *isiaca* (Delile) Kunth 305.
 — *serotina* Kom. 305, 751.
Phrygia S. F. Gray 28, 370, 440, 449.
Phryma L. 23, 132.
 — *leptostachya* L. 132.
Phryne Bub. 8, 55.
 — *Huetii* (Boiss.) O. E. Schulz 56.
Phteirospermum Bge. 22, 555.
 — *chinense* Bge. 555.
Phtheirotheca Maxim. ex Rgl. 7, 552.
Phuopsis (Griseb.) Hook. f. 23, 192.
 — *stylosa* (Trin.) Hook. f. 192; tab. 10.
Phyllanthus L. 14, 287.
 — *ussuriensis* Rupr. et Maxim. 287; tab. 15.
Phyllitis Ludwig 1, 60.
 — *scolopendrium* (L.) Newm. 60.
Phyllocara Gusul. 19, 314.
 — *Aucheri* (DC.) Gusul. 315.
Phyllodoce Link 11, 1.
Phyllodoce Salisb. 18, 63.
 — *aleutica* (Spreng.) Heller 64.
 — *coerulea* (L.) Bab. 64.
Phyllodolon Salisb. 4, 195.
Phylloschoenus Fourr. 3, 534.
Phyllospadix Hook. 1, 268.
 — *Scouleri* Hook. 268.
Phyllostachys Sieb. et Zucc. 2, 732.
 — *aurea* Carr. 736.
 — *bambusoides* Sieb. et Zucc. 733.
 — *Marliacea* Mitf. 734.
 — *mitis* A. et C. Rivière 735.
 — *nigra* Munro 735.
 — *puberula* (Miq.) Makino 734.
 — *pubescens* Houz. 735.
 — *sulphurea* A. et C. Rivière 736.
Phymatis E. Meyer 16, 378.
Physaliastrum Makino 22, 60.
 — *echinatum* (Yatabe) Makino 61; tab. 3.
Physalidium Fenzl 8, 200.
 — *graellsiiifolium* Lipsky 201.
Physalis L. 22, 62.
 — *alkekengi* L. 64.
 — *glabripes* Pojark. 65.
 — *ixocarpa* Brot. et Hornem. 68.
 — *peruviana* L. 70.
 — *praetermissa* Pojark. 67; tab. 3.
 — *pubescens* L. 69.
Physalodes Boehm. 22, 115.
Physcium Lour. 1, 295.
Physiglochia Neck. 3, 163.
Physocarpus Neck. 6, 701.
Physocarpus Maxim. 9, 282.

- *amurensis* Maxim. 282; tab. 17.
- *opulifolia* (L.) Maxim. 283.
- *ribesifolia* Kom. 283.
- Physocaulis** (DC.) Tausch 16, 93.
- *nodosus* (L.) Tausch 93.
- Physochlaena* Miers 22, 103.
- Physochlaina** G. Don 22, 103.
- *orientalis* (M. B.) G. Don 104.
- *physaloides* (L.) G. Don 104; tab. 4.
- *Semenowii* Rgl. 105.
- Physolophium* Turcz. 17, 32.
- Physophora* Link 16, 223.
- Physoptychis** Boiss. 8, 363.
- *gnaphalodes* (DC.) Boiss. 363.
- Physopyrum* M. Pop. 5, 501.
- Physospermum* Cuss. 16, 223.
- Phyteuma** L. 24, 388.
- *nigrum* Fr. Schmidt 392.
- *orbiculare* L. 393.
- *spicatum* L. 390; tab. 24.
- *tetramerum* Schur 394.
- *Vagneri* Kerner 391.
- Phytolacca** L. 6, 373.
- *americana* L. 373; tab. 19.
- Picea** Dietr. 1, 142.
- *canadensis* (Mill.) Britt. 149.
- *Engelmannii* Engelm. 149.
- *excelsa* Link 144.
- *fennica* Rgl. 145.
- *Glehnii* Mast. 148.
- *jezoensis* (Sieb. et Zucc.) Carr. 150; tab. 7, 8.
- *kamtchatkensis* Lacas. 153.
- *koraiensis* Nakai 146; tab. 7.
- *obovata* Ledeb. 145.
- *orientalis* (L.) Link. 147; tab. 7.
- *pungens* Engelm. 150.
- *Schrenkiana* Fisch. et Mey. 147; tab. 7, tab. 8.
- *tianschanica* Rupr. 147.
- Picnomon** Cass. 28, 218.
- *acarna* (L.) Cass. 218.
- Picraena* Stev. 12, 549.
- Picridium* Desf. 29, 260.
- Pieris** L. 29, 219.
- *canescens* (Stev.) V. Vassil. 227.
- *hieracioides* L. 221; tab. 14.
- *japonica* Thunb. 221; tab. 14.
- *kamtschatica* Ledeb. 222; tab. 14.
- *pauciflora* Willd. 224; tab. 14.
- *rigida* Ledeb. 222; tab. 14.
- *similis* V. Vassil. 223; tab. 14.
- *strigosa* M. B. 226; tab. 14.
- Pilea** Lindl. 5, 396.
- *peplodes* Hook. et Arn. 396.
- *viridissima* Makino 397.
- Pilopleura** Schischk. 17, 293, 358.
- *Kozo-Poljanskii* Schischk. 293.
- Pilosanthus* Neck. 25, 23.
- Pilostemon** Iljin 27, 709.
- *filifolia* (C. Winkl.) Iljin 711.
- *karategini* (Lipsky) Iljin 710.
- Pilularia** L. 1, 90.
- *globulifera* L. 90; tab. 4.
- Pimpinella** L. 16, 422.
- *affinis* Ledeb. 441.
- *anthriscoides* Boiss. 432.
- *armena* Schischk. 444.
- *aromatica* M. B. 440; tab. 28.
- *confusa* Woronow 438.
- *daghestanica* Schischk. 437.
- *dissecta* Retz. 428.
- *Grossheimii* Schischk. 438.
- *Idae* Takht. 437.
- *Korshinskyi* Schischk. 444.
- *lithophila* Schischk. 439; tab. 27.
- *Litvinovii* Schischk. 440.
- *major* (L.) Huds. 431.
- *nudicaulis* Trautv. 430.
- *peucedanifolia* Fisch. 432.
- *puberula* (DC.) Boiss. 442; tab. 27.
- *ramosa* Schischk. 443.
- *rhodantha* Boiss. 430.
- *saxifraga* L. 427.
- *taurica* (Ledeb.) Steud. 441.
- *Thellungiana* Wolff 429.
- *titanophila* Woronow 436.
- *tomiophylla* (Woronow) Stank. 436.
- *turcomanica* Schischk. 439.
- Pinardia* auct. 26, 131.
- Pinguicula** L. 23, 118.
- *alpina* L. 119.
- *bicolor* Woloszcz. 120.
- *glandulosa* Trautv. et Mey. 122.
- *spatulata* Ledeb. 122.
- *variegata* Turcz. 119.
- *villosa* L. 120.
- *vulgaris* L. 121.
- Pinus** L. 1, 159.
- *armena* C. Koch 171.
- *eldarica* Medw. 172.
- *funnebris* Kom. 167.
- *hamata* Sosn. 170; tab. 7.
- *Kochiana* Klotzsch 170.
- *koraiensis* Sieb. et Zucc. 162; tab. 7, 8.
- *Pallasiana* Lamb. 166.
- *pinea* L. 165.
- *pithyusa* Strangw. 171; tab. 7.

- Pinus pumila* (Pall.) Rgl. 164; tab. 7.
 — *sibirica* (Rupr.) Mayr 163; tab. 7.
 — *silvestris* L. 167; tab. 7, 8.
 — *Stankeviczii* (Sukacz.) Fomin 172.
 — *strobis* L. 165.
- Piptanthus** D. Don 11, 36.
 — *nanus* M. Pop. 36.
- Piptoceras* Cass. 28, 370, 560.
Piptoclaina G. Don 19, 153.
- Piptoptera** Bge. 6, 339.
 — *turkestanica* Bge. 340; tab. 14.
- Pistacia** L. 14, 519.
 — *mutica* Fisch. et Mey. 524; tab. 28.
 — *vera* L. 520; tab. 28.
- Pisum** L. 13, 520.
 — *arvense* L. 524.
 — *Aucheri* Jaub. et Spach 523.
 — *elatius* M. B. 524.
 — *formosum* (Stev.) Boiss. 522.
 — *humile* Boiss. et Noe 523.
 — *sativum* L. 525.
- Pittosporum** Dryand ex Gaertn. 9, 270.
 — *tobira* Dryand 271.
- Plagiobasis* auct. 28, 250.
- Plagiobasis** Schrenk 28, 255.
 — *centauroides* Schrenk 256; tab. 13.
- Plagiorhegma* Maxim. 7, 540.
- Plagiospermum* Oliv. 10, 580.
- Plantago** L. 23, 134.
 — *arachnoidea* Schrenk 146; tab. 7.
 — *atrata* Hoppe 152.
 — *camtschatica* Link 146.
 — *canescens* Adam 152.
 — *coronopus* L. 142.
 — *Cornuti* Gouan 141.
 — *depressa* Willd. 145.
 — *gentianoides* Sibth. et Smith 155.
 — *indica* L. 161.
 — *Komarovii* Pavl. 147.
 — *lachnantha* Bge. 160.
 — *lagocephala* Bge. 160; tab. 7.
 — *lanceolata* L. 156.
 — *Loeflingii* L. 159.
 — *macrocarpa* Cham. et Schlecht. 142.
 — *major* L. 138.
 — *maritima* L. 143.
 — *maxima* Juss. ex Jacq. 151.
 — *media* L. 148; tab. 7.
 — *minuta* Pall. 158.
 — *notata* Lag. 159.
 — *ovata* Forsk. 157.
 — *polysperma* Kar. et Kir. 140.
 — *psyllium* L. 162.
 — *Schwarzenbergiana* Schur 145.
 — *stepposa* Kupr. 148; tab. 8.
 — *tenuiflora* Waldst. et Kit. 139.
- Platanthera** Rich. 4, 652.
 — *bifolia* (L.) Rich. 656; tab. 40.
 — *chlorantha* Cust. ex Reichb. 658; tab. 40.
 — *cornu bovis* Nevski 662, 752; tab. 40.
 — *extremiorientalis* Nevski 657, 753.
 — *Freynii* Kränzl. 659; tab. 40.
 — *ophrydioides* Fr. Schmidt 661; tab. 40.
 — *sachalinensis* Fr. Schmidt 660; tab. 40.
 — *tipuloides* (L. f.) Lindl. 660.
- Platanus** L. 9, 274.
 — *cuneata* Willd. 275.
 — *digitata* Gord. 276; tab. 16.
 — *occidentalis* L. 279.
 — *orientalior* Dode 276; tab. 16.
 — *orientalis* L. 275.
- Platychaeta* Boiss. 25, 487.
- Platycodon** A. DC. 24, 438.
 — *grandiflorus* (Jacq.) A. DC. 438; tab. 26.
- Platylophus* Cass. 28, 370, 440, 449.
- Platyrhaphium* Cass. 28, 219.
- Platyspermum* Hoffm. 17, 288.
- Platytaenia** Nevski et Vved. 17, 268.
 — *bucharica* (B. Fedtsch.) Schischk. 271; 356.
 — *depauperata* Schischk. 270, 356.
 — *heterodonta* Korov. 271.
 — *Komarovii* (Manden.) Schischk. 272; 357.
 — *pamirica* (Lipsky) Nevski et Vved. 270; tab. 23.
 — *pimpinelloides* Nevski 269.
 — *Rubtzovii* Schischk. 273, 357; tab. 23.
- Plectranthus** L'Hér. 21, 638.
 — *excisus* Maxim. 639.
 — *glaucocalyx* Maxim. 639.
 — *serra* Maxim. 640.
- Pleuropogon** R. Br. 2, 353.
 — *Sabinii* R. Br. 353; tab. 27.
- Pleuropteropyrum* H. Gross 5, 661.
- Pleurosoriopsis** Fomin 1, 70.
 — *Makinoi* (Christ.) Fomin 70; tab. 3.
- Pleurospermum** Hoffm. 16, 229.
 — *austriacum* (L.) Hoffm. 229.
 — *uralense* Hoffm. 231.
 — *camtschaticum* Hoffm. 232.
- Plumaria* Opiz 6, 848.
- Plumbagella** Spach 18, 297.
 — *micrantha* (Ledeb.) Spach 297; tab. 16.
- Plumbago** L. 18, 295.
 — *europaea* L. 296; tab. 16.
- Pneumaria* Hill 19, 238.
- Poa** L. 2, 366.
 — *abbreviata* R. Br. 412; tab. 31.

- *acuminata* Ovcz. 416.
- *Alberti* Rgl. 412; tab. 31.
- *alpigena* (Fries) Lindm. 390; tab. 29.
- *alpina* L. 411; tab. 31.
- *altaica* Trin. 399; tab. 30.
- *angustifolia* L. 388.
- *angustiglumis* Roshev. 395; tab. 29.
- *annua* L. 379; tab. 28.
- *araratica* Trautv. 402; tab. 30.
- *arctica* R. Br. 410; tab. 30.
- *argunensis* Roshev. 404; tab. 30.
- *attenuata* Trin. 403; tab. 30.
- *bactriana* Roshev. 376; tab. 28.
- *bakuensis* Litw. 383, 753.
- *bedeliensis* Litw. 415, 755; tab. 31.
- *botryoides* Trin. 403; tab. 30.
- *bracteosa* Kom. 422; tab. 31.
- *bucharica* Roshev. 384; tab. 28.
- *bulbosa* L. 376; tab. 28.
- *calliopsis* Litv. 414, 755; tab. 31.
- *caucasica* Trin. 412; tab. 31.
- *Chaixii* Vill. 385; tab. 28.
- *compressa* L. 408; tab. 30.
- *dahurica* Trin. 404.
- *densa* Troitzky 378; tab. 28.
- *densissima* Roshev. 418; tab. 31.
- *disiecta* Ovcz. 415.
- *dschungarica* Roshev. 415; tab. 31.
- *dshilgensis* Roshev. 377; tab. 28.
- *eminens* C. Presl 425; tab. 32.
- *Fedtschenkoi* Roshev. 421; tab. 31.
- *Ganeschinii* Roshev. 398; tab. 29.
- *glabriflora* Roshev. 376; tab. 28.
- *glauca* Vahl 398; tab. 29.
- *glauiculmis* Ovcz. 402.
- *Gorbunovii* Ovcz. 417.
- *hissarica* Roshev. 416; tab. 31.
- *hybrida* Gaud. 386; tab. 28.
- *iberica* Fisch. et Mey. 383; tab. 28.
- *insignis* Litv. 384, 753.
- *ircutica* Roshev. 387; tab. 28.
- *irrigata* Lindm. 390; tab. 29.
- *karateginensis* Roshev. 416.
- *Komarovii* Roshev. 422; tab. 31.
- *lanatiflora* Roshev. 409; tab. 30.
- *laudanensis* Roshev. 418; tab. 31.
- *Lipskyi* Roshev. 421; tab. 31.
- *Litwinowiana* Ovcz. 417.
- *longifolia* Trin. 384.
- *macrocalyx* Trautv. et Mey. 424; tab. 32.
- *malacantha* Kom. 422; tab. 31.
- *marginata* Ovcz. 417.
- *Mariae* Reverd. 396.
- *masenderana* Freyn et Sint. 400; tab. 30.
- *Maydelii* Roshev. 396; tab. 29.
- *Meyeri* Trin. 383, 753.
- *naltchikensis* Roshev. 413; tab. 31.
- *nemoralis* L. 400; tab. 300.
- *Nevskii* Roshev. 377; tab. 28.
- *nivicola* Kom. 379; tab. 28.
- *ochotensis* Trin. 395; tab. 29.
- *palustris* L. 397; tab. 29.
- *pamirica* (Litv.) Roshev. 414, 755; tab. 31.
- *penicillata* Kom. 396; tab. 29.
- *petraea* Trin. 424.
- *petschorica* Roshev. 410; tab. 30.
- *pinensis* Roshev. 393; tab. 29.
- *platyantha* Kom. 423; tab. 31.
- *podolica* Blocki 399; tab. 29.
- *pratensis* L. 388; tab. 29.
- *pruinosa* Korotki 394.
- *pseudoabbreviata* Roshev. 413; tab. 31.
- *radula* Franch. et Savat. 397; tab. 29.
- *relaxa* Ovcz. 402.
- *remota* Forsel. 385; tab. 28.
- *Reverdattoi* Roshev. 407; tab. 30.
- *rhomboidea* Roshev. 409, 754; tab. 30.
- *sabulosa* Turcz. 394.
- *sajanensis* Roshev. 393.
- *setacea* Hoffm. 389; tab. 29.
- *sibirica* Roshev. 380; tab. 28.
- *silvicola* Guss. 387; tab. 28.
- *sinaica* Steud. 378; tab. 28.
- *Smirnovii* Roshev. 424; tab. 32.
- *Soczawai* Roshev. 410.
- *sphondylodes* Trin. ex Bge. 407; tab. 30.
- *stepposa* (Kryl.) Roshev. 401, 754; tab. 30.
- *sterilis* M. B. 408; tab. 30.
- *strigosa* Hoffm. 389; tab. 29.
- *subfastigata* Trin. 425; tab. 32.
- *subglabriflora* Roshev. 394.
- *supina* Schrad. 379.
- *taimyrensis* Roshev. 409.
- *Tanfiljewii* Roshev. 413; tab. 31.
- *tibetica* Munro ex Duthie 425; tab. 32.
- *Tolmatchewii* Roshev. 411; tab. 30.
- *transbaicalica* Roshev. 404; tab. 30.
- *tremulaoides* Litv. 421, 756.
- *tristis* Trin. ex Bge. 400; tab. 30.
- *trivialiformis* Kom. 423.
- *trivialis* L. 386; tab. 28.
- *turfosa* Litv. 389.
- *udensis* Trautv. 414; tab. 31.
- *urjanchaica* Roshev. 395; tab. 29.
- *ussuriensis* Roshev. 394, 754; tab. 29.
- *versicolor* Bess. 399; tab. 30.

- Poa Woronowii* Roshev. 387; tab. 28.
 — *Zaprjagajevii* Ovcz. 377; tab. 28.
Poacynum Baill. 18, 660.
 — *Hendersonii* (Hook. f.) Woodson 661; tab. 35.
 — *pictum* (Schrenk) Baill. 660; tab. 35.
Pocockia Ser. 11, 120.
Podagraria Hill 16, 451.
Podanthum Boiss. 24, 396.
Podospermum DC. 29, 37.
Pogonia Juss. 4, 610.
 — *japonica* Reichb. f. 611; tab. 38.
Pogonostylis Bertol. 3, 95.
Polakia Stapf 21, 272.
Polemonium L. 19, 78.
 — *acutiflorum* Willd. ex Roem. et Schult. 81; tab. 5.
 — *boreale* Adam 88.
 — *caucasicum* N. Busch 82.
 — *coeruleum* L. 83.
 — *humile* Willd. ex Roem. et Schult. 87.
 — *hyperboreum* Tolm. 91; tab. 5.
 — *liniflorum* V. Vassil. 84.
 — *majus* Tolm. 91.
 — *pacificum* V. Vassil. 81; tab. 5.
 — *parviflorum* Tolm. 92; tab. 5.
 — *pseudopulchellum* V. Vassil. 86; tab. 5.
 — *pulchellum* Bge. 85; tab. 5.
 — *sibiricum* D. Don 83.
 — *villosum* J. Rudolph ex Georgi 80.
Polgidon Raf. 16, 94.
Pollichia Medic. 19, 690.
Pollichia Schrank 21, 124, 126.
Pollinia Trin. 2, 10.
 — *imberbis* Nees ex Steud. 10.
 — *nuda* Trin. 11; tab. 1.
Polycarpon Loefl. 6, 564.
 — *tetraphyllum* L. 564; tab. 34.
Polycnemum L. 6, 29.
 — *arvense* L. 29.
 — *Heuffelii* O. Lang 30; tab. 2.
 — *majus* A. Br. 31.
 — *perenne* Litv. 31.
 — *verrucosum* O. Lang 30.
Polycyrtus Schlecht. 17, 62.
Polygala L. 14, 246.
 — *alpicola* Rupr. 258.
 — *amarella* Crantz 257.
 — *amoenissima* Tamamsch. 262.
 — *anatolica* Boiss. et Heldr. 265.
 — *andrachnoides* Willd. 255.
 — *austriaca* Crantz 256.
 — *caucasica* Rupr. 259.
 — *colchica* Tamamsch. 263, 733.
 — *comosa* Schkuhr 261.
 — *cretacea* Kotov 262.
 — *Hohenackeriana* Fisch. et Mey. 253.
 — *hybrida* DC. 260.
 — *japonica* Houtt. 252.
 — *Kemulariae* Tamamsch. 265, 733.
 — *leucothyrsa* Woronow 264.
 — *major* Jacq. 262.
 — *Mariamae* Tamamsch. 263.
 — *moldavica* Kotov 261.
 — *papilionacea* Boiss. 253.
 — *pruinosa* Boiss. 256.
 — *pseudohospita* Tamamsch. 255.
 — *sibirica* L. 250.
 — *Stocksiana* Boiss. 254.
 — *suanica* Tamamsch. 258.
 — *subamara* Fritsch 257.
 — *supina* Schreb. 254.
 — *tenuifolia* Willd. 251.
 — *transcaucasica* Tamamsch. 265.
 — *Urtu* Tamamsch. 264.
 — *vulgaris* L. 259.
Polygonatum Adans. 4, 456.
 — *acuminatifolium* Kom. 465.
 — *Desoulavii* Kom. 463.
 — *glaberrimum* C. Koch 465.
 — *humile* Fisch. ex Maxim. 463; tab. 28.
 — *involucratum* Maxim. 460; tab. 28.
 — *latifolium* Desf. 464; tab. 28.
 — *Maximoviczii* Fr. Schmidt 464.
 — *multiflorum* (L.) All. 466; tab. 28.
 — *obtusifolium* Misch. 466.
 — *officinale* All. 463; tab. 28.
 — *ovatum* Micz. 465.
 — *polyanthemum* (M. B.) Dietr. 466.
 — *roseum* (Ledeb.) Kunth 458.
 — *Sewerzovii* Rgl. 460; tab. 28.
 — *sibiricum* Redoute 459; tab. 28.
 — *stenophyllum* Maxim. 458; tab. 28.
 — *verticillatum* (L.) All. 459.
Polygonum L. 5, 594.
 — *abbreviatum* Kom. 679, 724; tab. 47.
 — *acerosum* Ledeb. ex Meisn. 625; tab. 42.
 — *acetosellum* Klok. 622.
 — *acetosum* M. B. 622.
 — *ajanense* (Nakai) Grig. 666; tab. 46.
 — *alatum* A. Hamilt. ex D. Don 640.
 — *alopecuroides* Turcz. 680; tab. 47.
 — *alpestre* C. A. Mey. 609; tab. 39.
 — *alpinum* All. 663.
 — *ammanioides* Jaub. et Spach 608; tab. 39.
 — *amphibium* L. 645; tab. 45.
 — *angustifolium* Pall. 665; tab. 46.
 — *araraticum* Kom. 621, 720.

- arenarium Waldst. et Kit. 637; tab. 44.
- argyrocoleum Steud. 634; tab. 44.
- arianum Grig. 602; tab. 38.
- Aschersonianum H. Gross 629; tab. 42.
- attenuatum V. Petrov 684, 725.
- aviculare L. 614; tab. 41.
- baldshuanicum Rgl. 699; tab. 49.
- belophyllum Litv. 690; tab. 48.
- biaristatum Aitch. et Hemsl. 607; tab. 39.
- bistorta L. 681; tab. 47.
- Bornmülleri Litv. 639.
- bucharicum Grig. 664; tab. 46.
- Bungeanum Turcz. 647.
- buxifolium Nutt. ex Bong. 613; tab. 40.
- calcatum Lindm. 618; tab. 41.
- carneum C. Koch 682.
- caspicum Kom. 623, 721.
- convolvulus L. 694.
- coriarium Grig. 663.
- corrigioloides Jaub. et Spach 624; tab. 42.
- cretaceum Kom. 631, 721.
- cuspidatum Sieb. et Zucc. 701.
- deciduum Boiss. et Noë 637.
- dentato-alatum Fr. Schmidt 696; tab. 49.
- dissitiflorum Hemsl. 693.
- divaricatum L. 664.
- dumetorum L. 695; tab. 49.
- ellipticum Willd. ex Spreng. 677; tab. 47.
- equisetiforme Sibth. et Smith 610; tab. 40.
- excurrente Steward 657.
- fibrilliferum Kom. 607, 718; tab. 39.
- floribundum Schlecht. ex Meisn. 624.
- foliosum Lindb. f. 655; tab. 45.
- fusco-ochreatum Kom. 613, 719; tab. 40.
- gracilius Ledeb. 630; tab. 43.
- graminifolium Wierzb. 621.
- heterophyllum Lindm. 614; tab. 41.
- hissaricum M. Pop. 669.
- humifusum Pall. ex Ledeb. 618; tab. 41.
- hydropiper L. 656; tab. 45.
- imeretinum Kom. 652, 722.
- inflexum Kom. 632, 721; tab. 43.
- intercedens V. Petrov 678, 723; tab. 45.
- intricatum Kom. 657, 723; tab. 45.
- Janatae Klok. 638.
- junceum Ledeb. 634.
- Kitaibelianum Sadl. 629.
- Laxmannii Lepech. 665.
- lencoranicum Kom. 613, 720.
- limosum Kom. 670; tab. 46.
- linicola Sutul. 650; tab. 45.
- litorale Meisn. 612; tab. 40.
- luxurians Grig. 664, 723; tab. 46.
- luzuloides Jaub. et Spach 603.
- Maackianum Rgl. 692; tab. 48.
- manshuriense V. Petrov 680.
- maritimum L. 610; tab. 40.
- minus Huds. 652; tab. 45.
- mite Schrank 656.
- molliiforme Boiss. 639.
- multiflorum Thunb. 699.
- myrtillifolium Kom. 608, 718; tab. 39.
- neglectum Bess. 618; tab. 41.
- nitens (Fisch. et Mey.) V. Petrov 683, 724.
- nodosum Pers. 649; tab. 45.
- novo-ascanicum Klok. 631.
- ochotense V. Petrov 687, 726; tab. 47.
- ochreatum L. 666.
- orientale L. 648.
- oxanum Kom. 633, 722; tab. 43.
- oxyspermum Mey. et Bge. 611.
- pacificum V. Petrov 682; tab. 47.
- paludosum Kom. 689, 726; tab. 48.
- pamiricum Korsh. 671; tab. 46.
- pamiroalaicum Kom. 609, 719; tab. 39.
- paronychioides C. A. Mey. ex Hohen 604; tab. 38.
- patulum M. B. 629; tab. 44.
- pauciflorum Maxim. 694.
- perfoliatum L. 688; tab. 49.
- persicaria L. 651; tab. 45.
- polycnemoides Jaub. et Spach 624; tab. 42.
- posumbu A. Hamilt. 658.
- propinquum Ledeb. 621; tab. 41.
- pseudoarenarium Klok. 638; tab. 44.
- pulvinatum Kom. 607, 717.
- Rayi Bab. 611; tab. 40.
- Regelianum Kom. 683.
- relictum Kom. 670.
- Roberti Loisel. 612.
- runcinatum A. Hamilt. 640.
- rupestre Kar. et Kir. 609; tab. 39.
- sachalinense Fr. Schmidt 701.
- salsugineum M. B. 625; tab. 42.
- samarense H. Gross 626.
- scabrum Moench 648.
- schugnanicum Kom. 684, 725.
- senticosum Meisn. 689.
- sericeum Pall. 669.
- setosum Jacq. 603; tab. 38.
- sibiricum Laxm. 671.
- Sieboldii Meisn. 689; tab. 48.
- songoricum Schrenk 669; tab. 46.
- strigosum R. Bg. 691; tab. 48.
- subauriculatum V. Petrov 678.
- Thunbergii Sieb. et Zucc. 692; tab. 48.

- Polygonum thymifolium* Jaub. et Spach 603; tab. 38.
 — *tiflistense* Kom. 633, 720.
 — *tinctorium* Ait. 646.
 — *tripterocarpon* A. Gray 672; tab. 46.
 — *ussuriense* (Rgl.) Nakai ex Mori 690; tab. 48.
 — *venosum* Steward 623.
 — *viscoferum* Makino 661.
 — *viscosum* A. Hamilt. ex D. Don 647.
 — *viviparum* L. 674; tab. 47.
 — *Weyrichii* Fr. Schmidt 700; tab. 49.
 — *zeaense* Kom. 679, 724.
Polylophium Boiss. 17, 278.
 — *Panjutinii* Manden. et Schischk. 279.
Polypodium L. 1, 84.
 — *lineare* Thunb. 86.
 — *serratum* (Willd.) Futo 85.
 — *virginianum* L. 85; tab. 3.
 — *vulgare* L. 85.
Polypogon Desf. 2, 163.
 — *demissus* Steud. 164; tab. 12.
 — *maritimus* Willd. 165; tab. 12.
 — *monspeiensis* (L.) Desf. 164; tab. 12.
Polyspermum N. Busch 8, 549.
Polystichum Roth 1, 45.
 — *angulare* (C. Presl) Fomin 47.
 — *Braunii* Fée 48.
 — *craspedosorum* (Maxim.) Diels 47; tab. 1.
 — *lobatum* (Sw.) C. Presl 48.
 — *lonchitis* (L.) Roth 46.
 — *microchlamys* Kodama 49.
 — *tripteron* (Kuntze) C. Presl 46.
 — *Woronowii* Fomin 47.
Polytaxis Bge. 27, 535.
 — *Lehmannii* Bge. 536.
 — *Winkleri* Iljin 537.
Poncirus Raf. 14, 234.
 — *trifoliata* (L.) Raf. 234; tab. 14.
Pongatium Juss. 24, 449.
Pongelion Adans. 14, 241.
Popoviocodonia Fed. 24, 372, 470.
 — *stenocarpa* (Trautv. et Mey.) Fed. 374.
 — *Uyemurae* (Kudo) Fed. 373; tab. 22.
Populus L. 5, 216.
 — *alba* L. 225.
 — *amurensis* Kom. 240; tab. 10.
 — *ariana* Dode 222.
 — *baikalensis* Kom. 240.
 — *balsamifera* L. 241.
 — *berolinensis* Dipp. 234.
 — *Bolleana* Lauche 224.
 — *candicans* Ait. 242.
 — *canescens* Smith 226.
 — *cataracti* Kom. 235.
 — *Davidiana* Dode 227.
 — *deltoides* Marsh. 234.
 — *densa* Kom. 237.
 — *diversifolia* Schrenk 221.
 — *euphratica* Oliv. 222; tab. 10.
 — *kanjilaliana* Dode 233.
 — *koreana* Rehd. 239.
 — *Krauseana* Dode 234.
 — *laurifolia* Ledeb. 236; tab. 10.
 — *Litwinowiana* Dode 222.
 — *Maximowiczii* A. Henry 238.
 — *moskoviensis* Schroed. 241.
 — *nigra* L. 228; tab. 10.
 — *nivea* Willd. 224.
 — *pamirica* Kom. 236.
 — *pilosa* Rehd. 240.
 — *pruinosa* Schrenk 223; tab. 10.
 — *pyramidalis* Rozier 230.
 — *Sieboldii* Miq. 228.
 — *Simonii* Carr. 241.
 — *suaveolens* Fisch. 238; tab. 10.
 — *tadshikistanica* Kom. 235.
 — *talassica* Kom. 237.
 — *tremula* L. 226; tab. 10.
 — *usbekistanica* Kom. 234.
 — *ussuriensis* Kom. 239; tab. 10.
Porphyroscias Miq. 17, 11, 26.
Portulaca L. 6, 386.
 — *oleracea* L. 386.
Potamogeton L. 1, 230.
 — *acutifolius* Link 242; tab. 12.
 — *alpinus* Balb. 252; tab. 12.
 — *amblyophyllus* C. A. Mey. 237.
 — *asiaticus* A. Benn. 251.
 — *crispus* L. 240; tab. 12.
 — *cristatus* Rgl. et Maack 248; tab. 12.
 — *digynus* Wall. 253.
 — *distinctus* A. Benn. 259.
 — *filiformis* Pers. 236; tab. 12.
 — *Franchetii* Baagoe ex A. Benn. 253.
 — *Friesii* Rupr. 245; tab. 12.
 — *Fryeri* A. Benn. 254.
 — *Henningii* A. Benn. 241.
 — *heterophyllus* Schreb. 256; tab. 12.
 — *javanicus* Hassk. 251; tab. 12.
 — *limosellifolius* Maxim. ex Korsh. 246; tab. 12.
 — *lucens* L. 257; tab. 12.
 — *Maackianus* A. Benn. 240; tab. 12.
 — *malainus* Miq. 258; tab. 12.
 — *manshuriensis* A. Benn. 243.
 — *miduhikimo* Makino 252.
 — *natans* L. 255; tab. 12.

- nodosus Poir. 254; tab. 12.
- obtusifolius Mert. et Koch 246; tab. 12.
- oxyphyllus Miq. 243; tab. 12.
- pamiricus Baagoe 237.
- panormitanus Biv.-Bern. 246; tab. 12.
- pectinatus L. 239; tab. 12.
- perfoliatus L. 260; tab. 12.
- proelongus Wulf. 259; tab. 12.
- pusillus L. 247; tab. 12.
- rutilus Wolfg. 245; tab. 12.
- sibiricus A. Benn. 242.
- subretusus Hagstr. 238.
- subsibiricus Hagstr. 243.
- tenuifolius Raf. 253; tab. 12.
- trichoides Cham. et Schlecht. 244.
- vaginatus Turcz. 238.
- zosterifolius Schum. 241; tab. 12.
- Potentilla** L. 10, 78.
- acaulis L. 210; tab. 15.
- adenophylla Boiss. et Hohen. 203, tab. 15.
- adscharica Somm. et Levier 188.
- aemulans Juz. 214, 614.
- agrimonioides M. B. 132.
- alba L. 91; tab. 8.
- Alexeenkoi Lipsky 122.
- amurensis Maxim. 166.
- anadyrensis Juz. 191, 612.
- anserina L. 221; tab. 16.
- approximata Bge. 125.
- arenaria Brokh. 208.
- arenosa (Turcz.) Juz. 137; tab. 10.
- argentea L. 145; tab. 10.
- argenteiformis Kauffm. 151; tab. 11.
- arnavatensis Th. Wolf 174.
- asiatica Juz. 182.
- asperrima Turcz. 170.
- astracantha Jacq. 163; tab. 12.
- astragalifolia Bge. 159; tab. 11.
- baltistana Th. Wolf 124.
- biflora Willd. 84; tab. 7.
- bifurca L. 81; tab. 7.
- brachypetala Fisch. 90; tab. 8.
- Bungei Boiss. 174.
- Callieri Juz. 164; tab. 12.
- Camillae Kolak. 92.
- canescens Bess. 147; tab. 10.
- caucasica Juz. 185, 611.
- centugrana Maxim. 168; tab. 13.
- chinensis Ser. 127.
- chrysantha Trev. 181; tab. 14.
- conferta Bge. 131; tab. 9.
- Crantzii (Crantz) Beck. 202; tab. 15.
- cryptophila Bornm. 179.
- cryptotaeniae Maxim. 168; tab. 13.
- dealbata Bge. 142.
- depressa Willd. ex Schlecht. 208, tab. 15.
- desertorum Bge. 173.
- discolor Bge. 123.
- divina Alb. 89; tab. 8.
- Egedii Wormsk. 223.
- elatior Willd. ex Schlecht. 86.
- elegans Cham. et Schlecht. 198.
- emarginata Pursh 198.
- erecta (L.) Hampe 218; tab. 16.
- eremica Th. Wolf 148.
- Eversmanniana Fisch. ex Claus 119.
- evestita Th. Wolf 140.
- Fedtschenkoana Siegf. ex Th. Wolf 126.
- filipendula Willd. ex Schlecht. 153; tab. 11.
- flabellata Rgl. et Schmalh. 176.
- flagellaris Willd. ex Schlecht. 220.
- foliosa Somm. et Levier 94.
- fragarioides L. 211; tab. 16.
- fragiformis Willd. 193; tab. 14.
- Freyniana Bornm. 217; tab. 16.
- gelida C. A. Mey. 199; tab. 15.
- geoides M. B. 97.
- ghalghana Juz. 89.
- glaucescens Willd. ex Schlecht. 209; tab. 15.
- Goldbachii Rupr. 182; tab. 14.
- Heidenreichii Zimm. 170.
- heptaphylla L. 204; tab. 15.
- hololeuca Boiss. 126.
- holopetala Turcz. 181.
- humifusa Willd. ex Schlecht. 207; tab. 15.
- imbricata Kar. et Kir. 84; tab. 7.
- impolita Wahl. 146.
- inquinans Turcz. 95; tab. 9.
- intermedia L. 169; tab. 13.
- jacutica Juz. 141, 611.
- jailae Juz. 96, 609.
- Komaroviana Th. Wolf 177.
- Kryloviana Th. Wolf 155.
- kulabensis Th. Wolf 98.
- Kuznetzowii (Gowor.) Juz. 137.
- lapponica (Nyl.) Juz. 117.
- leucophylla Pall. 134, tab. 10.
- leucopolitana P. J. Muell. ex F. Schultz 151.
- Lipskyana Th. Wolf 189.
- Lomakinii Grossh. 133.
- longipes Ledeb. 187; tab. 14.
- macrantha Ledeb. 141.

- Potentilla malacotricha* Juz. 121, 610.
 — *megalantha* Takeda 194.
 — *Meyeri* Boiss. 147.
 — *micrantha* Ramon 92; tab. 8.
 — *mollissima* Lehm. 149.
 — *Moorcroftii* Wall. 83.
 — *multifida* L. 114; tab. 9.
 — *nervosa* Juz. 135, 610; tab. 10.
 — *nivea* L. 135.
 — *Nordmanniana* Ledeb. 180.
 — *norvegica* L. 167; tab. 13.
 — *nudicaulis* Willd. ex Schlecht. 153.
 — *nurensis* Boiss. et Hausskn. 162.
 — *orbiculata* Th. Wolf 186.
 — *orientalis* Juz. 82.
 — *pacifica* Howell 222; tab. 16.
 — *pamirica* Th. Wolf 177.
 — *pamiroalaica* Juz. 121, 609; tab. 9.
 — *pimpinelloides* L. 156.
 — *polyschista* Boiss. 123.
 — *porphyrantha* Juz. 178.
 — *procumbens* L. 224; tab. 17.
 — *pulchella* R. Br. 113.
 — *Raddeana* Juz. 175.
 — *recta* L. 160; tab. 12.
 — *Regeliana* Th. Wolf 173.
 — *reptans* L. 219; tab. 16.
 — *rigidula* Th. Wolf 159.
 — *rupestris* L. 94.
 — *Ruprechtii* Boiss. 178.
 — *sanguisorba* Willd. ex Schlecht. 155.
 — *Schrenkiana* Rgl. 188.
 — *Schurii* Fuss ex Zimm. 203.
 — *Seidlitziana* Bien. 201.
 — *semiglabrata* Juz. 83.
 — *semilaciniosa* Borb. 162; tab. 12.
 — *sericata* Th. Wolf 190.
 — *sericea* L. 120; tab. 9.
 — *Sommieri* Siegfr. et Keller 150.
 — *soongorica* Bge. 118.
 — *sphenophylla* Th. Wolf 186.
 — *Sprengeliana* Lehm. 212.
 — *stipularis* L. 192; tab. 14.
 — *stolonifera* Lehm. 215.
 — *strigosa* Pall. ex Pursh 128; tab. 9.
 — *subpalmata* Ledeb. 201.
 — *supina* L. 165; tab. 13.
 — *svanetica* Siegfr. et Keller 150.
 — *Szovitsii* Th. Wolf 185.
 — *tanacetifolia* Willd. ex Schlecht. 152.
 — *taurica* Willd. 164; tab. 12.
 — *tephroleuca* Th. Wolf 200.
 — *thyrsiflora* Zimm. 150.
 — *tianschanica* Th. Wolf 98.
 — *Tollii* Trautv. 191.
 — *transcaspica* Th. Wolf 162.
 — *Tranzschelii* Juz. 213, 612.
 — *umbrosa* Stev. 179; tab. 14.
 — *uniflora* Ledeb. 138.
 — *ussuriensis* Juz. 213, 613.
 — *Vahlia* Lehm. 139.
 — *verticillaris* Steph. ex Willd. 117; tab. 9.
 — *villosa* Pall. 139.
 — *viscosa* J. Don. 154; tab. 11.
 — *Wibeliana* Th. Wolf 149.
Poterium L. 10, 429.
 — *lasiocarpum* Boiss. et Hausskn. ex Boiss. 431.
 — *polygamum* Waldst. et Kit. 430.
 — *sanguisorba* L. 429; tab. 26.
Pragmotessara Pierre 14, 553.
Prangos Lindl. 16, 263.
 — *acaulis* (DC.) Bornm. 265.
 — *arcis-romanae* Boiss. et Huet 267.
 — *bucharica* B. Fedtsch. 268.
 — *cylindrocarpa* Korov. 271.
 — *Fedtschenkoii* (Rgl. et Schmalh.) Korov. 272.
 — *ferulacea* (L.) Lindl. 265.
 — *isphairamica* B. Fedtsch. 267, 594.
 — *latiloba* Korov. 275.
 — *Lipskyi* Korov. 269.
 — *lophotera* Boiss. 269.
 — *pabularia* Lindl. 270.
 — *seravschanica* (Rgl. et Schmalh.) Korov. 271.
 — *tschimganica* B. Fedtsch. 266.
 — *uloptera* DC. 268.
Prenanthes L. 29, 262.
 — *abietina* (Boiss.) Kirp. 270; tab. 23.
 — *angustifolia* Boulos 273; tab. 23.
 — *calaciliifolia* (M. B.) Beauverd 266; tab. 23.
 — *Maximowiczii* Kirp. 269; tab. 23.
 — *pontica* (Boiss.) Leskov. 268; tab. 23.
 — *purpurea* L. 264; tab. 23.
 — *Tatarinowii* Maxim. 265; tab. 23.
Primula Kuntze 18, 208.
Primula L. 18, 111.
 — *abchasica* Sosn. 141.
 — *algida* Adam 158; tab. 6.
 — *amoena* M. B. 142; tab. 5.
 — *arctica* Koidz. 199.
 — *auriculata* Lam. 183.
 — *baldschuanica* B. Fedtsch. 160; tab. 6.
 — *Bayerni* Rupr. 190.

- borealis Duby 171; tab. 7.
- carpathica (Griseb. et Schenk) Fuss 151.
- cordifolia Rupr. 152.
- cortusoides L. 130; tab. 4.
- cuneifolia Ledeb. 188.
- darialica Rupr. 157; tab. 6.
- drosocalyx Poljak. et Lincz. 125.
- elatior (L.) Hill. 150.
- Eugeniae Fed. 124; tab. 4.
- eximia Greene 200.
- farinifolia Rupr. 157.
- farinosa L. 161; tab. 6.
- Fedtschenkoi Rgl. 189; tab. 8.
- finmarchica Jacq. 175.
- fistulosa Turkev. 171; tab. 7.
- flexuosa Turkev. 187; tab. 8.
- gigantea Jacq. 164.
- Halleri J. F. Gmel. 181; tab. 7.
- heterochroma Stapf 141.
- Iljinskii Fed. 176, 726; tab. 7.
- Juliae Kusn. 132; tab. 4.
- Kaufmanniana Rgl. 126; tab. 4.
- Knorringiana Fed. 177, 726; tab. 7.
- Komarovii Losinsk. 437.
- Kusnetzovii Fed. 144, 723.
- lactiflora Turkev. 125.
- longipes Freyn et Sint. 191.
- longiscapa L. 168; tab. 6.
- luteola Rupr. 184.
- macrocalyx Bge. 146; tab. 5.
- Matsumurae Petitm. 173; tab. 7.
- megaseifolia Boiss. et Bal. ex Boiss. 133; tab. 5.
- Meyeri Rupr. 143.
- minima L. 201; tab. 9.
- Minkwitziae W. W. Smith 129.
- Moorkroftiana Wall. 197; tab. 9.
- nivalis Pall. 192; tab. 9.
- Olgae Rgl. 185; tab. 8.
- ossetica Kusn. 156.
- Pallasii Lehm. 149; tab. 5.
- pamirica Fed. 178, 724; tab. 7.
- patens Turcz. 131; tab. 4.
- pinnata M. Pop. et Fed. 167, 725.
- poloninensis (Domin) Fed. 150, 724.
- pseudoelatior Kusn. 155.
- pulvereia Fed. 198, 727.
- renifolia Volgun. 134; tab. 5.
- Ruprechtii Kusn. 148.
- sachalinensis Nakai 162; tab. 6.
- sibirica Jacq. 174; tab. 7.
- Sibthorpii Hoffm. 137; tab. 5.
- stricta Hornem. 169.
- Tournefortii Rupr. 186.
- tschuktschorum Kjellm. 198; tab. 9.
- turkestanica (Rgl.) E. A. White 196.
- veris L. 145.
- vulgaris Huds. 135.
- Warshenewskiana B. Fedtsch. 182; tab. 8.
- Woronowii Losinsk. 138.
- xanthobasis Fed. 195, 727; tab. 9.
- Prinsepia** Royle 10, 580.
- sinensis (Oliv.) Kom. 583; tab. 37.
- Prionitis* Adans. 16, 382.
- Prismatanthus* Hook. et Arn. 22, 795.
- Prismatocarpus* L'Hér. 24, 427.
- Proboscidea** Moench 23, 187.
- louisiana (Mill.) Woot. et Standl. 18.
- Proselias* Stev. 12, 594.
- Proteinia* Reichb. 6, 861.
- Proteocarpus* Boern. 3, 422.
- Prunella** L. 20, 494.
- grandiflora (L.) Jacq. 496.
- laciniata L. 497.
- vulgaris L. 495.
- Prunus** L. 10, 510.
- caspica Koval. et Ekim. tab. 32.
- divaricata Ledeb. 516; tab. 32.
- domestica L. 515.
- ferganica Lincz. 519.
- salicina Lindl. 520.
- Simonii Carr. 520.
- spinosa L. 511; tab. 32.
- ussuriensis Koval. et Kost. 521.
- Psammogeton** Edgew. 16, 164.
- Borsczovii (Rgl. et Schmalh.) Lipsky 166; tab. 12.
- canescens (DC.) Vatke 166.
- setifolium Boiss. 165.
- Psammoseris* Boiss. 29, 595.
- Psathyrostachys** Nevski 2, 712.
- daghestanica (Alex.) Nevski 715.
- fragilis (Boiss.) Nevski 716; tab. 50.
- juncea (Fisch.) Nevski 714; tab. 50.
- Kronenburgii (Hack.) Nevski 713.
- lanuginosa (Trin.) Nevski 714; tab. 50.
- rupestris (Alex.) Nevski 715.
- Psedera* Neck. 14, 707.
- Psephellus* Cass. 28, 370, 420.
- Pseuderemostachys** M. Pop. 20, 500.
- Sewertzowii (Herd.) M. Pop. 500.
- Pseudo-acacia* Medic. 11, 305.
- Pseudobetckea** (Hoeck) Lincz. 23, 681.
- caucasica (Boiss.) Lincz. 681; tab. 34.
- Pseudocamelina** N. Busch 8, 570.
- Szovitsii (Boiss.) N. Busch 570.

- Pseudo-Chamomilla* DC. 26, 181.
Pseudodictamnus Adans. 21, 187.
Pseudodiphryllum Nevski 4, 649, 752.
 — *Chorisianum* (Cham.) Nevski 650; tab. 40.
Pseudohandelia Tzvel. 26, 361, 878.
 — *umbellifera* (Boiss.) Tzvel. 363; tab. 15.
Pseudolinosyris Novopokr. 25, 180.
 — *Grimmii* (Rgl. et Schmalh.) Novopokr. 181; tab. 11.
 — *microcephala* (Novopokr.) Tamamsch. 182.
 — *Sintenisii* (Bornm.) Tamamsch. 183.
Pseudolysimachion Opiz 22, 329, 367.
Pseudosedum (Boiss.) Berger 9, 99.
 — *bucharicum* Boriss. 105.
 — *campanuliforme* Boriss. 107.
 — *condensatum* Boriss. 102.
 — *Fedtschenkoanum* Boriss. 107.
 — *ferganense* Boriss. 105; tab. 6.
 — *karatavicum* Boriss. 108.
 — *Lievenii* (Ledeb.) Berger 101.
 — *longidentatum* Boriss. 102.
 — *multicaule* (Boiss. et Buhse) Boriss. 106; tab. 6.
Pseudosempervivum (Boiss.) Grossh. 8, 571.
 — *karsianum* (N. Busch) Grossh. 572.
Pseudospermum S. F. Gray 16, 223.
Pseudostellaria Pax 6, 423.
Pseudovesicaria (Boiss.) Rupr. 8, 170.
 — *digitata* (C. A. Mey.) Rupr. 170.
Pseudovynomus Nakai 14, 558.
Psilochaenia Nutt. 29, 595.
Psilonema C. A. Mey. 8, 358.
Psilostemon DC. 19, 291.
Psilurus Trin. 2, 552.
 — *aristatus* (L.) Duv.-Youv. 553; tab. 44.
Psolanum Neck. 22, 42.
Psoralea L. 11, 300.
 — *acaulis* Stev. 301; tab. 21.
 — *bituminosa* L. 301; tab. 21.
 — *drupacea* Bge. 300; tab. 21.
Psychrogeton Boiss. 25, 191.
Psylliostachys (Jaub. et Spach) Nevski 18, 467.
 — *anceps* (Rgl.) Roshk. 473; tab. 23.
 — *Androssovii* Roshk. 474, 749.
 — *leptostachya* (Boiss.) Roshk. 468; tab. 23.
 — *myosuroides* (Rgl.) Roshk. 470.
 — *spicata* (Willd.) Nevski 471; tab. 23.
 — *Suvorovii* (Rgl.) Roshk. 469; tab. 23.
Psyllium Juss. 23, 161.
Psyllophora Ehrh. 3, 198.
Ptarmica DC. 26, 104.
Ptelea L. 14, 233.
 — *trifoliata* L. 14, 233; tab. 13.
Pteranthus Forsk. 6, 572.
 — *dichotomus* Forsk. 572.
Pteridium Gled. 1, 83.
 — *aquilinum* (L.) Kuhn 83.
Pteris L. 1, 80.
 — *cretica* L. 83.
Pterocarya Kunth 5, 248.
 — *fraxinifolia* (Lam.) Spach 248; tab. 11.
Pterocephalus Vaill. 24, 49.
 — *afghanicus* (Aitch. et Hemsl.) Boiss. 49.
 — *khorrassanicus* Czerniak. 50.
 — *fruticulosus* Korov. 50.
 — *plumosus* (L.) Coult. 51.
Pterochaeta Boiss. 25, 487.
Pterococcus Pall. 5, 530.
Pterolobium Andr. 8, 575.
Pteroneurum DC. 8, 169.
Pterotheca Cass. 29, 699, 708.
Pterygocalyx Maxim. 18, 536.
Ptilagrostis Griseb. 2, 74.
 — *concinna* (Hook.) Roshev. 75.
 — *mongolica* (Turcz.) Griseb. 75; tab. 6.
 — *purpurea* (Griseb.) Roshev. 76; tab. 6.
 — *subsessiliflora* (Rupr.) Roshev. 74; tab. 6.
Ptilotrichum C. A. Mey. 8, 360.
 — *canescens* C. A. Mey. 360.
 — *elongatum* C. A. Mey. 361.
Puccinellia Parl. 2, 460.
Pueraria DC. 13, 531.
 — *hirsuta* (Thunb.) Schneid. 531.
Pulegium Mill. 21, 623.
Pulicaria Gaertn. 25, 487.
 — *dysenterica* (L.) Gaertn. 490; tab. 30.
 — *gnaphalodes* (Vent.) Boiss. 496; tab. 31.
 — *prostrata* (Gilib.) Aschers. 489; tab. 30.
 — *salviifolia* Bge. 495; tab. 31.
 — *uliginosa* Stev. 491; tab. 30.
Pulmonaria L. 19, 344.
 — *angustifolia* L. 350.
 — *Filarszkyana* Jáv. 349.
 — *mollissima* A. Kerner 347.
 — *officinalis* L. 345.
 — *rubra* Schott 348.
Pulsatilla Adans. 7, 285.
 — *ajanensis* Rgl. 297; tab. 18.
 — *albana* (Stev.) Bercht. et Presl 304.
 — *ambigua* (Turcz.) Juz. 307; tab. 19.
 — *andina* (Rupr.) Woronow 305.

- *armena* (Boiss.) Rupr. 306.
- *aurea* (N. Busch) Juz. 287.
- *Bungeana* C. A. Mey. 298; tab. 19.
- *campanella* Fisch. ex Rgl. 306, tab. 19.
- *cernua* (Thunb.) Bercht. 303; tab. 19.
- *chinensis* (Bge.) Rgl. 290; tab. 18.
- *dahurica* (Fisch.) Spreng. 303; tab. 19.
- *flavescens* (Zucc.) Juz. 296.
- *georgica* Rupr. 305.
- *grandis* Wend. 293; tab. 18.
- *Halleri* (All.) Willd. 290; tab. 18.
- *Kostyczewii* (Korsh.) Juz. 288; tab. 18.
- *montana* (Hoppe) Reichb. 302; tab. 19.
- *multifida* (Pritz.) Juz. 296; tab. 18.
- *nigricans* Störck 302.
- *patens* (L.) Mill. 295; tab. 18.
- *pratensis* (L.) Mill. 301; tab. 19.
- *Sukaczewii* Juz. 301, 741.
- *tenuiloba* (Hayek) Juz. 298.
- *Turczaninovii* Kryl. et Serg. 294.
- *vernalis* (L.) Mill. 289; tab. 18.
- *violacea* Rupr. 305; tab. 19.
- Punica** L. 15, 553.
- *granatum* L. 553.
- Puschkinia** Adam 4, 394.
- *hyacinthoides* Baker 394.
- *scilloides* Adam 394.
- Pycnostelma** Bge. 18, 671.
- *paniculata* (Bge.) Schum. 671; tab. 36.
- Pycreus** Beauv. 3, 4.
- *colchicus* C. Koch 8; tab. 1.
- *eragrostis* (Vahl) Palla 7.
- *flavescens* (L.) Beauv. ex Reichb. 5.
- *globosus* (All.) Reichb. 6.
- *limosus* (Maxim.) Schischk. 8.
- *nilagiricus* (Hochst.) Schischk. 6; tab. 1.
- *pratorum* (Korotki) Schischk. 8.
- *Rehmannii* (Boiss.) Palla ex Grossh. 7.
- *setiformis* (Korsh.) Schischk. 5.
- *tremulus* (Poir.) Clarke 9.
- Pyracantha** Roem. 9, 413.
- *coccinea* Roem. 414.
- Pyramistigma** Elk. 7, 623.
- Pyrethrum** Zinn. 26, 184.
- *abrotanifolium* Bge. ex Ledeb. 250.
- *alatavicum* (Herd.) O. et B. Fedtsch. 249.
- *alpinum* (L.) Schrank 228.
- *arassanicum* (C. Winkl.) O. et B. Fedtsch. 259.
- *aromaticum* (Rupr. ex Boiss.) Tzvel. 222.
- *Aucherianum* DC. 239.
- *balsamita* (L.) Willd. 196.
- *balsamitoides* (Nábél.) Tzvel. 198.
- *chamaemelifolium* (Somm. et Levier) Sosn. 219.
- *cinerariifolium* Trev. 213.
- *Clusii* Fisch. ex Reichb. 234.
- *coccineum* (Willd.) Vorosch. 218.
- *corymbiforme* Tzvel. 234, 873.
- *corymbosum* (L.) Willd. 232.
- *daghestanicum* (Rupr. ex Boiss.) Rupr. ex Fler. 222.
- *djilgense* (Franch.) Tzvel. 260.
- *fruticulosum* Biehl. 209.
- *Galae* M. Pop. 242.
- *glanduliferum* Somm. et Levier 205.
- *Grossheimii* Sosn. 206.
- *Heldreichianum* Fenzl ex Tchih. 231.
- *hissaricum* Krasch. 241.
- *Karelinii* Krasch. 254.
- *Kelleri* (Kryl. et Plotn.) Krasch. 212.
- *Komarovii* Sosn. 224.
- *Kotschyi* Boiss. 229.
- *Krylovianum* Krasch. 250.
- *kubense* Grossh. 209.
- *lanuginosum* (Sch. Bip. et Herd.) Tzvel. 252.
- *leontopodium* (C. Winkl.) Tzvel. 260; tab. 9.
- *leptophyllum* Stev. 211; tab. 8.
- *macrophyllum* (Waldst. et Kit.) Willd. 194.
- *majus* (Desf.) Tzvel. 198.
- *Marionii* Albov 216.
- *Mikeschinii* Tzvel. 243, 873.
- *neglectum* Tzvel. 257, 874.
- *ordubadense* Manden. 230.
- *oxylepis* (Bordz.) Tzvel. 238.
- *parthenifolium* Willd. 203.
- *parthenium* (L.) Smith 204.
- *peucedanifolium* (Sosn.) Manden. 202.
- *poterriifolium* Ledeb. 235.
- *pulchellum* Turcz. 251.
- *pulchrum* Ledeb. 253.
- *punctatum* (Desr.) Bordz. ex Sosn. 215.
- *pyrethroides* (Kar. et Kir.) B. Fedtsch. ex Krasch. 256.
- *roseum* (Adam) M. B. 217.
- *Semenovii* (Herd.) C. Winkl. ex O. et B. Fedtsch. 243; tab. 10.
- *sericeum* (Adam) M. B. 237.
- *sevanense* Sosn. 207.
- *silaifolium* Stev. 220.
- *songaricum* Tzvel. 255, 874; tab. 8.
- *sorbifolium* Boiss. 195.
- *tianschanicum* Krasch. 247; tab. 9.
- *transiliense* (Herd.) Rgl. et Schmalh. 258.

Pyrethrum tricholobum Sosn. ex Manden.

223.

— *urgutense* M. Pop. 874.

Pyrola L. 18, 8.

— *grandiflora* Rad. 12.

— *incarnata* Fisch. ex DC. 11.

— *media* Sw. 12.

— *minor* L. 13.

— *renifolia* Maxim. 9.

— *rotundifolia* L. 10.

— *virescens* Schweigg. 9.

Pyrus L. 9, 336.

— *asiae-mediae* M. Pop. 342.

— *Balansae* Decne. 339.

— *Boissieriana* Buhse 341; tab. 20.

— *bucharica* Litv. 356; tab. 21.

— *communis* L. 338.

— *elaeagrifolia* Pall. 346; tab. 20.

— *Grossheimii* Fed. 345.

— *Korshinskiyi* Litv. 352; tab. 21.

— *oxyprion* Woronow 351; tab. 21.

— *Raddeana* Woronow 351.

— *Regelii* Rehd. 355; tab. 21.

— *salicifolia* Pall. 348; tab. 20.

— *Sosnovskii* Fed. 350.

— *syriaca* Boiss. 350; tab. 21.

— *Takhtadzhianii* Fed. 349.

— *taochia* Woronow 347; tab. 20.

— *turcomanica* Maleev 340.

— *ussuriensis* Maxim. 341; tab. 20.

— *zangezura* Maleev 352.

Quercus L. 5, 322.

— *araxina* (Trautv.) Grossh. 333; tab. 17.

— *castaneifolia* C. A. Mey. 329; tab. 17.

— *dentata* Thunb. 352.

— *erucifolia* Stev. 342; tab. 18.

— *Hartwissiana* Stev. 337; tab. 17.

— *hypochrysa* Stev. 347.

— *iberica* Stev. ex M. B. 343; tab. 18.

— *ilex* L. 332.

— *imeretina* Stev. ex Woronow 341, 713; tab. 17.

— *Kozlowskyi* Woronow ex Grossh. 350.

— *longifolia* C. Koch 347; tab. 18.

— *longipes* Stev. 342; tab. 18.

— *macranthera* Fisch. et Mey. 330; tab. 17.

— *mongolica* Fisch. ex Turcz. 351.

— *occidentalis* J. Gay 328.

— *pedunculiflora* C. Koch 341; tab. 18.

— *petraea* Liebl. 348.

— *pontica* C. Koch 332; tab. 17.

— *pubescens* Willd. 349.

— *robur* L. 339.

— *rubra* L. 353.

— *suber* L. 327.

— *Woronowii* Maleev 334, 714; tab. 18.

Querezia L. 6, 481.

Queria L. 6, 481.

Queria Loefl. 6, 481.

— *hispanica* L. 481.

Quinaria Raf. 14, 707.

Quinquelocularia C. Koch 24, 133, 162.

Raclathris Raf. 19, 548.

Radiola Roth 14, 85.

— *linoides* Roth 85.

Ramischia Opiz 18, 15.

— *obtusata* (Turcz.) Freyn 16.

— *secunda* (L.) Garcke 16.

Ranunculus L. 7, 351.

— *abchasicus* Freyn 444.

— *acer* L. 461.

— *acutidentatus* Rupr. 432.

— *acutilobus* Ledeb. 431; tab. 27.

— *affinis* R. Br. 388.

— *afghanicus* Aitch. et Hemsl. 493; tab. 31.

— *Ageri* Bertol. 488.

— *alajensis* Ostenf. 490.

— *Alberti* Rgl. et Schmalh. 401.

— *Allemannii* Br.-Bl. 381.

— *alpigenus* Kom. 504; tab. 31.

— *altaicus* Laxm. 400.

— *ampelophyllus* Somm. et Lev. 430; tab. 27.

— *amurensis* Kom. 363.

— *anadyriensis* Ovcz. 386.

— *anemonifolius* DC. 455.

— *arachnoideus* C. A. Mey. 405.

— *arvensis* L. 478.

— *aureopetalus* Kom. 491.

— *auricomus* L. 377.

— *baidarae* Rupr. 435.

— *baldshuanicus* Rgl. ex Kom. 472.

— *balkharicus* N. Busch 451.

— *borealis* Trautv. 463.

— *brachylobus* Boiss. et Hohen. 440; tab. 28.

— *Brotherusii* Freyn 392; tab. 24.

— *brutius* Ten. 418.

— *Buhsei* Boiss. 424; tab. 26.

— *bulbosus* L. 449.

— *Buschii* Ovcz. 443, 744; tab. 28.

— *cassubicus* L. 379; tab. 24.

— *caucasicus* M. B. 423; tab. 26.

— *chinensis* Bge. 409.

— *chius* DC. 476; tab. 30.

— *cicutarius* Schlecht. 487.

- constantinopolitanus Urv. 452.
- crassifolius (Rupr.) Grossh. 436; tab. 28.
- czimpanicus Ovcz. 493, 747.
- dilatatus Ovcz. 497, 747.
- dissectus M. B. 459.
- dolosus Fisch. et Mey. 409; tab. 24.
- dzhavakheticus Ovcz. 438, 744.
- elbrusensis Boiss. 504; tab. 31.
- elegans C. Koch 456.
- Eschscholtzii Schlecht. 398.
- flammula L. 363.
- fraternus Schrenk 402.
- gelidus Kar. et Kir. 406.
- glabriusculus Rupr. 462.
- Gmelinii DC. 354; tab. 23.
- grandifolius C. A. Mey. 468.
- gymnadenus Somm. et Levier 443.
- Helenae Albov 410.
- Huetii Boiss. 459.
- hyperboreus Rottb. 358; tab. 23.
- illyricus L. 489.
- jacuticus Ovcz. 470, 746; tab. 27.
- japonicus Thunb. 470.
- Komarovii Freyn 497; tab. 33.
- kopetdaghensis Litv. 421.
- Kotschy Boiss. 458.
- Krasnovii Ovcz. 376, 742.
- Krylovii Ovcz. 385, 741; tab. 24.
- laetus Wall. 472.
- lanuginosiformis Selin 464.
- lanuginosus L. 467.
- lapponicus L. 360; tab. 23.
- lasiocarpus C. A. Mey. 392.
- lateriflorus DC. 474.
- leptorrhynchus Aitch. et Hemsl. 503; tab. 32.
- linearilobus Bge. 499; tab. 32.
- lingua L. 362.
- Lojkae Somm. et Levier 445.
- lomatocarpus Fisch. et Mey. 478; tab. 30.
- longicaulis C. A. Mey. 375.
- megacarpus Koch 380.
- Meinshausenii Schrenk 505.
- merovensis Grossh. 429.
- Meyerianus Rupr. 447; tab. 29.
- mindshelkensis B. Fedtsch. 492; tab. 31.
- monophyllus Ovcz. 382; tab. 24.
- muricatus L. 476; tab. 30.
- napellifolius DC. 428.
- natans C. A. Mey. 357; tab. 23.
- neapolitanus Ten. 451.
- nemorosus DC. 448; tab. 29.
- nivalis L. 397.
- obesus Trautv. 457.
- ophioglossifolius Vill. 368.
- oreophilus M. B. 437.
- orientalis L. 484.
- osseticus Ovcz. 430, 743.
- oxyspermus M. B. 483.
- Pallasii Schlecht. 360; tab. 23.
- pamiri Korsh. 394.
- paucidentatus Schrenk 490.
- pauperculus Ovcz. 398, 742.
- pedatifidus Smith 398.
- pedatus Waldst. et Kit. 494.
- pinnatisectus M. Pop. 498; tab. 32.
- platyspermus Fisch. 505; tab. 33.
- polyanthemus L. 446; tab. 29.
- polyphyllus Kit. 359.
- polyrhizus Steph. 390.
- Popovii Ovcz. 393, 741; tab. 24.
- propinquus C. A. Mey. 461.
- pseudobulbosus Schur 450.
- pseudohirculus Schrenk 375.
- pulchellus C. A. Mey. 374.
- pulsatillifolius Litv. 488.
- pygmaeus Wahl. 404.
- Raddeanus Rgl. 420.
- radicans C. A. Mey. 356; tab. 23.
- recurvatus Poir. 422.
- Regelianus Ovcz. 506; tab. 33.
- repens L. 423.
- reptabundus Rupr. 355; tab. 23.
- reptans L. 364.
- rigescens Turcz. 389.
- rubrocalyx Rgl. ex Kom. 404; tab. 25.
- rufosepalus Franch. 407; tab. 25.
- samojedorum Rupr. 358; tab. 23.
- sardous Crantz 450.
- Sartorianus Boiss. et Heldr. 437.
- scleratus L. 408.
- Schaftoanus (Aitch. et Hemsl.) Boiss. 473.
- Severzovii Rgl. 500.
- Smirnovii Ovcz. 467, 745.
- Sommieri Albov 419.
- songoricus Schrenk 402; tab. 25.
- stenopetalus Ovcz. 491, 746; tab. 31.
- Stevenii Andr. 471.
- strigillosus Boiss. et Huet 367.
- subcorymbosus Kom. 469; tab. 27.
- submarginatus Ovcz. 439, 745; tab. 29.
- subtilis Trautv. 386.
- sulphureus Soland. 399.
- suukensis N. Busch 387.
- tenuilobus Rgl. ex Kom. 500.
- trachycarpus Fisch. et Mey. 477; tab. 30.
- Trautvetterianus Rgl. 403; tab. 25.

- Ranunculus* trisectilis Ovcz. 427, 743; tab. 26.
 — turkestanicus Franch. 494; tab. 32.
 — ussuriensis Kom. 391.
 — villosus DC. 455.
 — Walteri Rgl. ex Freyn 498.
- Raphanus** L. 8, 492.
 — maritimus Smith 493.
 — raphanistroides (Makino) Sinsk. 494.
 — raphanistrum L. 494.
 — rostratus DC. 494.
 — sativus L. 493.
- Rapinia* Lour. 24, 449.
- Rapistrum** Desv. 8, 471.
 — perenne L. 472.
 — rugosum (L.) All. 472.
- Rapunculus* Fourr. 24, 133, 301.
- Razoumowskia** Hoffm. 5, 407.
 — oxycedri (DC.) F. Schultz 408; tab. 23.
- Reaumuria** L. 15, 277.
 — badhysi Korov. 290.
 — cistoides Adam 282; tab. 14.
 — fruticosa Bge. ex Boiss. 288.
 — kaschgarica Rupr. 287.
 — Kuznetzovii Sosn. et Manden. 284.
 — oxiana (Ledeb.) Boiss. 289.
 — persica Boiss. 288.
 — reflexa Lipsky 281; tab. 14.
 — sogdiana Kom. 281; tab. 14.
 — soongorica (Pall.) Maxim. 279; tab. 14.
 — turkestanica Gorschk. 282; tab. 14.
 — Zakirovii Gorschk. 287, 679.
- Redowskia** Cham. et Schlecht. 8, 92.
 — sophiifolia Cham. et Schlecht. 92.
- Reichardia** Roth 29, 260.
 — dichotoma (Vahl) Freyn 261; tab. 19.
- Renarda* Rgl. 16, 233.
- Reseda** L. 8, 607.
 — Aucheri Boiss. 612.
 — brevipedunculata N. Busch 612, 654; tab. 34.
 — bucharica Litv. 612; tab. 34.
 — dshebeli Czerniak. 615, 653; tab. 34.
 — globulosa Fisch. et Mey. 611.
 — hemithamnoides Czerniak. 616, 653; t. 34.
 — inodora Reichb. 609.
 — lutea L. 610.
 — luteola L. 608.
 — microcarpa Muell. Arg. 615; tab. 34.
 — odorata L. 610.
- Restella** Pobed. 15, 514.
 — Alberti (Rgl.) Pobed. 515.
- Reutera** Boiss. 16, 448.
 — aurea (DC.) Boiss. 449; tab. 29.
- Bobrovii Woronow 449, 599; tab. 29.
- Reynoutria* Houtt. 5, 696.
- Rhabdotheca** Cass. 29, 239.
 — Korovinii (M. Pop.) Kirp. 240; tab. 15.
- Rhagadiolus** Scop. 29, 233.
 — edulis Gaertn. 234.
 — hebelaeus (DC.) Vass. 234.
- Rhamnoides* Moench 15, 516.
- Rhamnus** L. 14, 645.
 — alaternus L. 653.
 — baldschuanica Grub. 672; tab. 37.
 — cathartica L. 660; tab. 37.
 — coriacea (Rgl.) Kom. 671.
 — dahurica Pall. 656; tab. 36.
 — depressa Grub. 655; tab. 35.
 — diamantiaca Nakai 662; tab. 36.
 — dolichophylla Gontsch. 664; tab. 37.
 — erythroxylon Pall. 666; tab. 36.
 — imeretina Booth 654; tab. 35.
 — microcarpa Boiss. 655; tab. 35.
 — minuta Grub. 673.
 — Pallasii Fisch. et Mey. 669; tab. 37.
 — parvifolia Bge. 663; tab. 36.
 — Sintenisii Rech. f. 671; tab. 37.
 — songorica Gontsch. 673.
 — spathulifolia Fisch. et Mey. 670.
 — tinctoria Waldst. et Kit. 665.
 — ussuriensis Ja. Vassil. 659; tab. 36.
- Rhamphicarpa** Benth. 22, 529.
 — Medwedewii Albov 529.
- Rhaphidophyton** Iljin 6, 271, 877.
 — Regelii (Bge.) Iljin 271; tab. 13.
- Rhaponticum** Adans. 28, 308.
 — aulieatense Iljin 320.
 — carthamoides (Willd.) Iljin 311.
 — integrifolium C. Winkl. 315.
 — karatavicum Rgl. et Schmalh. 321.
 — lyratum C. Winkl. ex Iljin 314.
 — namanganicum Iljin 321.
 — nanum Lipsky 322.
 — nitidum Fisch. 319.
 — pulchrum Fisch. et Mey. 316.
 — Satzyperovii Sosk. 317.
 — serratuloides (Georgi) Bobr. 313.
 — uniflorum (L.) DC. 318.
- Rhaptocalymma* Boern. 3, 187.
- Rheum** L. 5, 482.
 — altaicum Losinsk. 485; tab. 28.
 — compactum L. 485; tab. 28.
 — cordatum Losinsk. 498; tab. 29.
 — darvasicum Titov 491; tab. 29.
 — Fedtschenkoi Maxim. ex Rgl. 494; tab. 29.
 — hissaricum Losinsk. 498.
 — Korshinskyi Titov 491; tab. 29.

- lobatum Litv. ex Losinsk. 500.
- lucidum Losinsk. 491; tab. 29.
- macrocarpum Losinsk. 499; tab. 29.
- Maximowiczii Losinsk. 497; tab. 29.
- nanum Siew. 493; tab. 29.
- orientale Losinsk. 489; tab. 28.
- palmatum L. 500.
- plicatum Losinsk. 499.
- reticulatum Losinsk. 492; tab. 29.
- rhaponticum L. 501.
- rhizostachyum Schrenk 492.
- ribes L. 497; tab. 29.
- rupestre Litv. 490; tab. 28.
- tataricum L. f. 489; tab. 28.
- turkestanicum Janisch. 490; tab. 28.
- undulatum L. 484; tab. 28.
- Wittrockii Lundstr. 486; tab. 28.
- Rhinactina** Less. 25, 129.
- Rhinactinidia** Novopokr. 25, 129.
- Rhinanthus** L. 22, 686.
- Rhinanthus** L. 22, 659.
- aestivalis (Zing.) Schischk. et Serg. 665.
- alpinus Baumg. 678.
- angustifolius J. G. Gmel. 675.
- apterus (Fries) Ostenf. 673.
- borealis (Sterneck) Druce 679.
- colchicus Vass. 681.
- cretaceus Vass. 666.
- ferganensis Vass. 672; tab. 34.
- groenlandicus (Ostenf.) Chabert 678.
- major L. 680; tab. 34.
- mediterraneus (Sterneck) Adamov. 682.
- minor L. 676; tab. 34.
- montanus Saut. 664.
- nigricans Meinsh. 675.
- osilensis (Ronn. et Saars.) Vass. 684.
- patulus (Sterneck) Thell. et Schinz 680.
- pectinatus (Behrend.) Vass. 668; tab. 34.
- ponticus (Sterneck) Vass. 667.
- rumelicus Velen. 683.
- rusticulus (Chabert) Druce 677.
- sachalinensis Vass. 674.
- Schischkinii Vass. 683; tab. 34.
- songaricus (Sterneck) B. Fedtsch. 671.
- subulatus (Sterneck) Soo 668.
- vernalis (Zing.) Schischk. et Serg. 666.
- Rhinopetalum** Fisch. 4, 296.
- arianum Losinsk. et Vved. 298, 738; tab. 18.
- bucharicum (Rgl.) Losinsk. 298.
- gibbosum (Boiss.) Losinsk. et Vved. 297.
- Karelinii Fisch. 297.
- stenanthum Rgl. 301; tab. 18.
- Rhizocephalus** Boiss. 2, 126.
- turkestanicus (Litv.) Roshev. 127, 743.
- Rhodiola** L. 9, 24.
- algida (Ledeb.) Fisch. et Mey. 37.
- arctica Boriss. 30, 471; tab. 3.
- atropurpurea (Turcz.) Trautv. et Mey. 33.
- borealis Boriss. 32, 474.
- coccinea (Royle) Boriss. 41.
- gelida Schrenk 41.
- heterodonta (Hook. et Thoms.) Boriss. 32; tab. 3.
- iremelica Boriss. 31, 472.
- kaschgarica Boriss. 39, 476; tab. 3.
- Kirilowii Rgl. ex Maxim. 34.
- Komarovii Boriss. 38, 476.
- linearifolia Boriss. 35, 474.
- Litvinovii Boriss. 45, 478; tab. 3.
- pamiroalaica Boriss. 40, 477; tab. 3.
- pinnatifida Boriss. 36, 475.
- quadrifida (Pall.) Fisch. et Mey. 39.
- recticaulis Boriss. 42, 478.
- rosea L. 29.
- sachalinensis Boriss. 31, 473; tab. 3.
- Semenovii (Rgl. et Herd.) Boriss. 28.
- Stephanii (Cham.) Trautv. et Mey. 36.
- viridula Boriss. 510.
- Rhododendron** L. 18, 31.
- Adamsii Rend. 43.
- aureum Georgi 38; tab. 1.
- caucasicum Pall. 39.
- dahuricum L. 48.
- hypopitys Pojark. 37, 722; tab. 1.
- kamtschaticum Pall. 58.
- Kotschyi Simk. 44.
- lapponicum (L.) Wahl. 46.
- Ledebouri Pojark. 52, 722; tab. 2.
- mucronulatum Turcz. 47; tab. 2.
- luteum Sweet 57.
- parvifolium Adam 45.
- ponticum L. 34.
- Redowskianum Maxim. 60.
- Schlippenbachii Maxim. 56.
- sichotense Pojark. 50, 722; tab. 2.
- Smirnovii Trautv. 36.
- Tschonoskii Maxim. 55.
- Ungernii Trautv. 35.
- Rhus** L. 14, 527.
- coriaria L. 528; tab. 29.
- hirta (L.) Sudw. 530.
- javanica L. 531.
- Rhynchochorys** Griseb. 22, 686.
- elephas (L.) Griseb. 687.
- orientalis (L.) Benth. 686.
- Rhynchopappus** Dulac 29, 595, 687, 695.
- Rhynchopera** Boern. 3, 157.

Rhynchospora Vahl 3, 102.

- *alba* (L.) Vahl 103; tab. 5.
- *caucasica* Palla 104; tab. 5.
- *Fauriei* Franch. 104; tab. 5.
- *fusca* (L.) Ait. 103; tab. 5.

Rhynchosstylis Tausch 16, 94.**Rhytispermum** Link 19, 163.**Ribes** L. 9, 226.

- *alpinum* L. 260; tab. 15.
 - *altissimum* Turcz. 243; tab. 14.
 - *atropurpureum* C. A. Mey. 244.
 - *aureum* Pursh. 266.
 - *Biebersteinii* Berlin 245.
 - *diacantha* Pall. 264.
 - *dikuscha* Fisch. 254; tab. 14.
 - *fragrans* Pall. 256.
 - *graveolens* Bge. 256.
 - *heterotrichum* C. A. Mey. 258.
 - *hispidulum* Pojark. 238.
 - *horridum* Rupr. 247; tab. 15.
 - *Janczewskii* Pojark. 252.
 - *kolymense* Kom. ex Pojark. 251.
 - *Komarovii* Pojark. 263.
 - *latifolium* Jancz. 242.
 - *lucidum* Kit. 264; tab. 15.
 - *malvifolium* Pojark. 246.
 - *manschuricum* (Maxim.) Kom. 234; tab. 14.
 - *Maximoviczianum* Kom. 260.
 - *melananthum* Boiss. et Hohen. ex Kotschy 258.
 - *Meyeri* Maxim. 241; tab. 13.
 - *nigrum* L. 252; tab. 14.
 - *orientale* Desf. 257.
 - *Palczewskii* Pojark. 237.
 - *pallidiflorum* Pojark. 242; tab. 14.
 - *pauciflorum* Turcz. 248.
 - *procumbens* Pall. 255; tab. 14.
 - *pubescens* Hedl. 239; tab. 13.
 - *pulchellum* Turcz. 266.
 - *rubrum* L. 237; tab. 13.
 - *sachalinense* Nakai 246; tab. 15.
 - *sanguineum* Pursh 266.
 - *saxatile* Pall. 265; tab. 15.
 - *scandicum* Hedl. 240.
 - *triste* Pall. 232; tab. 13.
 - *turbinatum* Pojark. 252.
 - *ussuriense* Jancz. 248.
 - *villosum* Wall. 259; tab. 15.
 - *vulgare* Lam. 233; tab. 13.
- Richteria** Kar. et Kir. 26, 184, 248.
- Ricinoides** Moench 14, 288.
- Ricinus** L. 14, 300.
- *communis* L. 300.

Rindera Pall. 19, 565.

- *austroechinata* M. Pop. 582.
- *baldshuanica* Kusn. 581.
- *coechinata* M. Pop. 583.
- *cyclodonta* Bge. 580.
- *echinata* Rgl. 581.
- *ferganica* M. Pop. 571; tab. 28.
- *holochiton* M. Pop. 585, 716.
- *lanata* (Lam.) Bge. 573.
- *oblongifolia* M. Pop. 584.
- *ochroleuca* Kar. et Kir. 577; tab. 28.
- *oschensis* M. Pop. 572; tab. 28.
- *Korshinskiyi* (Lipsky) Brand 574.
- *tetraspis* Pall. 579.
- *tianschanica* M. Pop. 569.
- *tschotkalensis* M. Pop. 570.
- *turkestanica* Kusn. 583.
- *umbellata* (Waldst. et Kit.) Bge. 572.

Ritro Boiss. 27, 40.**Robinia** L. 11, 305.

- *hispida* L. 306.
- *pseudacacia* L. 306.
- *viscosa* Vent. 309.

Rochelia Reichb. 19, 548.

- *Bungei* Trautv. 554.
- *campanulata* M. Pop. et Zak. 559.
- *cardiosepalata* Bge. 563; tab. 27.
- *claviculata* M. Pop. et Zak. 560.
- *disperma* (L. f.) C. Koch 551.
- *jackabaghi* Pavl. 560.
- *karsensis* M. Pop. 557.
- *leiocarpa* Ledeb. 557; tab. 27.
- *macrocalyx* Bge. 562; tab. 27.
- *peduncularis* Boiss. 561; tab. 27.
- *persica* Bge. ex Boiss. 553.
- *retorta* (Pall.) Lipsky 552.

Rodigia Spreng. 29, 595.**Roegneria** C. Koch 2, 599.

- *Abolinii* (Drob.) Nevski 611.
- *amurensis* (Drob.) Nevski 606.
- *angustiglumis* Nevski 618.
- *borealis* (Turcz.) Nevski 624.
- *brachypodioides* Nevski 617.
- *Buschiana* (Roshev.) Nevski 620.
- *canina* (L.) Nevski 617.
- *caucasica* C. Koch 604.
- *ciliaris* (Trin.) Nevski 607; tab. 46.
- *confusa* (Roshev.) Nevski 605.
- *curvata* Nevski 608; tab. 46.
- *czimganica* (Drob.) Nevski 604; tab. 46.
- *Drobovii* Nevski 613; tab. 45.
- *fibrosa* (Schrenk) Nevski 625.
- *himalayana* Nevski 606; tab. 46.

- interrupta Nevski 611.
- jacutensis (Drob.) Nevski 625.
- kamczadolorum Nevski 619.
- Komarovii Nevski 615; tab. 45.
- leptoura Nevski 623.
- macrochaeta Nevski 612.
- macroura (Turcz.) Nevski 627; tab. 45.
- oschensis (Roshev.) Nevski 619.
- panormitana (Betrol.) Nevski 612.
- pendulina Nevski 616; tab. 45.
- pubescens (Trin.) Nevski 626.
- sajanensis Nevski 624.
- scandica Nevski 624; tab. 45.
- Schrenkiana (Fisch. et Mey.) Nevski 605.
- schugnanica Nevski 604; tab. 46.
- sclerophylla Nevski 614.
- taigae Nevski 616.
- tianschanica (Drob.) Nevski 615.
- transbaicalensis Nevski 619.
- troctolepis Nevski 623.
- Turczaninovii (Drob.) Nevski 607.
- turuchanensis (Reverd.) Nevski 626.
- ugamica (Drob.) Nevski 613.
- uralensis Nevski 614; tab. 45.
- viridiglumis Nevski 616.
- Roemeria** Medic. 7, 596.
- hybrida (L.) DC. 596; tab. 40.
- refracta (Stev.) DC. 597; tab. 40.
- Rokejeka* Forsk. 6, 738.
- Roripa** Scop. 8, 135.
- amphibia (L.) Bess. 138.
- anceps (Wahl.) Grossh. 137.
- austriaca (Crantz) Bess. 139.
- brachycarpa (C. A. Mey.) Woronow 138.
- globosa (Turcz.) Vass. 140.
- hispida (DC.) Britt. 139.
- microsperma (DC.) Vass. 140.
- palustris (Leyss.) Bess. 137.
- silvestris (L.) Bess. 136.
- Rosa** L. 10, 431.
- acicularis Lindl. 449; tab. 28.
- Afzeliana Fries 501.
- agrestis Savi 497.
- alaica Juz. 465; 638.
- alba L. 485.
- Alberti Rgl. 452; tab. 29.
- Alexeenkoi Crép. 504, 638.
- alticola Boulenger 500.
- amblyotis C. A. Mey. 460.
- arvensis Huds. 443.
- Banksiae R. Br. 444.
- Beggeriana Schrenk 462; tab. 29.
- bellicosa Nevski 467.
- bifera Poir. 484.
- Boissieri Crép. 490; tab. 30.
- Bungeana Boiss. et Buhse 482; tab. 27.
- canina L. 502; tab. 31.
- caryophyllacea Boiss. 493.
- centifolia L. 484.
- chinensis Jacq. 444.
- cinnamomea L. 454; tab. 28.
- coriifolia Fries 502, tab. 31.
- corymbifera Borkh. 503.
- damascena Mill. 484.
- davurica Pall. 459; tab. 28.
- Ecae Aitch. 475.
- eglanteria L. 492; tab. 30.
- elasmacantha Trautv. 473.
- elymaitica Boiss. et Hausskn. 491.
- Fedtschenkoana Rgl. 465; tab. 29.
- foetida Herrm. 477.
- gallica L. 483.
- glabrifolia C. A. Mey. ex Rupr. 456.
- glauca Pourr. 487.
- glutinosa Smith 499; tab. 30.
- gorinkensis Bess. 456.
- haemisphaerica Herrm. 481.
- hirtissima Lonacz. 490.
- hissarica Slob. 468; tab. 29.
- horrida Fisch. 498; tab. 30.
- iberica Stev. 494; tab. 30.
- jacutica Juz. 460; 637.
- Jundzillii Bess 487.
- kamschatica Vent. 448.
- kaschgarica Rupr. 462.
- Klukii Bess. 504.
- kokanica Rgl. 476.
- Korshinskiana Bouleng. 469.
- kuhitangi Nevski 466.
- lacerans Boiss. et Buhse 463.
- laxa Retz. 461; tab. 28.
- leucantha M. B. 505.
- maracandica Bge. 465.
- Marretii Lévl. 460.
- Maximowicziana Rgl. 442; tab. 27.
- micrantha Smith 497.
- mollis Smith 489.
- multiflora Thunb. 443.
- myriacantha DC. ex Lam. 474.
- nanothamnus Bouleng. 467.
- oxyacantha M. B. 450.
- oxyodon Boiss. 453.
- piptocalyx Juz. 463, 637.
- platyacantha Schrenk 474; tab. 27.
- pomifera Herrm. 489; tab. 31.
- Roopae Lonacz. 454.

Rosa rugosa Thunb. 447; tab. 28.

— *Schischkinii* Juz. 451, 638.

— *Schrenkiana* Crép. 452.

— *spinosissima* L. 470; tab. 27.

— *svanetica* Crép. 491.

— *tomentosa* Smith 489; tab. 31.

— *turbinata* Aitch. 485.

— *turkestanica* Rgl. 477.

— *tuschetica* Boiss. 499.

— *ussuriensis* Juz. 451, 637.

— *Webbiana* Wall. ex Royle 464.

— *Woronowii* Lonacz. 505.

Roscyna Spach 15, 203, 212.

Rosenbachia Rgl. 20, 17.

Rosmarinus L. 20, 70.

— *officinalis* L. 71.

Rosularia (DC.) Stapf 9, 114.

— *alpestris* (Kar. et Kir.) Boriss. 129.

— *elymaica* (Boiss. et Hausskn.) Berger 121.

— *glabra* (Rgl. et C. Winkl.) Berger 124.

— *hissarica* Boriss. 122, 483; tab. 7.

— *kokanica* (Rgl. et Schmalh.) Boriss. 128.

— *Lipskyi* Boriss. 121, 483.

— *lutea* Boriss. 128, 484.

— *paniculata* (Rgl. et Schmalh.) Berger 123.

— *persica* (Boiss.) Berger 120.

— *pilosa* (M. B.) Boriss. 117.

— *platyphylla* (Schrenk) Berger 131; tab. 7.

— *radiciflora* (Steud.) Boiss. 120.

— *Schischkinii* Boriss. 130, 484; tab. 7.

— *sempervivoides* (Fisch.) Boriss. 118.

— *sempervivum* (M. B.) Berger 119; tab. 7.

— *subspicata* (Freyn et Sint.) Boriss. 123.

— *tadzhikistana* Boriss. 130, 485.

— *turkestanica* (Rgl. et C. Winkl.) Berger 127.

Rotala L. 15, 526.

— *densiflora* (Roth) Koehne 526.

— *indica* (Willd.) Koehne 527.

Roucela Dum. 24, 133, 189.

Rubacer Rydb. 10, 5.

— *odoratum* (L.) Rydb. 5.

Rubia L. 23, 382.

— *chinensis* Rgl. et Maack 391.

— *chitralensis* Ehrend. 400.

— *cordifolia* L. 387.

— *cretacea* Pojark. 396, 721; tab. 22.

— *deserticola* Pojark. 399, 722.

— *dolichophylla* Schrenk 404.

— *florida* Boiss. 415.

— *iberica* (Fisch. ex DC.) C. Koch 394; tab. 22.

— *jesoensis* (Miq.) Miyabe et Miyake 407.

— *Komarovii* Pojark. 403, 724; tab. 23.

— *Krascheninnikovii* Pojark. 406, 724; tab. 22.

— *laxiflora* Gontsch. 412.

— *Rechingeri* Ehrend. 416.

— *Regelii* Pojark. 402, 723.

— *Reznitzenkoana* Litv. 397; tab. 23.

— *rigidifolia* Pojark. 414, 726; tab. 23.

— *schugnanica* B. Fedtsch. 413, 725.

— *tatarica* (Trev.) Fr. Schmidt 408.

— *tibetica* Hook. f. 401.

— *tinctorum* L. 393.

— *transcaucasica* Grossh. 411; tab. 23.

Rubus L. 10, 5.

— *abchaziensis* Sudre 45.

— *abnormis* Sudre 42.

— *arcticus* L. 12; tab. 1.

— *caesius* L. 56; tab. 5.

— *candicans* Weihe 29; tab. 2.

— *cartalinicus* Juz. 31; tab. 3.

— *caucasicus* Focke 48; tab. 4.

— *caucasigenus* (Sudre) Juz. 37.

— *chamaemorus* L. 11; tab. 1.

— *crataegifolius* Bge. 15; tab. 1.

— *Cyri* Juz. 25; tab. 25.

— *discernendus* Sudre 26.

— *dolichocarpus* Juz. 46; tab. 4.

— *georgicus* Focke 33.

— *hirtus* Waldst. et Kit. 54; tab. 5.

— *humulifolius* C. A. Mey. 15; tab. 1.

— *hyrcanus* Juz. 30.

— *ibericus* Juz. 26.

— *idaeus* L. 16; tab. 1.

— *Komarovii* Nakai 20.

— *lanuginosus* Stev. ex Ser. 46.

— *lepidulus* (Sudre) Juz. 37.

— *leptostemon* Juz. 41.

— *Lloydianus* Genev. 38.

— *Miszczenkoi* Juz. 34.

— *moschus* Juz. 49; tab. 5.

— *nessensis* W. Hall. 23; tab. 2.

— *ochthodes* Juz. 47; tab. 4.

— *ossicus* Juz. 32.

— *persicus* Boiss. 40.

— *peruncinatus* (Sudre) Juz. 33.

— *piceetorum* Juz. 41.

— *platyphyllus* C. Koch 50.

— *ponticus* Juz. 53, 607.

— *Raddeanus* Focke 39; tab. 3.

— *sachalinensis* Lévl. 19.

— *sanguineus* Friv. 24; tab. 2.

- saxatilis L. 14; tab. 1.
- serpens Weihe 55.
- stellatus Smith 13.
- tomentosus Borzh. 37; tab. 3.
- Woronowii Sudre 45.
- Rudbeckia** L. 25, 539.
- hirta L. 539.
- laciniata L. 540.
- Rulac** Adans. 14, 621.
- Rumex** L. 5, 444.
- acetosa L. 451; tab. 26.
- acetosella L. 449.
- acetoselloides Baill. 450.
- acutatus L. 456; tab. 26.
- alpinus L. 468; tab. 26.
- amurensis Fr. Schmidt ex Maxim. 479; tab. 27.
- angustifolius Campd. 469; tab. 26.
- aquaticus L. 467; tab. 26.
- arcticus Trautv. 469.
- arifolius All. 455.
- armenus C. Koch 467.
- aschabadensis Losinsk. 465; 715.
- aureostigmaticus Kom. 450.
- confertus Willd. 463; tab. 26.
- conglomeratus Murr. 470; tab. 26.
- crispus L. 461; tab. 26.
- domesticus Hartm. 458; tab. 26.
- Fauriei Rech. f. 461.
- Fischeri Reichb. 464.
- foveolatus Losinsk. 478, 717; tab. 27.
- Gmelinii Turcz. 457; tab. 26.
- graminifolius Lamb. 450.
- Halaczii Rech. 475; tab. 27.
- hydrolapathum Huds. 462; tab. 26.
- jakutensis Kom. 457.
- kamschadalus Kom. 459.
- Komarovii Schischk. et Serg. 460.
- maritimus L. 481; tab. 27.
- Marschallianus Reichb. 479; tab. 27.
- obtusifolius L. 477; tab. 27.
- pamiricus Rech. f. 458; tab. 26.
- patientia L. 464; tab. 26.
- Paulsenianus Rech. f. 466; tab. 26.
- pseudonatronatus Borb. 462; tab. 26.
- pulcher L. 476; tab. 27.
- Rechingermanus Losinsk. 465, 715; tab. 26.
- Regelii Fr. Schmidt 474.
- reticulatus Bess. 475; tab. 27.
- rossicus Murb. 480; tab. 27.
- sanguineus L. 473; tab. 26.
- Schischkinii Losinsk. 468; 716.
- sibiricus Hult. 459.
- stenophyllus Ledeb. 473; tab. 27.
- syriacus Meisn. 477; tab. 27.
- thyrsoflorus Fingerh. 452; tab. 26.
- tianschanicus Losinsk. 466, 716.
- tuberosus L. 455; tab. 26.
- ucranicus Fisch. 480; tab. 27.
- ussuriensis Losinsk. 474, 717.
- Rumia** Hoffm. 16, 358.
- criethmifolia (Willd.) K.-Pol. 358; tab. 25, 30.
- Rumia** Ledeb. 16, 349.
- Ruppia** L. 1, 261.
- maritima L. 262.
- spiralis L. 262.
- Ruscus** Tourn. 4, 443.
- hypoglossum L. 444; tab. 26.
- hypophyllum L. 444; tab. 26.
- hyrcanus Woronow 447; tab. 26.
- ponticus Woronow 444; tab. 26.
- Russowia** C. Winkl. 28, 250.
- sogdiana (Bge.) B. Fedtsch. 252; tab. 12.
- Ruta** L. 14, 199.
- graveolens L. 199; tab. 11.
- Ruyschiana** Boehr. ex Mill. 20, 439, 471.
-
- Sabulina* Reichb. 6, 487.
- Saccharum** L. 2, 8.
- spontaneum L. 9; tab. 1.
- Sageretia** Brongn. 14, 638.
- laetevirens (Kom.) Gontsch. 641; tab. 34.
- Sagina* Druce 6, 482.
- Sagina** L. 6, 471.
- apetala Ard. 474; tab. 25.
- litoralis Hult. 473; tab. 25.
- maxima A. Gray 473; tab. 25.
- nivalis (Lindblad) Fries 475; tab. 25.
- nodosa (L.) Fenzl 472.
- oxysepala Boiss. 475; tab. 25.
- procumbens L. 474.
- saginoides (L.) Dalla Torre 472.
- Sagittaria** L. 1, 287.
- graminea Michx. 291.
- natans Pall. 291; tab. 14.
- sagittifolia L. 287; tab. 14.
- trifolia L. 288; tab. 14.
- Salicornia** L. 6, 172.
- herbacea L. 172; tab. 8.
- Salix** L. 5, 24.
- abscondita Laksch. 77.
- acmophylla Boiss. 194.
- acutifolia Willd. 188; tab. 9.
- aegyptiaca L. 94; tab. 5.

- Salix alata* Kar. et Kir. ex Stschegl. 60; tab. 4.
 — *alba* L. 188; tab. 9.
 — *Alberti* Rgl. 172.
 — *alifera* Goerz 100.
 — *anadyrensis* Floder. 69.
 — *anomala* E. Wolf 209.
 — *apoda* Trautv. 117.
 — *arbuscula* L. 79; tab. 6.
 — *arctica* Pall. 44; tab. 3.
 — *argyrea* E. Wolf 143.
 — *aurita* L. 101; tab. 6.
 — *australior* Anderss. 191.
 — *babylonica* L. 196; tab. 9.
 — *Barclayi* Anderss. 121; tab. 4.
 — *Bebbiana* Sarg. 108; tab. 5.
 — *berberifolia* Pall. 55; tab. 3.
 — *Blakii* Goerz 162.
 — *borealis* Fries 87; tab. 6.
 — *bachypoda* (Trautv. et Mey.) Kom. 122; 709.
 — *brevijulis* Turcz. 80; tab. 6.
 — *burjatica* Nas. 137.
 — *caesia* Vill. 177.
 — *caprea* L. 90; tab. 6.
 — *cardiophylla* Trautv. et Mey. 207.
 — *caspica* Pall. 157; tab. 8.
 — *caucasica* Anderss. 101.
 — *Chamissonis* Anderss. 49; tab. 1.
 — *chilkoana* Sukacz. 213.
 — *chlorostachya* Turcz. 76; tab. 5.
 — *cinerea* L. 99; tab. 5.
 — *coaetanea* (Hartm.) Floder. 93.
 — *coerulea* E. Wolf 159; tab. 8.
 — *cuneata* Turcz. 50; tab. 3.
 — *daghestanica* Goerz 103.
 — *dahurica* Turcz. 155; tab. 8.
 — *daphnoides* Vill. 180; tab. 9.
 — *dasyclados* Wimm. 147; tab. 7.
 — *Daviesii* Boiss. 195.
 — *divaricata* Pall. 147; tab. 3.
 — *dolichostyla* Seemen 198.
 — *erythrocarpa* Kom. 55; tab. 2.
 — *euapiculata* Nas. 192, 713.
 — *Fedtschenkoi* Goerz 118.
 — *ferganensis* Nas. 176, 713.
 — *fragilis* L. 202.
 — *fulcrata* Anderss. 75.
 — *fumosa* Turcz. 51; tab. 3.
 — *fuscata* Goerz 100.
 — *fuscescens* Anderss. 113; tab. 5.
 — *glandulifera* Floder. 62.
 — *glauca* L. 58; tab. 5.
 — *gracilistyla* Miq. 129; tab. 7.
 — *hastata* L. 116; tab. 4.
 — *herbacea* L. 36; tab. 2.
 — *holargyrea* Bornm. et Goerz 174.
 — *Hookeriana* Barr. 63.
 — *Hultenii* Floder. 92.
 — *iliensis* Rgl. 111.
 — *integra* Thunb. 179; tab. 8.
 — *issykiensis* Goerz 160, 712.
 — *jacutica* Nas. 142, 711.
 — *Kirilowiana* Stschegl. 191.
 — *Kochiana* Trautv. 178.
 — *kolymensis* Seemen 75; tab. 6.
 — *Komarovii* E. Wolf 165; tab. 8.
 — *koreensis* Anderss. 201.
 — *Korshinskiyi* Goerz 176.
 — *Krylovii* E. Wolf 65; tab. 4.
 — *kurilensis* Koidz. 34; tab. 1.
 — *Kusnetzowii* Laksch. 98.
 — *lanata* L. 61; tab. 5.
 — *lapponum* L. 65.
 — *lepidostachys* Seemen 175.
 — *leptoclados* Anderss. 83.
 — *liliputa* Nas. 37, 707; tab. 2.
 — *linearifolia* E. Wolf 169.
 — *Lipskyi* (Goerz) Nas. 170, 712.
 — *Litwinowii* Goerz 120, 708.
 — *livida* Wahl 105; tab. 6.
 — *macilenta* Anderss. 83.
 — *macropoda* Stschegl. 209.
 — *macrostachya* E. Wolf 172.
 — *margaritifera* E. Wolf 173.
 — *Matsudana* Koidz. 198.
 — *Maximoviczii* Kom. 207; tab. 9.
 — *Medwedewii* Dode 186.
 — *mezereoides* E. Wolf 84.
 — *micans* Anderss. 190.
 — *Michelsonii* Goerz 158, 711.
 — *microstachya* Turcz. 163.
 — *mongolica* Siuzew 156.
 — *myrsinites* L. 49; tab. 3.
 — *myrtilloides* L. 112.
 — *Niedzwieckii* Goerz 161.
 — *nigricans* (Smith) Enand. 85; tab. 6.
 — *nipponica* Franch. et Sav. 186.
 — *nummularia* Anderss. 38; tab. 2.
 — *nyiwensis* Kimura 211.
 — *oblongifolia* Trautv. et Mey. 72.
 — *Oleninii* Nas. 93, 708.
 — *Olgae* Rgl. 170.
 — *opaca* Anderss. ex Seemen 148.
 — *orbicularis* Anderss. 33; tab. 1.
 — *orotchonorum* Kimura 212.
 — *ovalifolia* Trautv. 51; tab. 1.
 — *oxica* Dode 193.

- oxycarpa Anderss. 175.
- Palibinii Goerz 102.
- Pallasii Anderss. 45.
- pantosericea Goerz 104.
- paracaucasica Goerz 103.
- parallelinervis Floder. 73.
- pentandra L. 205; tab. 9.
- persica Boiss. 195.
- phlebophylla Anderss. 56; tab. 1.
- phyllicifolia L. 71; tab. 5.
- Pierotii Miq. 128.
- podophylla Anderss. 77.
- polaris Wahl. 40; tab. 2.
- pororaica Kimura 211.
- Przewalskii E. Wolf 169.
- pseudalba E. Wolf 171.
- pseudolinearis Nas. 137; tab. 7.
- psiloides (Floder.) Kom. 117.
- pulchra Cham. 46; tab. 3.
- purpurea L. 153.
- pycnostachya Anderss. 163.
- pyrolifolia Ledeb. 115; tab. 4.
- Raddeana Laksch. 92, 707.
- reptans Rupr. 60; tab. 5.
- reticulata L. 32; tab. 1.
- rhamnifolia Pall. 120; tab. 4.
- Richardsonii Hook. 63.
- rorida Laksch. 182; tab. 9.
- rosmarinifolia L. 123; tab. 7.
- rossica Nas. 135; tab. 7.
- rotundifolia Trautv. 39; tab. 2.
- rufescens Turcz. 137.
- sachalinensis Fr. Schmidt 145.
- sajanensis Nas. 141, 710; tab. 7.
- salviifoliae affinis Bge. 208.
- saravschanica Rgl. 160.
- saxatilis Turcz. ex Ledeb. 52; tab. 3.
- schugnanica Goerz 126.
- Seemannii Rydb. 59.
- semiviminalis E. Wolf 143.
- serrulatifolia E. Wolf 165.
- sibirica Pall. 125; tab. 7.
- sitchensis Sanson ex Bong. 127; tab. 7.
- Siuzewii Seemen 144; tab. 7.
- songarica Anderss. 204; tab. 9.
- speciosa Hook. et Arn. 66; tab. 4.
- spinidens E. Wolf 161; tab. 8.
- splendens Turcz. 136.
- Starkeana Willd. 106.
- stipulifera Floder. 59.
- stoloniferoides Kimura 213.
- strobilacea (E. Wolf) Nas. 141, 710.
- taraikensis Kimura 210.
- tenuifolia Turcz. ex Laksch. 154; tab. 8.
- tenuijulis Ledeb. 158.
- tianschanica Rgl. 84.
- tontomussirensis Koidz. 74.
- torulosa Trautv. 45; tab. 3.
- triandra L. 184; tab. 9.
- turanica Nas. 138, 709.
- Turczaninowii Laksch. 37; tab. 2.
- udensis Trautv. et Mey. 146.
- veriviminalis Nas. 134.
- vestita Pursch 34; tab. 1.
- viminalis L. 132.
- viridula Anderss. ex A. Gray 119; tab. 4.
- Wilhelmsiana M. B. 164; tab. 8.
- xerophila Floder. 107.
- Salsola** L. 6, 200.
- affinis C. A. Mey. 235.
- Androssovii Litv. 223.
- aperta Pauls. 222; tab. 12.
- aralensis Iljin 231.
- arbuscula Pall. 237; tab. 11.
- arbusculiformis Drob. 239; tab. 11.
- Aucheri Bge. 261; tab. 13.
- Baranovii Iljin 244, 876.
- brachiata Pall. 236.
- bucharica Iljin 225.
- cana C. Koch 260.
- carinata C. A. Mey. 257; tab. 11.
- chiwensis M. Pop. 241.
- collina Pall. 215; tab. 11.
- crassa M. B. 226; tab. 11.
- daghestanica (Turcz.) Lipsky 264.
- dendroides Pall. 255.
- deserticola Iljin 223.
- dschungarica Iljin 252.
- ericoides M. B. 256.
- foliosa (L.) Schrad. 265; tab. 13.
- forcipitata Iljin 263; tab. 13.
- gemmascens Pall. 259; tab. 13.
- glauca M. B. 246.
- gossypina Bge. 263; tab. 12.
- heptapotamica Iljin 233.
- hispidula Bge. 247.
- iliensis Lipsky, 248; tab. 12.
- incanescens C. A. Mey. 254.
- intricata Iljin 231.
- kali L. 214; tab. 1.
- kasakorum Iljin 225.
- Komarovii Iljin 221; tab. 12.
- Korshinskyi Drob. 230.
- lachnophylla Iljin 232, 876.
- lanata Pall. 224; tab. 11.
- laricifolia (Turcz.) Litv. 239.
- laricina Pall. 252.
- longistylota Iljin 225; tab. 12.

- Salsola maracandica* Iljin 240.
 — *macera* Litv. 254.
 — *Minkvitziae* Korov. 232.
 — *monoptera* Bge. 215; tab. 11.
 — *montana* Litv. 240.
 — *mutica* C. A. Mey. 220.
 — *nitraria* Pall. 253.
 — *nodulosa* (Moq.) Iljin 258; tab. 13.
 — *Olgae* Iljin 235.
 — *Paletziana* Litv. 243.
 — *Paulsenii* Litv. 216.
 — *pellucida* Litv. 217; tab. 11.
 — *praecox* Litv. 216.
 — *Richteri* Kar. 242; tab. 11.
 — *rigida* Pall. 251.
 — *rosacea* L. 219; tab. 12.
 — *Roshevitzii* Iljin 244.
 — *ruthenica* Iljin 212; tab. 11.
 — *sclerantha* C. A. Mey. 257; tab. 11.
 — *soda* L. 220.
 — *sogdiana* Bge. 221; tab. 12.
 — *stellulata* Korov. 262, 877; tab. 13.
 — *subaphylla* C. A. Mey. 245; tab. 11.
 — *subcrassa* M. Pop. 229, 875.
 — *Takhtadshjanii* Iljin 261.
 — *Tamamschjanae* Iljin 218.
 — *tamariscina* Pall. 218.
 — *tragus* L. 213; tab. 11.
 — *transhyrcanica* Iljin 243; tab. 11.
 — *transoxana* Iljin 230.
 — *turcomanica* Litv. 234.
 — *turgaica* Iljin 232.
 — *Vvedenskyi* Iljin et M. Pop. 262, 876; tab. 13.
Salvia L. 21. 244.
 — *adenostachya* Juz. 269.
 — *aequidens* Botsch. 287.
 — *aethiopsis* L. 318.
 — *Alexandri* Pobed. 263, 653.
 — *amasiaca* Freyn et Bornm. 361; tab. 17.
 — *Andreji* Pobed. 323, 659.
 — *armeniaca* (Bordz.) Grossh. 355; tab. 16.
 — *austriaca* Jacq. 353.
 — *baldshuanica* Lipsky 362; tab. 18.
 — *Beckeri* Trautv. 333.
 — *brachyantha* (Bordz.) Pobed. 331, 660; tab. 15.
 — *campylodonta* Botsch. 288.
 — *canescens* C. A. Mey. 308.
 — *ceratophylla* L. 330.
 — *chloroleuca* Rech. f. et Aell. 327; tab. 15.
 — *compar* Trautv. 304; tab. 14.
 — *daghestanica* Sosn. 309.
 — *Demetrii* Juz. 270.
 — *deserta* Schang. 346.
 — *Drobovii* Botsch. 286.
 — *dumetorum* Andr. 337.
 — *Fominii* Grossh. 329.
 — *Forskaehlei* L. 282.
 — *fugax* Pobed. 348, 663.
 — *Caredji* Troitzky 264.
 — *glabricaulis* Pobed. 278, 656.
 — *glutinosa* L. 281.
 — *grandiflora* Etl. 258.
 — *Grossheimii* Sosn. 315.
 — *Gontscharovii* Kudr. 307.
 — *hajastanica* Pobed. 316, 658.
 — *horminum* L. 291.
 — *insignis* Kudr. 334.
 — *intercedens* Pobed. 297, 657; tab. 17.
 — *karabachensis* Pobed. 317, 659.
 — *Komarovii* Pobed. 277, 655.
 — *kopetdagensis* Kudr. 313.
 — *Kuznetzovii* Sosn. 339; tab. 16.
 — *lilacinocoerulea* Nevski 279.
 — *limbata* C. A. Mey. 325.
 — *Linczevskii* Kudr. 314.
 — *Lipskyi* Pobed. 273, 654.
 — *macrosiphon* Boiss. 302.
 — *Margaritae* Botsch. 285.
 — *nachiczewanica* Pobed. 301, 657.
 — *nemorosa* L. 344.
 — *nutans* L. 349.
 — *officinalis* L. 257.
 — *pachystachya* Trautv. 261.
 — *plebeja* R. Br. 290; tab. 17.
 — *pratensis* L. 335.
 — *Prilipkoana* Grossh. et Sosn. 328.
 — *ringens* Sibth. et Smith 266.
 — *rosifolia* Smith 265.
 — *scabiosifolia* Lam. 268.
 — *Schmalhausenii* Rgl. 284; tab. 14.
 — *sclarea* L. 310.
 — *semilanata* Czerniak. 331.
 — *seravschanica* Rgl. et Schmalh. 306; tab. 15.
 — *Sibthorpii* Smith ex Sibth. 342.
 — *spinosa* L. 300.
 — *splendens* Ker.-Gawl. 358.
 — *stepposa* Schost. 338; tab. 16.
 — *submutica* Botsch. et Vved. 278.
 — *syriaca* L. 298.
 — *tesquicola* Klok. et Pobed. 345, 662.
 — *Trautvetteri* Rgl. 272; tab. 14.
 — *trigonocalyx* Woronow 260.
 — *turcomanica* Pobed. 341, 661.
 — *verbascifolia* M. B. 322.

- *verbenata* L. 356.
- *verticillata* L. 359.
- *viridis* L. 295.
- *virgata* Jacq. 340.
- *xanthocheila* Boiss. 324.
- Salvinia** Micheli 1, 89.
- *natans* (L.) All. 89; tab. 3.
- Sambucus** L. 23, 422.
- *coreana* (Nakai) Kom. et Aliss. 430.
- *ebulus* L. 427.
- *kamtschatica* E. Wolf 437.
- *latipinna* Nakai 429.
- *manshurica* Kitag. 436.
- *nigra* L. 424.
- *racemosa* L. 431.
- *sachalinensis* Pojark. 439, 726.
- *sibirica* Nakai 434.
- *Sieboldiana* (Miq.) Schwer. 441.
- *Tigranii* Troitzky 433.
- Sameraria** Desv. 8, 229.
- *Aitchisonii* (Korsh.) B. Fedtsch. 234; tab. 13.
- *armena* (L.) Desv. 232; tab. 13.
- *bullata* (Aitch. et Hemsl.) B. Fedtsch. 234; tab. 13.
- *canaliculata* Vass. 233, 642; tab. 13.
- *cardiocalpa* Trautv. 232; tab. 13.
- *deserti* N. Busch 232; 642.
- *glastifolia* (Fisch. et Mey.) Boiss. 231; tab. 13.
- *Litvinovii* N. Busch 233, 642.
- *sclerocalpa* Bordz. 231.
- *turcomanica* (Korsh.) B. Fedtsch. 233; tab. 13.
- Samolus** L. 18, 253.
- *valerandii* L. 254.
- Sanguisorba** L. 10, 421.
- *alpina* Bge. 428; tab. 26.
- *glandulosa* Kom. 424.
- *magnifica* Schischk. et Kom. 424.
- *officinalis* L. 422; tab. 26.
- *parviflora* (Maxim.) Takeda 427; tab. 26.
- *polygama* Nyl. 423.
- *riparia* Juz. 423, 637.
- *sitchensis* C. A. Mey. 428; tab. 26.
- *tenuifolia* Fisch. ex Link 427.
- Sanicula** L. 16, 61.
- *chinensis* Bge. 66.
- *europaea* L. 62.
- *rubriflora* Fr. Schmidt 62.
- Santolina** L. 26, 125.
- *chamaecyparissus* L. 126.
- *viridis* Willd. 127.
- Sanvitalia** Gault. 25, 534.
- *procumbens* Lam. 534.
- Saponaria** L. 6, 861.
- *cerastoides* Fisch. 868; tab. 55.
- *glutinosa* M. B. 863.
- *Griffithiana* Boiss. 864; tab. 55.
- *officinalis* L. 863.
- *orientalis* L. 869.
- *parvula* Bge. 867.
- *prostrata* Willd. 867.
- *Sewerzowii* Rgl. et Schmalh. 867; tab. 55.
- *viscosa* C. A. Mey. 686; tab. 55.
- Saposhnikovia** Schischk. 17, 54, 359.
- *divaricata* (Turcz.) Schischk. 54; tab. 5.
- Sarcozygium** Bge. 14, 184.
- Sarothamnus** Wimm. 11, 93.
- *scoparius* (L.) Wimm. ex Koch 93; tab. 5.
- Sasa** Makino et Shibata 2, 729.
- *japonica* (Sieb. et Zucc.) Makino 731.
- *kurilensis* (Rupr.) Makino 730.
- *paniculata* (Fr. Schmidt) Makino et Shibata 731.
- *spiculosa* (Fr. Schmidt) Makino 730.
- Satureia** L. 21, 413.
- *altaica* Boriss. 419.
- *bzybica* Woronow 424.
- *confinis* Boriss. 422.
- *hortensis* L. 415.
- *intermedia* C. A. Mey. 423; tab. 22.
- *laxiflora* C. Koch 416.
- *macrantha* C. A. Mey. 425.
- *montana* L. 420.
- *mutica* Fisch. et Mey. 421.
- *pachyphylla* C. Koch 416.
- *spicigera* (C. Koch) Boiss. 425; tab. 22.
- *subdentata* Boriss. 422.
- *taurica* Velen. 420.
- Saussurea** DC. 27, 361.
- *acuminata* Turcz. ex Fisch. et Mey. 454; tab. 33.
- *ajanensis* (Rgl.) Lipsch. 441.
- *alata* DC. 526.
- *Alberti* Rgl. et C. Winkl. 426.
- *alpina* (L.) DC. 489.
- *amara* (L.) DC. 520.
- *ambigua* Kryl. ex Serg. 496.
- *amurensis* Turcz. 456.
- *angustifolia* (Willd.) DC. 498.
- *Asbukinii* Iljin 387.
- *baicalensis* (Adam) Robins. 393.
- *blanda* Schrenk 407.
- *caespitosa* Iljin 417.

- Saussurea cana* Ledeb. 413.
 — *canescens* C. Winkl. 418.
 — *caprifolia* Iljin et Zapr. 519.
 — *carducephala* (Iljin) Iljin 382.
 — *ceterahifolia* Lipsch. 532.
 — *chondrilloides* C. Winkl. 512.
 — *congesta* Turcz. 482.
 — *controversa* DC. 438.
 — *coronata* Schrenk. 406.
 — *crepidifolia* Turcz. 527; tab. 39.
 — *daurica* Adam 507; tab. 37.
 — *discolor* (Willd.) DC. 439.
 — *Dorogostaiskii* Palib. 394.
 — *dubia* Freyn 460.
 — *duiensis* Fr. Schmidt 458.
 — *elata* Ledeb. 422.
 — *elegans* Ledeb. 423.
 — *elongata* DC. 444.
 — *esthonica* Baer ex Rupr. 493.
 — *Faminziniana* Krassn. 520.
 — *Fauriei* Franch. 476.
 — *foliosa* Ledeb. 479.
 — *Frolovii* Ledeb. 384.
 — *glacialis* Herd. 389.
 — *gnaphalodes* (Royle) Sch. Bip. ex Klatt 390.
 — *grandifolia* Maxim. 464.
 — *hypargyrea* Lipsch. et Vved. 440.
 — *involutrata* Kar. et Kir. ex Maxim. 383.
 — *ispajensis* Iljin 409.
 — *Jadrinzevii* Kryl. 429.
 — *karaartscha* Saposhn. 511; tab. 38.
 — *kaschgarica* Rupr. 509.
 — *Kitamurana* Miyabe et Tatewaki 432; tab. 31.
 — *Krylovii* Schischk. et Serg. 396.
 — *kurilensis* Tatewaki 452; tab. 32.
 — *Kuschakeviczii* C. Winkl. 502.
 — *laciniata* Ledeb. 529.
 — *Larionovii* C. Winkl. 425.
 — *latifolia* Ledeb. 478.
 — *lenensis* M. Pop. ex Lipsch. 441.
 — *leucophylla* Schrenk 399.
 — *lomatolepis* Lipsch. 412.
 — *manshurica* Kom. 371.
 — *masarica* Lipsky 513; tab. 30.
 — *Maximoviczii* Herd. 448.
 — *Mikeschinii* Iljin 408.
 — *neopulchella* Lipsch. 525.
 — *neoserrata* Nakai 475; tab. 34.
 — *Ninae* Iljin 404.
 — *nuda* Ledeb. 515.
 — *nupuripoensis* Miyabe et Miyake 450.
 — *odontolepis* Sch. Bip. ex Herd. 428.
 — *ovata* Benth. 503.
 — *oxyodonta* Hult. 488.
 — \times *paradoxa* Lipsch. 506.
 — *parviflora* (Poir.) DC. 472; tab. 34.
 — *Poljakovii* Glehn 483; tab. 35.
 — *porcellanea* Lipsch. 431.
 — *Porcii* Degen 474.
 — *Pricei* Simps. 480.
 — *prostrata* C. Winkl. 534.
 — *pseudoangustifolia* Lipsch. 501.
 — *pseudosquarrosa* M. Pop. et Lipsch. 437.
 — *pseudo-Tilesii* Lipsch. 487; tab. 36.
 — *pulchella* Fisch. 522.
 — *pulviniformis* C. Winkl. 427.
 — *recurvata* (Maxim.) Lipsch. 445.
 — *Riederi* Herd. 453; tab. 32.
 — *rigida* Ledeb. 403.
 — *robusta* Ledeb. 533.
 — *runcinata* DC. 528.
 — *sachalinensis* Fr. Schmidt 455; tab. 33.
 — *sajanensis* Gudoschn. 433; tab. 31.
 — *Salemannii* C. Winkl. 421; tab. 30.
 — *salicifolia* (L.) DC. 410.
 — *salsa* (Pall.) Spreng. 504; tab. 37.
 — *saxosa* Lipsch. 497.
 — *Schanginiana* (Wydł.) Fisch. ex Herd. 397.
 — *serratuloides* Turcz. 416.
 — *shiretokoensis* Sugaw. 459.
 — *sinuata* Kom. 468.
 — *Soczavae* Lipsch. 486; tab. 36.
 — *sordida* Kar. et Kir. 400.
 — *sovietica* Kom. 434.
 — *splendens* Kom. 443.
 — *squarrosa* Turcz. 436.
 — *Stubendorffii* Herd. 495.
 — *subtriangulata* Kom. 465.
 — *Sukaczewii* Lipsch. 492; tab. 35.
 — *sulcata* Iljin 388.
 — *Sumneviciii* Serg. 414.
 — *tadshikorum* Iljin 514.
 — *Tilesii* Ledeb. 184; tab. 36.
 — *tomentosa* Kom. 430; tab. 31.
 — *triangulata* Trautv. et Mey. 469.
 — *tschuktschorum* Lipsch. 518.
 — *turgaiensis* B. Fedtsch. 508; tab. 38.
 — *umbrosa* Kom. 462.
 — \times *uralensis* Lipsch. 442.
 — *ussuriensis* Maxim. 446.
 — *viscida* Hult. 500.
 — *Vvedenskyi* Lipsch. 420.
Saussuria Moench 20, 282.
Savastana Schrank 2, 59.
Saxifraga L. 9, 138.

- abchasica Oett. 191; tab. 11.
- adenophora C. Koch 179.
- adscendens L. 166; tab. 9.
- aizoides L. 186.
- Alberti Rgl. et Schmalh. 194; tab. 11.
- anadyrensis Losinsk. 180, 487; tab. 10.
- androsacea L. 174; tab. 10.
- astilbeoides Losinsk. 149, 486; tab. 8.
- bracteata D. Don 173.
- bronchialis L. 183; tab. 10.
- caespitosa L. 175; tab. 10.
- calycina Sternb. 151; tab. 8.
- carinata Oett. 193.
- cartilaginea Willd. ex Sternb. 186; tab. 11.
- caucasica Somm. et Lévier 191.
- cernua L. 168.
- cherlerioides D. Don 185; tab. 10.
- colchica Albov 189; tab. 11.
- columnaris Schmalh. 194; tab. 11.
- coriifolia (Somm. et Lévier) Grossh. 163.
- cortusifolia Sieb. et Zucc. 198.
- cymbalaria L. 165; tab. 9.
- dahurica Willd. 151; tab. 8.
- Desoulavyi Oett. 192.
- Dinnikii Schmalh. 197; tab. 11.
- Eschscholzii Sternb. 185.
- exarata Vill. 178; tab. 10.
- exilis Steph. 173.
- firma Litv. 184, 488; tab. 10.
- flagellaris Willd. ex Sternb. 161; tab. 9.
- foliolosa R. Br. 157; tab. 8.
- grandipetala (Engl. et Irmsch.) Losinsk. 151.
- granulata L. 167; tab. 9.
- hieracifolia Waldst. et Kit. 157.
- hirculus L. 160.
- Huetiana Boiss. 164; tab. 9.
- irrigua M. B. 167; tab. 9.
- juniperifolia Adam 188; tab. 11.
- Kolenatiana Rgl. 187; tab. 11.
- Komarovii Losinsk. 62, 486; tab. 9.
- Korshinskyi Kom. 146; tab. 8.
- Kotschyi Boiss. 193.
- Kusnezowiana Oett. 192.
- lactea Turcz. 175.
- laevis M. B. 189; tab. 11.
- manshuriensis (Engl.) Kom. 149; tab. 8.
- melaleuca Fisch. 156.
- Merckii Fisch. 159.
- mollis Smith 172; tab. 9.
- moschata Wulf. 177; tab. 10.
- Nelsoniana D. Don 148.
- nivalis L. 152.
- nudicaulis D. Don 145; tab. 8.
- oblongifolia Nakai 198.
- oppositifolia L. 197.
- parnassioides Rgl. et Schmalh. 160.
- pontica Albov 178.
- pseudolaevis Oett. 190; tab. 11.
- punctata L. 147; tab. 8.
- purpurascens Kom. 149; tab. 8.
- Redowskiana Sternb. 150; tab. 8.
- Redowskii Adam 158; tab. 8.
- reniformis Ohwi 147; tab. 8.
- rivularis L. 172; tab. 9.
- sachalinensis Fr. Schmidt 156.
- scleropoda Somm. et Lév. 190.
- serpyllifolia Pursh 163.
- setigera Pursh 162; tab. 9.
- sibirica L. 171; tab. 9.
- Sieversiana Sternb. 146.
- sileniflora Sternb. 174.
- spinulosa Adam 183; tab. 10.
- stellaris L. 158.
- subverticillata Boiss. 188; tab. 11.
- tenuis (Wahl.) H. Smith 155.
- terekensis Bge. 176.
- Tilingiana Rgl. et Til. 155.
- tridactylites L. 165; tab. 9.
- verticillata Losinsk. 180; 487.
- Scabiosa** L. 24, 56.
- alpestris Kar. et Kir. 63; tab. 4.
- amoena Jacq. f. 80.
- argentea L. 66.
- austro-altaica Bobr. 62, 457; tab. 7.
- bipinnata C. Koch 77; tab. 6.
- caucasica M. B. 63; tab. 4.
- colchica Stev. 81; tab. 6.
- columbaria L. 84.
- comosa Fisch. ex Roem. et Schult. 89; tab. 6, 7.
- correvoniana Somm. et Lévier 79.
- georgica Sulak. 76.
- gumbetica Boiss. 65; tab. 5.
- hyrcanica Stev. 79.
- imeretica (Somm. et Lévier) Sulak. 78.
- isetensis L. 61.
- lachnophylla Kitag. ex Nakai 86.
- lucida Vill. 85.
- meskhetica Schchian 85.
- micrantha Desf. 70; tab. 6.
- ochroleuca L. 75.
- Olgae Albov 65; tab. 5.
- Olivieri Coult. 72.
- Owerinii Boiss. 83.
- persica Boiss. 70.
- rotata M. B. 71; tab. 6.

- Scabiosa soongorica* Schrenk 64; tab. 4.
 — *Sosnowskyi* Sulak. 78.
 — *ucranica* L. 69.
 — *Ulugbekii* Zak. 475.
 — *Velenovskiana* Bobr. 82; tab. 6.
Scaligeria DC. 16, 204.
 — *alaica* (Lipsky) Korov. 210.
 — *allioides* (Rgl. et Schmalh.) Boiss. 212.
 — *bucharica* Korov. 16, 207.
 — *conica* Korov. 209.
 — *glauescens* (DC.) Boiss. 213.
 — *ferganensis* Lipsky 215.
 — *hirtula* (Rgl. et Schmalh.) Lipsky 214.
 — *Knorringiana* Korov. 208.
 — *kopetdaghensis* (Korov.) Schischk. 207; tab. 34.
 — *Korovinii* Bobr. 211, 593.
 — *Korshinskyi* (Lipsky) Korov. 216.
 — *Lipskyi* Korov. 208.
 — *platyphylla* Korov. 20, 592.
 — *polycarpa* Korov. 214.
 — *samarcandica* Korov. 212.
 — *setacea* (Schrenk) Korov. 217.
 — *tschimganica* Korov. 217.
 — *transcaspica* Korov. 216.
 — *ugamica* Korov. 211.
Scandicum Thell. 16, 146.
Scandix L. 16, 139.
 — *Aucheri* Boiss. 147; tab. 10.
 — *falcata* Lond. 145; tab. 10.
 — *iberica* M. B. 142; tab. 10.
 — *pecten-Veneris* L. 141.
 — *persica* Mart. 141.
 — *stellata* Soland. 146; tab. 10.
Scaphospermum Korov. 17, 292, 358.
 — *asiaticum* Korov. 292, 358.
Scaposi Hoffm. 26, 750.
Scariola F. W. Schmidt 29, 317.
 — *Albertoregelia* (C. Winkl.) Kirp. 322.
 — *orientalis* (Boiss.) Soják 320; tab. 23.
 — *viminea* (L.) F. W. Schmidt 318; tab. 23.
Schanginia C. A. Mey. 6, 177, 182.
Schanginia Sievers. ex Pall. 15, 279.
Schellhammeria Moench 3, 162.
Scheuchzeria L. 1, 277.
 — *palustris* L. 278; tab. 10.
Schischkinia Iljin 28, 350.
 — *alispina* (Bge.) Iljin 352; tab. 20.
Schismus Beauv. 2, 365.
 — *arabicus* Nees 365; tab. 27.
 — *calycinus* (L.) Duv.-Jouve 365; tab. 27.
 — *minutus* (Hoffm.) Roem. et Schult. 366.
Schiverekia Andr. 8, 368.
 — *podolica* Andr. 371.
Schizachne Hack. 2, 543.
 — *callosa* (Turcz.) Roshev. 543.
 — *Komarovii* Roshev. 544.
Schizandra Rich. 7, 566.
 — *chinensis* (Turcz.) Baill. 566; tab. 39.
Schizogyne Cass. 25, 433.
Schizonepeta Briq. 20, 282.
 — *annua* (Pall.) Schischk. 284.
 — *multifida* (L.) Briq. 283; tab. 14.
Schizopepon Maxim. 24, 96.
 — *bryoniifolius* Maxim. 96.
Schlosseria Vucot. 17, 168.
Schmalhausenia C. Winkl. 27, 360.
 — *nidulans* (Rgl.) Petrak 361.
Schoberia C. A. Mey. 6, 182, 191.
Schoenus L. 3, 98.
 — *ferrugineus* L. 101; tab. 5.
 — *nigricans* L. 101; tab. 5.
Schraderia Medic. 21, 363.
 — *acetabulosa* (Vahl) Pobed. 369; tab. 18.
 — *bucharica* (M. Pop.) Nevski 364; tab. 18.
 — *dracocephaloides* (Boiss.) Pobed. 363; tab. 19.
 — *Korolkovii* (Rgl. et Schmalh.) Pobed. 373; tab. 19.
Schrenkia Fisch. et Mey. 16, 192.
 — *Golickeana* (Rgl. et Schmalh.) B. Fedtsch. 195.
 — *insignis* Lipsky 193.
 — *involutrata* Rgl. et Schmalh. 196.
 — *Kultiassovii* Korov. 197.
 — *papillaris* Rgl. et Schmalh. 194.
 — *pungens* Rgl. et Schmalh. 197.
 — *vaginata* (Ledeb.) Fisch. et Mey. 196.
Schischurovskia Rgl. 16, 186.
 — *meifolia* Rgl. et Schmalh. 187; tab. 14a.
 — *pentaceros* (Korov.) Schischk. 188.
Schudia Mol. 16, 148.
Schultzia Spreng. 16, 540.
 — *albiflora* (Kar. et Kir.) M. Pop. 541; tab. 34.
 — *crinita* (Pall.) Spreng. 540; tab. 34.
Schumannia Kuntze 17, 147.
 — *Karelinii* (Bge.) Korov. 148; tab. 6, tab. 23.
Schumeria Iljin 28, 305.
 — *latifolia* (Boiss.) Iljin 307.
 — *Litwinowii* (Iljin) Iljin 308.
Schweykerta C. C. Gmel. 18, 643.
Scilla L. 4, 369.
 — *armena* Grossh. 377.
 — *atropatana* Grossh. 372, 740; tab. 44.

- autumnalis L. 373; tab. 9.
- bifolia L. 373; tab. 9.
- bucharica Dessjatova 379; tab. 9.
- caucasica Miscz. 376.
- dzienski Grossh. 376.
- Hohenackeri Fisch. et Mey. 375; tab. 9.
- japonica (Thunb.) Baker 372; tab. 9.
- Misczenkoana Grossh. 378.
- monanthos C. Koch 377.
- nivalis Boiss. 374.
- puschkinioides Rgl. 378.
- Raevskiana Rgl. 379; tab. 9.
- Rosenii C. Koch 374; tab. 9.
- sibirica Andrews 376; tab. 9.
- Winogradowii Sosn. 375; tab. 9.
- Scirpus** L. 3, 42.
 - avatschensis Kom. 46; tab. 3.
 - bucharicus Roshev. 55; tab. 4.
 - depauperatus Kom. 52, 4.
 - Ehrenbergii W. Beck. 51; tab. 4.
 - erectus Poir. 54; tab. 4.
 - Komarovii Roshev. 54; tab. 4.
 - lacustris L. 47; tab. 4.
 - litoralis Schrad. 52, 4.
 - lupulinus (Nees) Roshev. 53; tab. 4.
 - melanospermus C. A. Mey. 54; tab. 4.
 - mucronatus L. 51; tab. 4.
 - planiculmis Fr. Schmidt 48; tab. 4.
 - radicans Schkuhr 45; tab. 3.
 - setaceus L. 46; tab. 4.
 - silvaticus L. 44; tab. 3.
 - supinus L. 53; tab. 4.
 - Tabernaemontani C. C. Gmel. 47; tab. 4.
 - triqueter L. 48; tab. 4.
 - Wichurai W. Beck. 45; tab. 3.
- Sclarea** Moench 21, 291.
- Scleranthus** L. 6, 546.
 - annuus L. 547; tab. 31.
 - perennis L. 547; tab. 31.
 - polycarpus L. 548.
 - uncinatus Schur 548; tab. 31.
- Sclerocaryopsis** Brand 19, 416.
- Sclerochloa** Beauv. 2, 364.
 - dura (L.) Beauv. 364; tab. 27.
- Sclerocyathium** Prokh. 14, 336.
- Sclerophyllum** Gaudin 29, 595, 673.
- Scleropoa** Griseb. 2, 541.
 - rigida (L.) Griseb. 542; tab. 41.
 - Woronowii Hack. 541; tab. 41.
 - rigescens (Trin.) Grossh. 542; tab. 41.
- Scolochloa** Link 2, 448.
 - festucea Link 448.
- Scolymus** L. 29, 11.
 - hispanicus L. 12.
 - maculatus L. 13.
- Scopolia** Jacq. 22, 99.
 - carniolica Jacq. 100; tab. 4.
- Scopolina** Schult. 22, 99.
- Scordium** Gilib. 20, 39.
- Scorodonia** Adans. 20, 39.
- Scorodosma** Bge. 17, 62, 72.
- Scorpioides** Tourn. 13, 242.
- Scorpiurus** L. 13, 242.
 - minima Losinsk. 242, 552.
 - subvillosa L. 242.
- Scorpius** Loisel. 13, 242.
- Scorzonera** L. 29, 27.
 - acanthoclada Franch. 89.
 - alaica Lipsch. 64.
 - Albertoregelia C. Winkl. 64.
 - albicaulis Bge. 61; tab. 3.
 - armeniaca (Boiss. et Huet) Boiss. 41; tab. 6.
 - austriaca Willd. 70.
 - baldshuanica Lipsch. 66.
 - bicolor Freyn et Sint. 55.
 - Biebersteinii Lipsch. 103; tab. 6.
 - bracteosa C. Winkl. 62.
 - Bungei Krasch. et Lipsch. 107.
 - calcitrapifolia Vahl 39.
 - cana (C. A. Mey.) O. Hoffm. 44.
 - chantavica Pavl. 88.
 - circumflexa Krasch. et Lipsch. 109.
 - crassifolia Krasch. et Lipsch. 95.
 - crispa M. B. 68; tab. 4.
 - curvata (Popl.) Lipsch. 72.
 - dianthoides (Lipsch. et Krasch.) Lipsch. 72.
 - ensifolia M. B. 102.
 - ferganica Krasch. 94.
 - filifolia Boiss. 73.
 - Franchetii Lipsch. 81.
 - gageoides Boiss. 108.
 - gracilis Lipsch. 85, 721.
 - Grigorashvili (Sosn.) Lipsch. 48.
 - Grossheimii Lipsch. et Vass. 44, 718.
 - hispanica L. 87.
 - hissarica C. Winkl. 97.
 - humilis L. 78.
 - Idae (Sosn.) Lipsch. 42.
 - iliensis Krasch. 83.
 - inconspicua Lipsch. ex Pavl. 87.
 - Ketzkhoveli Sosn. 98.
 - Kirpicznikovii Lipsch. 47, 719.
 - Koslovskiyi Sosn. 76.
 - kuhistanica M. Pop. 90.
 - lachnostegia (Woronow) Lipsch. 37.
 - laciniata L. 38.

- Scorzonera lanata* (L.) Hoffm. 105.
 — *latifolia* (Fisch. et Mey.) DC. 99.
 — *leptophylla* (DC.) Krasch. et Lipsch. 50; tab. 3.
 — *Lipskyi* Lipsch. 74.
 — *Litvinovii* Krasch. et Lipsch. 110.
 — *Meyeri* (C. Koch) Lipsch. 46; tab. 2.
 — *mollis* M. B. 49.
 — *mongolica* Maxim. 80.
 — *ovata* Trautv. 95.
 — *oxiana* M. Pop. 110.
 — *papposa* DC. 96.
 — *parviflora* Jacq. 79.
 — *Petrovii* Lipsch. 66.
 — *pratensis* (Krasch.) Stank. 69.
 — *pseudodivariata* Lipsch. 91.
 — *pseudolanata* Grossh. 105.
 — *pubescens* DC. 86.
 — *pulchra* Lomak. 100.
 — *purpurea* L. 56; tab. 4.
 — *pusilla* Pall. 92.
 — *Raddeana* C. Winkl. 54.
 — *radiata* Fisch. 77; tab. 5.
 — *ramosissima* DC. 104.
 — *rigida* Auch. ex DC. 75.
 — *rosea* Waldst. et Kit. 58.
 — *Ruprechtiana* Lipsch. et Krasch. 69.
 — *Safievii* Grossh. 101.
 — *Schischkinii* Lipsch. et Vass. 42, 716.
 — *Seidlitzii* Boiss. 75; tab. 5.
 — *sericeo-lanata* (Bge.) Krasch. et Lipsch. 107.
 — *songorica* (Kar. et Kir.) Lipsch. et Vass. 40; tab. 2.
 — *Sosnovskyi* Lipsch. 98.
 — *stricta* Hornem. 85.
 — *subacaulis* Lipsch. 67.
 — *suberosa* C. Koch 52.
 — *tadshikorum* Krasch. et Lipsch. 93.
 — *tau-saghyz* Lipsch. et Bosse 59.
 — *tragopogonoides* Rgl. et Schmalh. 65.
 — *transiliensis* M. Pop. 84.
 — *tuberosa* Pall. 106.
 — *turcomanica* Krasch. et Lipsch. 53.
 — *turkestanica* Franch. 82.
 — *Turkeviczii* Krasch. et Lipsch. 52.
Scorzoneroides Moench 29, 207.
Scrophularia L. 22, 229.
 — *alata* Gilib. 270.
 — *altaica* Murr. 261; tab. 11.
 — *amgunensis* F. Schmidt 265.
 — *amplexicaulis* Benth. 252.
 — *armeniaca* Bordz. 286.
 — *atropatana* Grossh. 279.
 — *canescens* Bong. 298; tab. 13.
 — *canina* L. 301.
 — *Charadzeae* Kem-Nath. 278.
 — *chlorantha* Kotschy et Boiss. 258.
 — *chrysantha* Jaub. et Spach 249.
 — *cretacea* Fisch. 297.
 — *czapandaghii* B. Fedtsch. 304.
 — *Czernjakowskiana* B. Fedtsch. 272.
 — *decipiens* Boiss. et Kotschy 292.
 — *dissecta* (B. Fedtsch.) Gorschk. 300; tab. 13.
 — *divaricata* Ledeb. 256.
 — *donetzica* Kotov 276.
 — *exilis* Popl. 289.
 — *Fedtschenkoi* Gorschk. 293.
 — *frigida* Boiss. 281.
 — *Goldeana* Juz. 278.
 — *Gontscharovii* Gorschk. 295.
 — *Grayana* Maxim. ex Kom. 271.
 — *Grossheimii* Schischk. 290.
 — *haematantha* Boiss. et Heldr. 296.
 — *heucheriiiflora* Schrenk 260; tab. 11.
 — *hyrcana* Grossh. 250; tab. 10.
 — *ilvensis* C. Koch 255; tab. 11.
 — *imerethica* Kem-Nath. 279.
 — *incisa* Weinm. 307.
 — *integrifolia* Pavl. 282.
 — *kabadianensis* B. Fedtsch. 305.
 — *Kiriloviana* Schischk. 306.
 — *Kotschyana* Benth. 248.
 — *lateriflora* Trautv. 246.
 — *leucoclada* Bge. 297.
 — *Litwinowii* B. Fedtsch. 281.
 — *lunariifolia* Boiss. et Bal. 250.
 — *macrobotrys* Ledeb. 266.
 — *mandshurica* Maxim. 262.
 — *Maximowiczii* Gorschk. 262.
 — *minima* M. B. 275; tab. 12.
 — *mollis* Somm. et Lévier 257.
 — *multicaulis* Turcz. 295; tab. 12.
 — *nachitschevanica* Grossh. 280.
 — *nervosa* Benth. 274.
 — *Nikitinii* Gorschk. 247.
 — *nodosa* L. 269.
 — *Oldhami* Oliv. 270; tab. 11.
 — *Olgae* Grossh. 286.
 — *olympica* Boiss. 288.
 — *orientalis* L. 273.
 — *pamiro-alaica* Gorschk. 294.
 — *peregrina* L. 258.
 — *pruinosa* Boiss. 300; tab. 13.
 — *rostrata* Boiss. et Buhse 287.
 — *rupestris* M. B. ex Willd. 277.
 — *Ruprechtii* Boiss. 288; tab. 12.

- *rutifolia* Boiss. 285.
- *sangtodensis* B. Fedtsch. 306.
- *sareptana* Kleop. 276.
- *Scopolii* Hoppe ex Pers. 259.
- *Sprengeriana* Somm. et Lévier 257.
- *striata* Boiss. 291.
- *tadshicorum* Gontsch. 247; tab. 10.
- *thesioides* Boiss. et Buhse 303; tab. 13.
- *turcomanica* Bornm. et Sint. ex Rech. 304.
- *variegata* M. B. 302.
- *vernalis* L. 251; tab. 10.
- *verticillata* Gontsch. et Grig. 246.
- *xanthoglossa* Boiss. 291; tab. 12.
- *zaravschanica* Gorschk. et Zak. 293.
- *zuvandica* Grossh. 299.
- Scutellaria** L. 20, 72.
- *adenostegia* Briq. 168; tab. 10.
- *adsurgens* M. Pop. 176.
- *Albertii* Juz. 147.
- *albida* L. 111.
- *Alexeenkoi* Juz. 197, 513.
- *altaica* Fisch. ex Sweet 184.
- *altissima* L. 105; tab. 6.
- *amphichlora* Juz. 166.
- *Androssovii* Juz. 139.
- *andrachnoides* Vved. 219, 514.
- *angrenica* Juz. et Vved. 175, 511.
- *Anitae* Juz. 201; tab. 12.
- *araratica* Grossh. 167.
- *araxensis* Grossh. 128.
- *artvinensis* Grossh. 162.
- *baicalensis* Georgi 103; tab. 5.
- *baldshuanica* Nevski ex Juz. 220; tab. 13.
- *bucharica* Juz. 169.
- *Catharinae* Juz. 145.
- *chenopodiifolia* Juz. 119, 508.
- *Chitrovoi* Juz. 181.
- *cisvolgensis* Juz. 182.
- *colpodea* Nevski 115.
- *comosa* Juz. 137; tab. 8.
- *cordifrons* Juz. 175.
- *creticola* Juz. 180.
- *cristata* M. Pop. 116; tab. 7.
- *daghestanica* Grossh. 155.
- *darriensis* Grossh. 165.
- *darvasica* Juz. 207.
- *dependens* Maxim. 98; tab. 6.
- *dubia* Taliev et Schirj. 97.
- *Fedtschenkoi* Bornm. 209.
- *filicaulis* Rgl. 189; tab. 11.
- *flagellulata* Juz. 136, 508.
- *galericulata* L. 90.
- *glabrata* Vved. 124.
- *Gontscharovii* Juz. 169.
- *grandiflora* Sims 132; tab. 8.
- *granulosa* Juz. 156.
- *Grossheimiana* Juz. 162.
- *guttata* Nevski ex Juz. 223; tab. 13.
- *haematochlora* Juz. 170.
- *hastifolia* L. 97; tab. 5.
- *Helenae* Albov 114.
- *heterochroa* Juz. 152.
- *heterotricha* Juz. et Vved. 212.
- *hirtella* Juz. 152.
- *hissarica* B. Fedtsch. 210; tab. 13.
- *holosericea* Gontsch. ex Juz. 217.
- *hypopolia* Juz. 151.
- *Ikonnikovii* Juz. 96; tab. 5.
- *immaculata* Nevski ex Juz. 223.
- *intermedia* M. Pop. 123.
- *irregularis* Juz. 185.
- *Iskanderi* Juz. 172.
- *jodudiana* B. Fedtsch. 206; tab. 12.
- *Juzepczukii* Gontsch. 119.
- *karatavica* Juz. 198; tab. 11.
- *Karjagini* Grossh. 163; tab. 9.
- *karkaralensis* Juz. 134.
- *Knorringiae* Juz. 186.
- *Krasevii* Kom. et I. Schischk. 92.
- *Krylovii* Juz. 149.
- *kugarti* Juz. 190.
- *Kurssanovii* Pavl. 141.
- *lanipes* Juz. 196, 513.
- *leptosiphon* Nevski 225.
- *leptostegia* Juz. 132.
- *Linczevskii* Juz. 194.
- *Lipskyi* Juz. 213.
- *Litwinowii* Bornm. et Sint. 120; tab. 7.
- *luteo-coerulea* Bornm. et Sint. 121.
- *megalodonta* Juz. 221, 515.
- *mesostegia* Juz. 141.
- *microdasys* Juz. 139.
- *microphysa* Juz. 205.
- *Minkwitziae* Juz. 510.
- *mongolica* Sobol. 185.
- *moniliorrhiza* Kom. 102.
- *navicularis* Juz. 118; tab. 7.
- *nepetoides* M. Pop. 135.
- *Nevskii* Juz. et Vved. 211.
- *novorossica* Juz. 153.
- *ocellata* Juz. 198; tab. 11.
- *oligodonta* Juz. 187.
- *orbicularis* Bge. 222.
- *oroephila* Grossh. 154.
- *orientalis* L. 157.
- *oschtenica* Juz. 155, 510.

- Scutellaria oxyphylla* Juz. 182; tab. 9.
 — *oxystegia* Juz. 138.
 — *pacifica* Juz. 107; tab. 6.
 — *pallida* M. B. 111; tab. 6.
 — *pamirica* Juz. 202; tab. 12.
 — *Paulsenii* Briq. 188.
 — *phyllostachya* Juz. 177.
 — *physocalyx* Rgl. et Schmalh. 201.
 — *picta* Juz. 136; tab. 8.
 — *platystegia* Juz. 161.
 — *poecilantha* Nevski ex Juz. 221.
 — *polyodon* Juz. 153; tab. 9.
 — *polyphylla* Juz. 102.
 — *polytricha* Juz. 205.
 — *pontica* C. Koch 113.
 — *Popovii* Vved. 190, 511.
 — *Prilipkoana* Grossh. 164.
 — *Przewalskii* Juz. 148.
 — *pyncoclada* Juz. 172; tab. 10.
 — *Raddeana* Juz. 130.
 — *ramosissima* M. Pop. 122; tab. 7.
 — *Regeliana* Nakai 95.
 — *rhomboidalis* Grossh. 164.
 — *rubromaculata* Juz. et Vved. 224.
 — *schachristanica* Juz. 207; tab. 12.
 — *schugnanica* B. Fedtsch. 212.
 — *scordiifolia* Fisch. ex Schrank 99; tab. 5.
 — *Sedelmeyeriae* Juz. 158.
 — *sevanensis* Sosn. 178.
 — *shikokiana* Makino 108.
 — *Sieversii* Bge. 150; tab. 10.
 — *soongorica* Juz. 148, 509.
 — *Sosnovskyi* Takht. 165; tab. 9.
 — *squarrosa* Nevski 124.
 — *Stevenii* Juz. 130.
 — *striatella* Gontsch. 116; tab. 7.
 — *subcaespitosa* Pavl. 195.
 — *subcordata* Juz. 194, 512.
 — *supina* L. 183.
 — *talassica* Juz. 193.
 — *Taquetii* Lévl. et Vaniot 100; tab. 5.
 — *Tatianae* Juz. 130.
 — *taurica* Juz. 129; tab. 8.
 — *Titovii* Juz. 142.
 — *toguztoraviensis* Juz. 196.
 — *Tournefortii* Benth. 106; tab. 6.
 — *transiliensis* Juz. 146; tab. 10.
 — *tschimganica* Juz. 171, 510; tab. 10.
 — *tuminensis* Nakai 101.
 — *turgaica* Juz. 133.
 — *tuvensis* Juz. 133.
 — *urticifolia* Juz. et Vved. 171, 510.
 — *ussuriensis* (Rgl.) Kudo 106.
 — *velutina* Juz. et Vved. 211, 514.
 — *verna* Bess. 179.
 — *villosissima* Gontsch. ex Jus. 214.
 — *Woronowii* Juz. 112.
 — *xanthosiphon* Juz. 186.
 — *yezoënsis* Kudo 95.
Sczukinia Turcz. 18, 625.
Secale L. 2, 666.
 — *anatolicum* Boiss. 668.
 — *cereale* L. 667.
 — *Kuprijanovii* Grossh. 668; tab. 47a.
 — *silvestre* Host 666, tab. 47a.
 — *Vavilovii* Grossh. 668.
Securigera DC. 11, 281.
 — *securidaca* (L.) Degen et Döerfl. 281; tab. 18.
Securinea Somm. 14, 282.
 — *suffruticosa* (Pall.) Rend. 283.
Sedum L. 9, 45.
 — *acre* L. 88.
 — *aetnense* Tineo 98.
 — *aizoon* L. 67.
 — *Alberti* Rgl. 85.
 — *alboroseum* Baker 63.
 — *album* L. 82.
 — *anacampseros* L. 66.
 — *annuum* L. 95.
 — *atratum* L. 93.
 — *bucharicum* Boriss. 91, 481.
 — *caucasicum* (Grossh.) Boriss. 57, 480; tab. 4.
 — *corymbosum* Grossh. 93.
 — *cyaneum* J. Rudolph 65.
 — *eupatorioides* Kom. 63.
 — *Ewersii* Ledeb. 64.
 — *fabaria* Koch 66.
 — *gracile* C. A. Mey. 83.
 — *hispanicum* L. 89; tab. 5.
 — *hybridum* L. 70, tab. 4.
 — *hyperaizoon* Kom. 68.
 — *involucratum* M. B. 78.
 — *kamtschaticum* Fisch. 69.
 — *lenkoranicum* Grossh. 84; tab. 5.
 — *Listoniae* Vis. 79.
 — *litorale* Kom. 71.
 — *lydium* Boiss. 81.
 — *maximum* (L.) Suter 55.
 — *Middendorffianum* Maxim. 69.
 — *mugodsharicum* Boriss. 54, 479.
 — *nanum* Boiss. 95.
 — *obtusifolium* C. A. Mey. 79.
 — *oppositifolium* Sims 77.
 — *pallescent* Freyn 62; tab. 4.
 — *pallidum* M. B. 92; tab. 5.

- parvistamineum V. Petrov 55.
- pentapetalum Boriss. 90, 481; tab. 5.
- pluricaule Kudo 65; tab. 4.
- polytrichoides Hemsl. ex Forbes et Hemsl. 89.
- populifolium Pall. 67; tab. 4.
- purpureum (L.) Schult. 53.
- reflexum L. 85.
- rubens L. 96.
- rubrum (L.) Thell. 97; tab. 5.
- Selskianum Rgl. et Maak 71.
- sexangulare L. 87.
- spurium M. B. 74.
- Stevenianum Rouy et Camus 72.
- stoloniferum S. G. Gmel. 73; tab. 5.
- subulatum (C. A. Mey.) Boiss. 84; tab. 5.
- telephium L. 56.
- tenellum M. B. 80.
- tetramerum Trautv. 98; tab. 5.
- ussuriense Kom. 61.
- verticillatum L. 58.
- villosum L. 94.
- viviparum Maxim. 61.
- Seidlitzia** Bge. 6, 275.
- florida (M. B.) Boiss. 276.
- rosmarinus (Ehrh.) Bge. 275.
- Selaginella** Spring 1, 123.
- Aitchisonii Hieron. 125; tab. 6.
- borealis (Kaulf.) Rupr. 125; tab. 6.
- helvetica (L.) Link 126; tab. 6.
- involvensis Spring 126; tab. 6.
- Rossii (Baker) Warburg 126; tab. 6.
- sanguinolenta (L.) Spring 125; tab. 6.
- selaginoides (L.) Link 124; tab. 6.
- sibirica (Milde) Hieron. 124; tab. 6.
- Selinopsis** Coss. et Dur. ex Munby 16, 385.
- Selinum** L. 17, 168.
- Selinum** L. 16, 560.
- carvifolia L. 560; tab. 34.
- Kultiasovii Korov. 561, 604.
- Popovii (Korov.) Schischk. 563.
- tianschanicum Korov. 562.
- Semenovia** Rgl. et Herd. 17, 223.
- Semiaquilegia** Makino 7, 75.
- manshurica Kom. 75.
- Sempervivum** L. 9, 15.
- caucasicum Rupr. ex Boiss. 18; tab. 2.
- glabrifolium Boriss. 22, 471.
- globiferum L. 21.
- pumilum M. B. 16.
- ruthenicum (Koch) Schnittsp. et Lehm. 21.
- soboliferum Sims 23; tab. 2.
- tectorum L. 17.
- Senecilla** Gaertn. 26, 788, 836, 844.
- Senecio** L. 26, 699.
- ambraceus Turcz. ex DC. 715.
- amurensis Schischk. 757, 885.
- aquilonaris Schischk. 763, 884.
- arcticus Rupr. 752.
- argunensis Turcz. 716.
- asiaticus Schischk. et Serg. 762.
- atripurpureus (Ledeb.) B. Fedtsch. 771; tab. 35.
- Besserianus Mind. 768.
- borystenicus Andr. ex DC. 718.
- Buschianus Sosn. 726.
- Calvertii Boiss. 780.
- campester (Retz.) DC. 753.
- cannabifolius Less. 747.
- capitatus (Wahl.) Steud. 768.
- carniolicus Willd. 748.
- carpathicus Herbich 750.
- caucasigenus Schischk. 769.
- cineraria DC. 720.
- cladobotrys Ledeb. 759.
- Czernjaevii Mind. 754.
- dubius Ledeb. 781; tab. 36.
- erraticus Bertol. 717.
- erucifolius L. 710.
- ferganensis Schischk. 720, 881.
- flammeus Turcz. ex DC. 767.
- fluviatilis Wallr. 745.
- Franchetii C. Winkl. 729.
- Fuchsii C. C. Gmel. 745.
- grandidentatus Ledeb. 711; tab. 33.
- hieraciiformis Kom. 765.
- Igoschinae Schischk. 763, 885.
- Iljinii Schischk. 743, 882.
- Jacobaea L. 715.
- jacuticus Schischk. 779.
- jaiilicola Juz. 757.
- karelinioides C. Winkl. 751.
- Karjaginii Sof. 770; tab. 35.
- Kawakamii Makino 761.
- Kolenatianus C. A. Mey. 728.
- Korshinskyi Krasch. 712.
- Krascheninnikovii Schischk. 783; tab. 36.
- kubensis Grossh. 724.
- lapsanoides DC. 744.
- lenensis Schischk. 758, 885.
- Lipskyi Lomak. 722.
- Litvinovii Schischk. 747.
- Lorentii Hochst. 721.
- macrophyllum M. B. 730.
- Massagetovii Schischk. 722, 882.
- nemorensis L. 742.

- Senecio Noëanus* Rupr. 787.
 — *Olgae* Rgl. et Schmalh. 728.
 — *Othonnae* M. B. 741.
 — *paludosus* L. 735.
 — *pandurifolius* C. Koch 724.
 — *papposus* (Reichb.) Less. 760.
 — *paucifolius* J. G. Gmel. 733.
 — *paucilobus* DC. 741.
 — *Paulsenii* O. Hoffm. ex Pauls. 730.
 — *platyphylloides* Somm. et Levier 740.
 — *Pojarkoviae* Schischk. 739.
 — *polycephalus* Ledeb. 785.
 — *porphyranthus* Schischk. 766.
 — *Pricei* Simps. 775.
 — *propinquus* Schischk. 743.
 — *pseudoarnica* Less. 723.
 — *pseudoaurantiacus* Kom. 777.
 — *pseudoorientalis* Schischk. 727.
 — *pyroglossus* Kar. et Kir. 770.
 — *quinqueligulatus* C. Winkl. 744.
 — *racemosus* (M. B.) DC. 731; tab. 34.
 — *racemulifer* Pavl. 735.
 — *Renardii* C. Winkl. 749; tab. 33.
 — *resedifolius* Less. 750.
 — *Reverdattoi* K. Sobol. 778.
 — *rhombifolius* (Willd.) Sch. Bip. 739.
 — *rivularis* (Waldst. et Kit.) DC. 765.
 — *Saposhnikovii* Krasch. 717.
 — *Schischkinianus* Sof. 719.
 — *Schvetzovii* Korsh. 733.
 — *sichotensis* Kom. 764.
 — *Sosnovskii* Sof. 784; tab. 36.
 — *subalpinus* W. D. J. Koch 726.
 — *subdentatus* Ledeb. 786.
 — *subfloccosus* Schischk. 760.
 — *subfrigidus* Kom. 777.
 — *subscaposus* Kom. 766.
 — *succisifolius* Kom. 758.
 — *Sukaczewii* Schischk. 762.
 — *Sumnevicii* Schischk. et Serg. 777.
 — *sylvaticus* L. 782.
 — *taraxacifolius* (M. B.) DC. 725; tab. 34.
 — *tataricus* Less. 736.
 — *thyrsophorus* C. Koch 732.
 — *tianschanicus* Rgl. et Schmalh. 749.
 — *Tichomirovii* Schischk. 772, 886.
 — *tundricola* Tolm. 776.
 — *Turczaninovii* DC. 775.
 — *umbrosus* Waldst. et Kit. 734.
 — *Veresczaginii* Schischk. et Serg. 764.
 — *vernalis* Waldst. et Kit. 783.
 — *viscosus* L. 779.
 — *vulgaris* L. 780.
Serapios L. 4, 721.
 — *vomeracea* (Burb.) Briq. 721; tab. 43.
Sergia Fed. 24, 420, 474.
 — *Regelii* (Trautv.) Fed. 421.
 — *Sewerzowii* (Rgl.) Fed. 420; tab. 25.
Serianthes Benth. ex Hook. 11, 10.
Seridia Juss. 28, 564.
Seriphidium Bess. 26, 562.
Serratula L. 28, 52.
Serratula L. 28, 259.
 — *alata* C. A. Mey. 290.
 — *algida* Iljin 283; tab. 15.
 — *angulata* Kar. et Kir. 272.
 — *aphyllopoda* Iljin 289.
 — *Biebersteiniana* (Iljin ex Grossh.) Takht. 275; tab. 14.
 — *cardunculus* (Pall.) Schischk. 280; tab. 16.
 — *caucasica* Boiss. 301.
 — *centauroides* L. 273.
 — *chartacea* C. Winkl. 286; tab. 15.
 — *coriacea* Fisch. et Mey. 293; tab. 16.
 — *coronata* L. 268.
 — *dissecta* Ledeb. 271; tab. 15.
 — *dshungarica* Iljin 284.
 — *erucifolia* (L.) Boriss. 270.
 — *Gmelinii* Tausch 276.
 — *hastifolia* Kult. et Korov. 292.
 — *heterophylla* (L.) Desf. 279.
 — *inermis* Gilib. 265.
 — *kirghisorum* Iljin 283.
 — *Komarovii* Iljin 273.
 — *lancifolia* Zak. 291.
 — *lyratifolia* Schrenk 296; tab. 15.
 — *marginata* Tausch 281.
 — *Modesti* Boriss. 298, 606.
 — *procumbens* Rgl. 287; tab. 14.
 — *quinquifolia* M. B. 294; tab. 14.
 — *radiata* (Waldst. et Kit.) M. B. 274; tab. 17.
 — *serratuloides* (Fisch. et Mey.) Takht. 300.
 — *sogdiana* Bge. 289; tab. 16.
 — *suffruticosa* Schrenk 288.
 — *tanaitica* P. Smirn. 278.
 — *tianschanica* Saposhn. et Nikit. 297.
 — *transcaucasica* (Bornm.) Sosn. ex Grossh. 285; tab. 14.
Sesamum L. 23, 12.
 — *orientale* L. 12.
Seseli L. 16, 483.
 — *Abolinii* (Korov.) Schischk. 505; tab. 34.
 — *aemulans* M. Pop. 511.
 — *Alexeenkoi* Lipsky 514.
 — *Andronakii* Woronow 502, 603.
 — *annuum* L. 490.

- arenarium M. B. 501.
- asperulum (Trautv.) Schischk. 520; tab. 34.
- campestre Bess. 499.
- coronatum Ledeb. 519.
- cuneifolium M. B. 516.
- dichotomum Pall. 514.
- elegans Schischk. 495.
- eriocarpum (Schrenk) B. Fedtsch. 503; tab. 33.
- eriocephalum (Pall.) Schischk. 518; tab. 34.
- fasciculatum Korov. 507.
- foliosum (Somm. et Lévier) Manden. 524; tab. 34.
- giganteum Lipsky 510.
- glabratum Willd. ex Schult. 496.
- grandivittatum (Somm. et Lévier) Schischk. 491.
- gummiferum Pall. 497.
- hippomarathrum Jacq. 513.
- iliense (Rgl. et Schmalh.) Lipsky 509; tab. 32.
- incanum (Steph.) B. Fedtsch. 504; tab. 32.
- jomuticum Schischk. 517; tab. 33.
- karatavicum Schischk. 515.
- Korovinii Schischk. 508.
- Ledebouri G. Don 513.
- Lehmannianum (Bge.) Boiss. 506.
- Lehmannii Degen 498.
- leptocladum Woronow 503.
- macrophyllum Rgl. et Schmalh. 523; tab. 34.
- Pallasii Bess. 492.
- pauciradiatum Schischk. 500, 602.
- petraeum M. B. 497.
- peucedanifolium (Spreng.) Bess. 502.
- peucedanoides (M. B.) K.-Pol. 495.
- platyphyllum (Schrenk) O. et B. Fedtsch. 517; tab. 34.
- ponticum Lipsky 499.
- rupicola Woronow 514.
- sessiliflorum Schrenk 520; tab. 32; 34.
- songoricum Schischk. 505, 602.
- squarrosus Schischk. 511.
- strictum Ledeb. 489.
- tenuisectum Rgl. et Schmalh. 509.
- turbinatum Korov. 507.
- Valentinae M. Pop. 512; tab. 33.
- varium Trev. 491.
- Seselopsis** Schischk. 16, 414.
- tianschanicum Schischk. 415; tab. 30.
- Sesleria** Scop. 2, 299.
- autumnalis (Scop.) F. Schult. 301; tab. 23.
- coerulea (L.) Ard. 300; tab. 23.
- Heffleriana Schur 300.
- phleoides Stev. ex Roem. et Schult. 301; tab. 23.
- Sestinia** Boiss. 20, 488.
- Setaria** Beauv. 2, 38.
- glauca (L.) Beauv. 39; tab. 2.
- intermedia (Roth) Roem. et Schult. 40.
- italica (L.) Beauv. 43; tab. 2.
- verticillata (L.) Beauv. 39; tab. 2.
- viridis (L.) Beauv. 40; tab. 2.
- Seutera** Reichb. 18, 710.
- Wilfordii (Franch. et Sav.) Pobed. 713; tab. 39.
- Sewerzowia** Rgl. et Schmalh. 12, 298.
- Sherardia** L. 23, 176.
- arvensis L. 176.
- Sibbaldia** L. 10, 223.
- macrophylla Turcz. 225, 614.
- Olgae Juz. et Ovcz. 228, 614.
- parviflora Willd. 227.
- procumbens L. 224; tab. 17.
- semiglabra C. A. Mey. 226.
- Sibbaldianthe** Juz. 10, 229, 615.
- adpressa (Bge.) Juz. 230; tab. 17.
- Sibiraea** Maxim. 9, 306.
- altaensis (Laxm.) Schneid. 306; tab. 18.
- tianschanica (Krassn.) Pojark. 309, 491.
- Sicyos** L. 24, 123.
- angulata L. 124.
- Sida** L. 15, 149.
- spinosa L. 150; tab. 2.
- Sideritis** L. 20, 253.
- Balansae Boiss. 272; tab. 18.
- catillaris Juz. 261; tab. 17.
- chlorostegia Juz. 260.
- comosa (Rochel) DC. 271; tab. 18.
- conferta Juz. 266.
- euxina Juz. 266.
- imbrex Juz. 264; tab. 17.
- Marschalliana Juz. 263, 507.
- montana L. 268; tab. 18.
- taurica Steph. ex Willd. 256; tab. 17.
- Siebera** J. Gay 27, 67.
- pungens (Lam.) DC. 68; tab. 5.
- Siebera** Hoppe 27, 67.
- Sieberia** Spreng. 27, 62.
- Siegesbeckia** L. 25, 536.
- orientalis L. 536; tab. 34.
- Sieglingia** Bernh. 2, 306.
- decumbens (L.) Bernh. 306; tab. 23.
- Sieversia** Willd. 10, 242.

- Sieversia pentapetala* (L.) Greene 243; tab. 18.
 — *pusilla* (Gaertn.) Hult. 244; tab. 18.
Silaum Mill. 16, 545.
Silaus Bernh. 16, 545.
 — *Besseri* DC. 546.
 — *Popovii* Korov. 548; tab. 35.
 — *pratense* (Grantz) Bess. 546.
 — *Rubtzovii* Schischk. 547; tab. 35.
Silenanthe Griseb. et Schenk 6, 704.
Silenastrum Rouy 6, 602.
Silene L. 6, 517.
 — *acaulis* L. 628.
 — *adenopetala* Raik. 605.
 — *Alexandrae* B. Keller 646.
 — *alpicola* Schischk. 674.
 — *altaica* Pers. 646.
 — *anglica* L. 612; tab. 37.
 — *anisoloba* Schrenk 642.
 — *apetala* Willd. 614.
 — *araratica* Schischk. 672.
 — *arenosa* C. Koch 682; tab. 41.
 — *armena* Boiss. 639.
 — *armeria* L. 615.
 — *artwinensis* Schischk. 606.
 — *Aucheriana* Boiss. 657.
 — *balchaschensis* Schischk. 618.
 — *baldshuanica* B. Fedtsch. 643.
 — *baschkirorum* Janisch. 687.
 — *Bobrovii* Schischk. 679, 889.
 — *Bornmülleri* Freyn 658.
 — *brachypetala* Robill et Cast. ex DC. 613.
 — *brahuica* Boiss. 653.
 — *Brotherana* Somm. et Lévier 653.
 — *bucharica* M. Pop. 643.
 — *bupleuroides* L. 637.
 — *caespitosa* Stev. 655.
 — *capitellata* Boiss. 681.
 — *caucasica* (Bge.) Boiss. 668.
 — *cephalantha* Boiss. 654.
 — *chaetodonta* Boiss. 681; tab. 41.
 — *chamarensis* Turcz. 626; tab. 38.
 — *chlorantha* (Willd.) Ehrh. 616.
 — *chlorifolia* Smith 640.
 — *chloropetala* Rupr. 623.
 — *claviformis* Litv. 651.
 — *commelinifolia* Boiss. 609.
 — *commutata* Guss. 597.
 — *compacta* Fisch. 615.
 — *conformifolia* Preobr. 604; tab. 36.
 — *conica* L. 690; tab. 35.
 — *coniflora* Nees ex Otth. 691.
 — *conoidea* L. 690; tab. 35.
 — *cretacea* Fisch. 647.
 — *crispans* Litv. 659.
 — *Cserei* Baumg. 598; tab. 35.
 — *cyri* Schischk. 688; tab. 41.
 — *dagestanica* Rupr. 620; tab. 37.
 — *densiflora* D'Urv. 686.
 — *depressa* M. B. 667.
 — *dianthoides* Pers. 629; tab. 38.
 — *dichotoma* Ehrh. 610; tab. 37.
 — *eremitica* Boiss. 623.
 — *euxina* Rupr. 612.
 — *foliosa* Maxim. 625.
 — *gasimailikensis* B. Fedtsch. 636.
 — *Gawrilowii* Krassn. 617.
 — *Gebleriana* Schrenk 676; tab. 40.
 — *glauescens* Schischk. 618.
 — *graminifolia* Otth. 625.
 — *Grossheimii* Schischk. 667.
 — *guntensis* B. Fedtsch. 672; tab. 39.
 — *Hellmannii* Claus 688.
 — *heptapotamica* Schischk. 651.
 — *holopetala* Bge. 677.
 — *humilis* C. A. Mey. 662.
 — *iberica* M. B. 610; tab. 37.
 — *incurvifolia* Kar. et Kir. 668; tab. 39.
 — *indepressa* Schischk. 659.
 — *ispirensis* Boiss. 657.
 — *italica* (L.) Pers. 675.
 — *jenisseensis* Willd. 627; tab. 38.
 — *karaczukuri* B. Fedtsch. 671; tab. 39.
 — *Komarovii* Schischk. 678.
 — *koreana* Kom. 624.
 — *Korshinskiy* Schischk. 673; 889.
 — *kubanensis* Somm. et Lévier 663.
 — *Kudrjashevii* Schischk. 644, 888.
 — *kungessana* B. Fedtsch. 679.
 — *Kuschakewiczii* Rgl. 670; tab. 39.
 — *lacera* (Stev.) Sims. 602.
 — *lasiantha* C. Koch 632; tab. 38.
 — *latifolia* (Mill.) Rendle et Britt. 596; tab. 35.
 — *lazica* Boiss. 609.
 — *leptocaulis* Schischk. 645.
 — *linearifolia* Otth. 663.
 — *lithophila* Kar. et Kir. 618.
 — *Litwinowii* Schischk. 637.
 — *longidens* Schischk. 639.
 — *longiflora* Ehrh. 636.
 — *lychnidea* C. A. Mey. 662.
 — *macrostyla* Maxim. 624.
 — *Marcowiczii* Schischk. 630.
 — *Marschallii* C. A. Mey. 635.
 — *media* (Litv.) Kleop. 689.
 — *Meyeri* Fenzl 671.
 — *Michelsonii* Preobr. 605; tab. 36.

- multifida (Adam) Rohrb. 601.
- multiflora (Ehrh.) Pers. 617.
- nana Kar. et Kir. 682; tab. 41.
- Nevskii Schischk. 673.
- nutans L. 674.
- obovata Schischk. 680.
- obtusidentata B. Fedtsch. et M. Pop. 644.
- odoratissima Bge. 641.
- Olgiana B. Fedtsch. 641.
- oriena Schischk. 603; tab. 36.
- pachyneura Schischk. 660.
- pamirensis (H. Winkl.) Preobr. 670; tab. 39.
- parviflora (Ehrh.) Pers. 689.
- pauciflora Ledeb. 626.
- pendula L. 614.
- physocalyx Ledeb. 606.
- plurifolia Schischk. 642.
- polaris Kleop. 687, 890.
- Popovii Schischk. 659; tab. 39.
- praemixta M. Pop. 620.
- Prilipkoana Schischk. 658, 888.
- procumbens Murr. 601; tab. 37.
- propinqua Schischk. 635.
- pruinosa Boiss. 656.
- pseudotenuis Schischk. 678; tab. 40.
- pseudotites Bess. ex Reichb. 686.
- pygmaea Adam 661.
- Raddeana Trautv. 605; tab. 36.
- repens Patr. 654.
- rupestris L. 630.
- Ruprechtii Schischk. 631.
- samarkandensis Preobr. 604; tab. 36.
- sarawschanica Rgl. et Schmalh. 645.
- scabrifolia Kom. 677.
- Schafta S. G. Gmel. ex Hohen. 669.
- schugnanica B. Fedtsch. 680.
- Semenovii Rgl. 651; tab. 40.
- sibirica (L.) Pers. 676; tab. 40.
- sisianica Boiss. et Buhse 660.
- solenantha Trautv. 638.
- spergulifolia (Desf.) M. B. 652.
- stenophylla Ledeb. 627; tab. 38.
- suffrutescens M. B. 647.
- supina M. B. 656.
- swertiifolia Boiss. 641.
- tachtensis Franch. 638.
- talyschensis Schischk. 611.
- tatarica (L.) Pers. 619.
- Tatianae Schischk. 668.
- tenella C. A. Mey. 639.
- Thirkeana C. Koch 611.
- tomentella Schischk. 648.
- trajectorum Kom. 679; tab. 40.
- turcomanica Schischk. 603; tab. 36.
- turgida M. B. ex Bge. 664.
- uniflora Roth 597; tab. 35.
- viridiflora L. 674.
- wolgensis (Willd.) Bess. ex Spreng. 685.
- Silybum** Adans. 28, 227.
- marianum (L.) Gaertn. 227.
- Simlera** Bub. 25, 342.
- Sinapis** L. 8, 467.
- alba L. 468.
- arvensis L. 467.
- Siphonostegia** Benth. 22, 795.
- chinensis Benth. 796.
- Sisarum** Mill. 16, 458, 463.
- Sison** L. 16, 374.
- amomum L. 375.
- Sisymbrium** L. 8, 38.
- altissimum L. 49.
- bilobum (C. Koch) Grossh. 49; tab. 2.
- brachycarpum (N. Busch) Vass. 45, 634.
- brassiciforme C. A. Mey. 43.
- confertum Stev. 51.
- daghestanicum Vass. 50, 635.
- elatum C. Koch 42.
- erucastrifolium (Rupr.) Trautv. 45.
- heteromallum C. A. Mey. 43.
- hirsutum Lag. ex DC. 52.
- irio L. 44; tab. 2.
- isfarensis Vass. 48, 635.
- Lipskyi N. Busch 46.
- Loeselii L. 44.
- luteum (Maxim.) O. E. Schulz 42.
- officinale (L.) Scop. 52.
- orientale L. 50; tab. 2.
- polymorphum (Murr.) Roth 46; tab. 3.
- runcinatum Lag. ex DC. 51; tab. 2.
- strictissimum L. 41.
- subspinescens (Fisch. et Mey.) Bge. 48; tab. 3.
- subtilissimum M. Pop. 55.
- turcomanicum Litv. 45.
- volgense M. B. ex Ledeb. 47.
- Sisyrinchium** L. 4, 577.
- angustifolium Mill. 578.
- Sium** L. 16, 459.
- latifolium L. 459.
- medium Fisch. et Mey. 465.
- sisaroides DC. 463; tab. 31.
- sisarum L. 464.
- suave Walt. 460; tab. 31.
- tenue Kom. 463; tab. 31.
- Skimmia** Thunb. 14, 233, 710.
- repens Nakai 710.
- Smelovskia** C. A. Mey. 8, 89.

- Smelovskia alba* (Pall.) Rgl. 89.
 — *aspleniifolia* Turcz. 91.
 — *calycina* (Steph.) C. A. Mey. 90.
 — *inopinata* Kom. 91.
Smilacina Desf. 4, 451.
 — *dahurica* Turcz. 451.
 — *hirta* Maxim. 452.
 — *trifoliata* Desf. 452; tab. 27.
Smilax L. 4, 474.
 — *excelsa* L. 474; tab. 29.
 — *Oldhamii* Miq. 475.
Smirnovia Bge. 11, 315.
 — *turkestana* Bge. 315; tab. 21.
Smyrniopsis Boiss. 16, 222.
 — *armena* Schischk. 222.
Smyrnum L. 16, 218.
 — *cordifolium* Boiss. 221.
 — *perfoliatum* L. 221; tab. 16.
Sobaria Haw. 9, 166.
Sobolevskia M. B. 9, 36.
 — *caucasica* N. Busch 37.
 — *clavata* (Boiss.) Fenzl 38.
 — *lithophila* M. B. 37.
 — *truncata* N. Busch 37.
Soja Moench 13, 527.
Solanopsis Boern. 22, 8, 42.
Solanum L. 22, 42.
Solanum L. 22, 3.
 — *alatum* Moench 33.
 — *asiae-mediae* Pojark. 21; tab. 1.
 — *decipiens* Opiz 27.
 — *depilatum* Kitag. 17.
 — *dulcamara* L. 12.
 — *judaicum* Bess. 28; tab. 3.
 — *Kieseritzkii* C. A. Mey. 10; tab. 1.
 — *litorale* Raab 16.
 — *luteum* Mill. 36.
 — *marinum* (Bav.) Pojark. 16.
 — *megacarpum* Koidz. 20.
 — *melongena* L. 39.
 — *nigrum* L. 25.
 — *Olgae* Pojark. 30; tab. 1.
 — *persicum* Willd. ex Roem. et Schult. 19.
 — *pseudoflavum* Pojark. 35.
 — *pseudopersicum* Pojark. 18.
 — *rostratum* Dun. 41.
 — *septemlobum* Bge. 11.
 — *transcaasicum* Pojark. 29; tab. 2.
 — *tuberosum* L. 8.
 — *Woronowii* Pojark. 34; tab. 2.
 — *Zelenetzki* Pojark. 32; tab. 2.
Soldanella L. 18, 249.
 — *montana* Mikan 250.
Solenanthus Ledeb. 19, 638.
 — *Biebersteinii* DC. 655.
 — *brachystemon* Fisch. et Mey. 656.
 — *circinnatus* Ledeb. 642; tab. 37.
 — *hirsutus* Rgl. 650; tab. 37.
 — *karateginus* Lipsky 653.
 — *kokanicus* Rgl. 651.
 — *plantaginifolius* Lipsky 648.
 — *stamineus* (Desf.) Wettst. 652.
 — *turkestanicus* (Rgl. et Smirn.) Kusn. 644; tab. 36.
Solidago L. 25, 30.
 — *alpestris* Waldst. et Kit. apud Willd. 39.
 — *armena* Kem.-Nath. ex Grossh. 41.
 — *canadensis* L. 48.
 — *caucasica* Kem.-Nath. 40.
 — *compacta* Turcz. 47; tab. 1.
 — *cuprea* Juz. 46, 577.
 — *dahurica* Kitag. 42.
 — *Gebleri* Juz. 43, 576.
 — *jailarum* Juz. 39, 575.
 — *kuhistanica* M. Pop. 44, 576.
 — *kurilensis* Juz. 45, 577.
 — *lapponica* With. 41; tab. 1.
 — *pacifica* Juz. 44, 576; tab. 1.
 — *spiraefolia* Fisch. ex Herd. 45.
 — *taurica* Juz. 36, 575.
 — *turfosa* Woronow ex Grossh. 36.
 — *virgaurea* L. 34; tab. 1.
Solstitiaria Hill 28, 370, 570.
Sonchus L. 29, 244.
 — *arvensis* L. 249; tab. 16.
 — *asper* (L.) Hill 256; tab. 16.
 — *oleraceus* L. 254; tab. 16.
 — *palustris* L. 247; tab. 16.
 — *Sosnowskyi* Schchian 248; tab. 16.
 — *transcaspicus* Nevski 245; tab. 15.
Sophiopsis O. E. Schulz 8, 86.
 — *annua* (Rupr.) O. E. Schulz 87.
 — *flavissima* (Kar. et Kir.) O. E. Schulz 88.
 — *mongolica* (Kom.) N. Busch 87.
 — *sisymbrioides* (Rgl. et Herd.) O. E. Schulz 86.
Sophora L. 11, 23.
 — *alopocuroides* L. 25.
 — *flavescens* Ait. 28.
 — *Griffithii* Stocks 25.
 — *japonica* L. 24.
 — *pachycarpa* C. A. Mey. 27; tab. 2.
 — *Prodanii* Anderss. 26.
Soranthus Ledeb. 17, 142.
 — *Meyeri* Ledeb. 142; tab. 23.
Sorbaria A. Br. 9, 312.
 — *Olgae* Zinserl. 313.
 — *Pallasii* (G. Don) Pojark. 315; tab. 19.

- rhoifolia Kom. 315.
- sorbifolia (L.) A. Br. 313.
- Sorbus** L. 9, 372.
- Albovii Zinserl. 390, 493.
- amurensis Koehne 381; tab. 23.
- anadyrensis Kom. 383.
- aria Crantz 397.
- armeniaca Hedl. 396; tab. 25.
- aucuparia L. 376.
- Baldaccii Degen et Fritsch 399; tab. 26.
- Boissieri Schneid. 382.
- Bushiana Zinserl. 392, 495; tab. 26.
- caucasica Zinserl. 395; tab. 25.
- colchica Zinserl. 391, 494; tab. 25.
- commixta Hedl. 382.
- domestica L. 374.
- dualis Zinserl. 402, 498.
- fennica (Kalm) Fries 405.
- glabrata Hedl. 377.
- graeca (Spach) Hedl. 397; tab. 26.
- kamschatcensis Kom. 383.
- Kusnetzovii Zinserl. 397, 496; tab. 26.
- migarica Zinserl. 398, 496; tab. 26.
- obtusidentata Zinserl. 400, 498; tab. 26.
- persica Hedl. 401; tab. 25.
- polaris Koehne 378; tab. 24.
- sambucifolia Roem. 375.
- scandica Fries 396; tab. 25.
- schemachensis Zinserl. 392, 495; tab. 26.
- Schneideriana Koehne 376; tab. 23.
- sibirica Hedl. 378.
- subfusca (Ledeb.) Boiss. 390; tab. 25.
- subtomentosa (Albov) Zinserl. 391, 494; tab. 25.
- taurica Zinserl. 400, 497; tab. 26.
- tianschanica Rupr. 384; tab. 24.
- torminalis (L.) Crantz 405; tab. 26.
- turcica Zinserl. 399, 497; tab. 26.
- turkestanica (Franch.) Hedl. 401; tab. 25.
- velutina (Albov) Schneid. 391; tab. 25.
- Woronowii Zinserl. 395, 495; tab. 25.
- Sorghum** Pers. 2, 16.
- bicolor (L.) Moench 20.
- cernuum Host 20.
- halepense (L.) Pers. 21, tab. 1.
- japonicum (Hack.) Roshev. 20, 739.
- saccharatum (L.) Pers. 21.
- sudanense (Piper) Stapf 22.
- technicum (Koern.) Roshev. 20, 739.
- vulgare Pers. 19.
- Sosnovskyia* Takht. 28, 370, 477.
- Soyeria* Monn. 29, 595, 606, 622, 627.
- Spanioptilon* Less. 28, 52.
- Spanzium* Griseb. 6, 861.
- Sparganium** L. 1, 217.
- affine Schnizl. 224; tab. 11.
- Friesii Beurl. 222; tab. 11.
- Glehnii Meinhsh. 225.
- glomeratum Laest. 224; tab. 11.
- hyperboreum Laest. 226; tab. 11.
- japonicum Roth 222; tab. 11.
- microcarpum (Neum.) Čelak. 221; tab. 11.
- minimum Hill 225; tab. 11.
- neglectum Beeby 220; tab. 11.
- polyedrum Aschers. et Graebn. 219; tab. 11.
- simplex Huds. 223; tab. 11.
- stenophyllum Maxim. 221; tab. 11.
- stoloniferum Buch.-Ham. 219; tab. 11.
- Spartium** L. 11, 54.
- junceum L. 54.
- Spathipappus** Tzvel. 26, 261, 875.
- Griffithii (Clarke) Tzvel. 262; tab. 10.
- Specularia** A. DC. 24, 427.
- Spergula** L. 6, 550.
- linicola Boreau 552; tab. 32.
- maxima Weihe 552; tab. 32.
- pentandra L. 555.
- sativa Boenn. 551; tab. 32.
- vernalis Willd. 555; tab. 33.
- vulgaris Boenn. 551; tab. 32.
- Spergularia** (Pers.) J. et C. Presl 6, 556.
- campestris (L.) Aschers. 558; tab. 33.
- diandra (Cuss.) Heldr. et Sart. 557; tab. 33.
- marginata (DC.) Kitt. 557; tab. 33.
- salina J. et C. Presl 651; tab. 33.
- Spergulastrum** Rich. 6, 394.
- Spermatura** Reichb. 16, 148.
- Sphaerocephalus** Kuntze 27, 2, 40.
- Sphaerophysa** DC. 11, 312.
- salsula (Pall.) DC. 312.
- Sphallerocarpus** Bess. ex DC. 16, 118.
- gracilis (Bess.) K.-Pol. 119; tab. 15.
- Sphenocarpus** Korov. 16, 525.
- eryngioides Korov. 525.
- Sphenoclea** Gaertn. 24, 449.
- zeylanica Gaertn. 449; tab. 27.
- Sphenopus** Trin. 2, 339.
- divaricatus (Gouan) Reichb. 339; tab. 27.
- Sphondylium** Mill. 17, 223.
- Spielmannia* Cuss. ex Juss. 16, 349.
- Spilacron* Cass. 28, 370.
- Spinacia** L. 6, 75.
- oleracea L. 75; tab. 2.
- tetrandra Stev. 77; tab. 2.
- turkestanica Iljin 76; tab. 2.
- Spinovitis* Romanet 14, 675.

Spiraea L. 9, 283.

- *alpina* Pall. 298; tab. 17.
- *aquilegifolia* Pall. 305; tab. 18.
- *baldschuanica* B. Fedtsch. 290.
- *Beauverdiana* Schneid. 289; tab. 17.
- *betulifolia* Pall. 288; tab. 17.
- *chamaedryfolia* L. 291; tab. 17.
- *crenata* L. 301; tab. 18.
- *dahurica* Maxim. 297; tab. 17.
- *elegans* Pojark. 293, 490; tab. 17.
- *ferganensis* Pojark. 303, 491.
- *flexuosa* Fisch. ex Cambess. 291; tab. 17.
- *humilis* Pojark. 287, 489.
- *hypericifolia* L. 303.
- *lasiocarpa* Kar. et Kir. 302; tab. 18.
- *media* F. Schmidt 294.
- *pilosa* Franch. 300; tab. 17.
- *pubescens* Turcz. 301.
- *salicifolia* L. 286.
- *sericea* Turcz. 297.
- *tianschanica* Pojark. 299, 490.
- *trilobata* L. 299; tab. 17.
- *ussuriensis* Pojark. 292, 489; tab. 17.

Spiraeanthus Maxim. 9, 316.

- *Schrenkiana* (Fisch. et Mey.) Maxim. 316; tab. 19.

Spiranthes Rich. 4, 637.

- *amoena* (M. B.) Spreng. 638; tab. 39.
- *autumnalis* (Balb.) L. 637; tab. 39.
- *sinensis* (Pers.) Ames 639; tab. 39.

Spirodela Schleid. 3, 492.

- *polyrhiza* (L.) Schleid. 492; tab. 26.

Spirorhynchus Kar. et Kir. 8, 241.

- *sabulosus* Kar. et Kir. 241; tab. 20.

Spirostegia Ivanina 22, 512, 818.

- *bucharica* (B. Fedtsch.) Ivanina 513; tab. 25.

Spodiopogon Trin. 2, 11.

- *sibiricus* Trin. 11; tab. 1.

Sporobolus R. Br. 2, 163.

- *indicus* (L.) R. Br. 163; tab. 12.

Spryginia M. Pop. 8, 498.

- *Winkleri* M. Pop. 498.

Sredinskya (Stein) Fed. 18, 202.

- *grandis* (Trautv.) Fed. 202; tab. 10.

Stachyopsis M. Pop. et Vved. 21, 108.

- *lamiiflora* (Rupr.) M. Pop. et Vved. 109.
- *marrubioides* (Rgl.) Ik.-Gal. 110.
- *oblongata* (Schrenk) M. Pop. et Vved. 110.

Stachys L. 21, 194.

- *alpina* L. 208.
- *angustifolia* M. B. 225.
- *annua* L. 234.

- *araxina* Kapell. 227.

- *arvensis* L. 237.

- *atherocalyx* C. Koch 221; tab. 12.

- *baicalensis* Fisch. ex Benth. 219; tab. 12.

- *Balansae* Boiss. et Kotschy ex Boiss. 204; tab. 10.

- *Boissieri* Kapell. 229.

- *chinensis* Bge. 219.

- *cretica* L. 201; tab. 10.

- *Czernjaevii* Schost. 221.

- *Fominii* Sosn. 233.

- *fruticulosa* M. B. 225.

- *germanica* L. 201.

- *Grossheimii* Kapell. 227.

- *heterodonta* Zefir. 203.

- *hissarica* Rgl. 210; tab. 11.

- *iberica* M. B. 222.

- *inflata* Benth. 231.

- *intermedia* Ait. 204.

- *iranica* Rech. f. 212.

- *japonica* Miq. 218.

- *Komarovii* Knorr. 218; tab. 12.

- *lanata* Jacq. 200.

- *lavandulifolia* Vahl 228; tab. 13.

- *macrophylla* Albov 208.

- *maeotica* Postr. 217.

- *maritima* L. 230.

- *odontophylla* Freyn 228.

- *palustris* L. 216.

- *Paulii* Grossh. 229.

- *persica* J. F. Gmel. ex C. A. Mey. 207; tab. 10.

- *pseudofloccosa* Knorr. 210, 653.

- *pubescens* Ten. 231.

- *recta* L. 220.

- *setifera* C. A. Mey. 211; tab. 11.

- *Sosnowskyi* Kapell. 226.

- *spectabiliformis* Kapell. 207.

- *spectabilis* Choisy ex DC. 202.

- *Stichtschegleewii* Sosn. 232.

- *sylvatica* L. 215.

- *talyschensis* Kapell. 222.

- *terekensis* Knorr. 203.

- *trapezuntea* Boiss. 216.

- *trinervis* Aitch. et Hemsl. 233.

- *tschatkalensis* Knorr. 211.

- *turcomanica* Trautv. 232; tab. 13.

- *turkestanica* (Rgl.) M. Pop. 209; tab. 11.

- *wolgensis* Vilensky 217.

Staflinus Raf. 17, 288.**Staphylea** L. 14, 578.

- *colchica* Stev. 578; tab. 31.

- *pinnata* L. 579; tab. 31.

Staphylodendron Scop. 14, 578.

- Statice* L. 18, 408, 411.
Staurophragma Fisch. et Mey. 22, 174.
 — *natolicum* Fisch. et Mey. 174.
Stechmannia DC. 27, 647.
Steenhamnera Reichenb. 19, 238, 242.
Steirosomon Phil. 18, 253.
Stellaria L. 5, 389.
 — *Alexeenkoana* Schischk. 422, 882.
 — *alsine* Grimm 409.
 — *alsinoides* Boiss. et Buhse 423.
 — *amblyosepala* Schrenk 398.
 — *anagalloides* C. A. Mey. ex Rupr. 410.
 — *arctica* Schischk. 418, 881.
 — *brachypetala* Bge. 405.
 — *Bungeana* Fenzl 395; tab. 20.
 — *calycantha* (Ledeb.) Bong. 404, tab. 21.
 — *cherleriae* (Fisch.) Will. 420; tab. 21.
 — *ciliatosepala* Trautv. 415.
 — *crassifolia* Ehrh. 402.
 — *dahurica* Willd. ex Schlecht. 415.
 — *dichotoma* L. 397; tab. 20.
 — *dicranoides* Fenzl 421; tab. 20.
 — *diffusa* Willd. ex Schlecht. 410.
 — *discolor* Turcz. 408.
 — *ebracteata* Kom. 404.
 — *Edwardsii* R. Br. 415; tab. 21.
 — *Eschscholtziana* Fenzl 417.
 — *Fenzlii* Rgl. 411.
 — *Fischeriana* Ser. 417.
 — *fontana* M. Pop. 407, 881.
 — *graminea* L. 404.
 — *hebecalyx* Fenzl 408.
 — *holostea* L. 402; tab. 20.
 — *humifusa* Roth 403; tab. 21.
 — *imbricata* Bge. 406.
 — *irrigua* Bge. 409.
 — *jaluana* Nakai 405.
 — *karatavica* (Lipsch.) Schischk. 398, 880.
 — *Kotschyana* Fenzl 422.
 — *Laxmannii* Fisch. ex Ser. 416.
 — *Martjanovii* Kryl. 421.
 — *media* (L.) Cyr. 395; tab. 20.
 — *neglecta* Weihe 396.
 — *nemorum* L. 394.
 — *pallida* (Dum.) Pire 397.
 — *palustris* Ehrh. 406.
 — *peduncularis* Bge. 411; tab. 21.
 — *persica* Boiss. 407.
 — *petraea* Bge. 419.
 — *radians* L. 418; tab. 20.
 — *ruscifolia* Pall. ex Schlecht. 417; tab. 21.
 — *schugnanica* Schischk. 422, 882.
 — *sibirica* (Rgl. et Til.) Schischk. 420.
 — *soongorica* Roshev. 412, 882; tab. 21.
 — *turkestanica* Schischk. 401; tab. 21.
 — *umbellata* Turcz. 409.
 — *Winkleri* (Briq.) Schischk. 403.
Stellera L. 15, 502.
 — *chamaejasme* L. 502.
Stellera Turcz. 18, 625.
Stelleropsis Pobed. 15, 503.
 — *altaica* (Thieb.) Pobed. 504.
 — *Antoninae* Pobed. 509.
 — *caucasica* Pobed. 510.
 — *iranica* Pobed. 509.
 — *issykkulensis* Pobed. 505.
 — *Magakjanii* (Sosn.) Pobed. 510.
 — *tarbagataica* Pobed. 504; tab. 24.
 — *tianschanica* Pobed. 506; tab. 24.
 — *turcomanica* (Czerniak.) Pobed. 506; tab. 24.
Stenactis Cass. 25, 191.
Stenanthium Kunth 4, 6.
 — *sachalinense* Fr. Schmidt 6; tab. 1.
Stenarrhena D. Don 21, 298.
Stenocephala Benth. 27, 647.
Stenocoelium Ledeb. 16, 469.
 — *athamantoides* (M. B.) Ledeb. 470; tab. 30.
 — *trichocarpum* Schrank 470.
Stenodiptera K.-Pol. 16, 123.
Stenolophus Cass. 28, 370, 440, 449.
Stenophragma Čelak. 8, 76.
Stenoselenium Turcz. 19, 182.
 — *saxatile* (Pall.) Turcz. 183.
Stenotaenia Boiss. 17, 260.
 — *daralaghezica* (Takht.) Schischk. 260; tab. 23.
Stephanocaryum M. Pop. 19, 521.
 — *Olgae* (B. Fedtsch.) M. Pop. 522.
Steptorhamphus Bge. 29, 324.
 — *crambifolius* Bge. 326; tab. 19.
 — *crassicaulis* (Trautv.) Kirp. 327; tab. 19.
 — *Czerepanovii* Kirp. 334; tab. 19.
 — *Linczevskii* Kirp. 333; tab. 19.
 — *persicus* (Boiss.) O. et B. Fedtsch. 329; tab. 19.
 — *petraeus* (Fisch. et Mey.) Grossh. 331; tab. 19.
 — *tuberosus* (Jacq.) Grossh. 330; tab. 19.
Sterigma DC. 8, 317.
Sterigmotemum M. B. 8, 317.
 — *acanthocarpum* Fisch. et Mey. 319.
 — *tomentosum* M. B. 318; tab. 17.
 — *torulosum* (M. B.) Stapf 318.
Sternbergia Waldst. et Kit. 4, 485.
 — *colchiciflora* Waldst. et Kit. 486.
 — *Fischeriana* (Herb.) Roem. 486.

- Sternbergia lutea* (L.) Ker.-Gawl. 489; tab. 30.
- Stevenia** Adam et Fisch. 8, 197.
- *alyssoides* Adam et Fisch. 198.
 - *axillaris* (Kom.) N. Busch 199.
 - *cheiranthoides* DC. 198.
- Steveniella** Schlechter 4, 675.
- *satyrioides* (Stev.) Schlechter 675; tab. 43.
- Stevia** Cav. 25, 18.
- *ovata* Willd. 18.
- Stipa** L. 2, 79.
- *aktauensis* Roshev. 85.
 - *anomala* P. Smirn. 96, 740.
 - *araxensis* Grossh. 97.
 - *armeniaca* P. Smirn. 92, 740.
 - *baicalensis* Roshev. 110; tab. 7.
 - *breviflora* Griseb. 91.
 - *Bungeana* Trin. ex Bge. 106.
 - *canescens* P. Smirn. 101, 741.
 - *capillata* L. 109.
 - *caucasica* Schmalh. 89; tab. 7.
 - *consanguinea* Trin. et Rupr. 104.
 - *crassiculmis* P. Smirn. 99.
 - *daghestanica* (Westb.) Grossh. 106.
 - *dasyphylla* Czern. 100.
 - *densiflora* P. Smirn. 110.
 - *effusa* (Maxim.) Nakai ex Honda 85.
 - *gigantea* Lag. 105.
 - *glareosa* P. Smirn. 89.
 - *gracilis* Roshev. 92.
 - *grandis* P. Smirn. 109; tab. 7.
 - *Hohenackeriana* Trin. 92.
 - *holosericea* Trin. 105, tab. 7.
 - *Iljinii* Roshev. 101.
 - *Joannis* Čelak. 96.
 - *karataviensis* Roshev. 88.
 - *kirghisorum* P. Smirn. 95.
 - *Korshinskyi* Roshev. 104.
 - *Krascheninnikowii* Roshev. 98.
 - *Krylovii* Roshev. 112.
 - *Lessingiana* Trin. 93.
 - *lingua* Junge 86.
 - *Lipskyi* Roshev. 87.
 - *lithophila* P. Smirn. 98, 741.
 - *longiplumosa* Roshev. 87.
 - *macroGLOSSa* P. Smirn. 94.
 - *magnifica* Junge 86.
 - *margelanica* P. Smirn. 111.
 - *orientalis* Trin. 90; tab. 7.
 - *Ovczinnikovii* Roshev. 87.
 - *paradoxa* (Junge) P. Smirn. 99.
 - *pontica* P. Smirn. 102.
 - *pseudocapillata* Roshev. 103.
 - *pulcherrima* C. Koch 98.
 - *Regeliana* Hack. 84; tab. 6.
 - *Richteriana* Kar. et Kir. 90.
 - *sareptana* A. Beck 111.
 - *sibirica* (L.) Lam. 85; tab. 6.
 - *Spiridonovii* Roshev. 104.
 - *stenophylla* Czern. 95.
 - *Szowitsiana* Trin. 91.
 - *tianschanica* Roshev. 88.
 - *tortilis* Desf. 103; tab. 6.
 - *trichoides* P. Smirn. 94; tab. 7.
 - *turcomanica* P. Smirn. 100.
 - *turkestanica* Hack. 93.
 - *ucrainica* P. Smirn. 97; tab. 7.
 - *Zalesskii* Wilensky 102.
- Stipularia* Haw. 6, 556.
- Stizolobium** P. Browne 13, 530.
- *utile* (Wall.) Ditm. 530.
- Stizolophus** Cass. 28, 364.
- *balsamita* (Lam.) Cass. ex Takht. 366.
 - *coronopifolius* (Lam.) Cass. 366; tab. 27.
- Strabonia* DC. 25, 487.
- Stratiotes** L. 1, 296.
- *aloides* L. 296; tab. 10.
- Streptoloma** Bge. 8, 305.
- *desertorum* Bge. 305.
- Streptopus** Rich. 4, 455.
- *amplexifolius* (L.) DC. 455; tab. 27.
 - *streptopoides* (Ledeb.) Nels. et Macbr. 456; tab. 27.
- Stroganovia** Kar. et Kir. 8, 524.
- *affghana* (Boiss.) Pavl. 529.
 - *brachyata* Kar. et Kir. 533.
 - *cardiophylla* Pavl. 527.
 - *gracilis* Pavl. 531.
 - *intermedia* Kar. et Kir. 532.
 - *Litvinovii* Lipsky 533.
 - *paniculata* Rgl. et Schmalh. 527.
 - *persica* N. Busch 528.
 - *robusta* Pavl. 535.
 - *sagittata* Kar. et Kir. 530.
 - *subalpina* (Kom.) Thell. 530.
 - *Trautvetteri* Botsch. 534, 652.
- Strophiotoma* Turcz. 19, 358.
- Struthiopteris** Haller 1, 29.
- *filicacrum* All. 29; tab. 1.
- Stubendorffia** Schrenk 8, 538.
- *aptera* Lipsky 540.
 - *Lipskyi* N. Busch 541.
 - *orientalis* Schrenk 539.
 - *subdidyma* N. Busch 540.
- Suaeda** Forsk. 6, 174.
- *acuminata* (C. A. Mey.) Moq. 187; tab. 9.
 - *altissima* (L.) Pall. 180; tab. 9.
 - *arcuata* Bge. 182.

- *baccifera* Pall. 184; tab. 1.
- *confusa* Iljin 183.
- *corniculata* (C. A. Mey.) Bge. 195; tab. 9.
- *dendroides* (C. A. Mey.) Moq. 181.
- *drepanophylla* Litv. 196; tab. 9.
- *eltonica* Iljin 189.
- *glauca* Bge. 178; tab. 9.
- *heterophylla* (Kar. et Kir.) Bge. 197; tab. 9.
- *Kossinskiyi* Iljin 197.
- *linifolia* Pall. 177; tab. 9.
- *Lipskyi* Litv. 183.
- *maritima* (L.) Dum. 193.
- *microphylla* Pall. 179.
- *microsperma* (C. A. Mey.) Fenzl 188.
- *Olufsenii* Pauls. 195; tab. 9.
- *paradoxa* Bge. 178.
- *physophora* Pall. 190.
- *prostrata* Pall. 194; tab. 9.
- *pterantha* (Kar. et Kir.) Bge. 187.
- *pygmaea* (Kar. et Kir.) Iljin 183.
- *salsa* (L.) Pall. 191; tab. 9.
- *transoxana* (Bge.) Boiss. 188.
- *turkestanica* Litv. 189.
- *ussuriensis* Iljin 192.
- Suaeda* Moq. 6, 177, 182, 191.
- Subularia** L. 8, 605.
- *aquatica* L. 606.
- Succisa** Neck. 24, 52.
- *pratensis* Moench 52; tab. 4.
- Succisella** G. Beck 24, 55.
- *inflexa* (Kluk) G. Beck 55; tab. 4.
- Succisocrepis** Fourr. 29, 595.
- Suchtelenia** Kar. 19, 680.
- *calycina* (C. A. Mey.) DC. 681; tab. 40.
- Sumbulus** H. Reinsch. 17, 62, 121.
- Svyda** Opiz 17, 331.
- Swertia** L. 18, 629.
- *Aucheri* Boiss. 636.
- *connata* Schrenk 632.
- *erosula* Gontsch. 638.
- *graciliflora* Gontsch. 636.
- *iberica* Fisch. et Mey. 630.
- *lactea* Bge. 637.
- *marginata* Schrenk 635.
- *obtusa* Ledeb. 631; tab. 34.
- *perennis* L. 18, 630; tab. 34.
- *veratroides* Maxim. ex Kom. 635.
- Sykoraea** Opiz 24, 133.
- Sympegma** Bge. 6, 353.
- *Regelii* Bge. 353; tab. 14.
- Symphyandra** A. DC. 24, 331.
- *armena* (Stev.) A. DC. 338.
- *daralaghezica* Grossh. 339.
- *lazica* Boiss. et Bal. 336.
- *lezgina* Alexeenko ex Lipsky 341; tab. 20.
- *pendula* (M. B.) A. DC. 336; tab. 20.
- *transcaucasica* (S. mm. et Levier) Grossh. 337.
- *zangezura* Lipsky 340; tab. 20.
- Symphyllocarpus** Maxim. 25, 298.
- *exilis* Maxim. 298.
- Symphyloma** C. A. Mey. 17, 222.
- *graveolens* C. A. Mey. 223.
- Symphytum** L. 19, 279.
- *asperum* Lepech. 287.
- *causicum* M. B. 286.
- *cordatum* Waldst. et Kit. 281.
- *grandiflorum* DC. 283.
- *officinale* L. 289.
- *orientale* L. 285.
- *peregrinum* Ledeb. 289.
- *tauricum* Willd. 284.
- *tuberosum* L. 282.
- Symplocarpus** Salisb. 3, 481.
- *foetidus* (L.) Salisb. 481; tab. 26.
- Sympodium** C. Koch 16, 396.
- Syncodon** Fourr. 24, 133, 198.
- Syneilesis** Maxim. 26, 697.
- *aconitifolia* Maxim. 698.
- Synosma** Raf. 26, 683.
- Synsiphon** Rgl. 4, 23.
- Synurus** Iljin 28, 301.
- *deltoides* (Ait.) Nakai 302; tab. 17.
- Syreitschikovia** Pavl. 28, 303.
- *spinulosa* (Franch.) Pavl. 305.
- *tenuifolia* (Bong.) Pavl. 304.
- Syrenia** Andr. 8, 128.
- *angustifolia* (Ehrh.) Reichb. 129.
- *macrocarpa* Vass. 130, 640.
- *sessiliflora* Ledeb. 129.
- *siliculosa* (M. B.) Andr. 130.
- *Talievii* Klok. 128.
- Syringa** L. 18, 502.
- *chinensis* Willd. 509.
- *Josikaea* Jacq. f. 504; tab. 26.
- *persica* L. 509.
- *robusta* Nakai 505; tab. 26.
- *villosa* Vahl 504; tab. 26.
- *vulgaris* L. 506.
- Szovitsia** Fisch. et Mey. 16, 364.
- *callicarpa* Fisch. et Mey. 364; tab. 28, 30.
- Tacamahaca* Spach 5, 236.
- Taeniopetalum* Vis. 17, 168, 197.
- Tagetes** L. 25, 569.
- *erecta* L. 571.

- Tagetes minuta* L. 570.
 — *patula* L. 571.
Tamarix L. 15, 290.
 — *affinis* Bge. 317.
 — *altaica* Niedz. 321.
 — *Androssowii* Litv. 300.
 — *aralensis* Bge. 318.
 — *araratica* (Bge.) Gorschk. 299; tab. 15.
 — *arcenthoides* Bge. 312.
 — *Bungei* Boiss. 309.
 — *elongata* Ledeb. 297; tab. 15.
 — *Ewersmannii* C. Presl ex Bge. 316.
 — *florida* Bge. 306; tab. 15.
 — *gracilis* Willd. 307.
 — *hispida* Willd. 308; tab. 16.
 — *Hohenackeri* Bge. 305; tab. 15.
 — *karakalensis* Freyn 313.
 — *Karelinii* Bge. 315; tab. 16.
 — *kasakhorum* Gorschk. 314.
 — *Komarovii* Gorschk. 317.
 — *Korolkovii* Rgl. et Schmalh. 316.
 — *Kotschyi* Bge. 301.
 — *laxa* Willd. 302; tab. 15.
 — *leptopetala* Bge. 308.
 — *leptostachys* Bge. 310; tab. 16.
 — *Litwinowii* Gorschk. 299; tab. 15.
 — *Meyeri* Boiss. 296; tab. 15.
 — *ostandra* Bge. 295.
 — *passerinoides* Delile 314.
 — *ramosissima* Ledeb. 311; tab. 16.
 — *tetrandra* Pall. 298.
Tamus L. 4, 497.
 — *communis* L. 498.
Tanacetum L. 26, 317.
 — *abrotanifolium* (L.) Druce 329.
 — *achilleifolium* (M. B.) Sch. Bip. 351.
 — *Akinfievii* (Alexeenko) Tzvel. 357; tab. 14.
 — *bipinnatum* (L.) Sch. Bip. 324.
 — *boreale* Fisch. ex DC. 327.
 — *canescens* DC. 336.
 — *chiliophyllum* (Fisch. et Mey.) Sch. Bip. 352.
 — *crassipes* (Stschegl.) Tzvel. 338.
 — *duderanum* (Boiss.) Tzvel. 332.
 — *heterophyllum* Boiss. 333.
 — *Karelinii* Tzvel. 344.
 — *Kittaryanum* (C. A. Mey.) Tzvel. 345.
 — *longipedunculatum* (Sosn.) Tzvel. 354.
 — *millefolium* (L.) Tzvel. 348.
 — *myriophyllum* Willd. 331.
 — *odessanum* (Klok.) Tzvel. 348.
 — *oligocephalum* (DC.) Sch. Bip. 354.
 — *Paczoskii* (Zefir.) Tzvel. 349.
 — *pseudoachillea* C. Winkl. 328.
 — *santolina* C. Winkl. 343.
 — *saxicolum* (Krasch.) Tzvel. 342.
 — *sclerophyllum* (Krasch.) Tzvel. 347.
 — *scopulorum* (Krasch.) Tzvel. 342.
 — *tabrisianum* (Boiss.) Sosn. et Takht. 335.
 — *tamrutense* (Sosn.) Sosn. 334.
 — *tanacetoides* (DC.) Tzvel. 337.
 — *tenuissimum* (Trautv.) Grossh. 355; tab. 14.
 — *turcomanicum* (Krasch.) Tzvel. 358.
 — *turlanicum* (Pavl.) Tzvel. 341.
 — *ulutavicum* Tzvel. 350, 878.
 — *uniflorum* (Fisch. et Mey.) Sch. Bip. 356.
 — *uralense* (Krasch.) Tzvel. 346.
 — *vulgare* L. 326.
 — *Walteri* (C. Winkl.) Tzvel. 359.
Tapeinanthus Boiss. 20, 232.
Taphrospermum C. A. Mey. 8, 32.
 — *altaicum* C. A. Mey. 33.
 — *platypetalum* Schrenk 33.
Taraxacum Wigg. 29, 405.
 — *acricorne* Dahlst. 462.
 — *aksaicum* Schischk. 551.
 — *alaicum* Schischk. 551, 751.
 — *alatavicum* Schischk. 477, 731.
 — *albescens* Dahlst. 552.
 — *almaatense* Schischk. 434, 728.
 — *alpinum* Hegetschw. et Heer 441.
 — *altaicum* Schischk. 513.
 — *anchorifolium* Kom. 462.
 — *Androssovii* Schischk. 502.
 — *arcticum* (Trautv.) Dahlst. 526.
 — *armeniaceum* Schischk. 501.
 — *aschabadense* Schischk. 487.
 — *atrans* Schischk. 510, 739.
 — *atratum* Schischk. 524, 743.
 — *badachschanicum* Schischk. 508, 737.
 — *baicalense* Schischk. 539, 747.
 — *balticum* Dahlst. 519.
 — *bessarabicum* (Hornem.) Hand.-Mazz. 533.
 — *bicorne* Dahlst. 478.
 — *Botschantzevii* Schischk. 480, 732.
 — *brachyceras* Dahlst. 473.
 — *brevicorne* Dahlst. 472.
 — *brevicorniculatum* V. Korol. 492.
 — *brevirostre* Hand.-Mazz. 547.
 — *Butkovii* S. Kovalevsk. 490.
 — *calcareum* V. Korol. 553.
 — *ceratophorum* (Ledeb.) DC. 460.
 — *chamissonis* Greene 465.
 — *chirleanum* Kitam. 452.
 — *ciscaucasicum* Schischk. 532, 745.

- collinum DC. 539.
- comitans S. Kovalevsk. 482.
- compactum Schischk. 512.
- complicatum S. Kovalevsk. 435.
- confusum Schischk. 473.
- contristans S. Kovalevsk. 477.
- coreanum Nakai 444.
- crepidiforme DC. 543; tab. 25.
- croceum Dahlst. 450.
- czuense Schischk. 541.
- daralagesicum Schischk. 534, 745.
- dealbatum Hand.-Mazz. 541.
- decolorans Dahlst. 517.
- desertorum Schischk. 497.
- dilutum Dahlst. 468.
- dissectum (Ledeb.) Ledeb. 538.
- dissimile Dahlst. 495.
- ecornutum S. Kovalevsk. 435.
- elongatum S. Kovalevsk. 479.
- eriobasis S. Kovalevsk. 553.
- eriopodium (D. Don) DC. 515.
- erostre Zak. 549.
- erythrospermum Andr. 498.
- evittatum Dahlst. 463.
- Fedtschenkoi Hand.-Mazz. 536.
- fontanum Hand.-Mazz. 441.
- glabellum Schischk. 546, 750.
- glabrum DC. 523.
- glaucanthum (Ledeb.) DC. 475.
- glaucivirens Schischk. 476, 730.
- Gnezdiloi S. Kovalevsk. 554.
- Goloskokovii Schischk. 544, 748.
- grandisquamatum Koidz. 454.
- Grossheimii Schischk. 437.
- heptapotamicum Schischk. 544, 748.
- Hjeltii (Dahlst.) Dahlst. 469.
- holophyllum Schischk. 484, 733.
- Hultenii Dahlst. 460.
- hybernum Stev. 530.
- Ikonnikovii Schischk. 507, 736.
- intercedens Markl. 500.
- Juzepczukii Schischk. 479, 731.
- kamtschaticum Dahlst. 527; tab. 26.
- karatavicum Pavl. 488, 734.
- ketoienne Tatewaki et Kitam. 456.
- kirghizicum Schischk. 511, 740.
- kljutschevskoanum Kom. 463.
- Klokovi Litvinenko 476.
- Kojimae Kitam. 466.
- kok-saghyz Rodin 491.
- koraginense Kom. 464.
- koraginicola Kom. 467.
- lapponicum Kihlm. ex Hand.-Mazz. 450.
- lateritium Dahlst. 505.
- latisquameum Dahlst. 465.
- leptoceras Dahlst. 468.
- leucanthum (Ledeb.) Ledeb. 540.
- lilacinum Krassn. ex Schischk. 529.
- Lincevskiyi Schischk. 554, 751.
- Lipskyi Schischk. 481.
- lissocarpum (Dahlst.) Dahlst. 518.
- Litwinowii Schischk. 555, 752.
- longicorne Dahlst. 461.
- longipes Kom. 458.
- longipyramidatum Schischk. 489, 735.
- longirostre Schischk. 493, 735.
- luridum Hagl. 555.
- Lyngeanum Hagl. 520.
- lyratum (Ledeb.) DC. 550.
- macilentum Dahlst. 467.
- macrochlamideum S. Kovalevsk. 438.
- macrolepium Schischk. 438, 729.
- magnum V. Korol. 515.
- majus Schischk. 437, 729.
- Malaisei Dahlst. 459.
- maracandicum S. Kovalevsk. 485.
- mexicanum DC. 444.
- microspermum Schischk. 487.
- minutilobum M. Pop. ex S. Kovalevsk. 548.
- Miyake Kitam. 454.
- modestum Schischk. 509, 738.
- mongolicum Hand.-Mazz. 506.
- monochlamydeum Hand.-Mazz. 483.
- montanum (C. A. Mey.) DC. 430; tab. 25.
- multiscaposum Schischk. 480.
- muricatum Schischk. 556.
- murmanicum Orlova 470, 730.
- nairoense Koidz. 453.
- natschikense Kom. 448.
- neo-lobulatum Van Soest 490.
- neo-sachalinense Koidz. 446.
- Nevskii Juz. 486.
- nigricans (Kit.) Reichb. 440.
- Nikitinii Schischk. 482.
- nivale Lange ex Kihlm. 522.
- norvegicum (Dahlst.) Dahlst. 470.
- novae-zemliae Holmboe 471.
- nuratavicum Schischk. 486, 733.
- obliquum (Fries) Dahlst. 494.
- officinale Wigg. 433.
- Ohwianum Kitam. 443.
- oliganthum Schott et Kotschy ex Hand.-Mazz. 533.
- oschense Schischk. 557, 752.
- pamiricum Schischk. 557, 753.
- perlatescens Dahlst. 459.

- Taraxacum perpusillum* Schischk. 516, 742.
- *pineticola* Klok. 499.
 - *pingue* Schischk. 513.
 - *platyceras* Dahlst. 463.
 - *platycranum* Dahlst. 440.
 - *platylepium* Dahlst. 520.
 - *platypecidum* Diels 442.
 - *Pobedimoviae* Schischk. 531, 744.
 - *Pojarkoviae* Schischk. 546, 749; tab. 26.
 - *porphyranthum* Boiss. 528.
 - *praecox* Schischk. 483, 732.
 - *praestans* Lindb. f. 439.
 - *praticola* Schischk. 501.
 - *Printzii* Dahlst. 496.
 - *pseudoalpinum* Schischk. 449.
 - *pseudolasianthum* Koidz. 453.
 - *pseudo-dissimile* Van Soest 492.
 - *pseudoglabrum* Dahlst. 448.
 - *pseudominutilobum* S. Kovalevsk. 546.
 - *pseudonigricans* Hand.-Mazz. 558.
 - *pseudoroseum* Schischk. 528, 744.
 - *repandum* Pavl. 502.
 - *rubidum* Schischk. 549, 750; tab. 26.
 - *rubiginans* Dahlst. 504.
 - *Rubtzovii* Schischk. 515, 741.
 - *rufum* Dahlst. 505.
 - *sachalinense* Kitam. 455.
 - *sagittifolium* Lindl. f. ex Dahlst. 451.
 - *Saposhnikovii* Schischk. 509, 739.
 - *Schelkovnikovii* Schischk. 474.
 - *Schischkinii* V. Korol. 449.
 - *schuganicum* Schischk. 514, 741.
 - *seravschanicum* Schischk. 558, 753.
 - *serotinum* (Waldst. et Kit.) Poir. 431.
 - *shikotanense* Kitam. 455.
 - *shimushirens* Tatewaki et Kitam. 457.
 - *shumushuense* Kitam. 457.
 - *sibiricum* Dahlst. 526.
 - *simulum* Brenn. 471.
 - *sinicum* Kitag. 542.
 - *songoricum* Schischk. 512, 740.
 - *Stanjukoviczii* Schischk. 508, 737.
 - *stenolepium* Hand.-Mazz. 535.
 - *stenolobum* Stschegl. 496.
 - *strobilocephalum* S. Kovalevsk. 485.
 - *subglaciale* Schischk. 524, 743.
 - *suecicum* Hagl. 517; tab. 25.
 - *Sumneviciii* Schischk. 503.
 - *syriacum* Boiss. 430.
 - *tadshikorum* Ovcz. 488, 734.
 - *Tatewakii* Kitam. 446.
 - *tauricum* Kotov 499, 736; tab. 26.
 - *tenuisectum* Somm. et Lévier 559.
 - *tianschanicum* Pavl. 503.
 - *tundricola* Hand.-Mazz. 522.
 - *turgaicum* Schischk. 436, 728.
 - *turiense* Orlova 521, 742.
 - *Tzvelevii* Schischk. 545, 749.
 - *ussuriense* Kom. 445.
 - *varsobicum* Schischk. 537, 747.
 - *Vassilczenkoi* Schischk. 511, 739.
 - *Voronovii* Schischk. 536, 746.
 - *vulcanorum* Koidz. 469.
 - *xerophilum* Markl. 494.
 - *Yamamotoi* Koidz. 464.
 - *yetrofuense* Kitam. 456.
- Tauscheria** Fisch. 8, 228.
- *lasiocarpa* Fisch. 228; tab. 13.
 - *oblonga* Vass. 229, 643; tab. 13.
- Taxus** L. 1, 131.
- *baccata* L. 131.
 - *cuspidata* Sieb. et Zucc. 132; tab. 8.
- Teesdalia** R. Br. 8, 593.
- *nudicaulis* (L.) R. Br. 593.
- Telekia** Baumg. 25, 510.
- *speciosa* (Schreb.) Baumg. 510.
- Telephium** L. 6, 562.
- *oligosperma* Steud. ex Boiss. 563; tab. 32.
 - *orientale* Boiss. 563; tab. 32.
- Teline** Medic. 1, 70.
- *monspessulana* (L.) Koch 70; tab. 5.
- Teloxis** Moq. 6, 47.
- Tenageia** Dum. 3, 515.
- Tetracme** Bge. 8, 299.
- *pamirica* Vass. 300, 648; tab. 19.
 - *quadricornis* (Steph.) Bge. 300; tab. 19.
 - *recurvata* Bge. 301.
- Tetracmidion** Korsh. 8, 301.
- *bucharicum* Korsh. 302; tab. 19, tab. 20.
- Tetradiclis** Stev. 14, 151.
- *tenella* (Ehrenb.) Litv. 151.
- Tetragonolobus** Scop. 11, 297.
- *purpureus* Moench 298.
 - *siliquosus* (L.) Roth 297; tab. 19.
- Tetrahit** Gilib. 21, 111.
- Tetramorphaea** DC. 28, 370, 576.
- Teucrium** L. 20, 39.
- \times *Alexeenkoanum* Juz. 64, 506.
 - *botrys* L. 50.
 - *canum* Fisch. et Mey. 63.
 - *chamaedrys* L. 55; tab. 4.
 - *excelsum* Juz. 62, 505.
 - *Fischeri* Juz. 57.
 - *hircanicum* L. 45; tab. 3.
 - *jailae* Juz. 65; tab. 4.
 - *krymense* Juz. 61; tab. 4.
 - *multinodum* (Bordz.) Juz. 53.

- nuchense C. Koch 52; tab. 4.
- orientale L. 42; tab. 3.
- pannonicum A. Kerner 67.
- parviflorum Schreb. 44.
- polium L. 68.
- praemontanum Klok. 66, 506.
- pulchrius Juz. 57.
- scordioides Schreb. 50; tab. 3.
- scordium L. 46; tab. 3.
- syspirense C. Koch 58.
- Taylori Boiss. 43.
- trapezunticum (Reichb. f.) Juz. 54.
- ussuriense Kom. 528.
- Thaeniattherum** Nevski 2, 719.
- asperum (Simk.) Nevski 719; tab. 50.
- crinitum (Schreb.) Nevski 719; tab. 50.
- Thalictrum** L. 7, 510.
- alpinum L. 519; tab. 35.
- angustifolium L. 527.
- aquilegifolium L. 512; tab. 35.
- baicalense Turcz. 515; tab. 35.
- contortum L. 513; tab. 35.
- filamentosum Maxim. 516.
- flavum L. 527.
- foetidum L. 520; tab. 35.
- isopyroides C. A. Mey. 523; tab. 35.
- minus L. 524.
- petaloideum L. 518; tab. 35.
- podolicum Lecoyer 525.
- sachalinense Lecoyer 514.
- simplex L. 526.
- sparsiflorum Turcz. ex Fisch. et Mey. 513.
- squarrosus Steph. ex Willd. 523.
- sultanabadense Stapf 518; tab. 35.
- triternatum Rupr. 517.
- tuberiferum Maxim. 515.
- Thea** L. 15, 198.
- sinensis L. 198.
- Thellungiella** O. E. Schulz 8, 75.
- halophila (C. A. Mey.) O. E. Schulz 76.
- salsuginea (Pall.) O. E. Schulz 75.
- Thelycrania** (Dum.) Fourr. 17, 331.
- alba (L.) Pojark. 344; tab. 24.
- australis (C. A. Mey.) Sanadze 337.
- brachypoda (C. A. Mey.) Pojark. 333.
- darvasica Pojark. 343.
- iberica (Woronow) Pojark. 338.
- Koenigii (Schneid.) Sanadze 334; tab. 24.
- Meyeri Pojark. 341.
- sanguinea (L.) Fourr. 336.
- stolonifera (Michx.) Pojark. 346; tab. 24.
- Thelygonum** L. 6, 372.
- cynocrambe L. 372.

- Theodorea* Cass. 27, 361, 520.
- Thermopsis** R. Br. 11, 37.
- alpina (Pall.) Ledeb. 38; tab. 3.
- alterniflora Rgl. et Schmalh. 41.
- dolichocarpa V. Nikit. 42.
- fabacea (Pall.) DC. 43.
- lanceolata R. Br. 39.
- turkestanica Gand. 40.
- Therorhodium* Small 18, 58.
- Thesium** L. 5, 412.
- alatavicum Kar. et Kir. 421; tab. 24.
- alpinum L. 430; tab. 24.
- brachyphyllum Boiss. 430; tab. 24.
- chinense Turcz. 418; tab. 24.
- ebracteatum Hayne 419.
- ferganense Bobr. 428.
- Gontscharovii Bobr. 428; tab. 24.
- Kotschyanum Boiss. 416; tab. 24.
- linifolium Schrank 419; tab. 24.
- longifolium Turcz. 423; tab. 24.
- maritimum C. A. Mey. 415.
- Minkwitzianum B. Fedtsch. 415; tab. 24.
- multicaule Ledeb. 424.
- procumbens C. A. Mey. 418; tab. 24.
- ramosissimum Bobr. 429; tab. 24.
- ramosum Hayne 427; tab. 24.
- refractum C. A. Mey. 421.
- repens Ledeb. 420.
- rupestre Ledeb. 422.
- saxatile Turcz. ex DC. 422; tab. 24.
- Szovitsii DC. 417; tab. 24.
- Thladiantha** Bge. 24, 94.
- dubia Bge. 95.
- Thlaspi** L. 8, 576.
- annuum C. Koch 596.
- armenum N. Busch 582.
- arvense L. 581; tab. 33.
- cochleariforme DC. 587.
- exauriculatum Kom. 587.
- ferganense N. Busch 589.
- Freynii N. Busch 588; tab. 33.
- Huetii Boiss. 581; tab. 33.
- Kotschyanum Boiss. et Hohen. 585.
- macranthum N. Busch 588.
- orbiculatum Stev. 581; tab. 33.
- perfoliatum L. 585; tab. 33.
- platycarpum Fisch. et Mey. 582; tab. 33.
- praecox Wulf. 587.
- pumilum Ledeb. 589; tab. 33.
- roseolum N. Busch 586.
- rostratum N. Busch 589.
- Szovitsianum Boiss. 585.
- umbellatum Stev. 585.
- Thuja** Tourn. 1, 192.

- Thuja occidentalis* L. 192.
Thuspeinantha Durand 20, 232.
 — *persica* (Boiss.) Brig. 232.
Thylacosperma Lindl. 6, 545.
Thylacospermum Fenzl 6, 545.
 — *caespitosum* (Chamb.) Schischk. 546; tab. 31.
Thymelaea Endl. 15, 482.
 — *passerina* (L.) Coss. et Germ. 483.
Thymus L. 21, 470.
 — *alatauensis* (Klok. et Schost.) Klok. 535.
 — *altaicus* Klok. et Schost. 540.
 — *alternans* Klok. 481.
 — *amictus* Klok. 495.
 — *amurensis* Klok. 519; tab. 29.
 — *ararati-minoris* Klok. et Schost. 557.
 — *armeniacus* Klok. et Schost. 556.
 — *Arsenijevii* Klok. 531.
 — *Aschurbajevii* Klok. 544.
 — *asiaticus* Serg. 535.
 — *baschkiriensis* Klok. et Schost. 562.
 — *binervulatus* Klok. et Schost. 565; tab. 30.
 — *bituminosus* Klok. 524.
 — *borysthenticus* Klok. et Schost. 581; tab. 31.
 — *bucharicus* Klok. 543.
 — *bulgaricus* (Domin et Podp.) Ronn. 497.
 — *Buschianus* Klok. et Schost. 478.
 — *calcareus* Klok. et Schost. 575.
 — *Callieri* Borb. 493; tab. 28.
 — *caucasicus* Willd. 477.
 — *chankoanus* Klok. 521.
 — *circumcinctus* Klok. 481; tab. 27.
 — *collinus* M. B. 552.
 — *coriifolius* Ronn. 505.
 — *crebrifolius* Klok. 528.
 — *crenulatus* Klok. 527.
 — *cretaceus* Klok. et Schost. 576; tab. 31.
 — *cuneatus* Klok. 588.
 — *curtus* Klok. 522.
 — *Czernjaevii* Klok. 506; tab. 28.
 — *dagestanicus* Klok. et Schost. 571.
 — *Desjatoviae* Ronn. 560.
 — *diminutus* Klok. 545.
 — *dimorphus* Klok. et Schost. 500; tab. 28.
 — *disjunctus* Klok. 483.
 — *diversifolius* Klok. 532.
 — *Dubjanskii* Klok. et Schost. 577; tab. 31.
 — *Dzevanovskii* Klok. et Schost. 510.
 — *Elisabethae* Klok. et Schost. 498.
 — *eltonicus* Klok. et Schost. 587.
 — *enervius* Klok. 488.
 — *eravinensis* Serg. 525.
 — *eremita* Klok. 586.
 — *eriophorus* Ronn. 550.
 — *eubajcalensis* Klok. 526.
 — *eupatoriensis* Klok. et Schost. 570.
 — *extremus* Klok. 533.
 — *Fedtschenkoi* Ronn. 551.
 — *flexilis* Klok. 520.
 — *Fominii* Klok. et Schost. 558.
 — *glacialis* Klok. 507.
 — *graniticus* Klok. et Schost. 574.
 — *Grossheimii* Ronn. 560.
 — *guberlinensis* Iljin 563; tab. 30.
 — *Hadzhievii* Grossh. 578.
 — *helendzhicus* Klok. et Schost. 580; tab. 31.
 — *hirsutus* M. B. 492; tab. 28.
 — *hirticaulis* Klok. 536.
 — *Iljinii* Klok. et Schost. 541.
 — *inaequalis* Klok. 523.
 — *incertus* Klok. 588.
 — *irtyschensis* Klok. 589.
 — *jajlae* (Klok. et Schost.) Stank. 499.
 — *jenisseensis* Iljin 546.
 — *kalmiussicus* Klok. et Schost. 575.
 — *karamarianicus* Klok. et Schost. 508.
 — *Karjaginii* Grossh. 573.
 — *kasakstanicus* Klok. et Schost. 586.
 — *kirgisorum* Dub. 585.
 — *kjapazi* Grossh. 559.
 — *Klokovii* (Ronn.) Schost. 501.
 — *Komarovii* Serg. 484.
 — *Kotschyanus* Boiss. et Hohen. 550; tab. 30.
 — *ladjanuricus* Kem.-Nath. 570.
 — *lanulosus* Klok. 585.
 — *latifolius* (Bess.) Andr. 509.
 — *Lavrenkoanus* Klok. 512.
 — *Lipskyi* Klok. et Schost. 572.
 — *litoralis* Klok. et Schost. 498.
 — *Loevyanus* Opiz 507.
 — *majkopensis* Klok. et Schost. 580.
 — *Marschallianus* Willd. 511.
 — *markhotensis* Maleev 496.
 — *migricus* Klok. et Schost. 551.
 — *minussinensis* Serg. 524.
 — *moldavicus* Klok. et Schost. 573.
 — *mongolicus* Klok. 540.
 — *mugodzharius* Klok. et Schost. 561; tab. 30.
 — *narymensis* Serg. 528.
 — *nercensis* Klok. 590.
 — *nervulosus* Klok. 522.
 — *nummularius* M. B. 476; tab. 27.
 — *ochotensis* Klok. 520.

- oxyodontus Klok. 541.
- Pallasianus H. Br. 582; tab. 31.
- pannonicus All. 509.
- pastoralis Iljin 510.
- paucifolius Klok. 539.
- petraeus Serg. 590.
- phyllopodus Klok. 526.
- podolicus Klok. et Schost. 495.
- proximus Serg. 545.
- Przewalskii Kom. 502.
- pseudograniticus Klok. et Schost. 574.
- pseudohumillimus Klok. et Schost. 578.
- pseudonummularius Klok. et Schost. 476.
- pseudopulegioides Klok. et Schost. 487.
- pulchellus C. A. Mey. 489; tab. 27.
- pulegioides L. 487.
- rariflorus C. Koch 555; tab. 30.
- rasitatus Klok. 562.
- Reverdattoanus Serg. 533.
- roseus Schipcz. 564.
- Schischkinii Serg. 528.
- semiglaber Klok. 482.
- serpyllum L. 537; tab. 29.
- sibiricus Klok. et Schost. 539.
- Sokolovii Klok. 532.
- Sosnowskyi Grossh. 572.
- stepposus Klok. et Schost. 512; tab. 28.
- subalpestris Klok. 485.
- subarcticus Klok. et Schost. 538; tab. 29.
- Talievii Klok. et Schost. 534.
- tauricus Klok. et Schost. 579.
- tiflisiensis Klok. et Schost. 497.
- tonsilis Klok. 537.
- transcaspicus Klok. et Schost. 555.
- transcaucasicus Ronn. 558.
- Trautvetteri Klok. et Schost. 559.
- Turczaninovi Serg. 501.
- ucrainicus (Klok. et Schost.) Klok. 486.
- ussuriensis Klok. 519.
- Zelenetzkyi Klok. et Schost. 494.
- zeravshanicus Klok. 542; tab. 29.
- zheguliensis Klok. et Schost. 563.
- ziaratinus Klok. et Serg. 557.
- Thysanthus* Schrank 18, 268.
- Thysanocarex* Boern. 3, 160.
- Thysselinum* Adans. 16, 560.
- Thyselinum* Hoffm. 17, 168, 201.
- Tianschaniella** B. Fedtsch. 19, 523.
- umbellifera B. Fedtsch. ex M. Pop. 523.
- Tilia** L. 15, 4.
- amurensis Rupr. 16.
- begoniifolia Stev. 13.
- caucasica Rupr. 11.
- cordata Mill. 20.
- cordifolia Bess. 14.
- dasystyla Stev. 10.
- mandshurica Rupr. 8.
- multiflora Ledeb. 13.
- sibirica Fisch. ex Bayer 18.
- Taquetii Schneid. 17.
- tomentosa Moench 7.
- Tilingia* Rgl. 16, 549.
- Tillaea** L. 9, 11.
- alata Viv. 12; tab. 2.
- aquatica L. 12; tab. 2.
- Vaillantii Willd. 11; tab. 2.
- Timouria** Roshev. 2, 118.
- Saposhnikowii Roshev. 118; tab. 5.
- Tissa* Adans. 6, 556.
- Tithymalus* Scop. 14, 308.
- Tofieldia** Huds. 4, 3.
- calyculata Wahl. 5.
- cernua Smith 4; tab. 1.
- nutans Willd. ex Schult. 4.
- palustris Huds. 3.
- Toisus* Kimura 5, 24.
- Tomanthea** DC. 28, 559.
- Aucheri DC. 362.
- daralaghezica (Fomin) Takht. 364.
- phaeopappa (DC.) Takht. et Czer. 363; tab. 21.
- spectabilis (Fisch. et Mey.) Takht. 361.
- Tomiophyllum* Fourr. 22, 229.
- Tommasinia* Boiss. 17, 38.
- Tordylium** L. 17, 276.
- Komarovii Manden. 278.
- maximum L. 277; tab. 22.
- Torilis** Adans. 16, 153.
- arvensis (Huds.) Link 152.
- heterophylla Guss. 160; tab. 11.
- japonica (Houtt.) DC. 154.
- leptophylla (L.) Reichb. 163; tab. 11.
- nodosa (L.) Gaertn. 162.
- radiata Moench 160.
- tenella (Del.) Reichb. 161.
- ucrainica Spreng. 156; tab. 11.
- xanthotricha (Stev.) Schischk. 164.
- Torresia* Ruiz. et Pav. 2, 59.
- Torularia** O. E. Schulz 8, 59.
- adpressa (Trautv.) O. E. Schulz 64; tab. 4.
- brachycarpa Vass. 66, 635.
- brevipes (Kar. et Kir.) O. E. Schulz 65.
- contortuplicata (Steph.) O. E. Schulz 62.
- glandulosa (Kar. et Kir.) Vass. 69.
- humilis (C. A. Mey.) O. E. Schulz 65.
- Korolkovii (Rgl. et Schmalh.) O. E. Schulz 62.

- Torularia mollipila* (Maxim.) O. E. Schulz 66; tab. 4.
 — *sulphurea* (Korsh.) O. E. Schulz 63; tab. 4.
 — *sumbarensis* (Lipsky) O. E. Schulz 64; tab. 4.
 — *torulosa* (Desf.) O. E. Schulz 61.
Torulinium Desv. 3, 24.
 — *caucasicum* Palla 24; tab. 1.
Tournefortia L. 19, 116.
 — *sibirica* L. 119.
 — *sogdiana* (Bge.) M. Pop. 120; tab. 6.
Tournesol Adans. 14, 288.
Tournesolia Scop. 14, 288.
Toxicodendron Mill. 14, 531.
 — *orientale* Greene 535.
 — *radicans* (L.) Kuntze 535; tab. 29.
 — *trichocarpum* (Miq.) Kuntze 538.
 — *vernicifluum* (Stokes) Lincz. 537; tab. 29.
 — *vernix* (L.) Kuntze 538; tab. 29.
Tozzia L. 22, 554.
 — *carpathica* Woloszcz. 554.
Trachelanthus Kuntze 19, 620.
 — *hissaricus* Lipsky 621; tab. 34.
 — *Korolkovii* Lipsky 622; tab. 34.
Trachomitum Woodson 18, 652.
 — *armenum* Pobed. 657; tab. 35.
 — *lancifolium* (Russan.) Pobed. 658.
 — *Russanovii* Pobed. 654; tab. 35.
 — *sarmatiense* Woodson 653.
 — *scabrum* (Russan.) Pobed. 659.
 — *tauricum* Pobed. 657; tab. 35.
Trachycarpus H. Wendl. 3, 476.
 — *excelsa* (Thunb.) H. Wendl. 476; tab. 25.
Trachydium Lindl. 16, 246.
 — *dichotomum* Korov. 249.
 — *kopetdaghense* Korov. 246; tab. 15.
Trachynia Link 2, 596.
 — *distachya* (L.) Link 596; tab. 44.
Trachyspermum Link 16, 378.
 — *ammi* (L.) Sprague 379.
Trachystemon D. Don 19, 291.
 — *orientale* (L.) D. Don 292.
Tragacantha Mill. 12, 318.
Tragiopsis Pom. 16, 378.
Tragium Spreng. 16, 422, 435.
Tragopogon L. 29, 115.
 — *acanthocarpus* Boiss. 158.
 — *alaicus* S. Nikit. 191.
 — *altaicus* S. Nikit. 147.
 — *armeniacus* Kuthath. 160.
 — *badachschanicus* Boriss. 147, 723; tab. 9.
 — *bjelorussicus* Artemcz. 143; tab. 11.
 — *borysthenicus* Artemcz. 174.
 — *brevirostris* DC. 169.
 — *buphtalmoides* (DC.) Boiss. 156.
 — *capitatus* S. Nikit. 132; tab. 7.
 — *Charadzeae* Kuthath. 177.
 — *colchicus* Albov 171.
 — *collinus* DC. 186.
 — *coloratus* C. A. Mey. 185.
 — *conduplicatus* S. Nikit. 189.
 — *cretaceus* S. Nikit. 152.
 — *daghestanicus* (Artemcz.) Kuthath. 174.
 — *dasyrhynchus* Artemcz. 165.
 — *donetzcicus* Artemcz. 184.
 — *Dubianskyi* Krasch. et S. Nikit. 180.
 — *dubius* Scop. 131.
 — *elatior* Stev. 168.
 — *elongatus* S. Nikit. 192.
 — *filifolius* Rehm. ex Boiss. 171.
 — *gaudanicus* Boriss. 191.
 — *Gorskianus* Reichb. 163.
 — *gracilis* D. Don 150.
 — *graminifolius* DC. 169.
 — *heterospermus* Schweigg. 164; tab. 7.
 — *Idae* Kuthath. 159.
 — *Karelinii* S. Nikit. 148.
 — *Karjaginii* Kuthath. 157.
 — *kasahstanicus* S. Nikit. 195; tab. 8.
 — *Kemulariae* Kuthath. 136.
 — *Ketzkhovellii* Kuthath. 155.
 — *kopetdaghensis* Boriss. 179; tab. 10.
 — *Krascheninnikovii* S. Nikit. 140.
 — *Kultiassovii* M. Pop. ex S. Nikit. 195.
 — *latifolius* Boiss. 158.
 — *lithuanicus* (DC.) Boriss. 162.
 — *macropogon* C. A. Mey. 139; tab. 8.
 — *Makaschwillii* Kuthath. 159.
 — *malikus* S. Nikit. 194.
 — *marginatus* Boiss. 175.
 — *marginifolius* Pavl. 188.
 — *maturatus* Boriss. 177.
 — *meskheticus* Kuthath. 154.
 — *montanus* S. Nikit. 190.
 — *nachitschevanicus* Kuthath. 185.
 — *orientalis* L. 142.
 — *paradoxus* S. Nikit. 134.
 — *plantagineus* Boiss. et Huet 155.
 — *podolicus* (Bess. ex DC.) Artemcz. 167.
 — *porrifolium* L. 196.
 — *pratensis* L. 193.
 — *pteu-domajor* S. Nikit. 135.
 — *pusillus* M. B. 153.
 — *reticulatus* Boiss. et Huet 176.
 — *ruber* S. G. Gmel. 187; tab. 11.
 — *ruthenicus* Bess. ex Krasch. et S. Nikit. 183.

- sabulosus Krasch. et S. Nikit. 178; tab. 9.
- scoparius S. Nikit. 182.
- segetus Kuthath. 138.
- serawschanicus S. Nikit. 135.
- serotinus Sosn. 170.
- sibiricus Ganesch. 151; tab. 7.
- songoricus S. Nikit. 145.
- Sosnovskiy Kuthath. 137.
- stepposus (S. Nikit.) Stank. 172.
- subalpinus S. Nikit. 151.
- tanaiticus Artemcz. 163.
- tasch-kala Kuthath. 157.
- tomentosulus Boriss. 148.
- trachycarpus S. Nikit. 144.
- tuberosus C. Koch 152.
- turkestanicus S. Nikit. 146.
- ucrainicus Artemcz. 173.
- volgensis S. Nikit. 166; tab. 10.
- Vvedenskyi M. Pop. ex Pavl. 138.
- Tragopyrum* M. B. 5, 501.
- Tragoselinum* Mill. 16, 422, 427.
- Tragus** Hall. 2, 23.
- racemosus (L.) Desf. 23; tab. 1.
- Trapa** L. 15, 638.
- amurensis Fler. 659.
- astrachanica (Fler.) N. Wint. 653; tab. 33.
- carinthiaca (G. Beck) V. Vassil. 661; tab. 33.
- colchica Albov 655.
- conocarpa (Aresch.) Fler. 649; tab. 32.
- cruciata (Glück) V. Vassil. 650; tab. 32.
- europaea Fler. 662; tab. 33.
- hyrcana Woronow 654.
- Komarovii V. Vassil. 647, 693; tab. 32.
- Korshinskyi V. Vassil. 648, 694; tab. 32.
- Litwinowii V. Vassil. 649, 694; tab. 32.
- longicornis V. Vassil. 661, 698; tab. 33.
- maeotica Woronow 654.
- Maleevii V. Vassil. 655, 696; tab. 33.
- manshurica Fler. 660.
- Maximowiczii Korsh. 643; tab. 32.
- natans L. 652.
- pectinata V. Vassil. 659, 697; tab. 33.
- Potaninii V. Vassil. 647, 693; tab. 32.
- rossica V. Vassil. 651, 695; tab. 33.
- septentrionalis V. Vassil. 651, 695; tab. 32.
- sibirica Fler. 656.
- Spryginii V. Vassil. 660, 697; tab. 33.
- Tranzschelii V. Vassil. 644, 692; tab. 32.
- tuberculifera V. Vassil. 644, 692; tab. 32.
- Trapella** Oliv. 23, 14.
- sinensis Oliv. 14; tab. 2.
- Traunsteinera** Reichb. f. 4, 671.
- globosa (L.) Reichb. f. 671; tab. 41.
- sphaerica (M. B.) Schlecht. 672; tab. 41.
- Trautvetteria** Fisch. et Mey. 7, 509.
- japonica Sieb. et Zucc. 509.
- Triadenum** Raf. 15, 201.
- japonicum (Blume) Makino 202; tab. 9.
- Tribulus** L. 14, 194.
- macropterus Boiss. 194.
- terrestris L. 195.
- Trichanthemis** Rgl. et Schmalh. 26, 273.
- aulieatensis (B. Fedtsch.) Krasch. 277; tab. 27.
- aurea Krasch. 281.
- Butkovii S. Kovalevsk. 282.
- karataviensis Rgl. et Schmalh. 278; tab. 12.
- Litwinowii (Krasch.) Tzvel. 283.
- paradoxos (C. Winkl.) Tzvel. 281.
- radiata Krasch. et Vved. 280; tab. 11.
- Trichasma* Walp. 11, 51.
- Trichaurus* Arn. 15, 291, 314.
- Trichelostylis* Lest. 3, 95.
- Trichera* Schrad. 24, 12, 13.
- Trichocarpus* Neck. 10, 600.
- Trichochiton** Kom. 8, 322.
- inconspicuum Kom. 323; tab. 21.
- Trichocrepis* Vis. 29, 699, 708.
- Trichodesma** R. Br. 19, 690.
- incanum (Bge.) DC. 690.
- Trichodium* Michx. 2, 174.
- Tricholepis** DC. 28, 258.
- trichocephala Lincz. 258.
- Trichomanes** L. 1, 17.
- parvulum Poir. 18; tab. 1.
- Trichophorum** Pers. 3, 37.
- alpinum (L.) Pers. 38; tab. 3.
- caespitosum (L.) Hartm. 37; tab. 3.
- pumilum (Vahl) Schinz et Thell. 38; tab. 3.
- Tridactylina** (DC.) Sch. Bip. 26, 389.
- Kirilowii (Turcz.) Sch. Bip. 390; tab. 17.
- Trientalis** L. 18, 269.
- arctica Fisch. ex Hook. 271.
- europaea L. 270.
- Trifolium** L. 1, 189.
- alexandrinum L. 255.
- alpestre L. 247.
- ambiguum M. B. 207.
- angulatum Waldst. et Kit. 214.
- angustifolium L. 240.

- Trifolium apertum* Bobr. 254, 391; tab. 16.
 — *arvense* L. 257.
 — *Bordzilowskyi* Grossh. 206.
 — *borysthenicum* Grun. 251.
 — *campestre* Schreb. 223.
 — *canescens* Willd. 232.
 — *caucasicum* Tausch 234; tab. 15.
 — *cyathiferum* Lindl. 199.
 — *diffusum* Ehrh. 253.
 — *dubium* Sibth. 224.
 — *echinatum* M. B. 240.
 — *Elisabethae* Grossh. 208.
 — *eximium* Steph. ex DC. 202; tab. 14.
 — *expansum* Waldst. et Kit. 250.
 — *fontanum* Bobr. 251, 391.
 — *fragiferum* L. 226.
 — *glomeratum* L. 215.
 — *hirtum* Ail. 256.
 — *hybridum* L. 212.
 — *incarnatum* L. 243.
 — *lappaceum* M. B. 257.
 — *leucanthum* M. B. 238; tab. 16.
 — *lupinaster* L. 200; tab. 13.
 — *maritimum* Huds. 234; tab. 16.
 — *medium* L. 246.
 — *micranthum* Viv. 225.
 — *Molineri* Balb. 242.
 — *montanum* L. 206.
 — *neglectum* C. A. Mey. 226.
 — *ochroleucum* Huds. 237.
 — *pacificum* Bobr. 202; tab. 13.
 — *pannonicum* Jacq. 233.
 — *parviflorum* Ehrh. 214.
 — *phleoides* Pourr. 243.
 — *physodes* Stev. 228.
 — *polyphyllum* C. A. Mey. 205; tab. 14.
 — *pratense* L. 248.
 — *Raddeanum* Trautv. 228.
 — *repens* L. 211.
 — *resupinatum* L. 230.
 — *rubens* L. 247.
 — *rytidosemum* Boiss. et Hohen. 219.
 — *sativum* Crome 252.
 — *scabrum* L. 244.
 — *Sebastianii* Savi 224.
 — *seravschanicum* Ovcz. 252, 391.
 — *spadiceum* L. 220.
 — *speciosum* Willd. 221.
 — *spumosum* L. 217.
 — *squarrosus* L. 239.
 — *stellatum* L. 241.
 — *stipitatum* Boiss. et Bal. 218.
 — *strepens* Crantz 222.
 — *striatum* L. 245.
 — *subterraneum* L. 261.
 — *suffocatum* L. 216.
 — *tomentosum* L. 231.
 — *trichocephalum* M. B. 233; tab. 15.
 — *tumens* Stev. 229.
 — *vesiculosum* Savi 217.
Triganthemum Gib. et Belli 11, 216.
Triglochin L. 1, 276.
 — *maritima* L. 276; tab. 10.
 — *palustris* L. 277; tab. 10.
Trigonella L. 11, 102.
 — *adscendens* Afan. et Gontsch. 126; tab. 9.
 — *arcuata* C. A. Mey. 113; tab. 8.
 — *astroides* Fisch. et Mey. 114; tab. 8.
 — *badachschanica* Afan. 125; tab. 9.
 — *biflora* Griseb. 124; tab. 9.
 — *brachycarpa* (Fisch.) G. Moris 123; tab. 9.
 — *calliceras* Fisch. 108; tab. 8.
 — *capitata* Boiss. 118; tab. 9.
 — *coerulea* (Desr.) Ser. 116; tab. 9.
 — *coerulescens* (M. B.) Halacsy 118; tab. 9.
 — *cretacea* (M. B.) Grossh. 120; tab. 9.
 — *Fischeriana* Ser. 113; tab. 8.
 — *foenum-graecum* L. 119; tab. 9.
 — *geminiflora* Bge. 115; tab. 8.
 — *gladiata* Stev. 119; tab. 9.
 — *Gordijevii* (Kom.) Grossh. 129; tab. 9.
 — *grandiflora* Bge. 106; tab. 8.
 — *Korschinskyi* Grossh. 127; tab. 9.
 — *laxiflora* Aitch. et Baker 126; tab. 9.
 — *Lipskyi* Širj. 125; tab. 9.
 — *monspeliaca* L. 116; tab. 8.
 — *montana* C. A. Mey. 114; tab. 8.
 — *Noëana* Boiss. 115; tab. 8.
 — *orthoceras* Kar. et Kir. 115.
 — *pamirica* Boriss. 124; tab. 9.
 — *platycarpus* L. 128; tab. 9.
 — *Popovii* Korov. 128; tab. 9.
 — *procumbens* (Bess.) Reichb. 117; tab. 9.
 — *radiata* (L.) Boiss. 123; tab. 9.
 — *ruthenica* L. 127; tab. 9.
 — *spicata* Sibth. et Sm. 111; tab. 8.
 — *strangulata* Boiss. 110.
 — *tenuis* Fisch. 112; tab. 8.
 — *torulosa* Griseb. 107; tab. 8.
 — *turkmena* M. Pop. 106; tab. 8.
 — *verae* Širj. 106; tab. 8.
Trigonocaryum Trautv. 19, 297.
 — *involutum* (Stev.) Kusn. 297.
Trigonotis Stev. 19, 260.
 — *koreana* Nakai 261; tab. 14.
 — *myosotideia* Maxim. 263; tab. 14.

- peduncularis (Trev.) Benth. ex S. Moore et Baker 264; tab. 14.
- radicans (Turcz.) Stev. 262.
- Trillium** L. 4, 473.
- kamtschaticum Pall. 473; tab. 29.
- rhombifolium Kom. 474, 748.
- Trimorpha* Cass. 25, 191.
- Trimorphaea* Cass. 25, 191.
- Trinia** Hoffm. 16, 349.
- hispida Hoffm. 355.
- Kitaibelii M. B. 357; tab. 24.
- leiogona (C. A. Mey.) B. Fedtsch. 357; tab. 25.
- multicaulis (Poir.) Schischk. 352; tab. 24.
- muricata Godet 356.
- polyclada Schischk. 351.
- Stankovii Schischk. 352.
- ucrainica Schischk. 351.
- Triosteon* Adans. 23, 458.
- Triosteospermum* Post et Kuntze 23, 458.
- Triosteum** L. 23, 458.
- sinuatum Maxim. 458.
- Tripleurospermum** Sch. Bip. 26, 157.
- ambiguum (Ledeb.) Franch. et Savat. 168; tab. 7.
- breviradiatum (Ledeb.) Pobed. 178.
- caucasicum (Willd.) Hayek 161.
- colchicum (Manden.) Pobed. 174.
- decipens (Fisch. et Mey.) Bornm. 182.
- disciforme (C. A. Mey.) Sch. Bip. 181; tab. 6.
- elongatum (Fisch. et Mey.) Bornm. 176; tab. 5.
- Grossheimii (Fed.) Pobed. 165.
- inodorum (L.) Sch. Bip. 175.
- Karjaginii (Manden. et Sof.) Pobed. 167.
- limosum (Maxim.) Pobed. 177; tab. 6.
- maritimum (L.) Koch 177.
- parviflorum (Willd.) Pobed. 183.
- phaeocephalum (Rupr.) Pobed. 171.
- rupestre (Somm. et Lévier) Pobed. 173.
- sevanense (Manden.) Pobed. 182; tab. 7.
- subnivale Pobed. 162; tab. 5.
- subpolare Pobed. 172.
- Szowitzii (DC.) Pobed. 166; tab. 5.
- Tchichatchevii (Boiss.) Bornm. 174.
- tetragonospermum (Fr. Schmidt) Pobed. 170.
- transcaucasicum (Manden.) Pobed. 167.
- Triplocentron* Cass. 28, 370, 570.
- Triopogon** Roth ex Roem. et Schult. 2, 287.
- chinensis (Franch.) Hack. 287; tab. 22.
- Tripolium** Nees 25, 183.
- vulgare Nees 184; tab. 4.
- Tripolium* (Astropolium) Nutt. 25, 185.
- Tripolium* (Oxytripolium) DC. 25, 185.
- Trisetum** Pers. 2, 252.
- altaicum (Steph.) Roshev. 254; tab. 18.
- Cavanillesii Trin. 257; tab. 18.
- distichophyllum (Vill.) Beauv. 256; tab. 18.
- lineare (Forsk.) Boiss. 257; tab. 18.
- pratense Pers. 253; tab. 18.
- rigidum (M. B.) Roem. et Schult. 256; tab. 18.
- seravschanicum Roshev. 255; tab. 18.
- sibiricum Rupr. 253; tab. 18.
- spicatum (L.) Richt. 255; tab. 18.
- subalpestre (Hartm.) Neum. 254.
- virescens (Rgl.) B. Fedtsch. 255; tab. 18.
- Triticum** L. 2, 675.
- aestivum L. 687; tab. 48.
- armeniacum (Stolet.) Nevski 683.
- carthlicum Nevski 685.
- compactum Host 687; tab. 48.
- dicoccoides (Koern.) Aaronsohn 681.
- durum Desf. 685; tab. 48.
- macha Dekapr. et Menabde 686.
- monococcum L. 681; tab. 48.
- polonicum L. 688; tab. 48.
- spelta L. 687; tab. 48.
- Thaoudar Reut. 677; tab. 48.
- Timofeevii Zhuk. 682.
- turgidum L. 684; tab. 48.
- volgense (Flaksb.) Nevski 683; tab. 48.
- Trixago* Stev. 22, 658.
- Trocho stigma* Sieb. et Zucc. 15, 186.
- Trollius** L. 7, 42.
- altaicus C. A. Mey. 45.
- asiaticus L. 49.
- chartosepalus Schipcz. 53.
- chinensis Bge. 47.
- dschungaricus Rgl. 44; tab. 5.
- europaeus L. 45.
- japonicus Miq. 50.
- Ledebouri Reichb. 47.
- patulus Salisb. 46.
- Riederianus Fisch. et Mey. 50.
- sibiricus (Rgl. et Til.) Schipcz. 48.
- Tropaeolum** L. 14, 84.
- major L. 84.
- minus L. 84.
- Tulipa** L. 4, 320.
- Alberti Rgl. 334.
- altaica Pall. ex Spreng. 346.
- anisophylla Vved. 348.
- Behmiana Rgl. 341.
- Biebersteiniana Schult. 354.

- Tulipa biflora* Pall. 358.
 — *bifloriformis* Vved. 358.
 — *Borszowii* Rgl. 342.
 — *brachystemon* Rgl. 346.
 — *Buhseana* Boiss. 356.
 — *Callieri* Halacsy et Lévier 360.
 — *carinata* Vved. 332.
 — *caucasica* Lipsky 353.
 — *dasystemon* Rgl. 361.
 — *dasystemonoides* Vved. 361.
 — *dubia* Vved. 347.
 — *Eichleri* Rgl. 336.
 — *ferganica* Vved. 348.
 — *Florenskii* Woronov 331.
 — *Fosteriana* Irving 332.
 — *Greigii* Rgl. 335.
 — *heteropetala* Ledeb. 363.
 — *heterophylla* (Rgl.) Bakerm 364.
 — *hissarica* M. Pop. et Vved. 350.
 — *Hoogiana* B. Fedtsch. 330.
 — *iliensis* Rgl. 347.
 — *ingens* Hoog 332.
 — *Julia* C. Koch 330.
 — *Kaufmanniana* Rgl. 351.
 — *koktebelica* Junge 359.
 — *Kolpakovskiana* Rgl. 345.
 — *Korolkovii* Rgl. 342.
 — *Korshinskii* Vved. 349.
 — *Krauseana* Rgl. 351.
 — *kuschensis* B. Fedtsch. 329.
 — *lanata* Rgl. 331.
 — *Lehmanniana* Merckl. 341.
 — *linifolia* Rgl. 340.
 — *Maximowiczii* Rgl. 339.
 — *Micheliana* Hoog 336.
 — *mogoltavica* M. Pop. et Vved. 335; tab. 20.
 — *nitida* Hoog 343.
 — *orithyioides* Vved. 360.
 — *Ostrovskiana* Rgl. 344.
 — *patens* J. Agardh ex Schult. 355.
 — *platystemon* Vved. 346.
 — *polychroma* Stapf 359.
 — *praestans* Hoog 333.
 — *Regelii* Krasn. 352.
 — *rosea* Vved. 343.
 — *Schmidtii* Fomin 339.
 — *Schrenkii* Rgl. 343.
 — *silvestris* L. 353.
 — *sogdiana* Bge. 355; tab. 20.
 — *subpraestans* Vved. 334.
 — *tarda* Stapf 362; tab. 21.
 — *tetraphylla* Rgl. 350.
 — *tianschanica* Rgl. 349.
 — *Tubergeniana* Hoog 329.
 — *turcomanica* B. Fedtsch. 357.
 — *turkestanica* Rgl. 357.
 — *uniflora* (L.) Bess. ex Baker 363.
 — *violacea* Boiss. et Buhse 352.
 — *Wilsoniana* Hoog 340.
 — *Zenaidae* Vved. 345.
Tunica (Hallier) Scop. 6, 777.
 — *pachygonia* Fisch. et Mey. 778.
 — *saxifraga* (L.) Scop. 777; tab. 55.
 — *stricta* (Bge.) Fisch. et Mey. 778; tab. 55.
Turaniphytum Poljak. 26, 632, 880.
 — *eranthemum* (Bge.) Poljak. 635; tab. 30.
 — *kopetdaghense* Poljak. 636, 881.
Turczaninowia DC. 25, 136.
 — *fastigiata* (Fisch.) DC. 137.
Turgenia Hoffm. 16, 174.
 — *latifolia* (L.) Hoffm. 174.
Turritis (Tourn.) L. 8, 171.
 — *glabra* L. 171.
Tussilago L. 26, 641, 645.
 — *farfara* L. 641.
Typha L. 1, 210.
 — *angustata* Bory et Chaub. 215; tab. 10.
 — *angustifolia* L. 215; tab. 10.
 — *elephantina* Roxb. 212.
 — *latifolia* L. 210; tab. 10.
 — *Laxmannii* Lepech. 212.
 — *minima* Funck 216; tab. 10.
 — *orientalis* C. Presl 211.
 — *Vereschaginii* Kryl. et Schischk. 211.
Typhoides Moench 2, 54.
Uechitritzia Freyn 28, 595.
 — *armena* Freyn 596.
 — *kokanica* (Rgl. et Schmalh.) Pobed. 597; tab. 28.
Ugamia Pavl. 26, 271.
 — *angrenica* (Krasch.) Tzvel. 272.
Ulex L. 11, 72.
 — *europaeus* L. 72.
Ulmaria Moench 10, 284.
Ulmus L. 5, 360.
 — *Androssowii* Litv. 370.
 — *celtidea* (Rogow.) Litv. 364; tab. 20.
 — *densa* Litv. 369.
 — *elliptica* C. Koch 372; tab. 20.
 — *foliacea* Gilib. 364; tab. 20.
 — *laciniata* (Trautv.) Mayr 372; tab. 20.
 — *laevis* Pall. 363; tab. 20.
 — *macrocarpa* Hance 373; tab. 20.
 — *pinnato-ramosa* Dieck ex Koehne 370.
 — *propinqua* Koidz. 366; tab. 20.

- *pumila* L. 369; tab. 20.
- *scabra* Mill. 371; tab. 20.
- *suberosa* Moench 365.
- Umbilicus** DC. 9, 13.
- *oppositifolius* Ledeb. 14; tab. 2.
- Ungernia** Bge. 4, 481.
- *ferganica* Vved. 484.
- *minor* Vved. 484.
- *Severtzovii* (Rgl.) B. Fedtsch. 485.
- *tadshikorum* Vved. 483.
- *trisphaera* Bge. 482.
- *Victoris* Vved. 483.
- Uraspermum** Nutt. 16, 148.
- Urospermum** Scop. 29, 228
- *picroides* (L.) Desf. 229; tab. 12.
- Urosteima** Bge. 18, 672.
- Urtica** L. 5, 386.
- *angustifolia* Fisch. ex Hornem. 393; tab. 21.
- *cannabina* L. 388; tab. 21.
- *cyanescens* Kom. 392, 714.
- *dioica* L. 392.
- *kioviensis* Rogov. 391.
- *laetevirens* Maxim. 388.
- *pilulifera* L. 387; tab. 21.
- *platyphylla* Wedd. 391; tab. 21.
- *pubescens* Ledeb. 394.
- *urens* L. 387.
- Utricularia** L. 23, 123.
- *Bremii* Heer 125.
- *intermedia* Hayne 124.
- *japonica* Makino 126.
- *major* Schmidel 127.
- *minor* L. 125
- *vulgaris* L. 127.
- Vaccaria** Medic. 6, 802.
- *segetalis* (Neck.) Garcke 802; tab. 55.
- Vaccinium** L. 18, 94.
- *arctostaphylos* L. 102.
- *hirtum* Thunb. 95.
- *myrtillus* L. 97.
- *ovalifolium* Smith 99.
- *praestans* Lamb. 100.
- *uliginosum* L. 96.
- *vitis-idaea* L. 100.
- Vahlenbergella** Blytt 6, 714.
- Vahlodea** Fries 2, 241.
- *atropurpurea* (Wahl.) Fries 242; tab. 18.
- *paramushirensis* (Kudo) Roshev. 242, 750.
- Valantia** L. 23, 381.
- *muralis* L. 381.
- Valeriana** L. 23, 594, 587.
- *ajanensis* (Rgl. et Til.) Kom. 637; tab. 32.
- *alliariifolia* Adam 602.
- *alpestris* Stev. 607.
- *amurensis* P. Smirn. ex Kom. 635; tab. 32.
- *capitata* Pall. 616; tab. 30.
- *cardamines* M. B. 620; tab. 31.
- *chionophila* M. Pop. et Kult. 601; tab. 29.
- *colchica* Utkin 632; tab. 32.
- *daghestanica* Rupr. ex Boiss. 624; tab. 31.
- *dioica* L. 611.
- *dubia* Bge. 630.
- *eriphylla* (Ledeb.) Utkin 619; tab. 29.
- *Fedtschenkoi* Coincy 639; tab. 30.
- *ficariifolia* Boiss. 618; tab. 31.
- *Jelenevskii* P. Smirn. 609; tab. 29.
- *leucophaea* DC. 601.
- *Martjanovii* Kryl. 638; tab. 30.
- *officinalis* L. 625.
- *petrophila* Bge. 637; tab. 30.
- *saxicola* C. A. Mey. 608; tab. 29.
- *simplicifolia* Kabath 612.
- *sisymbriifolia* Vahl 617, tab. 31.
- *tiliifolia* Troitzky 605.
- *tripteris* L. 609.
- *tuberosa* L. 600.
- *Turczaninovii* Grub. 615; tab. 30.
- Valerianella** Mill. 23, 642.
- *amblyotis* Fisch. et Mey. 673; tab. 34.
- *anodon* Lincz. 656; tab. 33.
- *brachystephana* (Ten.) Bertol. 675.
- *carinata* Loisel. 670; tab. 34.
- *corniculata* C. A. Mey. 657; tab. 33.
- *coronata* (L.) DC. 677; tab. 34.
- *costata* (Stev.) Betcke 664; tab. 34.
- *cymbocarpa* C. A. Mey. 658; tab. 33.
- *dactylophylla* Boiss. et Hohen. 651; tab. 33.
- *dentata* (L.) Poll. 667; tab. 34.
- *diodon* Boiss. 653; tab. 33.
- *Dufresnia* Bge. 679; tab. 34.
- *echinata* (L.) DC. 662; tab. 33.
- *Kotschyi* Boiss. 678.
- *kulabensis* Lipsky ex Lincz. 654; tab. 33.
- *lasiocarpa* (Stev.) Betcke 676; tab. 34.
- *leiocarpa* (C. Koch) Kuntze 680.
- *Lipskyi* Lincz. 673, 739; tab. 34.
- *locusta* (L.) Betcke 663; tab. 34.
- *muricata* (Stev.) W. Baxt. 668; tab. 34.
- *oxyrrhyncha* Fisch. et Mey. 655; tab. 33.
- *plagiostephana* Fisch. et Mey. 659; tab. 33.

- Valerianella platycarpa* Trautv. 674; tab. 34.
 — *pontica* Lipsky 676; tab. 34.
 — *pumila* (L.) DC. 674; tab. 34.
 — *rimosa* Bast. 672; tab. 34.
 — *sclerocarpa* Fisch. et Mey. 656; tab. 33.
 — *Szovitsiana* Fisch. et Mey. 660; tab. 33.
 — *tripolaris* Boiss. et Buhse 652; tab. 34.
 — *tuberculata* Boiss. 647; tab. 33.
 — *turgida* (Stev.) Betcke 671; tab. 34.
 — *turkestanica* Rgl. et Schmalh. 652; tab. 33.
 — *uncinata* (M. B.) Dufr. 648; tab. 33.
 — *vesicaria* (L.) Moench 680; tab. 34.
 — *Vvedenskyi* Lincz. 661, 739; tab. 34.
Valerianella Moench 23, 587.
Vallisneria L. 1, 295.
 — *spiralis* L. 295; tab. 10.
Vandellia L. 22, 326.
 — *diffusa* L. 326.
Varthemia DC. 25, 486.
 — *persica* DC. 486.
Vavilovia Fed. 13, 521.
Velezia L. 6, 869.
 — *rigida* L. 869; tab. 45.
Venilia Fourr. 22, 229.
Ventenata Koel. 2, 257.
 — *dubia* (Leers) F. Schultz 258; tab. 18.
Veratrum L. 4, 10.
 — *calyciflorum* Kom. 13, 733.
 — *dahuricum* (Turcz.) Loes. 12; tab. 1.
 — *Lobelianum* Bernh. 13.
 — *Maackii* Rgl. 11; tab. 1.
 — *Misae* (Širj.) Loes. 14.
 — *nigrum* L. 11.
 — *oxysepalum* Turcz. 14.
Verbascum L. 22, 122.
 — *alpigenum* C. Koch 154.
 — *artvinense* Wulff 138.
 — *bactrianum* Bge. 132.
 — *banaticum* Rochel 134.
 — *blattaria* L. 167.
 — *cedreti* Boiss. 152.
 — *cheiranthifolium* Boiss. 136.
 — *erianthodon* Boiss. 141.
 — *erivanicum* Wulff 152.
 — *flavidum* (Boiss.) Freyn et Bornm. 170.
 — *flexuosum* Wulff 147.
 — *formosum* Fisch. 157.
 — *georgicum* Benth. 124.
 — *glomeratum* Boiss. 131.
 — *gnaphaloides* M. B. 140.
 — *gossypinum* M. B. 145.
 — *hajastanicum* Bordz. 145.
 — *laxum* Filar. et Jav. 148.
 — *lychnitis* L. 142.
 — *macrocarpum* Boiss. 164.
 — *megaphlomos* (Boiss. et Heldr.) Ha-lasy 135.
 — *nigrum* L. 149.
 — *oreophilum* C. Koch 163.
 — *orientale* M. B. 147.
 — *ovalifolium* Donn 156.
 — *paniculatum* Wulff 153.
 — *phlomoides* L. 123.
 — *phoeniceum* L. 168.
 — *pinnatifidum* Vahl 137.
 — *punalense* Boiss. et Buhse 161.
 — *pyramdatum* M. B. 162; tab. 6.
 — *saccatum* C. Koch 158; tab. 5.
 — *sessiliflorum* Murb. 125.
 — *sinuatum* L. 144.
 — *songoricum* Schrenk ex Fisch. et Mey. 133.
 — *speciosum* Schrad. 135.
 — *spectabile* M. B. 162; tab. 6.
 — *stachydiforme* Boiss. et Buhse 139.
 — *Szovitsianum* Boiss. 151.
 — *thapsiforme* Schrad. 126.
 — *thapsus* L. 128.
 — *transcaucasicum* Wulff 154.
 — *turcomanicum* Murb. 143.
 — *turkestanicum* Franch. 140.
 — *varians* Freyn et Sint. 146.
 — *Wilhelmianum* C. Koch 150.
Verbascum Kuntze 22, 170.
Verbena L. 19, 693.
 — *bracteosa* Michx. 694.
 — *hastata* L. 696.
 — *officinalis* L. 694.
 — *supina* L. 695.
Veronica L. 22, 329.
 — *acinifolia* L. 429; tab. 18.
 — *agrestis* L. 408.
 — *alata* M. Pop. 385.
 — *albanica* C. Koch 397.
 — *alpina* L. 481.
 — *americana* (Raf.) Schweinitz ex Benth. 477.
 — *amoena* Stev. 407; tab. 17.
 — *anagallidiformis* Boreau 473; tab. 21.
 — *anagallis-aquatica* L. 469.
 — *anagalloides* Guss. 470; tab. 21.
 — *aphylla* L. 451.
 — *arceutobia* Woronow 439.
 — *arenosa* (Serg.) Boriss. 390.
 — *argute-serrata* Rgl. et Schmalh. 394.
 — *armena* Boiss. et Huet 467; tab. 20.
 — *arvensis* L. 418; tab. 18.
 — *austriaca* L. 438.

- Bachofenii Heuff. 369.
- Baranetzki B. Bordz. 465.
- Barrelieri Schult. 383.
- Baumgartenii Roem. et Schult. 451.
- beccabunga L. 475; tab. 21.
- beccabungoides Bornm. 478.
- bellidifolia Juz. 379.
- bellidioides L. 482.
- biloba L. 392; tab. 16.
- Bobrovii Nevski 479; tab. 21.
- Bornmülleri Hausskn. 395.
- bucharica B. Fedtsch. 399; tab. 16.
- callitrichoides Kom. 454.
- campylopoda Boiss. 397.
- capillipes Nevski 400.
- cardiocarpa (Kar. et Kir.) Walp. 404; tab. 16.
- caucasica M. B. 439; tab. 20.
- cerasifolia Monjuschko 499.
- ceratocarpa C. A. Mey. 424; tab. 17.
- chamaedrys L. 430.
- chantavica Pavl. 393.
- Charadzeae Kem.-Nath. 361.
- ciliata Fisch. 490; tab. 22.
- crista-galli Stev. 413; tab. 18.
- cymbalaria Bod. 417.
- Czerniakowskiana Monjuschko 446.
- daghestanica Trautv. 493.
- dahurica Stev. 372.
- densiflora Ledeb. 486; tab. 22.
- dentata Fr. Schmidt 435.
- denudata Albov 444.
- didyma Ten. 409; tab. 17.
- Dillenii Crantz 420; tab. 18.
- Fedtschenkoi Boriss. 491.
- filifolia Lipsky 445; tab. 20.
- filiformis Smith 423.
- fruticans Jacq. 484.
- fruticulosa L. 483.
- galathica Boiss. 450.
- gentianoides Vahl 356; tab. 14.
- glabrifolia Boriss. 461; tab. 20.
- grandiflora Gaertn. 452.
- Gorbunovii Gontsch. 489; tab. 22.
- hederifolia L. 414; tab. 18.
- hololeuca Juz. 380.
- humifusa Dickson 366.
- imeretica Kem.-Nath. 358.
- incana L. 377.
- intercedens Bornm. 404.
- karatavica Pavl. ex Nevski 395; tab. 16.
- Kemulariae Kuthath. 358.
- khorossanica Cernjak. 448.
- Komarovii Monjuschko 377.
- kopetdaghensis B. Fedtsch. 460.
- Krylovii Schischk. 436; tab. 19.
- kurdica Benth. 443.
- laeta Kar. et Kir. 389; tab. 15.
- linariifolia Pall. ex Link 386; tab. 15.
- longifolia L. 367.
- Lütkeana Rupr. 485; tab. 22.
- lysimachioides Boiss. 480.
- macrostemon Bge. 485.
- macrostemonoides Zak. 487.
- maxima Mill. 456.
- melissifolia Desf. ex Poir. 423; tab. 19.
- Michauxii Lam. 479.
- microcarpa Boiss. 467.
- minima C. Koch 426.
- minuta C. A. Mey. 459.
- montana L. 455.
- monticola Trautv. 362.
- montioides Boiss. 478.
- multifida L. 444.
- Nevskii Boriss. 396.
- nigricans C. Koch 433.
- officinalis L. 449.
- olgensis Kom. 370.
- oltensis Woronow 466.
- opaca Fries 410.
- orchidea Crantz 384.
- orientalis Mill. 440.
- oxycarpa Boiss. 480.
- peduncularis M. B. 462.
- peregrina L. 420.
- perpusilla Boiss. 425.
- persica Poir. 411; tab. 17.
- petraea (M. B.) Stev. 464.
- pinnata L. 391.
- poljensis Murb. 475.
- Porphyriana Pavl. 382.
- praecox All. 406.
- propinqua Boriss. 464.
- prostrata L. 437.
- ramosissima Boriss. 398.
- Riederiana Gand. ex Herd. 367.
- rubrifolia Boiss. 396; tab. 18.
- Ruprechtii Lipsky 492.
- sachalinensis Boriss. 496; tab. 23.
- sajanensis Printz 375.
- scardica Griseb. 474.
- schistosa E. Busch 362; tab. 14.
- Schmidiana Rgl. 364; tab. 14.
- scutellata L. 453.
- septentrionalis Boriss. 369; tab. 15.
- serpyllifolia L. 365.
- serpylloides Rgl. 488.
- sibirica L. 495; tab. 23.

- Veronica spicata* L. 381.
 — *spuria* L. 376.
 — *Stelleri* Pall. ex Link 363.
 — *stylophora* M. Pop. 400; tab. 16.
 — *subsessilis* (Miq.) Carr. 371.
 — *taurica* Willd. 443; tab. 19.
 — *teberdensis* (Kem.-Nath.) Boriss. 493.
 — *telephiifolia* Vahl 461.
 — *tenuissima* Boriss. 403; tab. 16.
 — *teucrium* L. 434.
 — *tianschanica* Lincz. 488.
 — *tripartita* Boriss. 447.
 — *triphyllos* L. 405; tab. 17.
 — *tubiflora* Fisch. et Mey. 494; tab. 23.
 — *turkmenorum* B. Fedtsch. 422.
 — *umbrosa* M. B. 432.
 — *verna* L. 421; tab. 18.
Veronicastrum Heist. ex Fabr. 22, 329, 356, 494.
Veronicella Fourr. 22, 329, 355.
Verutina Cass. 28, 370, 570.
Vesicaria Adans. 8, 361.
 — *graeca* Reut. 362; tab. 22.
 — *leiocarpa* (Trautv.) N. Buch 362.
Vesicaria L. 11, 216, 226.
Viburnum L. 23, 443.
 — *burejaeticus* Rgl. et Herd. 448.
 — *furcatum* Blume ex Maxim. 445.
 — *lantana* L. 447.
 — *mongolicum* (Pall.) Rehd. 450.
 — *opulus* L. 456.
 — *orientale* Pall. 452.
 — *Sargentii* Koehne 454.
 — *Wrightii* Miq. 451.
Vicia L. 13, 406.
 — *abbreviata* Fisch. ex Spreng. 428; tab. 25.
 — *alpestris* Stev. 435.
 — *amoena* Fisch. 444; tab. 26.
 — *amphicarpa* Dorthes 465.
 — *amurensis* Oett. 445.
 — *angustifolia* L. 464.
 — *antiqua* Grossh. 441.
 — *baicalensis* (Turcz.) B. Fedtsch. 424; tab. 24.
 — *Balansae* Boiss. 457.
 — *biennis* L. 437.
 — *bithynica* L. 472; tab. 25.
 — *Boissieri* Freyn 440.
 — *calcarata* Desf. 418.
 — *cassubica* L. 427.
 — *ciceroidea* Boiss. 449.
 — *ciliatula* Lipsky 471.
 — *cordata* Wulf. 463.
 — *costata* Ledeb. 449; tab. 25.
 — *cracca* L. 436.
 — *crocea* (Desf.) B. Fedtsch. 425.
 — *dadianorum* Somm. et Lévier 429.
 — *dalmatica* A. Kerner 439.
 — *dasycarpa* Ten. 451.
 — *dumetorum* L. 422.
 — *ecirrhosa* Rupr. ex Boiss. 430.
 — *elegans* Guss. 439.
 — *ervilia* (L.) Willd. 407.
 — *faba* L. 474.
 — *Fedtschenkoana* V. Nikit. 441, 555.
 — *geminiflora* Trautv. 443; tab. 25.
 — *gracilior* M. Pop. 467.
 — *gracilis* Loisel. 411.
 — *grandiflora* Scop. 459.
 — *Grossheimii* Ekvtim. 438.
 — *hajastana* Grossh. 470.
 — *hirsuta* (L.) S. F. Gray 408.
 — *hololasia* Woronow 452; tab. 26.
 — *hybrida* L. 469; tab. 23.
 — *hyrcanica* Fisch. et Mey. 465.
 — *iberica* Grossh. 442.
 — *incisa* M. B. 463.
 — *iranica* Boiss. 427.
 — *japonica* A. Gray 445; tab. 24.
 — *kokanica* Rgl. et Schmalh. 446; tab. 23.
 — *lathyroides* L. 457.
 — *lilacina* Ledeb. 436.
 — *lutea* L. 468.
 — *macrophylla* (Maxim.) B. Fedtsch. 437.
 — *megalosperma* M. B. 467.
 — *megalotropis* Ledeb. 442; tab. 24.
 — *Meveri* Boiss. 403; tab. 25.
 — *Michauxii* Spreng. 468.
 — *monanthos* (L.) Desf. 409.
 — *multicaulis* Ledeb. 443.
 — *narbonensis* L. 473.
 — *olbiensis* Reut. 458.
 — *pannonica* Crantz 470.
 — *paucijuga* (Trautv.) B. Fedtsch. 411; tab. 23.
 — *peregrina* L. 466.
 — *picta* Fisch. et Mey. 451; tab. 26.
 — *pilosa* M. B. 464.
 — *pisiformis* L. 422.
 — *pseudorobus* Fisch. et Mey. 421; tab. 26.
 — *pubescens* (DC.) Boiss. 412.
 — *ramuliflora* (Maxim.) Ohwi 424.
 — *sativa* L. 460.
 — *saxatilis* (Vent.) Tropea 458.
 — *sepium* L. 455.
 — *Semenovii* (Rgl. et Herd.) B. Fedtsch. 430; tab. 23.
 — *semiglabra* Rupr. ex Boiss. 431.

- serratifolia Jacq. 474.
- silvatica L. 429.
- Sosnovskiyi Ekv. 432.
- subvillosa (Ledeb.) Trautv. 426.
- tenuifolia Roth 440.
- tetrasperma (L.) Moench 410.
- truncatula Fisch. 456.
- unijuga A. Br. 423; tab. 24.
- variabilis Freyn et Sint. 438.
- variegata Willd. 431; tab. 26.
- venosa (Willd.) Maxim. 425; tab. 24.
- venulosa Boiss. et Hohen. 421; tab. 23.
- villosa Roth 450.
- Vicoa* Cass. 25, 477.
- Vigna** Savi 13, 538.
- sinensis Endl. 538.
- Vignantha* Schur 3, 201.
- Vignea* Raf. 3, 125.
- Vilfa* Adans. 2, 177.
- Vinca** L. 18, 646.
- erecta Rgl. et Schmalh. 650; tab. 35.
- herbacea Waldst. et Kit. 649.
- major L. 649.
- minor L. 647.
- pubescens Urv. 648.
- Vincetoxicum* Moench 18, 674.
- Viola** L. 15, 350.
- acuminata Ledeb. 394.
- acutifolia (Kar. et Kir.) W. Beck. 450.
- alba Bess. 18, 366; tab. 18.
- alaica Vved. 429.
- Alexandrowiana (W. Beck.) Juz. 412.
- Alisoviana Kiss. 419.
- allochroa Botsch. 444.
- altaica Ker.-Gawl. 476; tab. 22.
- ambigua Waldst. et Kit. 370; tab. 18.
- amurica W. Beck. 440.
- arvensis Murr. 468.
- atroviolacea W. Beck. 459; tab. 22.
- austro-ussuriensis Kom. 395; tab. 19.
- avatschensis W. Beck. et Hult. 445.
- biflora L. 442; tab. 18.
- brachyceras Turcz. 405.
- brachysepala Maxim. 377; tab. 19.
- canina L. 398; tab. 18.
- carnosula W. Beck. 409.
- caucasica Kolenati ex Rupr. 444; tab. 21.
- chaerophylloides (Rgl.) W. Beck. 433.
- collina Bess. 373; tab. 18.
- crassa Makino 445.
- crassicornis W. Beck. et Hult. 410.
- cretacea Klok. 471, 686.
- dactyloides Roem. et Schult. 434; tab. 20.
- declinata Waldst. et Kit. 457.
- disjuncta W. Beck. 458; tab. 22.
- dissecta Ledeb. 432; tab. 20.
- dolichocentra Botsch. 429.
- elatior Fries 389.
- Elisabethae Klok. 465, 684.
- epipsila Ledeb. 404.
- Fedtschenkoana W. Beck. 386; tab. 19.
- Fischeri W. Beck. 451.
- glabella Nutt. 449; tab. 18.
- Gmeliniana Roem. et Schult. 426.
- hirta L. 369; tab. 18.
- hirtipes S. Moore 413.
- hissarica Juz. 422, 682.
- Hultenii W. Beck. 406.
- ignobilis Rupr. 363.
- incisa Turcz. 431.
- ircutiana Turcz. 415.
- isopetala Juz. 384, 681.
- Jordani Hairy 392.
- kamschadalorum W. Beck. et Hult. 438; tab. 21.
- karakalensis Klok. 473, 687; tab. 22.
- Kitaibeliana Roem. et Schult. 469.
- Kupfferi Klok. 460, 683.
- Kusnezowiana W. Beck. 407; tab. 18, 20.
- Langsdorfii Fisch. 437.
- Lavrenkoana Klok. 472; tab. 22.
- littoralis Spreng. 460.
- macroceras Bge. 417; tab. 20.
- mandshurica W. Beck. 425; tab. 20.
- matutina Klok. 467, 685.
- Mauritii Tepl. 379; tab. 19.
- Meyeriana (Rupr.) Klok. 479; tab. 22.
- minuta M. B. 478.
- mirabilis L. 375.
- modestula Klok. 474, 687; tab. 22.
- monochroa Klok. 477, 688; tab. 22.
- montana L. 396.
- Muehldorfii Kiss. 450; tab. 21.
- nemausensis Jord. 470.
- occulta Lehm. 475; tab. 22.
- odorata L. 363; tab. 18.
- oreades M. B. 478.
- orientalis (Maxim.) W. Beck. 448; tab. 21.
- orthoceras Ledeb. 456.
- oxycentra Juz. 430, 682.
- pacifica Juz. 411.
- palustris L. 403; tab. 18.
- parvula Tineo 473.
- Patrini Ging. 421.
- persicifolia Roth 390.
- phalacrocarpa Maxim. 411; tab. 20.

- Viola prionantha* Bge. 419.
 — *pumila* Chaix 392.
 — *pyrenaica* Ram. 374.
 — *Raddeana* Rgl. 441; tab. 21.
 — *repens* Turcz. 405.
 — *Riviniana* Reichenb. 381.
 — *rupestris* F. M. Schmidt 388.
 — *sacchalinensis* De Boiss. 387; tab. 19.
 — *Selkirkii* Pursh 408.
 — *Sieheana* W. Beck. 383.
 — *silvestriformis* W. Beck. 380; tab. 19.
 — *Sintenisii* W. Beck. 386.
 — *somchetica* C. Koch 418.
 — *suavis* M. B. 365; tab. 18.
 — *silvestris* Lam. 378.
 — *tanaitica* Grosset 382.
 — *tarbagataica* Klok. 458, 683.
 — *tianschanica* Maxim. 427.
 — *trichosepala* (W. Beck.) Juz. 416.
 — *tricolor* L. 462; tab. 18.
 — *Turczaninowii* Juz. 395.
 — *turkestanica* Rgl. et Schmalh. 428.
 — *uliginosa* Bess. 401; tab. 18.
 — *uniflora* L. 447.
 — *ursina* Kom. 437.
 — *variegata* Fisch. ex Link 414; tab. 18, 20.
 — *verecunda* A. Gray 439; tab. 18.
 — *vespertina* Klok. 466, 684.
Viscaria Roehl. 6, 576.
 — *alpina* (L.) G. Don 577; tab. 45.
 — *viscosa* (Scop.) Aschers. 576; tab. 45.
Viscum L. 5, 408.
 — *album* L. 411; tab. 23.
 — *coloratum* (Kom.) Nakai 411.
Visiania DC. 18, 518.
Visnaga Gaertn. 16, 381.
Vitex L. 19, 698.
 — *agnus-castus* L. 698.
Vitis L. 14, 675.
 — *amurensis* Rupr. 700; tab. 38.
 — *Berlandieri* Planch. 683; tab. 38.
 — *labrusca* L. 678; tab. 38.
 — *rupestris* Scheele 684; tab. 38.
 — *silvestris* J. F. Gmel. 697; tab. 39.
 — *Thunbergii* Sieb. et Zucc. 680; tab. 38.
 — *viniferi* L. 686; tab. 38.
 — *vulpina* L. 685; tab. 38.
Vitmannia Endl. 6, 370.
Vitmannia Turr. 6, 370.
Vleckia Raf. 20, 273, 275.
Volvulus Medic. 19, 33.
Vulpia J. F. Gmel. 2, 535.
 — *ciliata* (Danth.) Link 536.
 — *dertonensis* (All.) Volkart ex Schinz et Keller 539; tab. 41.
 — *myuros* (L.) J. F. Gmel. 539; tab. 41.
 — *persica* (Boiss. et Buhse) V. Krecz. et Bobr. 535; tab. 41.
Vvedenskia Korov. 17, 1.
Wahlbergella Fries 6, 714.
Waldheimia Kar. et Kir. 26, 263.
 — *glabra* (Decne.) Rgl. 270.
 — *Stoliczkae* (Clarke) Ostenf. 268.
 — *tomentosa* (Decne.) Rgl. 267.
 — *transalaica* Tzvel. 269, 879; tab. 11.
 — *tridactylites* Kar. et Kir. 269.
Waldschmidtia Bluff 18, 643.
Waldsteinia Willd. 10, 239.
 — *geoides* Willd. 240.
 — *ternata* (Steph.) Fritsch 240; tab. 18.
Washingtonia Raf. 16, 148.
Washingtonia H. Wendl. 3, 473.
 — *filamentosa* (H. Wendl.) Kuntze 473; tab. 25.
 — *robusta* H. Wendl. 474.
Weigela Thunb. 23, 574.
 — *Middendorffiana* (Carr.) C. Koch 582; tab. 27.
 — *praecox* (Lemoine) Bailey 575; tab. 27.
 — *suavis* (Kom.) Bailey 581; tab. 27.
Weingaertneria Bernh. 2, 240.
Weitenwebera Opiz 24, 133, 198.
Wendia Hoffm. 17, 251.
Whitleya Sweet 22, 99.
Wibelia Gaertn. 29, 594, 687.
Wiborgia Moench 11, 75.
Wiedemannia Fisch. et Mey. 21, 142.
 — *multifida* (L.) Benth. 142.
Willemetia Neck. 29, 586.
 — *tuberosa* Fisch. et Mey. ex DC. 587; tab. 29.
Winklera Rgl. 8, 545.
 — *patrinoides* Rgl. 546.
 — *silaifolia* Korsh. 546.
Wistaria Nutt. 11, 304.
 — *sinensis* (Sims) DC. 11, 305.
Wolffia Horkel et Schleid. 3, 494.
 — *arrhiza* (L.) Wimm. 494.
Woodsia R. Br. 1, 19.
 — *alpina* (Bolt.) S. F. Gray 23.
 — *fragilis* (Trev.) Moore 20.
 — *glabella* R. Br. 22.
 — *gracillima* C. Chr. 23.
 — *ilvensis* R. Br. 23.
 — *macrochlaena* Mett. ex Kuhn 21; tab. 1.
 — *manchuriensis* Hook. 21.

- polystichoides Eaton 21.
- sinuata (Hook.) Christ 22.
- subcordata Turcz. 22; tab. 1.
- Woronowia** Juz. 10, 250, 615.
 - speciosa (Albov) Juz. 250; tab. 19.
- Wydleria* DC. 16, 373.
- Wylia* Hoffm. 16, 139, 145.
- Xanthium** L. 25, 521.
 - californicus Greene 526.
 - occidentale Bertero 525.
 - riparium Itz. et Hertsch. 529.
 - sibiricum Patr. 524.
 - spinosum L. 523; tab. 32.
 - strumarium L. 524; tab. 32.
- Xanthogalum** Avé-Lall. 17, 38.
 - purpurascens Avé-Lall. 38; tab. 3, 23.
 - Sachokianum Karjag. 39.
 - Tatianae (Bordz.) Schischk. 40.
- Xanthophthalmum* Sch. Bip. 26, 131, 136.
- Xanthopsis* (DC.) C. Koch 28, 370, 474.
- Xanthoselinum* Schur 17, 168, 197.
- Xeranthemum** L. 27, 59.
 - annuum L. 62.
 - cylindraceum Smith 66.
 - inapertum (L.) Mill. 64; tab. 4.
 - longipapposum Fisch. et Mey. 65.
 - squarrosum Boiss. 63.
- Xeroloma* Cass. 27, 59, 66.
- Xiphion* Medic. 4, 554.
- Xiphocoma* Stev. 7, 351, 483.
- Xylanthemum** Tzvel. 26, 284, 877.
 - Fischeriae (Aitch. et Hemsl.) Tzvel. 287.
 - pamiricum (Hoffm.) Tzvel. 286.
 - rupestre (M. Pop. et Nevski) Tzvel. 287.
- Youngia** Cass. 29, 375, 595, 650.
 - altaica (Babc. et Stebbins) Czer. 383.
 - diversifolia (Ledeb.) Ledeb. 380.
 - seravschanica (B. Fedtsch.) Babc. et Stebbins 386; tab. 30.
 - stemonia (Turcz.) Ledeb. 378; tab. 30.
 - tenuicaulis (Babc. et Stebbins) Czer. 385.
 - tenuifolia (Willd.) Babc. et Stebbins 381.
- Zacintha** Mill. 29, 715.
 - verrucosa Gaertn. 716.
- Zannichellia** L. 1, 263.
 - major Boenn. 265.
 - palustris L. 264.
 - pedunculata Reichb. 264.
- Zapana* Lam. 19, 697.
- Zea** L. 2, 4.
 - mays L. 4.
- Zelkova** Spach 5, 375.
 - carpinifolia (Pall.) Dipp. 376; tab. 20.
- Zeravschania** Korov. 16, 412.
 - Regeliana Korov. 412.
- Zerna* Panz. 2, 555.
- Zeuxine** Lindl. 4, 640.
 - strateumatica (L.) Schlechter 640; tab. 39.
- Zinnia** L. 25, 532.
 - elegans Jacq. 532.
- Zizania** L. 2, 45.
 - aquatica L. 46.
 - latifolia Turcz. 46; tab. 3.
- Ziziphora** L. 21, 381.
 - Biebersteiniana Grossh. 390.
 - borzhomica Juz. 401.
 - Brantii C. Koch 393.
 - brevicealyx Juz. 394, 664.
 - Bungeana Juz. 386, 664.
 - capitata L. 405; tab. 20.
 - capitellata Juz. 406, 671.
 - clinopodioides Lam. 398; tab. 20.
 - denticulata Juz. 402, 670.
 - Galinae Juz. 395, 666.
 - interrupta Juz. 396, 667.
 - pamiroalaica Juz. 399.
 - persica Bge. 410.
 - Puschkinii Adam 404; tab. 20.
 - Raddei Juz. 400, 669.
 - rigida (Boiss.) H. Br. 389.
 - serpyllacea M. B. 387.
 - taurica M. B. 407; tab. 20.
 - tenuior L. 408; tab. 20.
 - tomentosa Juz. 399, 668.
 - turcomanica Juz. 395, 665.
 - Woronowii Maleev 403.
- Zizyphus** Mill. 14, 636.
 - jujuba Mill. 637; tab. 34.
- Zoegea** L. 28, 246.
 - baldshuanica C. Winkl. 248; tab. 12.
 - purpurea Fresen. 249.
- Zollikoferia* DC. 29, 239.
- Zygophyllum** L. 14, 152.
 - atriplicoides Fisch. 191.
 - balchaschense Boriss. 171, 725.
 - brachypterum Kar. et Kir. 165.
 - bucharicum B. Fedtsch. 188; tab. 10.
 - cuspidatum Boriss. 174, 726.
 - darvasicum Boriss. 190, 729.
 - Dielsianum M. Pop. 169.
 - Eichwaldii C. A. Mey. 179; tab. 9.
 - eurypterum Boiss. 189; tab. 10.
 - fabago L. 159; tab. 9.
 - fabagoides M. Pop. 178.

- Zygophyllum ferganense* (Drob.) Boriss. 184; tab. 10.
- *furcatum* C. A. Mey. 172.
 - *Gontscharovii* Boriss. 190, 729; tab. 10.
 - *iliense* M. Pop. 176.
 - *karatavicum* Boriss. 175, 726; tab. 10.
 - *kaschgaricum* Boriss. 187, 728.
 - *kegensense* Boriss. 181, 727.
 - *kopalense* Boriss. 173, 726.
 - *latifolium* Schrenk 167.
 - *Lehmannianum* Bge. 175.
 - *macropodium* Boriss. 161, 724.
 - *macropterum* C. A. Mey. 182; tab. 10.
 - *megacarpum* Boriss. 192, 730; tab. 10.
 - *melongena* Bge. 193.
 - *microcarpum* Boriss. 168, 724.
 - *miniatum* Cham., et Schlecht. 166; tab. 9.
 - *obliquum* M. Pop. 162.
 - *ovigerum* Fisch. et Mey. 180; tab. 9.
 - *oxianum* Boriss. 160, 723; tab. 9.
 - *oxycarpum* M. Pop. 172; tab. 10.
 - *portulacoides* Cham. 158.
 - *Potaninii* Maxim. 183.
 - *pterocarpum* Bge. 177.
 - *Rosovii* Bge. 167.
 - *stenopterum* Schrenk 181; tab. 9.
 - *subtrijugum* C. A. Mey. 170.
 - *taldy-kurganicum* Boriss. 178, 727.
 - *turcomanicum* Fisch. et Mey. 168.
- Zornia* Moench 20, 439.
- Zosimia** Hoffm. 17, 266.
- *absinthifolia* (Vent.) Link 267.
 - *tordyloides* Korov. 267.
- Zostera** L. 1, 266.
- *japonica* Aschers. et Graebn. 268.
 - *marina* L. 266; tab. 12.
 - *minor* (Cavol.) Nolte 267; tab. 12.
 - *pacifica* S. Wats. 267.
- Zygadenus** Rich. 4, 9.
- *sibiricus* (L.) A. Gray 9; tab. 1.

ALPHABETICAL LIST OF AUTHORS OF THE TAXA¹

INDEX ALPHABETICUS AUCTORUM AD TAXA ADDUCTORUM

The present list includes all surnames cited after taxa in the "Index generum specierumque generalis."

The abbreviations or (very rarely !) the full surnames are arranged strictly in alphabetical order. Periods, hyphens, and other diacritical marks are not taken into consideration, consequently, each abbreviation is taken as one word, regardless of whether it actually consists of one, two, or many words. For example, Buch.-Ham., for the purpose of alphabetizing, is taken as one word (Buchham).

If the abbreviated or full surname of an author is conventionally used with his initials, then in this list it should be searched for in the reverse order—the surname, followed by the initials. Thus, for example, abbreviations such as R. Br., M. Pop., and O.F. Muell. should be searched for respectively under Br. R., Pop. M., and Muell. O.F.

For each author abbreviation, the full surname and also the initials are given, except in a very few cases where it was not possible to confirm the initials.

The present list is considerably more complete than the one published earlier. Moreover, compared to this latest list, it contained fewer addenda and corrigenda. In accordance with long tradition in our own literature on systematics, certain surnames are given not strictly in the spirit of the recommendation on this subject in the International Code of Botanical Nomenclature. As a case in point, the names Bunge and Regel are not given in full but in abbreviated form—Bge. and Rgl.; likewise, the abbreviation Bieb. is used in the traditional form—M.B.

Aar. — Aaronsohn A.

Abbe — Abbe E. C.

Abol. — Abolin — Аболин Р. И.

Abramov — Абрамов И. И.

Abrams — Abrams Le Roy.

Abrom. — Abromeit J.

Acht. — Achtarov (Achtaroff) B. — Ахтаров Б. (Болгария).

Achund. — Achundov — Ахундов Г. Ф.

Achverd. — Achverdov — Ахвердов А. А.

Adam (Adams) — Адам (Адамс) М. И.

Adamov. — Adamović L.

Adams — см. Adam.

Adams J. — Adams J. E.

Adans. — Adanson M.

Adolf — Адольф Н. А.

Aell. — Aellen P.

Afan. — Afanassiev — Афанасьев К. С.

Afz. — Afzelius A.

Afz. P. — Afzelius P.

Agadzh. — Agadzhanyan — Агаджанов С. Д.

Agardh — Agardh K. A.

Agardh J. — Agardh J. G.

Agg. — Aggeenko — Аггеевко В. Н.

Airy-Shaw — Airy-Shaw H. K.

Ait. — Aiton W.

Aitch. — Aitchison J. E. T.

Aitch. et Baker — Aitchison J. E. T. et Baker J. G.

Aitch. et Hemsl. — Aitchison J. E. T. et Hemsley W. B.

¹Compiled by M.E. Kirpicznikov.

²Cf. "Index of the authors of taxa" in: *Botanicheskie Materialy Gerbariya Botanicheskogo Instituta im. V.A. Komarova Akademii Nauk SSSR. Ukazateli i bibliografiya k tomam 1-20* [Botanical materials of the Herbarium of the V.L. Komarov Botanical Institute of the Academy of Sciences of the USSR. Indexes and bibliography to Vols. 1-20]. Izd. Akad. Nauk SSSR, Moscow-Leningrad, 1962.

- Ait. f.** — Aiton W. T.
Akinf. — Akinfiew — Акинфиев И. Я.
Albert — Albert A.
Albert et Jahand. — Albert A. et Jahandiez E.
Albov (Alboff, Albrow) — Альбов Н. М.
Alech. — Alechin — Алехин В. В.
Alef. — Alefeld F. G. C.
Alexand. — Alexander J. E.
Alexandrov — Александров Л. П.
Alexe(j)enko — Алексеенко Ф. Н.
Alexe(j)enko M. — Алексеенко (Олексинко) М. И.
Aliev — Алиев Д. А.
Aliss. — Alissova — Алисова-Клобукова Е. Н.
All. — Allioni C.
Almq. — Almquist S. O. I.
Almq. E. — Almquist E.
Alst. — Alston A. H. G.
Ambrosi — Ambrosi F.
Ames — Ames O.
Ames L. — Ames L. M.
Amman — Амман И.
Anders. E. — Anderson E. S.
Andersen — Andersen J. C.
Anderss. — Andersson N. J.
Anders. T. — Anderson T.
Andr. — Andrews H. C.
André — André E.
Andrejev (w) — Андреев В. Н.
Andres — Andres H.
Andron. — Andronov — Андронов Н. М.
Andross. — Androssow — Андросов Н. В.
Andrz. — Andrzejowski — Анджейовский (Анджиевский) А. Л.
Angelis — Angelis P.
Ångstr. — Ångström J.
Ant. — Antoine F.
Antrop. V. et V. — Antropov V. et V. — Антропов В. И. и Антропова В. Ф.
Arcang. — Arcangeli G.
Ard. — Arduino P.
Arèn. — Arènes J.
Aresch. — Areschoug F. W. C.
Arn. — Arnott G. A. W.
Arnold — Arnold J. F. X.
Arrab. — см. Vell. P.
Arrhen. — Arrhenius J. P. (1811—1889).
Arrhen. A. — Arrhenius J. I. A. (1858—1950).
Arrhen. et Fries — Arrhenius J. P. et Fries E. M.
Artemcz. — Artemczuk — Артемчук И. В.
Arv.-Touv. — Arvet-Touvet J. M. C.
Ashe — Ashe W. W.
Aschers. — Ascherson P. F. A.
Aschers. et Graebn. — Ascherson P. F. A. et Graebner P.
Aschers. et Magnus — Ascherson P. F. A. et Magnus P. W.
Aschers. et Sint. — Ascherson P. F. A. et Sintenis P. E. E.
Asker. — Askerova — Аскерова Р. К.
Asso — Asso y del Rio I. J. de.
Atkins. — Atkinson G. F.
Aubl. — Aublet J. B. C. F.
Auch. — Aucher-Eloy P. M. R.
Audub. — Audubon J. J.
Aust. — Austin C. F.
Avdul. — Avdulov — Авдулов Н. П.
Avé-Lall. — Avé-Lallemant J. L. E. — Ляллеман Э. Х.
Avet. — Avetissjan — Аветисян Е. М.
Avror. — Avrorin — Аврорин Н. А.
Aznav. — Aznavour G. V.
Aznav. et Bornm. — Aznavour G. V. et Bornmüller J. F. N.
Baagoe — Baagoe J. S.
Bab. — Babington C. C.
Babc. — Babcock E. B.
Babc. et Stebb. — Babcock E. B. et Stebbins G. L., Jr.
Bachteev — Бахтеев Ф. Х.
Baenitz — Baenitz K. G.
Baer — Бэр К. М.
Baer et Helmers. — Baer et Helmersen — Бэр К. М. и Гельмерсен Г. П.
Bailey — Bailey L. H.
Baill. — Baillon H. E.
Bajt. — Bajtenov — Байтенов М.
Baker — Baker J. G.
Baker f. — Baker E. G.
Baker H. — Baker H. G.
Baker M. — Baker M. S.
Bal. — Balansa B.
Balb. — Balbis G. B.
Bald. — Baldinger E. G. (1738—1804)
Baldacci — Baldacci A. (1867—1950)
Balf. — Balfour J. H.
Balf. f. — Balfour J. B.
Balk. — Balkovsky — Балковский Б. Е.
Ball — Ball J.
Ball C. — Ball C. R.
Ball P. — Ball P. W.
Banks — Banks J.

- Banks et Soland.** — Banks J. et Solander D. C.
Baran. A. — Baranov A. — Баранов А. И.
Baran. P. — Baranov P. — Баранов П. А.
Baran. V. — Baranov V. — Баранов В. И.
Barbar. — Barbaricz — Барбарич А. И.
Baron — Baron P. A.
Baroni — Baroni E.
Barrate — Barrate G.
Barratt — Barratt J.
Barton — Barton B. S.
Barton W. — Barton W. P. C.
Bartl. — Bartling F. G.
Bartlett — Bartlett H. H.
Bartr. — Bartram W.
Basil. — Bas(z)ilevskaia — Базилевская Н. А.
Basin. — Basiner — Базинер Ф. И.
Bassi — Bassi F.
Bast. — Bastard T.
Batal. — Batalin — Баталин А. Ф.
Batsch — Batsch A. J. G. K.
Batt. — Battandier J. A.
Bauh. — Bauhin, Caspar.
Baumg. — Baumgarten J. C. G.
Baxt. — Baxter W.
Bayer — Bayer J. N.
Beal — Beal W. J.
Bean — Bean W. J.
Beauv. — Beauvois de Palisot A. M. F. J.
Beauverd — Beauverd G.
Bebb — Bebb M. S.
Becc. — Beccari O.
Bechst. — Bechstein J. M.
Beck — Beck L. C.
Beck. A. — Becker A. — Беккер А. К.
Beck G. — Beck v. Mannagetta G.
Beck. J. — Becker J.
Beck L. — Beck L. W.
Beckm. — Beckmann J.
Beckm. K. — Beckmann K. L.
Beck. W. — Becker, Wilhelm.
Bedd. — Beddome R. H.
Beeby — Beeby W. H.
Beetle — Beetle A. A.
Bég. — Béguinot A.
Beger — Beger H. K. E.
Bég. et Vacc. — Béguinot A. et Vaccari A.
Behr. — Behrendsen W.
Beissn. — Beissner L.
Beket. — Beketow — Бекетов А. Н.
Bell. — Bellardi C. A. L.
Belli — Belli (C.) S.
Benn. — Bennett J. J. (1801—1876)
Benn. A. — Bennett A. (1843—1929)
Bensin — Bensin B. M.
Benson — Benson G. T.
Benson B. — Benson B. W.
Benson L. — Benson L. D.
Benth. — Bentham G.
Benth. et Hook. f. — Bentham G. et Hooker J. D.
Bercht. — Berchtold F. v.
Bercht. et Presl — Berchtold F. et Presl J. S.
Berg. — Bergius P. J.
Berger — Berger A.
Bergg. — Berggren S.
Bergg. et Wahl. — Berggren S. et Wahlberg G.
Berg O. — Berg O. K.
Berl. — Berlandier J. L.
Berlin — Berlin J. A.
Bernh. — Bernhardt J. J.
Bertero — Bertero C. G.
Berth. — Berthelot S.
Bertol. — Bertoloni A.
Bess. — Besser W. S. J. G. v. — Бессер В. Г.
Bessey — Bessey C. E.
Betcke — Betcke E. F.
Beurl. — Beurling P. J.
Beyr. — Beyrich H. K.
Bge. — Bunge A. A. v. — Бунге А. А.
Biatz. — Biatzovsky.
Bickis — Бицкис Я.
Bickn. — Bicknell E. P.
Biehl. — Biehler J. F. T.
Bien. — Bienert — Бинерт Т.
Bigel. — Bigelow J.
Billot — Billot P. C.
Bilyk — Билик Г. И.
Bisch. — Bischoff G. W.
Bitt. — Bitter F. A. G.
Biv.-Bern. — Bivona-Bernardi A.
Bjornstr. — Björström F. J.
Blackw. — Blackwell E.
Blake — Blake S. F.
Blakel. — Blakelock R. A.
Blanco — Blanco M.
Blin. — Blinovskij — Блиновский К. В.
Blin. et Shal. — Blinovskij et Shalyt — Блиновский К. В. и Шалыт М. С.
Blocki — Błocki B.
Błoński — Błóński F.
Bluff — Bluff M. J.
Bluff et Fingerh. — Bluff M. J. et Fingerhuth K. A.
Bluk. — Bluket — Блукет Н. А.
Blum — Блум (Блюм) Ф. К.

- Blume** — Blume K. L. v.
Blytt — Blytt M. N.
Bobr. — Bobrov — Бобров Е. Г.
Bobr. A. — Bobrov A. — Бобров А. Е.
Bod. — Bodard P. H. H.
Boeck. — Boeckeler (Böckeler) J. O.
Boehm. — Boehmer (Böhmer) G. R.
Boenn. — Boenninghausen C. M. F. v.
Boern. — Boerner (Börner) C.
Bogdan A. — Богдан А. В.
Bogusl. — Boguslaw — Богуслав И. А.
Bois — Bois D. G. J. M.
Boiss. — Boissier, Pierre-Edmond.
Boiss. et Bal. — Boissier E. et Balansa B.
Boiss. et Buhse — Boissier E. et Buhse F. A.
Boiss. et Hausskn. — Boissier E. et Haussknecht H. C.
Boiss. et Heldr. — Boissier E. et Heldreich T.
Boiss. et Hohen. — Boissier E. et Hohenacker R. F.
Boiss. et Huet — Boissier E. et Huet du Pavillon A.
Boiss. et Kotschy — Boissier E. et Kotschy T.
Boiss. et Noë — Boissier E. et Noë F. W.
Boiss. et Reut. — Boissier E. et Reuter G. F.
Boissieu — Boissieu H. de.
Bojer — Bojer W. B.
Bolle — Bolle K. A.
Bolle F. — Bolle F.
Bolt. — Bolton J.
Bolus — Bolus H.
Bolus L. — Bolus H. M. L.
Bonati — Bonati G.
Bondar. — Bondarenko — Бондаренко О. Н.
Bong. — Bongard H. G. v. — Бонгард Г. Г.
Bong. et Mey. — Bongard et Meyer C. A. — Бонгард Г. Г. и Мейер К. А.
Bonnet — Bonnet E.
Bonnier — Bonnier G.
Bonpl. — Bonpland A. J. A.
Booth — Booth W. B.
Booth W. — Booth W. E.
Boott — Boott F.
Bor — Bor N. L.
Borb. — Borbás V. v.
Borb. et Degen — Borbás V. et Degen A.
Bordèr. — Bordères-Rey O.
Bordèr. et Gauss. — Bordères-Rey O. et Gaus-
 sen H.
Bordz. — Bordzilowski — Бордзиловский
 Е. И.
Boreau — Boreau A.
Boriss. — Borissova — Борисова (Бекряше-
 ва) А. Г.
Boriss. et Korol. A. — Borissova et Koro-
 leva A. — Борисова А. Г. и Коро-
 лева А. С.
Boriss. et Schischk. — Borissova et Schisch-
 kin — Борисова А. Г. и Шишкин Б. К.
Borkh. — Borkhausen M. B.
Börn. — см. Boern.
Bornm. — Bornmüller J. F. N.
Bornm. et Gauba — Bornmüller J. F. N. et
 Gauba E.
Bornm. et Sint. — Bornmüller J. F. N. et
 Sintenis P. E. E.
Bornm. et Vierh. — Bornmüller J. F. N. et
 Vierhapper F.
Bornm. et Woronow — Bornmüller J. F. N.
 et Woronow G.
Boros — Boros A.
Borszcz. — Borszczow — Борщов И. Г.
Bory — Bory de St. Vincent J. B. G. M.
Bory et Chaub. — Bory de St. Vincent J. B.
 G. M. et Chaubard L. A.
Bosc — Bosc L. A. G.
Bosch — Bosch R. B. van den.
Botsch. — Botschantzev — Бочанцев В. П.
Botsch. et Karav. — Botschantzev et Kara-
 vaev — Бочанцев В. П. и Караваев М. Н.
Botsch. et Vved. — Botschantzev et Vve-
 densky — Бочанцев В. П. и Введен-
 ский А. И.
Bouché — Bouché C. D.
Boud. — Boudier E.
Bouleng. — Boulenger G. A.
Boulos — Boulos L.
Bourgeau — Bourgeau E.
Br. A. — Braun A. C. H.
Br. A. et Milde — Braun A. C. H. et Milde
 C. A. J.
Brand — Brand A.
Brandza — Brandza D.
Br.-Bl. — Braun-Blanquet J.
Bréb. — Brébisson L. A. de.
Bref. — Brefeld O.
Brenn. — Brenner M.
Br. F. — Braun F. A. v.
Br. H. — Braun H.
Brign. — Brignoli di Brunnhoff G.
Briq. — Briquet J. I.
Britt. — Britton N. L.
Britt. D. — Britton D.
Britt. E. — Britton E. G.
Britten — Britten J.
Britten et Rendle — Britten J. et Rendle A. B.
Britt. et Br. — Britton N. L. et Brown A. C. H.
Britt. et Rose — Britton N. L. et Rose J. N.

- Britt. et Rusby** — Britton N. et Rusby H. H.
Britt., Sterns et Pogg. — Britton N. L.,
 Sterns E. E. et Poggenburg J. F.
Br. N. E. — Brown N. E.
Brockmann — Brockmann-Jerosch H.
Bromf. — Bromfield W. A.
Brongn. — Brongniart A. T.
Brongn. et Griseb. — Brongniart A. T. et
 Grisebach A. H. R.
Brot. — Brotero F. de A(d)vellar.
Br. P. — Browné P.
Br. R. — Brown R.
Brzez. — Brzezicki (Brzhezicki, Brzhezitz-
 ky) — Бржезицкий М. В.
Bub. — Bubani P.
Buchenau — Buchenau F. G. P.
Buch.-Ham. — Buchanan F. (позднее Lord
 Hamilton).
Buek — Buek H. W.
Buerg. — Buerger F.
Buhse — Бузе Ф. А.
Buia — Buia A.
Bull. — Bulliard P.
Bull W. — Bull W.
Burch. — Burchell W. J.
Bureau — Bureau E.
Bureau et Franch. — Bureau E. et Franchet A.
Burg. — Burgess E. S.
Burgsd. — Burgsdorff F. A. L. v.
Burk. — Burkill I. H.
Burm. — Burman J.
Burm. f. — Burman N. L.
Burn. — Burnat E.
Burn. et Gremli — Burnat E. et Gremli A.
Bus. — Buser R.
Busch E. — Буш Е. А.
Busch N. — Буш Н. А.
Bush — Bush B. F.
Butk. — Butkov — Бутков А. Я.
Buxb. — Buxbaum J. C. — Буксбаум И. X.
Bykov — Быков Б. А.

Cabrera — Cabrera A. L.
Cajand. — Cajander A. K.
Cald. — Caldesi L.
Calest. — Calestani V.
Call. — Callier A. C.
Cambess. — Cambessèdes J.
C. A. Mey. — см. Mey. C. A.
Camp — Camp W. H.
Campd. — Campderá F.
Camus A. — Camus, Aimée.
Camus E. G. — Camus, Edmond Gustave.
Card. — Cardot I.

Carey — Carey W.
Carey J. — Carey J.
Carr. — Carrière E. A.
Carruth. — Carruthers W.
Caruel — Caruel T.
Casar. — Casaretto G.
Casp. — Caspary J. X. R.
Cass. — Cassini A. H. G. de.
Cast. — Castiglioni L.
Castagne — Castagne L.
Cav. — Cavanilles A. J.
Cavara — Cavara F.
Cavill. — Cavillier F.
Cavol. — Cavolini F.
Čelak. — Čelakovsky L. J.
Čelak. f. — Čelakovsky L. F.
Cerv. — Cervantes V.
Cesati — Cesati V. de.
Chabert — Chabert A.
Chaix — Chaix D.
Chal. — Chalilov — Халилов Э. X.
Cham. — Chamisso A. v. (Chamisseau de
 Boncourt L. C. A.).
Cham. et Schlecht. — Chamisso A. et Schle-
 chtendal D. F. L.
Champ. — Champion J. G.
Chang — Chang Chiao-chien.
Char. — Charadze — Харадзе А. Л.
Charkev. — Charkevicz — Харкевич С. С.
Chase — Chase E.
Châtel. — Châtelain J. J.
Chaub. — Chaubard L. A.
Chav. — Chavannes E.
Chenev. — Chenevard P.
Cheng W.-C. — Cheng Wan-chun.
Chevall. — Chevallier F. F.
Chevall. A. — Chevallier A. J. B.
Ching R.-C. — Ching Ren-chang.
Chinth. — Chinthibidze — Хинтибидзе Л.
Chiov. — Chioventa E.
Chitrowo — Хитрово В. Н.
Chitt. F. — Chittenden F. J.
Chodat — Chodat R. H.
Choisy — Choisy J. D.
Chor. — Choroschkov — Хорошков А. А.
Chr. C. — Christensen, Carl.
Christ — Christ H.
Christ D. — Christ D. H.
Chrshan. — Chrshanovski — Хржановский
 Б. Г.
Chrték — Chrték J.
Chun W.-Y. — Chun Woon-young.
Church — Church G. L.
Cirillo — Cirillo D. M. L.

- Clairv.** — Clairville J. P. de.
Clarion — Clarion J.
Clark — Clark R. B.
Clarke — Clarke, Charles B.
Claus — Клаус К. К. (К. Ф.)
Clausen — Clausen J. C.
Clausen R. — Clausen R. T.
Clayt. — Clayton J.
Clementi — Clementi G.
Clements — Clements F. E.
Clerc — Клер О. Е.
Clokey — Clokey J. W.
Clos — Clos D.
Clus. — Clusius, Carolius (Charles de l'Ecluse).
Clute — Clute W. N.
Cogn. — Cogniaux C. A.
Coincy — Coincy A. de.
Comber — Comber H. F.
Comm. — Commerson P.
Conr. — Conrad S. W. (1779—1831)
Conr. J. — Conrad J.
Conrath — Conrath P. (1861—1931)
Conrath et Freyn — Conrath P. et Freyn J.
Constance — Constance L.
Conti — Conti P.
Copel. — Copeland E. B.
Copel. f. — Copeland H. F.
Coq. — см. Montbr.
Core — Core E. L.
Cornaz — Cornaz E.
Corner — Corner E. J. H.
Correa — Correa (Correia) J. F.
Coss. — Cosson E. St.-Ch.
Coss. et Bal. — Cosson E. St.-Ch. et Balansa B.
Coss. et Durieu — Cosson E. St.-Ch. et Durieu de Maisonneuve M. C.
Coss. et Germ. — Cosson E. St.-Ch. et Germain de Saint-Pierre J. N. E.
Coss. et Kral. — Cosson E. St.-Ch. et Kralik L.
Coste — Coste J. F.
Coste H. — Coste H. J.
Coult. — Coulter J. M.
Coult. et Evans — Coulter J. M. et Evans W. H.
Coult. et Rose — Coulter J. M. et Rose J. N.
Court. — Courtois R. J.
Cov. — Coville F. V.
Covas — Covas G.
Cowan — Cowan J. M.
Craib — Craib W. G.
Crantz — Crantz H. J. N. v.
Crép. — Crépin F.
Cretz. — Cretzoiu P.
Croizat — Croizat L. C. M.
Crome — Crome G. E. W.
Cronq. — Cronquist A. J.
Cruchet — Cruchet D.
Cuf. — Cufodontis G.
Cuming — Cuming H.
Cunn. A. — Cunningham A.
Cunn. A. M. — Cunningham A. M.
Cunn. R. — Cunningham R.
Curt. — Curtis W.
Curt. M. — Curtis M. A.
Cuss. — Cusson P.
Cust. — Custer J. L.
Cyr. — Cyrillo D.
Czako — Czako K.
Czecz. — Czechtz H.
Czeffr. — Czeffranova — Чефранова Э. В.
Czer. — Czerepanov — Черепанов С. К.
Czerep. — см. Czer.
Czern. — Czernajew (Czernjaew, Tschernajeff) — Черняев В. М.
Czerniak. — Czerniakowska — Черняковская Е. Г.
Czernova — Чернова Н. М.
Czetz — Czetz A.
Czevr. — Czevrenidi — Чеврениди С. Х.
Czuk. — Czukavina — Чукавина А. П.
Dahl — Dahl O. C.
Dahlst. — Dahlstedt G. A. H.
Dalla Torre — De Dalla Torre K. W. (C. G.) v.
Dalla Torre et Harms — De Dalla Torre K. W. et Harms H.
Dalla Torre et Sarnth. — De Dalla Torre K. W. et Sarnth L.
Damm. — Dammer U.
Dandy — Dandy J. E.
Dandy et Wilm. — Dandy J. E. et Wilmott A. J.
Danguy — Danguy P.
Daniel — Daniel L.
Daniels — Daniels F. P.
Danil. — Danilov — Данилов А. Д.
Danser — Danser B. H.
Danth. — Danthoine F.
Daveau — Daveau J.
Davenp. — Davenport G. E.
Davids. J. — Davidson J. F.
Davis P. — Davis P. H.
DC. — De Candolle, Augustin P.
DC. A. — De Candolle, Alphonse.

- DC. C.** — De Candolle, Casimir.
Deane — Deane W.
Deane H. et Maid. — Deane H. et Maiden J. H.
Deb. — Debeaux J. O.
Déchy — Déchy M. v.
Decne. — Decaisne J.
Degen — Degen A. v.
Degen et Doerfl. — Degen A. et Dörfler I.
Degen et Zahn — Degen A. et Zahn C. H.
Degl. — Degland J. V. Y.
Dehnh. — Dehnhardt F.
Dekapr. — DekapreleVICZ — Декапрелевич Л. А.
Dekapr. et Menabde — DekapreleVICZ et Menabde — Декапрелевич Л. А. и Менабде В. А.
De Lann. — De Lannoy.
Delarb. — Delarbre A.
Delavay — Delavay J. M.
Deless. — Delessert B.
Delile — Delile A. R.
Deloney — Делоне Л. Н.
Delp. — Delpino F.
Demid. — Demidow — Демидов П. А.
Demjan. — Demjanenko — Демьяненко О. Н.
Deniss. — Denissova — Денисова Г. А.
Derg. — Derganc L.
Déségl. — Déséglise P. A.
Desf. — Desfontaines R. L.
Desjat., Des.-Shost. — см. Schost.
DesMoul. — DesMoulins (Desmoulins) C.
Desr. — Desrousseaux L. A. J.
Desv. — Desvaux A. N.
Desv. E. — Desveaux E. E.
Dew. — Dewey C.
De Wild. — De Wildeman E.
Dicks. — Dickson J.
Didrichs. — Didrichsen P.
Dieck G. — Dieck G. (по другим данным Dieck E.).
Diels — Diels F. L. E.
Diels et Gilg — Diels F. L. E. et Gilg E. F.
Dierb. — Dierbach J. H.
Dietr. — Dietrich F. G. (1768—1850).
Dietr. A. — Dietrich A. (1795—1856).
Dietr. D. — Dietrich D. N. F. (1799—1888).
Dill. — Dillenius J. J.
Dipp. — Dippel L.
Ditmer — Дитмер Э. Э.
Dmitr. — Dmitriev(w) — Дмитриев В. Д.
Dmitr. A. — Dmitrieva — Дмитриева А. А.
Dobroch. — Dobrochotova — Доброхотова К. В.
DobrocZ. — DobrocZajeva — Доброчаева-Ковальчук Д. Н.
Doctur. — Docturowsky — Доктуровский В.
Doctur. et Fler. — Docturowsky et Flerow — Доктуровский В. С. и Флеров А. Ф.
Dode — Dode L. A.
Doell — Doell (Döll) J. C.
Doerfl. — Doerfler (Dörfler) I.
Doluch. — Doluchanov — Долуханов А. Г.
Domin — Domin K.
Domke — Domke W.
Don D. — Don, David.
Don G. — Don, George.
Donn — Donn J.
Dörfl. — см. Doerfl.
Dorth. — Dorthes J. A.
Dostál — Dostál J.
Dougl. — Douglas D.
Downar — Довнар Н. В.
Drake — Drake del Castillo E.
Drej. — Drejer S. T. N.
Drev. — Dreves J. F. P.
Drob. — Drobow — Дробов В. П.
Druce — Druce G. C.
Drude — Drude C. G. O.
Drumm. — Drummond J. L.
Drumm. J. — Drummond J. R.
Drumm. J. et Hutch. — Drummond J. R. et Hutchinson J.
Drumm. R. — Drummond R. B.
Drury — Drury W. H.
Drury et Rollins — Drury et Rollins R. C.
Dryand. — Dryander J. C.
Düben — см. Dueben.
Dubjan. — Dubjansky — Дубянский В. А.
Dubois — Dubois F. N. A.
Duby — Duby J. E.
Duch. — Duchesne A. N. (1747—1827).
Duchartre — Duchartre P. E. S. (1811—1894).
Ducomm. — Ducommun J. C.
Dueben — Dueben (Düben) M. W.
Duf. — Dufour J.-M. L.
Dufr. — Dufresne P.
Duham. — Duhamel du Monceau H. L.
Dulac — Dulac J.
Dum. — Dumortier B. C. J. du.
Dumb. — Dumbadze — Думбадзе Т. А.
Dum.-Cours. — Dumont de Courset G. L. M.
Dümm. — Dümmer R. A.
Dun. — Dunal M. F.
Dunn — Dunn S. T.
Dunn D. — Dunn D. B.
Durand — Durand E. M.

- Durande** — Durande J. F.
Durand E. J. — Durand E. J.
Durand E. J. et Barrate — Durand E. J. et Barrate G.
Durand H. — Durand H.
Durand L. — Durand L.
Durand T. — Durand T.
Durand T. et Schinz — Durand T. et Schinz H.
Durazz. — Durazzini A.
Durieu — Durieu de Maissonneuve M. C.
DuRoi — DuRoi J. P.
D'Urv. — Dumont D'Urville J. S. C.
Dusen — Dusen P. K. H.
Duthie — Duthie J. F.
Duthie et Atkins. — Duthie J. F. et Atkinson G. F.
Duval — Duval C. J.
Duv.-Jouve — Duval-Jouve J.
Dwig. — Dwigubsky — Двигубский И. А.
Dykes — Dykes W. R.
Dyl. — Dylis — Дылис Н. В.
Dzhang. — Dzhangurasov — Джангуразов Ф. X.

Eastw. — Eastwood A.
Eat. — Eaton A. (1776—1842).
Eat. A. A. — Eaton A. A. (1865—1908)
Eat. D. — Eaton D. C. (1834—1895).
Eat. et Wright — Eaton A. et Wright J.
Eat. H. — Eaton H. H. (1809—1832).
Eat. R. — Eaton R. J.
Eberm. — Ebermaier K. H.
Eckl. — Ecklon C. F.
Eckl. et Zeyh. — Ecklon C. F. et Zeyher K.
Edelb. — Edelberg L.
Edgew. — Edgeworth M. P.
Edw. E. — Edwards E.
Egor. — Egorova — Егорова Т. В.
Ehrenb. — Ehrenberg C. G.
Ehrend. — Ehrendorfer F.
Ehrh. — Ehrhart F.
Eichl. — Eichler A. W.
Eichw. — Eichwald — Эйхвальд Э.
Eichw. K. — Eichwald K. — Эйхвальд К. Ю.
Eig — Eig A.
Ekim. — Ekimov — Екимов В. П.
Ekman — Ekman E. L.
Ekstam — Ekstam O.
Ekytim. — Ekytimischvili — Еквтимшвили М.
Elfstr. — Elfstrand M.
Elk. — Elkan L.
Ell. — Elliott S.

Elmer — Elmer A. D. E.
Elwes — Elwes H. J.
Emberg. — Emberger L.
Emberg. et Maire — Emberger L. et Maire R.
Enand. — Enander S. J.
Endl. — Endlicher S. L.
Engelm. — Engelmann G.
Engl. — Engler H. G. Adolf.
Engl. et Irmisch. — Engler H. G. Adolf et Irmischer E.
Engl. et Prantl — Engler H. G. Adolf et Prantl K. A. E.
Erdn. — Erdner E.
Erman — Erman A.
Eschsch. — Eschscholtz — Эшшольц И. Ф.
Etl. — Etlinger A. E.
Ettingsh. — Ettingshausen K. v.
Evans — Evans W. H. (1868—1959)
Evans A. H. — Evans A. H. (1855—1943).
Eversm. — Eversmann — Эверсманн Э.

Fabr. — Fabricius P. K.
Falc. — Falconer W.
Falk — Фальк И. П.
Farr — Farr E. M.
Farrer — Farrer R. J.
Farw. — Farwell O. A.
Fawc. — Fawcett W.
Faye — Faye L.
Fed. — Fedorov Ан. — Федоров Ан. А.
Fed. Al. — см. Theod. Al.
Fedde — Fedde F. K. G.
Fedde et Schust. — Fedde F. K. G. et Schuster J.
Fed. et Losinsk. — Fedorov An. et Losinskaja — Федоров Ан. А. и Лозинская А.
Fed. et Rzazade — Fedorov An. et Rzazade — Федоров Ан. А. и Рзазаде Р. Я.
Fedoss. M. et S. — Fedossejew M. et S. — Федосеевы М. и С.
Fedtsch. B. — Fedtschenko B. — Федченко Б. А.
Fedtsch. B. et Basil. — Fedtschenko B. et Basilevskaja — Федченко Б. А. и Базилевская Н. А.
Fedtsch. B. et Bobr. — Fedtschenko B. et Bobrov — Федченко Б. А. и Бобров Е. Г.
Fedtsch. B. et Fler. — Fedtschenko B. et Flerow — Федченко и Флеров А. Ф.
Fedtsch. O. — Fedtschenko O. — Федченко О. А.
Fedtsch. O. et B. — Fedtschenko O. et Fedtschenko B. — Федченко О. А. и Б. А.

- Fée** — Fée A. L. A.
Feer — Feer H.
Felix — Felix J.
Fellm. — Fellmann — Фельман Я.
Fenzl — Fenzl E.
Fern. — Fernald M. L.
Fern. et Weath. — Fernald M. L. et Weatherby C. A.
Fern. et Wieg. — Fernald M. L. et Wiegand K. McK.
Fieb. — Fieber F. X.
Field. — Fielding H. B.
Field. et Gardn. — Fielding H. B. et Gardner G.
Filar. F. — Filarszky F.
Filat. — Filatova — Филатова Н. С.
Filov — Филов А. И.
Fin. — Finet A.
Fin. et Gagnep. — Finet A. et Gagnepain F.
Fingerh. — Fingerhuth K. A.
Fiori — Fiori A.
Fiori et Paol. — Fiori A. et Paoletti G.
Fisch. — Fischer F. E. L. v. — Фишер Ф. Б.
Fisch. et Avé-Lall. — Fischer et Avé-Lallemant — Фишер Ф. Б. и Ляллеман Э. Х.
Fisch. et Mey. — Fischer et Meyer C. A. — Фишер Ф. Б. и Мейер К. А.
Fisch. et Trautv. — Fischer et Trautvetter — Фишер Ф. Б. и Траутфеттер Э. Р.
Fisjun — Фисюн В. В.
Fitzp. H. — Fitzpatrick H. M.
Flaksb. — Flaksberger — Фляксбергер К. А.
Fleisch. — Fleischer J. G.
Fleisch. B. — Fleischer B.
Fleisch. F. — Fleischer F.
Fleischm. H. — Fleischmann H.
Fler. — Flerow — Флеров А. Ф.
Fletch. — Fletcher H. R.
Floder. B. — Floderus B. G. O.
Florin — Florin C. R.
Fluegge — Fluegge (Flügge) J.
Focke — Focke W. O.
Foëx — Foëx G.
Fomin — Фомин А. В.
Fomin et Woronow — Фомин А. В. и Воронцов Ю. Н.
Fomin et Zahn — Фомин А. В. и Цан К. Г.
Font Quer — Font Quer P. (Font y Quer P.).
Forbes — Forbes J. (1773—1861).
Forbes et Hems. — Forbes F. B. et Hemsley W. B.
Forbes F. — Forbes F. B. (1839—1908).
Form. — Formánek E.
Forrest — Forrest G.
Forsell. — Forselles J. H.
Forsk. — Forskål P.
Forst. — Forster J. R. (1729—1798).
Forst. E. — Forster E. (1765—1849).
Forst. et Forst. f. — Forster J. R. et Forster G.
Forst. f. — Forster G. (J. G. A.) (1754—1794).
Forst. T. — Forster T. F. (1761—1825).
Fosb. — Fosberg F. R.
Fost. — Foster R. C.
Fouc. — Foucaud J.
Foug. — Fougereux de Bondaroy A. D.
Fourn. — Fournier E.
Fourn. P. — Fournier P.
Fourr. — Fourreau J. P.
Franch. — Franchet A. R.
Franch. et Savat. — Franchet A. R. et Savatier L.
Frankl. — Franklin J.
Fresen. — Fresenius J. B. G. W.
Freyer — Freyer J. G.
Freyn — Freyn J.
Freyn et Sint. — Freyn J. et Sintenis P. E. E.
Fries — Fries E. M.
Fries Th. — Fries, Th. Magnus.
Fritsch — Fritsch K.
Friv. — Frivaldzky v. Frivald I. (E.)
Froehl. — Froehlich (Fröhlich) J. A. v.
Froehl. Ant. — Froehlich (Fröhlich), Antonin.
Fröl. — см. Froehl.
Fuck. — Fockel L.
Funck — Funck H. C.
Fryer — Fryer A.
Furumi — Furumi M.
Fuss — Fuss M.
Futó — Futó M.
Gabr. — Gabrieljan — Габриэлян Э. Ц.
Gaertn. — Gaertner J. — Гертнер И.
Gaertn. f. — Gaertner K. F. v.
Gaertn., Mey. et Scherb. — Gaertner P. G., Meyer B. et Scherbius J.
Gaertn. P. — Gaertner P. G.
Gagnep. — Gagnepain F.
Galeotti — Galeotti H. G.
Galushko — Галушко А. И.
Gamajun. — Gamajunova — Гамаюнова А. П.
Gamble — Gamble J. S.
Gams — Gams H.
Gand. — Gandoger M.

- Ganesch.** — Ganeschin — Ганешин С. С.
Ganesch. et Zahn — Ganeschin et Zahn —
 Ганешин С. С. и Цан К. Г.
Garcke — Garcke F. A.
Gardner — Gardner G.
Gars. — Garsault F. A. de.
Gasp. — Gasparrini G.
Gatsch. — Gatschetschiladze — Гачечиладзе
 К. А.
Gauba — Gauba E.
Gaudich. — Gaudichaud-Beaupré C.
Gaudin — Gaudin J. F. G. P.
Gauss. — Gaussen H.
Gavr. — Gavrilenko — Гавриленко Б. Д.
Gay C. — Gay C.
Gay F. — Gay F.
Gay J. — Gay J. E.
Gáyer — Gáyer G.
Gelert — Gelert O.
Genev. — Genevier L. Gaston.
Georgi — Georgi J. G. — Георги И. И.
Georgiev — Georgiev S. — Георгиев Ст.
 (Болгария).
Germ. — Germain de Saint-Pierre J. N. E.
Gesn. — Gesner K.
Gibelli — Gibelli G.
Gibelli et Belli — Gibelli G. et Belli (C.) S.
Gibs. — Gibson G. S.
Giesenh. — Giesenhagen K.
Gilg — Gilg E. F.
Gilib. — Gilibert J. E. — Жилибер(т) И. Э.
Gill. — Gillies J.
Gillet — Gillet C. C.
Gill. et Hook. — Gillies J. et Hooker W. J.
Gillet J. — Gillet J.
Gilli — Gilli A.
Gilm. — Gilmour J. S. L.
Ging. — Gingins de Lassaraz F.
Girard — Girard F. de.
Giroux — Giroux M.
Glas. — Glasau F.
Gleas. — Gleason H. A.
Gled. — Gleditsch J. G.
Glehn — Глен П. П.
Glück — Glück (C. M.) H.
Gmel. C. C. — Gmelin C. C. (К. С.).
Gmel. J. F. — Gmelin J. F.
Gmel. J. G. — Gmelin J. G. — Гмелин И. Г.
 (Гмелин-старший)
Gmel. P. F. — Gmelin P. F.
Gmel. S. G. — Gmelin S. G. — Гмелин
 С. Г. (Гмелин-младший)
Gochn. — Gochnat F. C.
Godet — Godet C. H.
Godr. — Godron D. A.
Godwinski — Годвинский М. И.
Goerz — Goerz R.
Goir. — Goiran A.
Goldb. — Goldbach — Гольдбах Л. Ф.
Goldie — Goldie J.
Golenk. — Golenkin — Голенкин М. И.
Golits. — Golitsin — Голицын С. В.
Golosk. — Goloskokov — Голоскоков В. П.
Golosk. et Vass. — Goloskokov et Vassil-
 czenko — Голоскоков В. П. и Василь-
 ченко И. Т.
Golubk. — Golubkova — Голубкова В. Ф.
Gombocz — Gombocz E.
Gontsch. — Gontscharow — Гончаров Н. Ф.
Gontsch. et Novopokr. — Gontscharow et
 Novopokrovsky — Гончаров Н. Ф. и
 Новопокровский И. В.
Good. — Goodenough S.
Gord. — Gordon G.
Gorodk. — Gorodkov(w) — Городков Б. Н.
Gorschk. — Gorschkova — Горшкова С. Г.
Gorschk. et Pjat. — Gorschkova et Pjata-
 eva — Горшкова С. Г. и Пятаева А. Д.
Gorschk. et Zak. — Gorschkova et Zakirov —
 Горшкова С. Г. и Закиров К. Э.
Gorski — Gorski S.
Gort. — Gorter D. de — Гортер Д.
Görz — см. Goerz.
Gouan — Gouan A.
Govor. — Gov(w)oruchin — Говорухин
 В. С.
Grab. — Grabowski H. E.
Graebn. — Graebner K. O. R. P. P.
Graells — Graells Mariano de la Paz.
Graf — Graf S.
Graf R. — Graf R.
Grah. — Graham R.
Grah. J. — Graham J.
Grande — Grande L.
Grant — Grant A. L.
Gray A. — Gray, Asa.
Gray F. W. — Gray F. W.
Gray S. F. — Gray, Samuel F.
Grec. — Grecescu D.
Green — Green M. L.
Greene — Greene E. L.
Gremli — Gremli A.
Gren. — Grenier J. C. M.
Gren. et Godr. — Grenier J. C. M. et God-
 ron D. A.
Grev. — Greville R. K.
Griff. — Griffith W.
Grig. — Grigorjev — Григорьев Ю. С.

- Grimm** — Grimm J. F. K.
Grinev. — см. Hryn.
Grint. — Grințescu G. P.
Griseb. — Grisebach A. H. R.
Griseb. et Schenk — Grisebach A. H. R. et Schenk A.
Gronov. — Gronovius J. F.
Grosser — Grosser W.
Grosset — Гроссет Г. Э.
Gross H. — Gross, Hugo.
Grossh. — Grossheim — Гроссгейм А. А.
Grossh. et Gontsch. — Grossheim et Gontscharow — Гроссгейм А. А. и Гончаров Н. Ф.
Grossh. et Schischk. — Grossheim et Schischkin — Гроссгейм А. А. и Шишкин Б. К.
Grub. — Grubov — Грубов В. И.
Grudz. — Grudzinskaja — Грудзинская И. А.
Grufb. — Grufberg J. O.
Grumm-Grzhim. et Semen. — Grumm-Gr(s)zhimailo et Semenov(w)-Tjan-Schansky — Грумм-Гржимайло Г. Е. и Семенов-Тянь-Шанский В. П.
Grun. — Gruner — Грунер Л. Ф.
Gudoshn. — Gudoshnikov — Гудошников С. В.
Gueldenst. — Gueldenstaedt (Guldenstaedt) — И. А. Гн(ю)льденштедт.
Guenth. — Guenther K. C.
Guenth., Grab. et Wimm. — Guenther K. C., Grabowski H. E. et Wimmer C. F. H.
Guerke — Gürke R. L. A. M.
Guett. — Guettard J. E.
Gugl. — Gugler W.
Guill. — Guillemin (J. P.) A.
Guillaum. — Guillaume A.
Guillem. — Guillemeau J. L. M.
Guill., Perr. et Rich. — Guillemin A., Perrotet G. S. et Richard A.
Guin. — Guinochet M.
Guldenst. — см. Gueldenst.
Gunn. — Gunnerus J. E.
Gunnars. — Gunnarson J. G.
Günth. — см. Guenth.
Gürke — см. Guerke.
Guss. — Gussone G.
Gusul. — Guşuleac M.

Haage — Haage F. A.
Habl. — Hablitzl C. L. — Габлиц К. И.
Hack. — Hackel E.
Hacq. — Hacquet B.
Hadač — Hadač E.
Haenke — Haenke T.

Hagerup — Hagerup O.
Hagl. — Haglund G. E.
Hagstr. — Hagström J. O.
Halacsy — Halácsy E. v.
Halacsy et Doerfl. — Halácsy E. et Doerfler I.
Hall. — Haller, Albert v. (1708—1777).
Hall C. — Hall C. C.
Hall. f. — Haller, Albert v. (1758—1823).
Hall H. M. — Hall H. M.
Hall H. M. et Clements — Hall H. M. et Clements F. E.
Hallier — Hallier E.
Hallier f. — Hallier J.
Hall W. — Hall, William.
Hamilt. A. — Hamilton A.
Hampe — Hampe E.
Hance — Hance H. F.
Hand-Mazz. — Handel-Mazzetti H. v.
Hanelt — Hanelt P.
Hanst. — Hanstein J.
Hara — Hara H.
Harms — Harms H. A. T.
Harrison H. — Harrison H. Heslop.
Harrison J. W. — Harrison J. W. Heslop.
Hartm. — Hartmann F. X. v. (1737—1791).
Hartm. C. — Hartman C. (K.) J. (1790—1849).
Hartm. f. — Hartman C. (1824—1884).
Hartw. — Hartweg K. T.
Hartwig — Hartwig A. K. J.
Hartwiss — Гартвис Н. А.
Harv. — Harvey W. H.
Harz — Harz, Karl O.
Harz K. — Harz, Kurt.
Hasselq. — Hasselquist F.
Hassk. — Hasskarl J. K.
Hausm. — Hausmann F. v.
Hauskn. — Haussknecht H. C. (H. K.).
Hauskn. et Bornm. — Haussknecht H. C. et Bornmüller J. F. N.
Hauskn. et Schulz — Haussknecht H. C. et Schulz O. E.
Haw. — Haworth A. H.
Hayata — Hayata B.
Hayek — Hayek A. v.
Hayek et Bornm. — Hayek A. et Bornmüller J. F. N.
Haynald — Haynald L.
Hayne — Hayne F. G.
H. B. K. — Humboldt F. A., Bonpland A. J. A. et Kunth C. S.
Hedl. — Hedlung J. T.
Hedr. — Hedrick U. P.

- Heer** — Heer O. v.
Hegelm. — Hegelmaier C. F.
Hegetschw. — Hegetschweiler J.
Hegetschw. et Heer — Hegetschweiler J. et Heer O.
Hegi — Hegi G.
Heimerl — Heimerl A.
Heist. — Heister L.
Heldr. — Heldreich T. v.
Hellen. — Hellenius J.
Heller — Heller A. A.
Helm — Helm F. G. — Гельм Г. Ф.
Helm J. — Helm J.
Helmers. — Helmersen — Гельмерсен Г. П.
Hemsl. — Hemsley W. B.
Henckel — Henckel v. Donnersmarck L. V. F.
Henders. — Henderson G.
Henders. et Hume — Henderson G. et Hume A. O.
Henders. L. — Henderson L. F.
Henn. — Hennings P.
Henrard — Henrard J. T.
Henry A. — Henry A.
Herb. — Herbert W.
Herbich — Herbich F.
Herd. — Herder F. G. T. M. v. — Гердер Ф. Е.
Hérincq — Hérincq F.
Hérit. — см. L'Hér.
Herm. F. — Hermann F. J.
Herrm. — Herrmann J.
Herter — Herter W. G.
Hertsch — Hertsch H.
Heuff. — Heuffel J.
Heurck — Heurck H. van.
Heynh. — Heynhold G.
Heyw. — Heywood V. H.
Hiern — Hiern W. P.
Hieron. — Hieronymus G. H. E. W.
Hiit. — Hiitonen I. (H. I. A.).
Hildebr. — Hildebrand F. H. G.
Hill — Hill J.
Hill E. — Hill E. J.
Hillebr. — Hillebrand W.
Hiltebr. — Hiltebrandt F.
Himmelb. — Himmelbaur W.
Hiroe — Hiroe M.
Hitchc. — Hitchcock A. S.
Hitchc. C. — Hitchcock C. L.
Hjelt — Hjelt H.
Hochr. — Hochreutiner B. P. G.
Hochst. — Hochstetter C. F.
Hochst. et Steud. — Hochstetter C. F. et Steudel E. G.
Hocking — Hocking G. M.
Hoeck — Hoeck F.
Hoefft — Гефт Ф. А.
Hoffm. — Hoffmann — Гофман Г. Ф.
Hoffmegg. — Hoffmannsegg J. C. v.
Hoffmegg. et Link — Hoffmannsegg J. C. et Link J. H. F.
Hoffm. K. — Hoffmann K.
Hoffm. O. — Hoffmann K. A. O.
Hoffm. R. — Hoffmann R.
Hogg — Hogg (20-е годы XIX в.).
Hohen. — Hohenacker R. F. — Гогенакер Ф. Р.
Holandre — Holandre J. J. J.
Holl — Holl F.
Hollick — Hollick C. A.
Holm — Holm, Theodor (1732—1794) — см. Holmsk.
Holmb. — Holmberg O. R.
Holmboe — Holmboe J.
Holm H. T. — Holm, Herman Theodor (1854—1932, США).
Holmsk. — Holmskiöld T.
Holub — Holub J.
Holuby — Holuby J. F.
Honck. — Honckeney G. A.
Honda — Honda M.
Hoog — Hoog J.
Hook. — Hooker W. J.
Hook. et Arn. — Hooker W. J. et Arnott G. A. W.
Hook. f. — Hooker J. D.
Hook. f. et Benth. — Hooker J. D. et Benth. G.
Hook. f. et Thoms. — Hooker J. D. et Thomson T.
Hoppe — Hoppe D. H.
Hoppe et Hornsch. — Hoppe D. H. et Hornschuch C. F.
Horan. — Horaninow — Горянинов П. Ф.
Horkel — Horkel J.
Horm. — Hormuzaki C.
Hornem. — Hornemann J. W.
Hornsch. — Hornschuch C. F.
Horsf. — Horsfield T.
Hort. — hortorum (садов), hortulanorum (садовников).
Horvát — Horvát A. O.
Host — Host N. T.
House — House H. D.
Houtt. — Houttuyn M.
Houtte — Houtte van L. B.
Houz. — Houzeau de Lehaie J.
Howe — Howe E. C.

- Howell** — Howell T. J.
Howell J. — Howell J. T.
Howell S. — Howell S. R.
Hruby — Hruby J.
Hrubý K. — Hrubý K.
Hryn. — Hryniewiecki — Гриневецкий Б. Б.
Hu — Hu Hsen-hsu.
Hubb. C. E. — Hubbard C. E.
Hubb. F. T. — Hubbard F. T.
Huds. — Hudson W.
Huelph. — Huelphers (Hülphers) K. A.
Huels. — Hülsen R.
Huet A. — Huet du Pavillon, Alfred.
Huet E. — Huet du Pavillon, Edouard.
Hu et Chun — Hu Hsen-hsu et Chun Woon-young.
Hughes — Hughes D. K.
Hull — Hull J.
Hüls. — см. Huels.
Hult. — Hultén E.
Humb. — Humboldt F. A. (F. W. H. A.) v.
Humb. et Bonpl. — Humboldt F. A. et Bonpland A. J. A.
Hume — Hume A. O.
Hu S.-Y. — Hu Shiu-ying.
Husn. — Husnot T.
Hutch. — Hutchinson, John.
Huter — Huter R.
Huter, Porta et Rigo — Huter R., Porta P. et Rigo G.
Huth — Huth E.
Hyl. — Hylander N.

Ik.-Gal. — Ikonnikov-Galitzky — Иконников-Галицкий Н. П.
Ik.-Gal. et Nevski — Ikonnikov-Galitzky et Nevski — Иконников-Галицкий Н. П. и Невский С. А.
Iljin — Ильин М. М.
Iljin et Korov. — Iljin et Korovin — Ильин М. М. и Коровин Е. П.
Iljin et Krasch. — Iljin et Krascheninnikov — Ильин М. М. и Крашенинников И. М.
Iljinsk. — Iljinski — Ильинский А. П.
Iljinsk. I. — Iljinskaja I. — Ильинская И. А.
Illar. — Illarionova — Илларионова Н. Б.
Illitsch. — Illitschewsky — Илличевский С.
Irmisch — Irmisch T.
Irmsch. — Irmscher E.
Irving — Irving W.
Issaiev — Исаев Я.
Itz. — Itzigsohn H.
Itz. et Hertsch — Itzigsohn H. et Hertsch H.

Ivanina — Иванина Л. И.
Ivanitzk. — Ivanitzkaja — Иваницкая А.
Ivanova — Иванова Н. А.
Ives — Ives E.

Jabr.-Kolak. — Jabrova-Kolakovskaja — Яброва-Колаковская В. С.
Jacks. — Jackson B. D.
Jacq. — Jacquin N. J. v.
Jacq. f. — Jacquin J. F. v.
Jacquem. — Jacquemont V.
Jacques — Jacques A.
Jahand. — Jahandiez E.
Jahand. et Maire — Jahandiez E. et Maire R.
Jakubz. — Jakubziner — Якубцинер М. М.
Jalas — J alas J.
Jan — Jan G.
Janch. — Janchen E.
Jancz. — Janczewski v. Glinka E.
Janisch. — Janischewsky — Янишевский Д. Е.
Janka — Janka v. Bules V.
Jans. — Jansen P.
Jarm. — Jarmolenko — Ярмоленко А. В.
Jas. — Jasiewicz A.
Jaub. — Jaubert H. F.
Jaub. et Spach — Jaubert H. F. et Spach E.
Jaume — Jaume Saint-Hilaire J. H.
Jáv. — Jávorka S.
Jáv. et Csap. — Jávorka et Csapody V.
Jeps. — Jepson W. L.
Jess. — Jessen C. (K.) F. W.
Jir. — Jirásek V.
Joh. K. — Johansson K.
Johnst. — Johnston I. M.
Jones — Jones M. E.
Jones F. — Jones F. F.
Jones Fr. — Jones Fr. B.
Jones G. — Jones G. N.
Jones K. — Jones K.
Jord. — Jordan A.
Jordanov — Jordanov D. — Йорданов, Дакн (Болгария).
Jord. D. — Jordan D. S.
Jord. et Fourr. — Jordan A. et Fourreau J. P.
Jouin — Jouin V.
Jundz. — Jundzill (Jundsill) S. B.
Junge — Junge P.
Junger — Junger E.
Jung W. — Jung W.
Juratzka — Juratzka J.
Jurtz. — Jurtzev — Юрцев Б. А.
Jusl. — Juslenius A. D.
Juss. — Jüssieu Antoine Laurent de.

- Juss. Adr.** — Jussieu Adrien de.
Juss. B. — Jussieu Bernard de.
Juxip — Юксип А. Я.
Juz. — Juzerczuk — Юзепчук С. В.
Juz. et Pozd. — Juzerczuk et Pozdeeva — Юзепчук С. В. и Поздеева Н. Г.
Juz. et Serg. Е. — Juzerczuck et Sergievskaja Е. — Юзепчук С. В. и Сергиевская Е. В.
Juz. et Vved. — Juzerczuk et Vvedensky — Юзепчук С. В. и Введенский А. И.
Juz. et Vysok. — Juzerczuk et Vysokoostrovskaja — Юзепчук С. В. и Высокоостровская И. Б.
Kaban. — Kabanov — Кабанов Н. Е.
Kabath — Kabath Н.
Kabulov — Кабулов Д. Т.
Kalen. — Kaleniczenko — Калениченко И. О.
Kalm — Kalm Р.
Kamien. — Kamienski — Каменский Ф. М.
Kanitz — Kanitz А.
Kantsch. Z. — Kantschaweli — Канчавели Э. А.
Kapell. — Kapeller — Капеллер О. А.
Kar. — Karelin — Карелин Г. С.
Karav. — Karavaev — Караваев М. Н.
Kar. et Kir. — Karelin et Kirilow — Карелин Г. С. и Кирилов И. П.
Karjag. — Karjagin — Карягин И. И.
Karst. — Karsten G. K. W. Н.
Kaschm. — Kaschmensky — Кашменский Б. Ф.
Katina — Катина Э. Ф.
Kauffm. — Kauffmann — Кауфман Н. Н.
Kaulf. — Kaulfuss G. F.
Kazak. — Kazakevicz — Казакевич Л. И.
Kazar. — Kazarjan — Казарян Е. С. (Казарджян Э. С.).
Kearn. — Kearney T. Н.
Keck — Keck D. D.
Keissl. — Keissler K.
Keller B. — Келлер Б. А.
Keller B. et Kom. N. — Keller et Komarov N. — Келлер Б. А. и Комаров Н. Ф.
Keller G. — Keller G.
Keller L. — Keller L.
Keller R. — Keller R.
Kellogg — Kellogg A.
Kem.-Nath. — Kemularia-Nathadze — Кемулярия-Натадзе Л. М.
Keng — Keng, Yi-li.
Ker-Gawl. — Bellenden Ker, John или (более верно!) John Ker Bellenden; до 1804 г. — John Gawler.
Kerner A. — Kerner v. Marilaun A. J.
Kerner J. — Kerner J.
Keys. — Keyserling A. F. M. L. v. — Кейзерлинг А. А.
Kickx — Kickx J.
Kier. — Kierulff (сотрудник А. Бунге).
Kihlm. — Kihlman A. О.
Kimura — Kimura Y.
King — King G.
King et Gamble — King G. et Gamble J. S.
Kir. — Kirilow — Кирилов И. П.
Kirchn. — Kirchner G.
Kirchn. E. — Kirchner E. O. O. v.
Kir. P. — Kirillow — Кирилов П. Е.
Kirp. — Kirpicznikov — Кирпичников М. Э.
Kirschl. — Kirschleger F.
Kiss — Kiss A.
Kit. — Kitaibel P.
Kitag. — Kitagawa M.
Kitam. — Kitamura S.
Kitt. — Kittel M. B.
Kjellm. — Kjellman F. R.
Kjerulff — см. Kier.
Klatt — Klatt F. W.
Kleop. — Kleorow — Клеопов Ю. Д.
Klinge — Klinge J. Ch. — Клинге И. Г.
Klinggr. — Klingraeff K. J. v.
Klinggr. H. — Klingräff (Klingraeff) H. v.
Klok. — Klovok — Клоков М. В.
Klok. et Sakalo — Klovok et Sakalo — Клоков М. В. и Сакало Д. И.
Klok. et Schost. — Klovok et Schostenko — Клоков М. В. и Шостенко Н. А.
Klotzsch — Krotzsch J. F.
Kluk — Kluk C.
Knab. — Knaben G.
Knaf — Knaf J.
Knapp — Knapp J. L.
Knapp F. — Knapp F. H.
Knapp J. A. — Knapp J. A.
Knapp J. H. — Knapp J. H.
Kneuck. — Kneucker A.
Kноор — Kноор J. H.
Knorr. — Knorring — Кнорринг-Неуструева О. Э.
Knorr. et Tamamsch. — Knorring et Tamamschjan — Кнорринг-Неуструева О. Э. и Тамамшян С. Г.
Knuth — Knuth R. G. P.
Knuth F. — Knuth F. M.
Koben. — Kobenda R.
Koch — Koch, Wilhelm Daniel Joseph.
Koch C. — Koch, Karl Heinrich Emil.

- Koch et Sond.** — Koch W. D. J. et Sonder O. W.
Kodama — Kodama S.
Koehne — Koehne B. A. E.
Koel. — Koeler G. L.
Koelle — Koelle J. L. C.
Koern. — Koernicke (Körnische) F.
Koerte — Koerte (Körte) F.
Koidz. — Koidzumi G.
Koidz. H. — Koidzumi H.
Köie — Köie (Kwie) M.
Kolak. — Kolakov(w)sky — Колоаковский А. А.
Kolen. — Kolenati — Коленати Ф. А.
Kolesn. — Kolesnikov — Колесников Б. П.
Kolok. — Kolokolnikov — Колокольников Л. Б.
Kom. — Komarov — Комаров В. Л.
Kom. et Aliss. — Komarov et Alissova — Комаров В. Л. и Алисова-Клобукова Е. Н.
Kom. et Schischk. I. — Komarov et Schischkin I. — Комаров В. Л. и Шишкин И. К.
Kom. N. — Komarov N. — Комаров Н. Ф.
Kondr. — Kondratjuk — Кондратюк Е. Н.
Korcz. — Korczagin — Корчагин А. А.
Korkon. — Korkonossova — Корконосова Л. И.
Kornaś — Kornaś J.
Körnische — см. Koern.
Kornilova — Корнилова В. С.
Korn-Tr. — Kornuch-Trotzki — Корнух-Троцкий П. Я.
Korol. A. — Koroleva A. — Королева А. С.
Korol. K. — Koroleva K. — Королева К. М.
Korol. V. — Koroleva V. — Королева В. А.
Korotk. — Korotkova — Короткова Е. Е.
Korotky — Korotky — Короткий М. Ф.
Korov. — Korovin — Коровин Е. П.
Korov. et Miron. — Korovin et Mironov — Коровин Е. П. и Миронов Б. А.
Korov. et Pop. M. — Korovin et Popov M. — Коровин Е. П. и Попов М. Г.
Korsh. — Korshinsky — Коржинский С. И.
Körte — см. Koerte.
Koshewn. — Koshewnikow — Кожевников Д. А.
Koshewn. et Zing. — Koshewnikow et Zinger — Кожевников Д. А. и Цингер В. Я.
Koss. C. — Kossinsky C. — Косинский К. К.
Koss G. — Косс Ю. И.
Kossenko — Косенко И. С.
Kossych — Косых В. М.
Kost. — Kosteletzky V. F.
Kostina — Костина К. Ф.
Kostina et Rjab. — Kostina et Rjabov — Костина К. Ф. и Рябов И. Н.
Kotov — Котов М. И.
Kotschy — Kotschy T.
Kotschy et Boiss. — Kotschy T. et Boissier E.
Kotula — Kotula B.
Koval. — Kovalev — Ковалев Н. В.
Koval. et Ekim. — Kovalev et Ekimov — Ковалев Н. В. и Екимов В. П.
Koval. et Kostina — Kovalev et Kostina — Ковалев Н. В. и Костина К. Ф.
Kovalevsk. — Kovalevskaja — Ковалевская С. С.
Kozl. — Kozlowsky — Козловский В. Л.
Kozl. et Zahn — Kozlowsky et Zahn — Козловский В. Л. и Цан К. Г.
Kozl. N. — Kozlowskaja N. — Козловская Н. В.
K.-Pol. — Koso-Poljansky — Козо-Полянский Б. М.
K.-Pol. et Preobr. — Koso-Poljansky et Preobraschensky — Козо-Полянский Б. М. и Преображенский Г. А.
Kraenzl. — Kraenzlin (Kränzlin) F.
Krajina — Krajina V. J.
Kral. — Kralik L.
Kram. W. — Kramer W. H.
Kränzl. — см. Kraenzl.
Krasch. — Krascheninnikov — Крашенинников И. М.
Krasch. et Abol. — Krascheninnikov et Abolin — Крашенинников И. М. и Аболин Р. И.
Krasch. et Butk. — Krascheninnikov et Butkov — Крашенинников И. М. и Бутков А. Я.
Krasch. et Gontsch. — Krascheninnikov et Gontscharov — Крашенинников И. М. и Гончаров Н. Ф.
Krasch. et Iljin — Krascheninnikov et Iljin — Крашенинников И. М. и Ильин М. М.
Krasch. et Lincz. — Krascheninnikov et Linczewski — Крашенинников И. М. и Линчевский И. А.
Krasch. et Poljak. — Krascheninnikov et Poljakov — Крашенинников И. М. и Поляков П. П.
Krasch. et Pop. M. — Krascheninnikov et Popov M. — Крашенинников И. М. и Попов М. Г.
Krasch. et Poretzky — Krascheninnikov et

- Poretzky A. — Крашенинников И. М. и Поретский А. С.
- Krasch. et Rubtz. N. — Krascheninnikov et Rubtzov N. — Крашенинников И. М. и Рубцов Н. И.
- Krasch. et Vved. — Krascheninnikov et Vvedensky — Крашенинников И. М. и Введенский А. И.
- Krasch. et Zapr. — Krascheninnikov et Zaprjagaev — Крашенинников И. М. и Запругаев Ф. Л.
- Krasch., Pop. M. et Lincz. — Krascheninnikov, Popov M. et Linczevski — Крашенинников И. М., Попов М. Г. и Линчевский И. А.
- Krasch., Pop. M. et Vved. — Krascheninnikov, Popov M. et Vvedenski — Крашенинников И. М., Попов М. Г. и Введенский А. И.
- Krasn. — Kras(s)nov — Краснов А. Н.
- Krause E. — Krause E. H. L.
- Krause J. — Krause J. W.
- Krause K. — Krause K.
- Krause M. — Krause M.
- Krecz. — Kreczetowicz L. — Кречетович Л. М.
- Krecz. V. — Kreczetowicz V. — Кречетович В. И.
- Krecz. V. et Bobr. — Kreczetowicz V. et Bobrov — Кречетович В. И. и Бобров Е. Г.
- Krecz. V. et Gontsch. — Kreczetowicz V. et Gontscharow — Кречетович В. И. и Гончаров Н. Ф.
- Krecz. V. et Kuprian. — Kreczetowicz V. et Kuprianova — Кречетович В. И. и Куприянова Л. А.
- Kreyer — Крейер Г. К.
- Krivot. — Krivotulenko — Кривотуленко У. Ф.
- Krock. — Krock A. J.
- Krok — Krok T. O. B. N.
- Kronf. — Kronfeld M.
- Krug — Krug L.
- Krug et Urb. — Krug L. et Urban I.
- Kryl. — Krylov — Крылов П. Н.
- Kryl. et Ivanitzk. — Krylov et Ivanitzkaja — Крылов П. Н. и Иваницкая А.
- Kryl. et Schischk. — Krylov et Schischkin — Крылов П. Н. и Шишкин Б. К.
- Kryl. et Steinb. — Krylov et Steinberg — Крылов П. Н. и Штейнберг Е. И.
- Kryl. et Sumn. — Krylov et Sumnevich — Крылов П. Н. и Сумневич Г. П.
- Krysh. — Kryshovicz — Криштофович А. Н.
- Kubansk. — Kubanskaja. — Кубанская Э. В.
- Kudo — Kudo Y.
- Kudr. — Kudrjashev — Кудряшев С. Н.
- Kühl. — Kühlewein P. E.
- Kuhn — Kuhn F. A. M. (M. F. A.).
- Kük. — Kükenthal G.
- Kulcz. — Kulczyński S.
- Kult. — Kultias(s)ow — Культисов М. В.
- Kumin. — Kuminova — Кумина А. В.
- Kümmerle — Kümmerle J. Béla.
- Kümmerle et Degen — Kümmerle J. Béla et Degen A.
- Kunth — Kunth C. (K.) S.
- Kuntze — Kuntze C. (K.) E. O.
- Kunze G. — Kunze G.
- Kupff. — Kupffer — Купффер К. Р.
- Kuprian. — Kupri(j)anova — Куприянова Л. А.
- Kurtz — Kurtz F.
- Kurz — Kurz (W.) S.
- Kusn. — Kusne(t)zow — Кузнецов Н. И.
- Kusn. I. — Kusne(t)zow I. — Кузнецов И. В.
- Kusn. V. — Kusnezow V. (W.) — Кузнецов В. А.
- Kuth. — Kuthatheladze — Кутателадзе Ш. И.
- Kuth. A. — Kuthatheladze A. — Кутателадзе А. И.
- Kuth. A. S. — Kuthatheladze A. S. — Кутателадзе А. С.
- Kütz. — Kützing F. T.
- Kuzen. — Kuzeneva — Кузенева О. И.
- L. — Linné v. Carl (он же Linnaeus, Carolus).
- Labill. — La Billardiere J. J. H. de.
- Lacass. — Lacassagne M.
- Ladau — Ladau J. F.
- Laest. — Laestadius L. L.
- Laff. — Laffon J. C.
- Laff. et Miégev. — Laffon J. C. et Miégev.
- Lag. — Lagasca y Segura M.
- Lagr.-Foss. — Lagrèze-Fossat A. R. A.
- Laharpe — Laharpe (La Harpe) J. de.
- Laksch. — Lakschev(w)itz — Лакшевич П. А.
- La Llave — La Llave P.
- La Llave et Lex. — La Llave P. et Lexarza J.
- Lam — Lam H. J.
- Lam. — Lamarck, J. B. A. P. Monnet de.

- Lamb.** — Lambert A. B.
Lam. et DC. — Lamarck, J. B. A. P. Monnet de et DeCandolle A. P.
Lamotte — Lamotte M.
Lams., Scribn. — см. Scribn.
Láng — Lang A. F.
Lange — Lange J. M. C.
Lang K. — Lang K. H.
Lang O. — Lang O. F.
Lang T. — Lang T.
Langsd. — Langsdorff G. H. v. — Лангсдорф Г. И.
Lann. — см. De Lann.
Lapeyr. — Lapeyrouse P. P. de.
La Pyl. — La Pylaie A. J. M. B. de.
Larsen — Larsen K.
Larss. — Larsson L. M.
Lastey. — Lasteyrie C. P.
Latourr. — Latourrette M. A. L. Claret de.
Latsch. — Latschaschwili — Лачашвили И. Я.
Lauche — Lauche W.
Lauterb. — Lauterbach C. A. G.
Lav. — Lavallée A.
Lava — см. Ljava.
Lavr. — Lavrenko — Лавренко Е. М.
Lawr. — Lawrence J.
Lawr. G. — Lawrence G. H. M.
Lawr. W. — Lawrence W. J. C.
Laws. — Lawson P.
Laws. C. — Lawson C.
Laws. G. — Lawson G.
Laxm. — Laxmann E. — Лаксман Э. Г. (К А.).
Lecomte — Lecomte (M.) H.
Lecoq — Lecoq H.
Lecoq et Lamotte — Lecoq H. et Lamotte M.
Lecoq. — Lecoq I. C.
Ledeb. — Ledebour C. F. v. — Ледебур К. Ф.
Lee — Lee H. A.
Leers — Leers J. D.
Lee Shun — Lee Shun-ch'ing (Li Shun-ching).
Lehm. — Lehmann J. G. C.
Leichtl. — Leichtlin M.
Lej. — Lejeune A. L. S.
Lej. et Court. — Lejeune A. L. S. et Courtois R. J.
Lem. — Lemaire C. A.
Léman — Léman D. S.
Lemm. — Lemmon J. G.
Lemoine — Lemoine V.
Lemoine E. — Lemoine E.
Leon. — Leonard E. C.
Leonova — Леонова Т. Г.
Lepesch. — Lepeschin — Лепехин И. И.
Lepeschk. — Лепешкин С. Н.
Lerch. — Lerchenfeld J.
Leroy — Leroy A.
Leroy J. — Leroy J. F.
Leroy L. — Leroy L.
Leskov — Лесков А. И.
Lesp. — Lespinasse (J. M.) G.
Lesq. — Lesquereux L.
Less. — Lessing C. F. — Лессинг Х. Ф.
Lest. — Lestiboudois F. J.
Lest. f. — Lestiboudois T.
Levier — Levier E.
Levin — Левин Э. Г.
Levina — Лёвина Р. Е.
Lévl. — Lévillé A. A. H.
Lévl. et Vaniot — Leveillé A. A. H. et Vaniot E.
Lewton — Lewton F. L.
Lex. — Lexarza J.
Leyss. — Leyssér F. W. v.
L. f. — Linné v. Carl (Линней-сын, сын Карла Линнея).
L'Hér. — L'Héritier de Brutelle C. L.
Li H. L. — Li Hui-lin.
Libosch. — Liboschitz J. — Либошиц Иосиф (Осип) Я.
Lid — Lid J.
Liebl. — Lieblein F. K.
Liebm. — Liebmann F. M.
Lightf. — Lightfoot J.
Liljeb. — Liljeblad S.
Limpr. W. — Limpricht W.
Lincz. — Linczewski — Линчевский И. А.
Lincz. O. — Linczewski O. — Линчевский О. А.
Lindb. — Lindberg J. B. W.
Lindb. f. — Lindberg H.
Lindbl. — Lindblom A. E.
Lindblad — Lindblad M. A.
Lindeb. — Lindeberg C. J.
Lindem. — Lindemann — Линдеман(н) Э. Э.
Linden — Linden J.
Lindl. — Lindley J.
Lindm. — Lindman C. A. M.
Ling — Ling Yo(u)ng.
Lingelsh. — Lingelsheim A. v.
Link — Link J. H. F.
Link et Hoffm. — Link J. H. F. et Hoffmannsegg J. C. v.
Link et Otto — Link J. H. F. et Otto C. F.
Lipat. — Lipatova — Липатова В. В.
Lipsch. — Lipschitz — Липшиц С. Ю.
Lipsky — Липский В. И.

- Litv.** — Litvinov (Litwinow) — Литвинов Д. И.
Litv. et Zahn — Litvinov et Zahn — Литвинов Д. И. и Цан К. Г.
Litw. — см. Litv.
Ljava — Лява Я. И.
Lloyd — Lloyd, James.
Lloyd J. — Lloyd, John.
Lodd. — Loddiges C.
Loeffl. — Loeffling P.
Loennr. — Loennrot (Lönnrot) K. J.
Loes. — Loesener L. E. T.
Loes. f. — Loesener O.
Loisel. — Loiseleur-Deslongchamps J. L. A.
Lojac. — Lojacono, Pojero M.
Lomak. — Lomakin — Ломакин А. А.
Lonacz. — Lonaczewski — Лоначевский А.
Londes — Londes F. W. — Лондес Ф. В.
Lönnr. — см. Loennr.
Losinsk. — Losinskaja — Лозинская (Лозина—Лозинская) А. С.
Loud. — Loudon J. C.
Lour. — Loureiro J. de.
Löve A. — Löve, Åskell.
Löve A. et D. — Löve, Åskell et Löve, Doris.
Löve D. — Löve, Doris.
Lowe — Lowe R. T.
Lüb. — Lüben A.
Lucé — Lucé J. W. L. v. (Люде Иоанн-Вильгельм-Людвиг).
Lüdi W. — Lüdi W.
Ludw. — Ludwig C. G. (1709—1773).
Ludw. A. — Ludwig A.
Ludw. C. — Ludwig C. F.
Luerss. — Luerssen C.
Lukitsch. — Lukitscheva — Лукичева А. Н.
Lumn. — Lumnitzer S.
Lund — Lund N.
Lundstr. — Lundström A. N.
Lunell — Lunell J.
Lyka K. — Lyka, Károly.
Lynch — Lynch R. I.
Lyngé — Lyngé B.
Ma — Ma, Yu-chuan (Ma, Yü-ch'uan).
Maack — Maack P. K.
Macbr. — Macbride J. F.
Macf. — Macfadyen J.
Mackenz. — Mackenzie K. K.
Mackenz. et Bush — Mackenzie K. K. et Bush B. F.
MacMill. — MacMillan C.
Macoun — Macoun, John.
Macoun J. — Macoun, James M.
Maek. — Maekawa T.
Maek. F. — Maekawa F.
Magne — Magne J. H.
Magnus — Magnus P. W.
Maguire — Maguire B.
Maid. — Maiden J. H.
Maire — Maire R.
Majlun — Майлун З. А.
Majorov — Майоров А. А.
Makino — Makino T.
Makino et Nemoto — Makino T. et Nemoto K.
Makino et Shibata — Makino T. et Shibata K.
Makino et Yabe — Makino T. et Yabe Y.
Maleev — Малеев В. П.
Malme — Malme G. O. A.
Malmgr. — Malmgren A. J.
Malte — Malte M. O.
Maly — Maly J. K.
Malý K. — Malý K.
Malysch. — Malyshev — Малышев Л. И.
Malz. — Malzew(w) — Мальцев А. И.
Manden. — Mandenova — Манденова И. П.
Manden. et Scheng. — Mandenova et Schengelia — Манденова И. П. и Шенгелия Е. М.
Mandl — Mandl K.
Mandl et Muehld. — Mandl K. et Muehldorf A.
Mansf. — Mansfeld R.
Marc. — Marcowicz — Маркович В. В.
Marg. — Margittai A.
Markl. — Marklund G. G.
Marsh. — Marshall H.
Marss. — Marsson T.
Mart. C. — Martius (C.) K. F. P. v.
Martens — Martens M.
Martens et Galeotti — Martens M. et Galeotti H. G.
Mart. H. — Martius H. v. — Мартинус (Марциус) Г.
Masl. — Maslennikova — Масленникова.
Mason — Mason S. C.
Mason C. — Mason C. T.
Mason H. — Mason H. L.
Massalski — Массальский В. И.
Massart — Massart J.
Masson — Masson F.
Mast. — Masters M. T.
Math. — Mathias M. E.
Math. et Const. — Mathias M. E. et Constance L.

- Matsum.** — Matsumura J.
Mattei — Mattei G. E.
Mattf. — Mattfeld J.
Matuszk. — Matuszkiewicz W.
Matz. — Matzenko — Маценко А. Е.
Mauri — Mauri E.
Maw — Maw G.
Maxim. — Maximowicz — Максимович К. И.
Maxon — Maxon W. R.
Mayer E. — Mayer E.
Mayer J. — Mayer J. C. A.
Mayr — Mayr H.
M. B. — Bieberstein, Friedrich August Marschall v. — Биберштейн Ф. К.
Medic. — Medicus F. C. (Medikus F. K.).
Medw. — Medwedew — Медведев Я. С.
Meff. — Meffert — Мефферт-Абрамович В. В.
Meinsh. — Meinshausen — Мейнсгаузен К.
Meissn. — Meis(s)ner C. F.
Mela — Mela A. J.
Menabde — Менабде В. А.
Menz. — Menzies A.
Mérat — Mérat F. V.
Merckl. — Mercklin — Мерклин К. Е.
Merr. — Merrill E. D.
Merr. et Chun — Merrill E. D. et Chun Woon-young.
Mert. — Mertens F. K.
Mert. et Koch — Mertens F. K. et Koch W. D. J.
Metc. — Metcalf F. P.
Mett. — Mettenius G. H.
Metzg. — Metzger J.
Mey. B. — Meyer B.
Mey. C. A. — Meyer C. A. — Мейер Карл Андреевич.
Mey. E. — Meyer, Ernst H. F.
Meyen — Meyen F. J. F.
Mey. F. G. — Meyer, Frederick G.
Mey. G. — Meyer, Georg F. W.
Mez — Mez K. C.
Michajl. — Michajlov(w)ski — Михайловский С. И.
Michal. — Michalet E.
Micheli — Micheli P. A.
Micheli M. — Micheli M.
Michels. — Michelson — Михельсон А. И.
Michx. — Michaux A.
Michx. f. — Michaux F. A.
Midd. — Middendorf A. T. v. — Миддендорф А. Ф.
Mieg — Mieg A.
Miégev. — Miégeville.
Miers — Miers J.
Mikan — Mikan J. C.
Mikesch. — Mikeschin — Микешин Г. В.
Milde — Milde C. A. J.
Mill. — Miller P.
Mill. G. — Miller G. S.
Millsp. — Millsbaugh C. F.
Min. — Miniaev — Миняев Н. А.
Minder. — Minderova — Миндерова Е. В.
Minkw. — Minkwitz — Минквиц З. А.
Miq. — Miquel F. A. W.
Mirb. — Mirbel C. F. B. de.
Miron. — Mironov — Миронов Б. А.
Mirzoeva — Мирзоева Н. В.
Mischk. — Mischkin — Мишкин Б. А.
Misch. — Mischenko — Мищенко П. И.
Mitch. — Mitchell J.
Mitf. — Mitford A. B. Freeman.
Mitt. — Mitterpacher L. v.
Miyabe — Miyabe K.
Miyabe et Kudo — Miyabe K. et Kudo Y.
Miyabe et Miyake — Miyabe K. et Miyake T.
Miyabe et Tatew. — Miyabe K. et Tatewaki M.
Miyake — Miyake T.
Miyoshi — Miyoshi M.
Mizg. — Mizgireva — Мизгирева О. Ф.
Mlokoss. — Mlokoszewicz — Млокосевиц Ю. А.
Moehring — Moehring P. H. G.
Moench — Moench K. (C.).
Moeschl — Möschl W.
Moessl. — Moessler J. C.
Moesz — Moesz G.
Moggr. — Moggridge J. T.
Mohr — Mohr D. M. H.
Mohr C. — Mohr C. T.
Mol. — Molina J. I. (G. I.).
Mold. — Moldenke H. N.
Monjuschko — Моноюшко В. А.
Monn. — Monnier A.
Montbr. — Coquebert de Montbret G.
Montbr. et Auch. — Coquebert de Montbret G. et Aucher-Eloy P. M. R.
Monti — Monti G.
Moore — Moore T.
Moore A. — Moore A. H.
Moore H. — Moore H. E.
Moore S. — Le Marchant Moore, Spencer.
Moq. — Moquin-Tandon C. H. B. A.
Mor. — Moretti G.
Moric. — Moricand M. E.
Mori K. — Mori K.
Moris G. — Moris G. G.

- Moritz** — Moritz A.
Morong — Morong T.
Morr. — Morren C. F. A.
Morr. E. — Morren E. (C. J. E.).
Morr. et Decne. — Morren C. F. A. et De-
 caisne J.
Morris — Morris E. L.
Möschl. — см. Moeschl.
Mott. — Mottet S.
Muehl. — Muehlenberg (Mühlenberg) H. L.
Muehld. — Muehldorf (Mühldorf) A.
Muell. Arg. — Mueller (Müller Argovien-
 sis), Jean.
Muell. Corn. — Mueller (Müller), Corne-
 lius H.
Muell. F. — Mueller (Müller) F. v.
Muell. O. F. — Mueller (Müller), Otto F.
Muell. P. J. — Muller (Müller), Philipp J.
Muenchh. — Muenchhausen (Münchhausen)
 O. v.
Mühl. — см. Muehl.
Mühld. — см. Muehld.
Mulk. — Mulkidjanian — Мулкиджанян
 Я. И.
Müll. — см. Muell.
Munby — Munby G.
Münchh. — см. Muenchh.
Munro — Munro W.
Murav. — Muravjeva — Муравьева О. А.
Murb. — Murbeck S. S.
Murr. — Murray J. A.
Murr. A. — Murray A.
Muscheg. — Muschegjan — Мушегян А. М.
Muschl. — Muschler R.
Muschl. et Thell. — Muschler R. et Thel-
 lung A.
Muss.-Puschk. — Mussin-Puschkin — Мусин-
 Пушкин А. А.
Mutel — Mutel A.
Mutis — Mutis J. C.

Nábél. — Nábélek F.
Nabiev — Набиев М. М.
Naeg. — Naegeli C. (Nägeli K.)
Naeg. et Peter — Naegeli C. et Peter G. A.
Naeg. O. — Naegeli (Nägeli) O.
Nakai — Nakai T.
Nakai et Koidz. — Nakai T. et Koidzumi G.
Nannf. — Nannfeldt J. A.
Nas. — Nasarow — Назаров М. И.
Nash — Nash G. V.
Nath. — Nathorst A. G.
Nathh. — Nathorst T. E.
Naud. — Naudin C.

Neck. — Necker N. J. de.
Nees — Nees v. Esenbeck C. G. D.
Neger F. — Neger F. W.
Neilr. — Neilreich A.
Nekr. — Nekrassov(w)а — Некрасова В. А.
Nelmes — Nelmes E.
Nels. — Nelson A.
Nels. E. — Nelson E. E.
Nels. et Macbr. — Nelson A. et Macbride J.
Nemoto — Nemoto K.
Nendtv. — Nedtvich C. M.
Nenuk. — Nenukow — Ненюков Ф. С.
Nepli — Непли Г. Н.
Nestl. — Nestler C. G.
Neum. — Neumann K. G.
Neum. A. — Neumann A.
Neum. L. — Neuman L. M.
Neumay. — Neumayer J.
Neumay. H. — Neumayer H.
Nevski — Невский С. А.
Nevski et Roshev. — Nevski et Roshevitz --
 Невский С. А. и Рожевиц Р. Ю.
Newb. — Newberry J. S.
Newm. — Newmann E.
Neyg. — Neygenfind F. W.
Nichols. — Nicholson G.
Niedz. — Niedenzu F. J.
Nikif. — Nikiforova — Никифорова Н. Б.
Nikit. E. — Nikitina E. — Никитина Е. В.
Nikit. E. et Plotn. — Nikitina E. et Plotni-
 kov — Никитина и Плотников И. А.
Nikit. S. — Nikitin S. — Никитин С. А.
Nikit. S. et Schischk. — Nikitin S. et
 Schischkin — Никитин и Шишкин Б. К.
Nikit. V. — Nikitin V. — Никитин В. А.
Nikit. V. V. — Nikitin V. V. — Никитин
 В. В.
Nocca — Nocca D.
Noë — Noë F. W.
Nolte — Nolte E. F.
Nordh. — Nordhagen R.
Nordm. — Nordmann A. v. — Нордман
 А. Д.
Norm. — Norman J. M.
Norm. C. — Norman C.
Norrl. — Norrlin J. P.
Noto — Notø A.
Noulet — Noulet J. B.
Novák — Novák F. A.
Novelli — Novelli N.
Novik. — Novikova — Новикова Н. Г.
Novopokr. — Novopokrovsky — Новопо-
 кровский И. В.
Novopokr. et Abramov — Novopokrovsky et

- Abramov — Новопокровский И. В. и Абрамов И. И.
Novopokr. et Bogdan A. — Novopokrovsky et Bogdan A. — Новопокровский И. В. и Богдан А. В.
Novopokr. et Nepli — Novopokrovsky et Nepli — Новопокровский И. В. и Непли Г. Н.
Novopokr. et Nikit. V. V. — Novopokrovsky et Nikitin V. V. — Новопокровский И. В. и Никитин В. В.
Novopokr. et Pissjauk. — Novopokrovsky et Pissjaukova — Новопокровский И. В. и Письяукова В. В.
Novopokr. et Sidor. — Novopokrovsky et Sidorenko — Новопокровский И. В. и Сидоренко Г. Т.
Nutt. — Nuttall T.
Nyl. — Nylander F.
Nym. — Nyman C. F.

Oakes — Oakes W.
Oborny — Oborny A.
Oed. — Oeder G. C.
Oerst. — Oersted (Ørsted, Ørsted) A. S.
Oett. — Oettel K. C.
Oetting. — Oettingen H. v. — Эттинген Г.
Ohlsen — Ohlsen A. R.
Ohwi — Ohwi J.
Olin — Olin J. H.
Oliv. — Oliver D.
Olivier — Olivier G. A.
Olney — Olney S. T.
Omang — Omang S. O. F.
Omelcz. — Omelczuk — Омельчук Т. Я.
O'Neill — O'Neill H. T.
Onno — Onno M.
Opiz — Opiz P. M.
Opperm. — Opperman — Опперман П. А.
Orcutt — Orcutt C. R.
Orlova — Орлова Н. И.
Orph. — Orphanides T. G.
Orr — Orr M. Y.
Orst. — см. Oerst.
Ort. — Ortega, C. Gómez.
Ortm. — Ortmann A.
Osbeck — Osbeck P.
Osborn — Osborn A.
Ostenf. — Ostensfeld C. E. H.
Ostenf. et Dahl — Ostensfeld C. E. H. et Dahl O. C.
Ostenf. et Resv. — Ostensfeld C. H. et Resvoll T. R.
Osten-Sacken — Остен-Сакен Ф. Р.

Osten-Sacken et Rupr. — Osten-Sacken et Ruprecht — Остен-Сакен Ф. Р. и Рупрехт Ф. И.
Ostrejko — Острейко С. А.
Oth — Oth C. (K.) A.
Otto F. — Otto (C.) F.
Ovcz. — Ovczinnikov — Овчинников П. Н.
Ovcz. et Czuk. — Ovczinnikov et Czukavina — Овчинников П. Н. и Чукавина А. П.
Ovcz. et Karav. — Ovczinnikov et Karavaev — Овчинников П. Н. и Караваев М. Н.
Ovcz. et Sidor. — Ovczinnikov et Sidorenko — Овчинников П. Н. и Сидоренко Г. Т.
Over — Over W. H.
Ower. — Owerin — Оверин А. П.
Ownbey — Ownbey F. M.
Ownbey G. — Ownbey G. B.

Pachom. — Pachomova — Пахомова М. Г.
Packer — Packer J. G.
Pacz. — Paczoski — Пачоский И. К.
Paill. — Paillot J.
Palib. — Palibin — Палибин И. В.
Pall. — Pallas — Паллас П. С.
Palla — Palla E.
Pallis — Pallis M.
Palmer E. J. — Palmer E. J.
Palmgr. — Palmgren A.
Pamp. — Pampanini R.
Panč. — Pančič (Pančić) J.
Pang. — Pangalo — Пангало К. И.
Panjut. — Panjutin — Панютин П. С.
Pant. — Pantocsek J.
Panz. — Panzer G. W. F.
Paol. — Paoletti G.
Parl. — Parlatore F.
Parodi — Parodi L. R.
Parrot — Паррот Ф. Е.
Parry C. — Parry C. C.
Parsa — Parsa A.
Pasch. — Pascher A.
Patrin — Patrin E. L. M. — Патрен (Патрэн) Е.
Patze — Patze C.
Patze, Mey. et Elk. — Patze C., Meyer E. et Elkan L.
Pau — Pau C.
Pauls. — Paulsen O. W.
Pav. — Pavon (Pavón) J. A.
Pavl. — Pavlov — Павлов Н. В.
Pavl. et Lipsch. — Pavlov et Lipschitz — Павлов Н. В. и Липшиц С. Ю.

- Pavl. N. M.** — Pavlova N. M. — Павлова Н. М.
Pavl. V. — Pavlov V. — Павлов В. Н.
Pawl. — Pawłowski B.
Pax — Pax F.
Paxt. — Paxton J.
Pays. — Payson E. B.
Pazij — Пазий В. К.
P. B., P. Beauv. — см. Beauv.
Pears. — Pearson G.
Peebl. — Peebles R. H.
Penn. — Pennell F. W.
Pénzes — Pénzes A.
Pérard — Pérard A.
Perciv. — Percival J.
Perf. — Perfiljew — Перфильев И. А.
Perkins — Perkins J. R.
Perr. — Perrottet G. S. (1793—1870).
Perrier A. — Perrier A.
Perrier E. — Perrier E.
Perrier et Song. — Perrier E. et Songeon A.
Pers. — Persoon C. H.
Peter — Peter G. A.
Peterm. — Petermann W. L.
Peter-Stib. — Peter-Stibal E.
Petitm. — Petitmengin M.
Petrak — Petrak F.
Petri — Petri F.
Petrovič — Petrovič S.
Petrov V. — Петров В. А.
Petunn. — Petunnikow — Петунников А. Н.
Pfeiff. — Pfeiffer L.
Pfeiff. N. — Pfeiffer N. E.
Pfitz. — Pfitzer E. H. H.
Phil. — Philippi R. A.
Philippow — Филиппов Ю.
Philips. — Philipson W. R.
Phillips — Phillips H.
Phillips E. — Phillips E. P.
Phillips L. — Phillips L. L.
Pichon — Pichon M.
Pierre — Pierre J. B. L.
Pilg. — Pilger R. K. F.
Pill. — Piller M.
Pill. et Mill. — Piller M. et Miller P.
Pill. et Mitt. — Piller M. et Mitterpacher L.
Pimen. — Pimenova N. — Пименова Н. В.
Pimen. L. — Pimenova L. — Пименова Л. В.
Pimen. M. — Pimenov M. — Пименов М. Т.
Pinzg. — Pinzger P.
Piper — Piper C. V.
Piré — Piré L. (L. A. H. J.).
Pissjauk. — Pissjaukova — Письякуова В. В.
Pjat. — Pjataeva — Пятаева А. Д.
Pjat. et Lincz. — Pjataeva et Linczevski —
 Пятаева А. Д. и Линчевский И. А.
Planch. — Planchon J. E.
Platsch. A. — Platschek A. — Плачек А.
Platsch. E. — Platschek E. — Плачек Е. М.
Pleijel — Pleijel C. G. V.
Plotn. — Plotnikov — Плотников И. А.
Plum. — Plumier C.
P. M. E. — см. Patze, Mey. et Elk.
Pobed. — Pobedimova — Победимова Е. Г.
Podp. — Podpéra J.
Роепп. — Roeppig E. F.
Роепп. et Endl. — Roeppig E. F. et Endlicher S. L.
Pogg. — Poggenburg J. F.
Pohl — Pohl J. B. E.
Pohle — Поле Р. Р.
Pohle et Zahn — Поле Р. Р. и Цан К. Г.
Poir. — Poiret J. L. M.
Poit. — Poiteau A.
Pojark. — Rojarkova — Пояркова А. И.
Pojark. et Zak. — Rojarkova et Zakirov —
 Пояркова А. И. и Закиров К. З.
Pojark. H. — Rojarkova H. — Пояркова Е. Н.
Poll. — Pollich J. A.
Polozh. — Polozhij — Положий А. В.
Poljak. — Poljakov P. — Поляков П. П.
Polun. — Polunin N. V.
Pom. — Pomel A.
Pont. — Pontedera G.
Рор. М. — Роров М. — Попов М. Г.
Рорl. — Roplawskaja (Roplawska) — По-
 плавская Г. И.
Рор. М. — Роров М. — Попов М. Г.
Рор. М. et Baran. — Роров М. et Baranov P. — Попов М. Г. и Баранов П. А.
Рор. М. et Chrshan. — Роров М. et Chrshanovskij — Попов М. Г. и Хржановский В. Г.
Рор. М. et Fedtsch. B. — Роров М. et Fedtschenko B. — Попов М. Г. и Федченко Б. А.
Рор. М. et Klok. — Роров М. et Klokov —
 Попов М. Г. и Клоков М. В.
Рор. М. et Kult. — Роров М. et Kultias-(s)ov — Попов и Культиасов М. В.
Рор. М. et Vved. — Роров М. et Vvedensky — Попов М. Г. и Введенский А. И.
Рор. N. — Роров N. — Попов Н. П.
Рор. Т. — Ророва Т. — Попова Т.
Рорс. — Porcius F.
Рорс. et Czetz — Porcius F. et Czetz A.

- Poretzky A.** — Поретцкий А. С.
Pors. — Porsild M. P.
Pors. A. — Porsild A. E.
Porta — Porta P.
Porter — Porter T. C.
Post — Post G. E.
Postr. — Postriganj — Постригань С. А.
Pott — Pott J. F.
Pourr. — Pourret (de Figeac) P. A.
Pozd. — Pozdeeva — Поздеева Н. Г.
Prain — Prain D.
Prantl — Prantl K. A. E.
Preobr. — Preobraschensky — Преображенский Г. А.
Presc. — Prescott J. O.
Presl C. — Presl C. (K.) B.
Presl J. — Presl J. S.
Presl J. et C. — Presl J. S. et Presl C. (K.) B.
Priem. — Priemer F.
Pril. — Prilipko — Прилипко Л. И.
Printz — Printz H.
Pritz. E. — Pritzel E.
Pritz. G. — Pritzel G. A.
Prod. — Prodan J.
Prokh. — Prokhanov — Проханов Я. И.
Prokud. — Prokudin — Прокудин Ю. Н.
Prov. — Provancer L.
Pugsl. — Pugsley H. W.
Puring — Пуринг Н. И.
Pursch — Pursch F. T.
Pyl. — см. La Pyl.

Quick — Quick C. R.

Raab — Raab (первая четверть XIX в.).
Rabenh. — Rabenhorst G. L.
Racib. — Raciborski M.
Radde — Радде Г. И.
Radde-Fomin(a) — Радде-Фомина О.
Raddi — Raddi G.
Radf. — Radford A. E.
Radius — Radius J.
Raesch. — Raeschel E. A.
Raf. — Rafinesque-Schmaltz C. S.
Raik. — Raikova — Райкова И. А.
Ramat. — Ramatuelle (T. ?) de.
Ramond — Ramond de Carbonnières L. F. E.
Rand — Rand E. L.
Rand et Redf. — Rand E. L. et Redfield J. H.
Rapaics — Rapaics R.
Rasinš — Расиньш А. П.
Rasmuss. — Rasmussen R.
Rasp. — Raspail F. V.

Rau — Rau A.
Raunk. — Raunkiaer C.
Raup — Raup H. M.
Rayss — Rayss T.
Rebent. — Rebentisch J. F.
Rech. — Reching, Karl.
Rech. f. — Reching, Karl Heinz.
Rech. f. et Edelb. — Reching K. H. et Edelberg L.
Rech. f. et Köie — Reching K. H. et Köie (Köie) M.
Redf. — Redfield J. H.
Redouté — Redouté P. J.
Redow. — Redowsky (Redoffsky) I. — Редовский И.
Reed — Reed C. F.
Rees — Rees A.
Rehd. — Rehder A.
Rehd. et Wils. — Rehder A. et Wilson E. H.
Rehm. — Rehman(n) A.
Reichard — Reichard J. J.
Reichardt H. — Reichardt H. W.
Reichb. — Reichenbach, H. Gottlieb L.
Reichb. f. — Reichenbach, H. Gustav
Reinsch — Reinsch P.
Reinw. — Reinwardt K. G. K.
Remy — Remy J.
Remy E. — Remy E. A.
Renault — Renault P. A.
Renault B. — Renault B.
Rendle — Rendle A. B.
Renealme — Renea(u)lme P. de.
Resv. — Resvoll T. R.
Retz. — Retzius A. J.
Reuss G. — Reuss G.
Reut. — Reuter G. F.
Reverd. — Reverdatto — Ревердатто В. В.
Reyn. — Reynier A.
Rgl. — Regel E. A. v. — Регель Э. Л.
Rgl. C. — Regel C. — Регель К. В.
Rgl. et Herd. — Regel E. et Herder — Регель Э. Л. и Гердер Ф. Е.
Rgl. et Maack — Regel E. et Maack — Регель Э. Л. и Маак Р. К.
Rgl. et Maw — Regel E. et Maw G.
Rgl. et Radde — Regel E. et Radde — Регель Э. Л. и Радде Г. И.
Rgl. et Schmalh. — Regel E. et Schmalhausen — Регель Э. Л. и Шмальгаузен И. Ф.
Rgl. et Til. — Regel E. et Tiling — Регель Э. Л. и Тилинг Г.
Rgl. R. — Regel R. — Регель Р. Э.
Rgl. R. et Mlokoss. — Regel R. et Mlokoss-

- sewicz — Ресель Р. Э. и Малокович Ю. Л.
- Rich. — Richard L. C. M.
- Rich. A. — Richard A.
- Richards. — Richardson J.
- Richt. A. — Richter A.
- Richt. Al. — Richter, Aladár.
- Richt. K. — Richter K.
- Richt. L. — Richter L.
- Ricker — Ricker P. L.
- Rickett — Rickett H. W.
- Ridl. — Ridley H. N.
- Rigo — Rigo G.
- Rikli — Rikli M.
- Risso — Risso J. A.
- Riv. — Rivinus A. Q. (Bachmann).
- Rivière A. et C. — Rivière Auguste et Charles.
- Rjab. — Rjabov — Рябов И. Н.
- Rjabk. — Rjabkova — Рябкова Л. С.
- Robill. — Robillard D'Argentele L. M. A.
- Robill. et Cast. — Robillard D'Argentele et ? Castiglioni L.
- Robins. — Robinson B. L.
- Rochel — Rochel A.
- Rodin — Родин Л. Е.
- Roehl. — Roehling J. C.
- Roem. — Roemer J. J.
- Roem. et Schult. — Roemer J. J. et Schultes J. A.
- Roem. M. — Roemer M. J.
- Rogow. — Rogowicz (Rogowitsch) — Поро-вич А. С.
- Rohde — Rohde (начало XIX в.).
- Rohl., Röhl. — см. Roehl.
- Rohrb. — Rohrbach P.
- Roldug. — Roldugin — Ролдугин И. И.
- Rollins — Rollins R. C.
- Romanet — Romanet du Gaillaud F.
- Ronn. — Ronniger K.
- Ronn. et Saars. — Ronniger K. et Saarsoo B.
- Rose — Rose J. N.
- Roshev. — Roshevitz — Рожевиц Р. Ю.
- Roshk. — Roshkova — Рожкова О. И.
- Rostk. — Rostkovius F. W. G. (Th.).
- Rostk. et Schmidt — Rostkovius F. W. G. et Schmidt W. L. E.
- Roth — Roth A. W.
- Rothert — Rothert W. A.
- Rothm. — Rothmaler W.
- Rothr. — Rothrock J. T.
- Rotsch. E. — Rotschild E. — Ротшильд Е. В.
- Rottb. — Rottboel (Rottbøgl) C. F.
- Rouy — Rouy G. C. C.
- Rouy et Fouc. — Rouy G. C. C. et Foucaud J.
- Roxb. — Roxburg W.
- Royle — Royle J. F.
- Roz. — Rozier F.
- Rozan. — Rozanova — Розанова М. А.
- Rubn. — Rubner K.
- Rubtz. — Rubtzov — Рубцов Г. А.
- Rubtz. N. — Rubtzov N. — Рубцов Н. И.
- Rudge — Rudge E.
- Rudolph J. — Rudolph J. H. — Рудольф И. Г. (И. Я.).
- Ruempl. — Ruempler (Rümppler) T.
- Ruhl. — Ruhland W.
- Ruhm. — Ruhmer G.
- Ruiz — Ruiz López H.
- Ruiz et Pav. — Ruiz López H. et Pavon J. A.
- Rumpf (Rumph.) — Rumpf (Rumphius) G. E.
- Rümpl. — см. Ruempl.
- Rune — Rune O.
- Rupp. — Ruppert (Rupp) H. B.
- Rupr. — Ruprecht — Рупрехт Ф. И.
- Rupr. et Maxim. — Ruprecht et Maximowicz — Рупрехт Ф. И. и Максимович К. И.
- Rusby — Rusby H. H.
- Russian. — Rus(s)anov — Русанов Ф. Н.
- Russell N. — Russel N. H.
- Rydb. — Rydberg P. A.
- Ryl. — Rylands T. G.
- Rzazade — Рзазаде Р. Я.
- Saars. — Saarsoo B.
- Sabine — Sabine J.
- Sabir. — Sabirov — Сабиров Б. Э.
- Sacalo — см. Sakalo.
- Sachok. — Sachokia — Сахокия М. Ф.
- Sadl. — Sadler J.
- Sadl. M. — Sadler M.
- Sael. — Saelan A. T.
- Sael. E. — Saelan E. L.
- Sael. T. — Saelan T.
- Sael. T., Kihlm. et Hjelt — Saelan T., Kihlman A. et Hjelt H.
- Sager. — Sageret A.
- Sagor. — Sagorski E.
- Sagor. et Schneid. G. — Sagorski E. et Schneider G.
- Sakalo — Сакало Д. И.
- Salisb. — Salisbury R. A.
- Salm-Dyck — Salm-Reifferscheid-Dyck J.
- Salmon — Salmon C. E.

- Salzm.** — Salzmann P.
Sam. — Samuelsson G.
Sambuk — Самбук Ф. В.
Sanadze — Санадзе К.
Sander — Sander H. F. C.
Sándor — Sándor I.
Sanio — Sanio K.
Sanson — Sanson C. A. (по другим данным Sanson M.) — Сансон (петербургский ботаник 30-х годов XIX в.)
Santi — Santi G.
Sap. — Saporta G.
Sapag. — Sapeghin (Sapjegin) — Сапегин А. А.
Saposhn. — Saposhnikow — Сапожников В. В.
Saposhn. et Nikit. E. — Saposhnikow et Nikitina E. — Сапожников В. В. и Никитина Е. В.
Sarg. — Sargent C. S.
Sarnth. — Sarnthein L. v.
Sart. — Sartorelli G. B.
Satake — Satake Y.
Saund. — Saunders W. W.
Saut. — Sauter A. E.
Sauv. — Sauvage C.
Savage — Savage S.
Savat. — Savatier L.
Savi — Savi G.
Savi P. — Savi, Pietro.
Sav.-Rycz. — Savicz-Ryczegorsky — Савич (Савич-Рычегорский) В. М.
Savul. — Săvulescu T.
Savul. et Rayss — Săvulescu T. et Rayss T.
Scepin — Щепин К.
Schachn. — Schachnazarov — Шахназаров А. И.
Schack — Schack H.
Schaeff. — Schaeffer J. C.
Schag. — Schagerström J. A.
Schang. — Schangin — Шангин П. И.
Schau — Schau J. K.
Schauer — Schauer J. K.
Sch. Bip. — Schultz Bipontinus K. (C.) H.
Schbian — Шхиян А. С.
Scheele — Scheele G. H. A.
Schelk. — Schelkownikow — Шелковников А. Б.
Schelk. et Zahn — Schelkownikow et Zahn — Шелковников А. Б. и Цан К. Г.
Scheng. — Schengelia — Шенгелия Е. М.
Schenk — Schenk A.
Schenk E. — Schenk E.
Schenk H. — Schenk H.
Scherb. — Scherbius J.
Scheuchz. — Scheuchzer J.
Scheutz — Scheutz N. I.
Schiede — Schiede C. J. W.
Schimp. — Schimper K. (C.) F.
Schimp. W. — Schimper W. P.
Schindl. — Schindler A. K.
Schinz — Schinz H.
Schinz et Keller — Schinz H. et Keller R.
Schinz et Thell. — Schinz H. et Thellung A.
Schipc. — Schipczinski — Шипчинский H. B.
Schir. — см. Širj.
Schischk. — Schischkin — Шишкин Б. К.
Schischk. et Serg. — Schischkin et Sergievskaja — Шишкин Б. К. и Сергиевская Л. П.
Schischk. I. — Schischkin I. — Шишкин И. К.
Schischk. I. et Kom. — Schischkin I. et Komarov — Шишкин И. К. и Комаров В. А.
Schk. — Schkuhr C.
Schlecht. — Schlechtendal D. F. L. v.
Schlechter — Schlechter F. R. R.
Schlecht. et Cham. — Schlechtendal D. F. L. et Chamisso A.
Schleich. — Schleicher J. C.
Schleid. — Schleiden M. J.
Schljak. — Schljakov — Шляков Р. Н.
Schmalh. — Schmalhausen — Шмальгаузен И. Ф.
Schmidel — Schmidel C. C.
Schmidt — Schmidt, Franz (1751—1834).
Schmidt Fr. — Schmidt, Fridericus — Шмидт, Федор Богданович (1832—1908).
Schmidt Fr. et Trautv. — Schmidt Fr. et Trautvetter — Шмидт Ф. Б. и Траутфеттер Е. Р.
Schmidt F. W. — Schmidt, Franz Wilibald (1763—1796).
Schmidt J. Ant. — Schmidt, Johann Anton (1823—1905).
Schmidt J. K. — Schmidt, Johann Karl (1793—1850).
Schmidt W. — Schmidt, Wilhelm Ludwig Ewald (1804—1843).
Schneid. — Schneider C. K.
Schneid. G. — Schneider G.
Schneid. U. — Schneider U.
Schnittsp. — Schnittpahn G. F.
Schnizl. — Schnizlein A.
Schoenh. — Schoenheit (Schönheit) F. C. H.
Scholl. — Scholler F. A.
Scholz — Scholz J. B.

- Schost.** — Schostenko — Шостенко (Десятова-Шостенко) Н. А.
Schott — Schott H. W.
Schott et Kotschy — Schott H. W. et Kotschy T.
Schott, Nym. et Kotschy — Schott H. W., Nyman C. F. et Kotschy T.
Schousb. — Schousboe P. K. A.
Schrad. — Schrader H. A.
Schrank — Paula v. Schrank F.
Schreb. — Schreber J. C. D. v.
Schrenk — Schrenk A. G. v. — Шренк А. Г.
Schröding. — см. Schroeding.
Schroed. — Schroeder — Шредер Р. И.
Schroeding. — Schroedinger (Schrödinger) R.
Schroet. — Schroeter (Schröter) C.
Schtschegl. — см. Stschegl.
Schtscheglow — Щеглов Н. П.
Schtscherb. — Schtscherbina — Щербина А.
Schuebl. — Schuebler (Schübler) G.
Schuette — Schuette J. H.
Schult. — Schultes J. A.
Schult. f. — Schultes J. H.
Schultz C. H. — см. Sch. Bip.
Schultz F. — Schultz F. W.
Schulze M. — Schulze M.
Schulz O. E. — Schulz, Otto E.
Schum. — Schumacher H. C. F. (1757—1830).
Schumann — Schumann K. M. (1851—1904).
Schur — Schur P. J. F.
Schust. — Schuster J.
Schwarz O. — Schwarz, Otto.
Schweigg. — Schweigger A. F.
Schweigg. et Koerte — Schweigger A. F. et Körte F.
Schwein. — Schweinitz L. D. v.
Schweinf. — Schweinfurth G. A.
Schwer. — Schwerin F. v.
Scop. — Scopoli J. A. (G. A.).
Scribn. — Scribner F. Lamson.
Scribn. et Ball C. — Scribner F. Lamson et Ball C. R.
Scribn. et Merr. — Scribner F. Lamson et Merrill E. D.
Scribn. et Smith J. — Scribner F. Lamson et Smith J. G.
Seb. — Sebastiani A.
Sebeök — Sebeök de Szent-Miklós A.
Seb. et Mauri — Sebastiani A. et Mauri E.
Seem. — Seemann B. C.
Seemen — Seemen K. O. v.
Seen. — Seenus J.
Seidl. — Seidlitz — Зейдлиц Н. К.
Selin — Selin G.
Sell. — Sello(w) F.
Semen. — Semenov(w)-Tjan-Schansky — Семенов-Тян-Шанский В. П.
Semen. N. — Semenova-Tjan-Schanskaja N. — Семенова-Тян-Шанская Н. Э.
Semenova — Семенова М. Н.
Semiotr. — Semiotroczeva — Семиотрочева Н. Л.
Senjan-Korcz. — Senjaninova-Korczagina — Сенянинова-Корчагина М. В.
Sennen — Sennen F.
Ser. — Seringe N. C.
Serebr. — Serebrjakova Т. J. — Серебрякова Т. Я.
Serg. — Sergievskaja — Сергиевская Л. П.
Serg. E. — Sergievskaja — Сергиевская Е. В.
Servett. — Servettaz C.
S. et L. — см. Somm. et Levier.
S. et Z. — см. Siebold et Zucc.
Sevast. — Sevastianov (Sevastianof) — Севастьянов А. Ф.
Seym. E. — Seymour E. L. D.
Shaf. — Shafer J. A.
Shal. — Shalyt — Шалыт М. С.
Shap. — Shaparenko — Шапаренко К. К.
Shaw — Shaw G. R.
Shear — Shear C. L.
Sheld. E. — Sheldon E. P.
Sheld. J. — Sheldon J. L.
Sherff — Sherff E. E.
Shibata — Shibata K.
Sibth. — Sibthorp J.
Sibth. et Smith — Sibthorp J. et Smith J. E.
Sidor. — Sidorenko — Сидоренко Г. Т.
Sieb. — Sieber F. W. (1785—1844).
Siebold — Siebold P. F. v. (1796—1866).
Siebold et Zucc. — Siebold P. F. et Zuccarini J. G.
Sieg. — Siegesbeck J. G. — Сигезбек И. Г.
Siegfr. — Siegfried H.
Siehe — Siehe W.
Siemss. — Siemssen C. H.
Siev. — Sievers J. — Сиверс И.
Sijaz. — Si(j)azov — Сиязов М. М.
Sim T. — Sim T. R.
Simk. — Simkovicz L. (впоследствии Simonkai).
Simm. — Simmons H. G.
Simon. — Simonet M.
Simon. et Guin. — Simonet M. et Guinochet M.
Simonk. — Simonkai, Lajos tól (он же Simkovicz L.).

- Simon-Louis** — Simon-Louis L. L.
Simonova — Симонова О. А.
Simps. — Simpson N. D.
Sims — Sims J.
Sinsk. — Sinskaya (Sinskaja) — Синская Е. Н.
Sint. — Sintenis P. E. E.
Sirj. — Širjaev (Schirjaev) — Ширяев Г. И.
Siuzew — Сюзев П. В.
Skvorts. — Skvortsov (Skvortzow) — Скворцов Б. В.
Skvorts. A. — Skvortsov — Скворцов А. К.
Slob. — Slobodov — Слободов А. А.
Sloss. — Slosson M.
Small — Small J. K.
Smirn. — Smirnow — Смирнов С. М.
Smirn. A. — Smirnova A. — Смирнова А. Д.
Smirn. P. — Smirnov P. — Смирнов П. А.
Smith — Smith J. E.
Smith et Sowerby — Smith J. E. et Sowerby J.
Smith G. — Smith G. E.
Smith H. — Smith, Harry.
Smith J. — Smith, John.
Smith J. G. — Smith, Jared Gage.
Smith J. J. — Smith, Johannes Jacobus.
Smith W. W. — Smith, William Wright.
Smith W. W. et Farrer — Smith William W. et Farrer R. J.
Smith W. W. et Fletch. — Smith William W. et Fletcher H. R.
Smith W. W. et Forrest — Smith William W. et Forrest G.
Smoljan. — Smoljaninova — Смольянинова А. А.
Snowd. — Snowden J. D.
Sobol. — Sobolewski G. — Соболевский Г. Ф.
Sobol. K. — Sobolevskaja K. — Соболевская К.
Socz. — Soczava — Сочава В. Б.
Socz. et Lipat. — Soczava et Lipatova — Сочава В. Б. и Липатова В. В.
Soest — Soest van J. L.
Sof. — Sofieva — Софиева Р. М.
Soják — Soják J.
Soland. — Solander D. C.
Solered. — Solereder H.
Solms — Solms-Laubach H. de.
Soltok. — Soltoković M.
Somm. — Sommier S.
Sommerf. — Sommerfelt S. C.
Somm. et Levier — Sommier S. et Levier E.
Sond. — Sonder O. W.
Song. — Songeon A.
Soó — Soó R.
Soó et Jáv. — Soó R. et Jávorka S.
Sosk. — Soskov — Сосков Ю. Д.
Sosn. — Sosnowsky — Сосновский Д. И.
Sosn. et Takht. — Sosnowsky et Takhtadjan — Сосновский и Тахтаджян А. Л.
Sowerby — Sowerby, James DeCarl.
Soy-Willem. — Soyer-Willemet H. F.
Soy-Willem. et Godr. — Soyer-Willemet H. F. et Godron D. A.
Spach — Spach E.
Speg. — Spegazzini C.
Spenn. — Spenner F. K. (C.) L.
Sprague — Sprague T. A.
Spreng. — Sprengel C. (K.) P. J.
Spring — Spring A. F.
Sprun. — Spruner W. v.
Spryg. — Sprygin — Спрыгин И. И.
Spryg. et Pop. M. — Sprygin et Попов М. Г. — Спрыгин И. И. и Попов М. Г.
Sred. — Sredinsky — Срединский Н. К.
Stacey — Stacey J. W.
Stackh. — Stackhouse J.
Stadlm. — Stadlmann J.
Standl. — Standley P. C.
Stank. — Stankov — Станков С. С.
Stapf — Stapf O.
Stapf et Wettst. — Stapf O. et Wettstein R.
Stearn — Stearn W. T.
Stebb. — Stebbins G. L., Jr.
Stechm. — Stechmann J. P.
Stef. — Stefanoff (Stefanov) B. — Стефанов Б. (Болгария).
Stefáns. — Stefánsson S.
Stef. et Georgiev — Stefanoff B. et Georgiev S. — Стефанов Б. и Георгиев Ст. (Болгария).
Steffen — Steffen H.
Stein — Stein B.
Steinb. — Steinberg — Штейнберг Е. И.
Stell. — Steller G. W. — Стеллер Г.
Stenstr. — Stenström K. O. E.
Steph. — Stephan C. F. — Стефан Ф. X.
Sternb. — Sternberg (C.) K. M. v.
Sternb. et Hoppe — Sternberg K. M. et Hoppe D. H.
Sterneck — Sterneck J.
Sterns E. — Sterns E. E.
Steud. — Steudel E. G.
Stev. — Steven (Chr. v. — Стевен X. X.
Stev. et Fisch. — Steven et Fischer — Стевен X. X. и Фишер Ф. Б.
Steward — Steward A. N.
Stewart A. — Stewart A. N.

- Stewart J.** — Stewart J. L.
Steyerm. — Steyermark J. A.
St.-Hil. — Saint-Hilaire A. (A. F. C. P.) de.
Stiefelh. — Stiefelhagen H.
St.-Lag. — Saint-Lager J. B.
Stoerck — Stoerck (Störk) A.
Stojan. — Stojanoff (Stojanov) N. — Стоянов Н. (Болгария).
Stojan. et Stef. — Stojanoff N. et Stefanoff B. — Стоянов Н. и Стефанов Б. (Болгария).
Stokes — Stokes J.
Stolet. — Stoletova — Столетова Е. А.
Stone — Stone W.
Störk — см. Stoerck.
Strand — Strand B. J.
Strangw. — Strangways. (40-е годы XIX в.).
Stremp. — Stempel K. (C.) F.
Stschegl. — Stscheglejew [Schtschegleev(w), Tchegleeff] — Щеглеев С. С.
Stschep. — St(s)chepotjev — Щепотьев Ф. Л.
Sturm — Sturm J. W.
St.-Yves — Saint-Yves A.
Sudre — Sudre H.
Sudw. — Sudworth G. B.
Sugaw. — Sugawara S.
Sukacz. — Sukaczew(w), Sukatschew(w) — Сукачев В. Н.
Sulak. — Sulakadze — Сулакадзе Т.
Sumn. — Sumnecicz — Сумневич Г. П.
Suter — Suter J. R.
Sutt. — Sutton C.
Sutul. — Sutulov — Сутулов А.
Svens. — Svenson H. K.
Sw. — Swartz O. P.
Swall. — Swallen J. R.
Sweet — Sweet R.
Swingle — Swingle W. T.
Syme — Syme Boswell J. T. J.
Syr. — Syreiszczikov (Ssyreitschikov) — Сырейщиков Д. П.
Szabó — Szabó Z.
Szaf. — Szafer W.
Szaf., Kulcz. et Pawł. — Szafer W., Kulczyński S. et Pawłowski B.
Szov. — Szovits (Szowics) A. J. — Сович (Шович) О. И.
Szov. et Lang — Szovits et Lang — Сович О. И. и Ланг А. Ф.
Takeda — Takeda H.
Takeda et Miyake — Takeda H. et Miyake T.
Takht. — Takhtadjan (Takhtajan, Takhtadzhian, Tachtadshjan) — Тахтаджян А. Л.
Taliev(w) — Талиев В. И.
Tamamsch. — Tamamschjan — Тамамшян С. Г.
Tanaka — Tanaka, Yoshio.
Tanaka C. (T.) — Tanaka, Chozaburo (Tyo-zaburo).
Tanaka Y. — Tanaka, Yuichiro.
Tarass. — Tarassov — Тарасов Р. П.
Targ.-Tozz. — Targioni-Tozzetti O.
Tatarinow — Татаринов А. А.
Tatew. — Tatewaki M.
Tatew. et Ohwi — Tatewaki M. et Ohwi J.
Taub. — Taubert P. H.
Tausch — Tausch I. F.
Tchich. — Tchichatscheff (Tschihatchef) — Чихачев П. А.
Teijsm. — Teijsmann J. E.
Tek. — Tekutjev — Текутьев Г.
Ten. — Tenore M.
Tepl. — Teplouchow — Теплоухов Ф. А.
Teras. — Terasaki T.
Ter-Chatsch. — Ter-Chatschaturova — Тер-Хачатурова С. Я.
Terech. — Terechov — Терехов А. Ф.
Terr. — Terracciano A.
Terr. N. — Terracciano N.
Teysm. — см. Teijsm.
Thell. — Thellung A.
Theod. Al. — Theodorov (Fedorov) Al. — Федоров Ал. А.
Theod. Al., Fed. et Rzazade — Theodorov (Fedorov) Al., Fedorov An. et Rzazade — Федоров Ал. А., Федоров Ан. А. и Рзазаде Р. Я.
Thiéb. — Thiébaud J.
Thoms. — Thomson T.
Thoms. et Hook. f. — Thomson T. et Hooker J. D.
Thuill. — Thuillier J. L.
Thunb. — Thunberg C. P.
Thwaites — Thwaites G. H. K.
Tiegh. — Tieghem van P. E. L.
Til. — Tiling S. H. — Тилинг Г.
Timb. — Timbal-Lagrave E.
Timm — Timm J. C.
Tineo — Tineo V.
Titov — Титов В. С.
Tobl. — Tobler F.
Tod. — Todaro A.
Toepff. — Toepffer A.
Tolm. — Tolmat(s)chew — Толмачев А. И.
Torg. — Torges E.

- Torn.** — Torner E.
Torr. — Torrey J.
 Torre — см. Dalla Torre
Torr. et Gray — Torrey J. et Gray, Asa.
Tourn. — Tournefort J. P. de.
Towns. — Townsend F.
Trab. — Trabut L.
Tratt. — Trattinick L.
Trautv. — Trautvetter E. R. v. — Траутфеттер Э. Р.
Trautv. et Mey. — Trautvetter et Meyer C. A. — Траутфеттер Э. Р. и Мейер К. А.
Trel. — Trelease W.
Trev. — Treviranus L. C. (1799—1864).
Trevis. — Trevisan di San Leon V. B. A. (1818—1897).
Trimen — Trimen H.
Trin. — Trinius C. (K.) B. v. — Триниус К. А.
Trin. et Rupr. — Trinius et Ruprecht — Триниус К. А. и Рупрехт Ф. И.
Troitzk. — Troitzky N. — Троицкий Н. А.
Troitzk. Z. — Troitzkaja Z. — Троицкая З. Ф.
Tron — Трон Е. Ж.
Tropea — Tropea C.
Tryon — Tryon R. M.
Tscherneva — Чернева О. В.
Tscherning — Tscherning J. W.
Tsyrr. — Tsyrrina — Цырина Т. С.
Tuckerm. — Tuckerman E.
Tul. — Tulasne L. R.
Turcz. — Turczaninow — Турчанинов Н. С.
Turkev. — Turkev(w)icz — Туркевич С. Ю.
Turp. — Turpin P. J. F.
Turra — Turra A.
Turrill — Turrill W. B.
Tutin — Tutin T. G.
Tuzs. — Tuzson J.
Tzvel. — Tzvelev — Цвелев Н. Н.
Ucraia — Ucraia B. (он же Michelangelo Aurifici).
Uechtr. — Uechtritz R. K. F. v.
Uechtr. et Koern. — Uechtritz R. K. F. et Koernicke (Körnische) F.
Ueki — см. Uyeki.
Uglitzk. — Uglitzkich — Углицких А. Н.
Ugr. — Ugrinsky — Угринский К. А.
Ulbr. — Ulbrich E.
Uline — Uline E. B.
Underw. — Underwood L. M.
Underw. J. — Underwood J. K.
Ung.-Sternb. — Ungern-Sternberg F.
Urb. — Urban I.
Urv. — см. D'Urv.
Utkin — Уткин Л. А.
Uyeki — Uyeki H.
Vacc. — Vaccari A.
Vahl — Vahl, Martin.
Vahl J. — Vahl, Jens.
Vaill. — Vaillant S.
Vakul. — Vakulin — Вакулин Д. Я.
Vand. — Vandelli D.
Vandas — Vandas K.
Van (den) Bosch — см. Bosch.
Van Heurck — см. Heurck.
Van Houtte — см. Houtte.
Vaniot — Vaniot E.
Van Soest — см. Soest.
Van-Tiegh. — см. Tiegh.
Vasey — Vasey G.
Vasing. — Vasinger — Вазингер-Алекторова А. В.
Vass. — Vassilczenko — Васильченко И. Т.
Vass. et Dzhang. — Vassilczenko et Dzhangurazov — Васильченко И. Т. и Джангуразов Ф. Х.
Vass. et Vassil. L. — Vassilczenko et Vassiljeva L. — Васильченко И. Т. и Васильева Л. И.
Vassil. A. — Vassiljeva A. — Васильева А. Н.
Vassil. Ig. — Vassiljev Ig. — Васильев И. В.
Vassil. Ja. — Vassiljev Ja. — Васильев Я. Я.
Vassilkovsk. — Vassilkovskaja — Васильковская А. П.
Vassil. L. — Vassiljeva L. — Васильева Л. И.
Vassil. V. — Vassiljev V. — Васильев В. Н.
Vatke — Vatke G. K. (C.) W.
Vav. — Vavilov — Вавилов Н. И.
Veitch — Veitch J. G.
Velen. — Velenovský J.
Vell. — Velloso de Conceição J. M.
Vell. P. — Velloso P. (Antonius da Arrabida).
Vent. — Ventenat É. P.
Verlot — Verlot J. B.
Verm. — Vermeulen P.
Vest — Vest L. C. v.
Vidal — Vidal, Sebastian y Soler.
Vidal L. — Vidal L.
Vieill. — Vieillard E.
Vierh. — Vierhapper F.
Vikul. — Vikulova — Викулова Н. В.
Vilensky — см. Wilensky.

- Vill.** — Villar(s) D.
Vilm. — Vilmorin P. L. F. L. de.
Vis. — Visiani R. de.
Vitm. — Vitman F.
Viv. — Viviani D.
Volgun. — Volgunov — Волгунов Д. К.
Volk. — Volkens G. (1855—1917).
Volkart — Volkart A. (1873—1951).
Volk. et Schweinf. — Volkens G. et Schweinfurth G. A.
Volkova — Волкова Е. В.
Vollm. — Vollmann F.
Vorosch. — Voroschilov — Ворошилов В. Н.
Voss — Voss A.
Voss J. — Voss J. W.
Vuk. — Vukotinić L. F.
Vved. — Vvedensky — Введенский А. И.
Vved. et Ovcz. — Vvedensky et Ovczinnikov — Введенский А. И. и Овчинников П. Н.
Vysok. — Vysokoostrovskaja — Высокоостровская И. Б.
Wacht. — Wachter W. H.
Waga — Bara A. Я.
Wagner J. — Wagner, János.
Wahl — Wahl H. A.
Wahl. — Wahlenberg G.
Wahlb. — Wahlberg P. F.
Wahlb. J. — Wahlberg J.
Wahlenb. — см. Wahl.
Waitz — Waitz K. F.
Waldst. — Waldstein F. A. v.
Waldst. et Kit. — Waldstein F. A. et Kitabel P.
Wall. — Wallich N.
Wallm. — Wallman J. H.
Wallr. — Wallroth K. (C.) F. W.
Walp. — Walpers W. G.
Walsh — Walsh R.
Walt. — Walter T.
Wanger. — Wangerin W.
Wangh. — Wangenheim F. A. J. v.
Warb. — Warburg, Otto.
Warb. E. — Warburg E. F.
Warb. O. — Warburg, Oscar E.
Ward G. — Ward G. H.
Warder — Warder J. A.
Wassil. — Wassili(j)ew — Васильев В. Ф.
Wats. — Watson P. W.
Wats. S. — Watson S.
Watt — Watt D. A. P.
Wawra — Wawra H.
Weath. — Weatherby C. A.
Web. — Weber G. H.
Web. A. — Weber A.
Webb — Webb P. B.
Webb et Berth. — Webb P. W. et Berthelot S.
Web. C. — Weber C. O.
Weberb. — Weberbauer A.
Web. et Mohr — Weber F. et Mohr D. M. H.
Web. F. — Weber F.
Web. F. E. — Weber F. E. — Вебер Ф. Э.
Web. J. — Weber J.
Wedd. — Weddell H. A.
Wehrh. — Wehrhahn H. R.
Weig. — Weigel C. E. v.
Weihe — Weihe C. (K.) E. A.
Weihe et Nees — Weihe C. E. A. et Nees v. Esenbeck C. G. D.
Weinm. — Weinmann — Вейнман И. А.
Weis(s) — Weis(s) F. W.
Welw. — Welwitsch F.
Wend. — Wenderoth G. W. F.
Wendelbo — Wendelbo P.
Wendl. — Wendland J. C. (1755—1828).
Wendl. H. — Wendland H. A. (1823—1903, внук J. C. Wendland).
Wendl. H. L. — Wendland H. L. (1792—1869, сын J. C. Wendland).
Wenz. — Wenzig T.
Wenzlaw. — Wenzlawowicz (Ventslavovich) — Венцлавович Ф. С.
Wesm. — Wesmael A.
Westb. — Westberg — Вестберг Г. Ф.
Westerl. — Westerlund C. A.
Wettst. — Wettstein R. v.
Weyrich — Вейрих Г.
White E. A. — White, Edward A.
Wib. — Wibel A. W. E. C.
Widd. — Widder F. J.
Widm. — Widmer E.
Wieg. — Wiegand K. McKay.
Wierzb. — Wierzbicki P.
Wigg. — Wiggers F. H.
Wight — Wight R.
Wight et Arn. — Wight R. et Arnott G. A. W.
Wight W. — Wight W. F.
Wight W. et Hedr. — Wight W. F. et Hedrick U. P.
Wiinst. — Wiinstedt K.
Wikstr. — Wikstroem (Wikström) J. E.
Wilcz. — Wilczyński T.
Wilensky — Виленский Д. Г.
Will. — Williams F. N.
Willd. — Willdenow C. L.

- Willem.** — Willemet P. R.
Williams L. — Williams L. O.
Willis — Willis O. R.
Willk. — Willkomm H. M.
Willk. et Lange — Willkomm H. M. et Lange J. M. C.
Wilm. A. — Wilmott A. J.
Willm. — Willmott E.
Wils. — Wilson E. H.
Wimm. — Wimmer C. F. H.
Wimm. et Grab. — Wimmer C. F. H. et Grabowski H. E.
Winkl. C. — Winkler C. — Винклер К. Ю.
Winkl. C. et Fedtsch. B. — Winkler C. et Fedtschenko B. — Винклер К. Ю. и Федченко Б. А.
Winkl. H. — Winkler H.
Wint. L. — Winter L.
Wint. N. — Winter N. — Винтер Н. А.
Wirs. — Wirsing A. L.
Wirtg. — Wirtgen P.
Wissjul. — Wissjulina — Висюлина Е. Д.
Witas. — Witasek J.
With. — Withering W.
Wittm. — Wittmack M. C. L.
Wittr. — Wittrock V. B.
Wittst. — Wittstein G. C.
Wlangali — Wlangali A. — Влангали А.
Wohlf. — Wohlfahrt R.
Wolf E. — Вольф Э. Л.
Wolff H. — Wolff H.
Wolfg. — Wolfgang J. F.
Wolf Th. — Wolf Th.
Wołoszcz. — Wołoszczak E.
Wołoszcz. et Zahn — Wołoszczak E. et Zahn C. H.
Wood A. — Wood A.
Wood J. B. — Wood J. B.
Woodson — Woodson R. E.
Woot. — Wooton E. O.
Woot. et Standl. — Wooton E. O. et Standley P. C.
Wormsk. — Wormskjöld (Wormskjöld) M.
Woronow — Woronow G. — Воронов Ю. Н.
Woronow et Tron — Воронов Ю. Н. и Трон Е. Ж.
Woronow et Zahn — Woronow G. et Zahn C. H. — Воронов Ю. Н. и Цан К. Г.
Worosch. — см. Vorosch.
Woynar — Woynar H.
Wright C. H. — Wright, Charles H.
Wright J. — Wright, John.
Wróbl. — Wróblewski A.
Wu C. Y. — Wu C. Y.
Wulf. — Wulfen F. X. v.
Wulf E. — Wulf(f) E. — Вульф Е. В.
Wulff — Wulff J. C.
Wu W. — Wu, Wen-chen.
Wu Y. C. — Wu Y. C.
Wydl. — Wydler H.
Wyss. — Wyssotzky — Высоцкий Г. Н.
Yabe — Yabe Y.
Yunck. — Yunker T. G.
Zab. — Zabel H.
Zagar. — Zagareli — Цагарели П. П.
Zagor. — Zagorodskich — Загородских П.
Zahar. — Zahariadi C.
Zahn — Zahn C. (K.) H.
Zak. — Zakirov — Закиров К. З.
Zak. et Novopokr. — Zakirov et Novopokrovsky — Закиров К. З. и Новопокровский И. В.
Zalesky — Залесский К. М.
Zalk. — Zalkind — Залкинд Ф. Л.
Zalzm. — Zalzmänn P.
Zam. — Zāmelis (Zāmlis) — Замелис А.
Zapał. — Zapałowicz H.
Zapr. — Zaprjagaev — Запрягаев Ф. Л.
Zefir. — Zefirov — Зефилов Б. М.
Zelen. — Zelenetzky — Зеленецкий Н. М.
Zeyh. — Zeyher J. M.
Zeyh. K. — Zeyher K. L. P.
Zhuk. — Zhukovsky — Жуковский П. М.
Zimm. F. — Zimmermann, Ferdinand J. v.
Zimm. Fr. — Zimmermann, Friedrich.
Zimm. W. — Zimmerman W.
Zing. — Zinger W. — Цингер В. Я.
Zing. N. — Zinger N. — Цингер Н. В.
Zinn — Zinn J. G.
Zinserl. — Zinserling — Цинзерлинг Ю. Д.
Ziz — Ziz J. B.
Zoll. — Zollinger H.
Zoz — Зоз И. Г.
Zucc. — Zuccarini J. G.
Zum. — Zumaglini A. M.

ABBREVIATIONS

ABBREVIATIONS OF FLORISTIC REGIONS OF USSR*

| Abbreviated name | Full name |
|-------------------|------------------------|
| I. Arctic | |
| 1. Arc. Eur. | Arctic (European part) |
| 2. Nov. Z. | Novaya Zemlya |
| 3. Arc. Sib. | Arctic (Siberia) |
| 4. Chuk. | Chukotka |
| 5. An. | Anadyr |
| II. European Part | |
| 6. Kar.-Lap. | Karelia-Lapland |
| 7. Dv.-Pech. | Dvina-Pechora |
| 8. Balt. | Baltic States Area |
| 9. Lad.-Ilm. | Ladoga-Ilmen |
| 10. U.V. | Upper Volga |
| 11. V.-Kama | Volga-Kama |
| 12. U. Dnp. | Upper Dnieper |
| 13. M. Dep. | Middle Dnieper |
| 14. V.-Don | Volga-Don |
| 15. Transv. | Transvolga Area |
| 16. U. Dns. | Upper Dniester |
| III. Caucasus | |
| 17. Bes. | Bessarabia |
| 18. Bl. | Black Sea Area |
| 19. Crim. | Crimea |
| 20. L. Don | Lower Don |
| 21. L.V. | Lower Volga |
| 22. Cisc. | Ciscaucasia |
| 23. Dag. | Dagestan |

*The list of regions reproduced here differs significantly from the one published in earlier volumes (cf. Volume VII).

Regions 17-21 of this list were earlier included in the European Part and regions 28 and 29 in Western Siberia—Gen. Ed.

- | | |
|--------------------------|--|
| 24. W. Transc. | Western Transcaucasia |
| 25. E. Transc. | Eastern Transcaucasia |
| 26. S. Transc. | Southern Transcaucasia |
| 27. Tal. | Talysh |
| 28. Ob. | Ob region (from eastern slopes of Urals to Yenisei River) |
| 29. U. Tob. | Upper Tobol |
| IV. Western Siberia | |
| 30. Irt. | Irtysk |
| 31. Alt. | Altai |
| V. Eastern Siberia | |
| 32. Yenisei. | Yenisei |
| 33. Lena-Kol. | Lena-Kolyma |
| 34. Ang. Say. | Angara River-Sayans |
| 35. Dau. | Dauria |
| VI. Far East | |
| 36. Kamch. | Kamchatka |
| 37. Okh. | Okhotsk |
| 38. Ze.-Bu. | Zeya-Bureya |
| 39. Uda | Uda River area |
| 40. Uss. | Ussuri |
| 41. Sakh. | Sakhalin |
| VII. Soviet Central Asia | |
| 42. Ar.-Casp. | Aral-Caspian |
| 43. Balkh. | Lake Balkhash area |
| 44. Dzu.-Tarb. | Dzungaria-Tarbatagai |
| 45. Kyz. K. | Kazyl-Kum |
| 46. Kara K. | Kara-Kum |
| 47. Mtn. Turkm. | Montane Turkmenistan |
| 48. Amu D. | Amu Darya foothills |
| 49. Syr. D. | Syr Darya foothills |
| 50. Pam.-Alai. | Pamir-Alai |
| 51. T. Sh. | Tien Shan |

ABBREVIATIONS OF REGIONS USED TO INDICATE GENERAL
DISTRIBUTION OF SPECIES IN “*FLORA OF USSR*”

- | | |
|---------|---|
| I. Arc. | Arctic (Spitsbergen, Greenland and others) |
|---------|---|

| | |
|--------------------------|---|
| II. Scand. | Scandinavia (Norway, Denmark, Sweden, Finland) |
| III. Centr. Eur. | Central Europe (Germany, Poland, Czechoslovakia, Hungary, Austria, Switzerland) |
| IV. Atl.-Eur. | Atlantic Europe (Netherlands, Belgium, England, France, Portugal) |
| V. Med. (V'W., V''E.) | Mediterranean (including North Africa) (V' Western, V'' Eastern) |
| VI. Bal.-As. Min. | Balkan Peninsula and Asia Minor |
| VII. Arm.-Kurd. | Lesser Armenia and Kurdistan |
| VIII. Iran | Iran and Afghanistan |
| IX. Ind.-Him. | India, Pakistan and Nepal |
| X. Dzu.-Kash. | [Dzungaria-Kashgar area] Northwestern China (Sinkiang) |
| XI. Mong. | Mongolia |
| XII. Jap.-Ch. | Japan, China, Korean Peninsula and Northeastern China |
| XIII. Ber. | North American coast of the Bering Sea |
| XIV. N. Am. | North America (Canada and U.S.A.) |
| XV. Tib. | Tibet |

OTHER GEOGRAPHICAL ABBREVIATIONS*


| | |
|--------|----------------|
| Afr. | Africa |
| Aust. | Australia |
| Centr. | Central |
| E | East(ern) |
| Gr. | Great, Greater |
| I | Island |
| Is. | Islands |
| Mt. | Mount |
| Mts. | Mountains |
| N. | North(ern) |
| R | River |
| S | South(ern) |
| W | West(ern) |

*These abbreviations were published with many of the translated volumes but do not appear in this volume in the Russian original.


GENERAL ABBREVIATIONS

| | | |
|-----------|----------------|--|
| vn. | venchik | corolla |
| zv. | zavyaz | ovary |
| kz. | korzinka | capitulum |
| klk. | kolosok | spikelet |
| kr. | koren | root |
| krshch. | kornevishche | rhizome |
| l. | list, listya | leaf, leaves |
| lp. | lepestki | petals |
| lch. | listochek | leaflet |
| okolotsv. | okolotsvetnik | perianth |
| pl. | plod | fruit |
| pln. | pyl'nik | anther |
| pls. | plastinka | blade |
| pst. | pestik | pistil |
| pritsv. | pritsvetnik | bract |
| pritsvch. | pritsvetnichek | bractiole |
| prlst. | prilistnik | stipule |
| r. | rastenie | plant |
| rlts. | ryltse | stigma |
| s. | semya | seed |
| smk. | semyanka | achene |
| smpch. | semyapochka | ovule |
| st. | stebel | stem |
| stlb. | stolbik | style |
| stsv. | sotsvetie | inflorescence |
| tych. | tychinka | stamen |
| tsv. | tsvetok | flower |
| tsvn. | tsvetonozhka | pedicel |
| tsvtl. | tsvelolozhe | receptacle |
| chrsh. | chereshok | petiole |
| chrshch. | chereshochek | petiolule |
| chshl. | chashelistiki | sepals |
| chshch. | chashechka | calyx |
| chsh. | cheshuya | scale |
| f. | figura | figure, i.e., individual illustration on a plate |

| | | |
|--------|------------------------|---|
| var. | varietas, raznovidnost | variety |
| b.ch. | bolsheyu chastyu | mostly |
| b.m. | bolee ili menee | more or less |
| vys. | vysota | height |
| dl. | dlina | length |
| shir. | shirina | width |
| grech. | grecheskii | Greek |
| lat. | latinskii | Latin |
| m. | metr | meter |
| sm. | santimetr | centimeter |
| mm. | millimetr | millimeter |
| ☉ | odnoletnik | annual |
| ☾ | dyuletnik | biennial |
| ∞ | mnogoletnik | perennial |
| h, h | kustarniki i derevya | shrubs and trees |
| g. | god | year |
| str. | stranitsa | page |
| lc | icones, risunki | figures, illustrations |
| tab. | tabula, tablista | plate |
| Exs. | exsiccata | dried plants, i.e., herbaria, issued in sets of specimens representing standards of the given species |
| GRF | Gerbarii Russkoi Flory | Herbarium of Russian Flora |
| rn. | raion | region |



FLORISTIC REGIONS OF THE USSR




1. Crimea
2. Ciscaucasia
3. Western Transcaucasia
4. Eastern Transcaucasia
5. Southern Transcaucasia
6. Dagestan
7. Talysh
8. Montane Turkmenia
9. Amu Darya
10. Syr Darya
11. Dzhungaria-Tarbagatai

200 0 200 400 600 800 1000 km

REGIONS used to indicate general distribution of species in the "FLORA OF THE USSR"

- | | |
|---|--------------------------|
| I - Arctic | IX - India-Himalayas |
| II - Scandinavia | X - Dzhungaria-Kashgaria |
| III - Central Europe | XI - Mongolia |
| IV - Atlantic Europe | XII - Japan, China |
| V - Mediterranean (V' - Western V" - Eastern) | XIII - Beringia |
| VI - Balkans-Asia Minor | XIV - North America |
| VII - Armenia-Kurdistan | XV - Tibet |
| VIII - Iran | |



SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01122 9960